

## **DIFFERENT SCALES OF POTENTISATION**

### **50 MILLESIMAL SCALE**

- ❖ Introduced in 6<sup>th</sup> edition of organon of medicine, §270.
- ❖ Name was given by Pierre Schmidt- 50 millesimal potency.
- ❖ Hahnemann in foot note 1, sec 132 writes, "new altered but perfect method- new dynamisation method".
- ❖ In this scale, the material part of the medicine was decreased by 50000 times for each degree of dynamisation.

### **Evolution of 'new altered but perfect method'**

- Hahnemann was not satisfied with centesimal scale in cases of sensitive constitution with chronic miasmatic disease.  
Certain questions were-
  - Lower potencies were not able to stimulate healing reaction.
  - Higher potencies caused serious aggravations.

He wondered to overcome the aggravation in weak and sensitive patients and the solution was not in raising the dynamisation to higher range of potency.
- High potencies like 1M (prepared by Jenichen and other followers) were used but not suitable in weak cases with advanced tissue pathology because they produce life threatening aggravations.

### **Reasons why Hahnemann was not satisfied with centesimal scale-**

- The potencies were not acting rapidly.
- The period of cure took very long time to his great dissatisfaction.
- The time and frequency of remedies were difficult to ascertain correctly.
- In weak, sensitive constitution with chronic disease, the lower potency were not able to stimulate a healing reaction, at the same time, the higher potencies caused aggravations.

### **Three alternatives for modifications and preparation for change:**

- Quantity of the medicine for the preparation
- Ratio of the vehicle to the medicine
- Number of succussion strokes.

### **Basis for the modification:**

- Less the material quantity, lessen the chances of medicinal aggravations.
- The more potentized a remedy is, the more it acts permanently and rapidly.
- The more the medicine is diluted, less is its duration of action. Action is milder and hence repetition can be done.

### **The solution:**

- To widen the gap between medicinal substances and diluting medium, incredibly reducing the medicinal quantity to avoid aggravations.
- 100 succussions, to develop power of medicine to the desired extent, for a most rapid and long lasting penetration.

### **PREPARATION OF 50 MILLESIMAL POTENCY:**

**1 grain of crude drug powder is dissolved in 500 drops of mixture (1 part of alcohol + 4 parts of distilled water) and then put in a vial.**



**100 drops of pure alcohol are added + 100 strong succussions**



**1<sup>st</sup> potency**



**1 globule of 1<sup>st</sup> potency with 100 drops of alcohol + succussion (100)  
– 2<sup>nd</sup> potency**

**Acc to Homoeopathic Pharmacopoeia of India- general instruction for preparation of 50 millesimal potencies.**

100 globules weighing 65 mg and such 500 globules can hardly absorb 1 drop of their saturation.

100mg of crude drug substance or 0.1ml of liquid substance with 10g of sugar of milk

So, the preparation of medicine to alcohol will be 1 to 50000 { $1/500 \times 100$ }, so, the scale named fifty millesimal potency.

Trituration

1<sup>st</sup> potency

100mg of 1<sup>st</sup> potency with 10g of sugar of milk = 2nd potency

Same process  
3<sup>rd</sup> potency (3C)

100mg of 3<sup>rd</sup> potency + 40ml of purified water + 10ml of dispensing alcohol  
known as mother solution

1 drop of mother solution + 100 drops of dispensing alcohol =  
1<sup>st</sup> 50 millesimal potency i.e., 0/1

Soak 100 globules (65mg) in one drop of preceding potency and dry them. Take 1 globule and dissolve it in a drop of purified water in new phial.

Add 100 drops of dispensing alcohol (100 succussions) = Next potency

- Preparation of potency- distinctive features: dry powder trituration of all drug substance up to 3c in centesimal scale.
- Now, conversion of 3c into liquid form, diluting it 500 times with suitable vehicle.
- Above process followed by 100 strokes give 1<sup>st</sup> degree of liquid potency. 1 drop with 100 drops of alcohol to give 50000 times dilute than previous potency.
- All subsequent potency are prepared by succussing 1 globule with 100 parts of alcohol, decreasing the material quantity by 50,000 times at each potency.
- Designation: 0/1, 0/2, 0/3..... / 0/I, 0/II, 0/III.....
  - LM1, LM2, LM3.... / LM I, LM II, LM III....

### **Advantages of LM potency:**

- It becomes easy to select from limited range of potency.
- No fear of aggravation of disease.
- Repetition is feasible.
- Quick and rapid action.
- Accurate judgement of nature of cure.

### **Clinical Application:**

- Recent studies have shown that 50 millesimal potencies can lead to significant improvements in chronic diseases without reported aggravations. For instance, a retrospective study indicated a statistically significant improvement ( $P = 0.01$ ) in patients treated with LM potencies across various conditions.
- Independence from Patient Variables: Research suggests that the effectiveness of 50 millesimal potencies is not significantly influenced by factors such as age, gender, or duration of illness.
- Hahnemann's exploration of the 50 millesimal potencies spanned from 1837 to 1843, during which he documented 1,836 prescriptions utilizing this scale. His approach involved a systematic comparison between 50 millesimal and centesimal potencies, ultimately advocating for the former due to its perceived advantages in treatment efficacy and safety.
- The introduction of this scale aimed to refine homoeopathic practices by minimizing aggravations often associated with higher potencies.

### **Bibliography:**

- <https://pubmed.ncbi.nlm.nih.gov/16815521/>

- <https://www.ijrh.org/cgi/viewcontent.cgi?article=1653&context=journal>
- A Textbook of Homoeopathic Pharmacy by Mandal N Mandal