Dispenses of Homoeopathic Medicines

Source Reference The Organon of Medicine - Samuel Hahnemann

§ 286 Fifth Edition

For the same reason the effect of a homoeopathic dose of medicine increases, the greater the quantity of fluid in which it is dissolved when administered to the patient, although the actual amount of medicine it contains remains the same. For in this case, when the medicine is taken, it comes in contact with a much larger surface of sensitive nerves responsive to the medicinal action.

§ 285 Fifth Edition

For this purpose it is most convenient to employ fine sugar globules of the size of poppy seeds, one of which imbibed with the medicine and put into the dispensing vehicle constitutes a medicinal dose, which contains about the three hundredth part of a drop, for three hundred such small globules will be adequately moistened by one drop of alcohol.

§ 272 Sixth Edition

Such a globule,1 placed dry upon the tongue, is one of the smallest doses for a moderate recent case of illness. Here but few nerves are touched by the medicine. A similar globule, crushed with some sugar of milk and dissolved in a good deal of water (§ 247) and stirred well before every administration will produce a far more powerful medicine for the use of several days. Every dose, no matter how minute, touches, on the contrary, many nerves.

§ 275

The suitableness of a medicine for any given case of disease does not depend on its accurate homoeopathic selection alone, but likewise on the proper size, or rather smallness, of the dose

§ 246 Fifth Edition

one single dose only should be given; an, for instance, in place of giving a single very minute globule moistened with the medicine in the highest dynamization, to administer six, seven or eight of them at once, and even a half or a whole drop. But the result was almost always less favourable than it should have been; it was often actually unfavourable, often even very bad - an injury that, in a patient so treated, is difficult to repair.

§ 128 Fifth Edition

We adopt is to give to the experimenter, on an empty stomach, daily from four to six very small globules of the thirtieth potentized dilution of such a substance, moistened with a little water

The Chronic Diseases [Dr Samuel Hahnemann]

To prepare the pellets to give to patients, one or a couple of such little pellets are put into the open end of a paper capsule containing two or three grains of powdered sugar of milk; this is then stroked with a spatula or the nail of the thumb with some degree of pressure until it is felt, that the pellet or pellets are crushed and broken, then the pellets will easily dissolve if put into water.

Wherever I mention pellets in giving medicine, I always mean the finest, of the size of poppy-seeds,

The Chronic Diseases [Dr Samuel Hahnemann] [Preface to 5th Volume]

If, however, every potency is dynamized with the same number of successive strokes, we obtain, even in the fiftieth potency, medicines of the most penetrating efficacy, so that every minute pellet moistened with it, after being dissolved in a quantity of water, can and must be taken in small parts, if we do not wish to produce too violent an action with sensitive patients

Expiry of Homoeopathy Medicines:

§ 288 Fifth Edition

A globule of which ten, twenty or one hundred weigh one grain, impregnated with the thirtieth potentized dilution, and then dried, retains for this purpose all its power undiminished for at least eighteen or twenty years (my experience extends this length of time)

By _ Dr.Saptarshi Banerjea

(https://saptarshibanerjea.com/)