

Choupo

The Open Source Chemical Process Simulator

Explorer Guide

Choupo-dev

Copyright © 2026 Vítor Geraldes.

Authors: Vítor Geraldes.

This work is licensed under a Creative Commons Attribution-ShareAlike 4.0 International License.

Code examples, Choupo case files, and other machine-readable examples are licensed under GPL-3.0-or-later.

Typeset in LaTeX.

Acknowledgment. Choupo was conceived and architected by Vítor Geraldes. Substantial parts of the initial implementation, documentation, and tutorial corpus were produced with assistance from Anthropic Claude Code using Claude Opus/Fable models. This guide is published under human curation, review, and editorial responsibility by Vítor Geraldes.

License

Attribution-ShareAlike 4.0 International

===

Creative Commons Corporation ("Creative Commons") is not a law firm and
does not provide legal services or legal advice. Distribution of
Creative Commons public licenses does not create a lawyer-client or
other relationship. Creative Commons makes its licenses and related
information available on an "as-is" basis. Creative Commons gives no
warranties regarding its licenses, any material licensed under their
terms and conditions, or any related information. Creative Commons
disclaims all liability for damages resulting from their use to the
fullest extent possible.

Using Creative Commons Public Licenses

Creative Commons public licenses provide a standard set of terms and
conditions that creators and other rights holders may use to share
original works of authorship and other material subject to copyright
and certain other rights specified in the public license below. The
following considerations are for informational purposes only, are not
exhaustive, and do not form part of our licenses.

     Considerations for licensors: Our public licenses are
     intended for use by those authorized to give the public
     permission to use material in ways otherwise restricted by
     copyright and certain other rights. Our licenses are
     irrevocable. Licensors should read and understand the terms
     and conditions of the license they choose before applying it.
     Licensors should also secure all rights necessary before
     applying our licenses so that the public can reuse the
     material as expected. Licensors should clearly mark any
     material not subject to the license. This includes other CC-
     licensed material, or material used under an exception or
     limitation to copyright. More considerations for licensors:
    wiki.creativecommons.org/Considerations_for_licensors

     Considerations for the public: By using one of our public
     licenses, a licensor grants the public permission to use the
     licensed material under specified terms and conditions. If
     the licensor's permission is not necessary for any reason--for
     example, because of any applicable exception or limitation to
     copyright--then that use is not regulated by the license. Our
     licenses grant only permissions under copyright and certain
     other rights that a licensor has authority to grant. Use of
     the licensed material may still be restricted for other
     reasons, including because others have copyright or other
     rights in the material. A licensor may make special requests,
     such as asking that all changes be marked or described.
     Although not required by our licenses, you are encouraged to
     respect those requests where reasonable. More considerations
     for the public:
    wiki.creativecommons.org/Considerations_for_licensees

===

Creative Commons Attribution-ShareAlike 4.0 International Public
License

By exercising the Licensed Rights (defined below), You accept and agree
to be bound by the terms and conditions of this Creative Commons
Attribution-ShareAlike 4.0 International Public License ("Public
License"). To the extent this Public License may be interpreted as a
contract, You are granted the Licensed Rights in consideration of Your
acceptance of these terms and conditions, and the Licensor grants You
such rights in consideration of benefits the Licensor receives from
making the Licensed Material available under these terms and
conditions.

Section 1 -- Definitions.

  a. Adapted Material means material subject to Copyright and Similar
     Rights that is derived from or based upon the Licensed Material
     and in which the Licensed Material is translated, altered,
     arranged, transformed, or otherwise modified in a manner requiring
     permission under the Copyright and Similar Rights held by the
     Licensor. For purposes of this Public License, where the Licensed
     Material is a musical work, performance, or sound recording,
     Adapted Material is always produced where the Licensed Material is
     synched in timed relation with a moving image.

  b. Adapter's License means the license You apply to Your Copyright
     and Similar Rights in Your contributions to Adapted Material in
     accordance with the terms and conditions of this Public License.

  c. BY-SA Compatible License means a license listed at
     creativecommons.org/compatiblelicenses, approved by Creative
     Commons as essentially the equivalent of this Public License.

  d. Copyright and Similar Rights means copyright and/or similar rights
     closely related to copyright including, without limitation,
     performance, broadcast, sound recording, and Sui Generis Database
     Rights, without regard to how the rights are labeled or
     categorized. For purposes of this Public License, the rights
     specified in Section 2(b)(1)-(2) are not Copyright and Similar

Rights.

e. Effective Technological Measures means those measures that, in the absence of proper authority, may not be circumvented under laws fulfilling obligations under Article 11 of the WIPO Copyright Treaty adopted on December 20, 1996, and/or similar international agreements.

f. Exceptions and Limitations means fair use, fair dealing, and/or any other exception or limitation to Copyright and Similar Rights that applies to Your use of the Licensed Material.

g. License Elements means the license attributes listed in the name of a Creative Commons Public License. The License Elements of this Public License are Attribution and ShareAlike.

h. Licensed Material means the artistic or literary work, database, or other material to which the Licensor applied this Public License.

i. Licensed Rights means the rights granted to You subject to the terms and conditions of this Public License, which are limited to all Copyright and Similar Rights that apply to Your use of the Licensed Material and that the Licensor has authority to license.

j. Licensor means the individual(s) or entity(ies) granting rights under this Public License.

k. Share means to provide material to the public by any means or process that requires permission under the Licensed Rights, such as reproduction, public display, public performance, distribution, dissemination, communication, or importation, and to make material available to the public including in ways that members of the public may access the material from a place and at a time individually chosen by them.

l. Sui Generis Database Rights means rights other than copyright resulting from Directive 96/9/EC of the European Parliament and of the Council of 11 March 1996 on the legal protection of databases, as amended and/or succeeded, as well as other essentially equivalent rights anywhere in the world.

m. You means the individual or entity exercising the Licensed Rights under this Public License. Your has a corresponding meaning.

Section 2 -- Scope.

a. License grant.

1. Subject to the terms and conditions of this Public License, the Licensor hereby grants You a worldwide, royalty-free, non-sublicensable, non-exclusive, irrevocable license to exercise the Licensed Rights in the Licensed Material to:

a. reproduce and Share the Licensed Material, in whole or in part; and

b. produce, reproduce, and Share Adapted Material.

2. Exceptions and Limitations. For the avoidance of doubt, where Exceptions and Limitations apply to Your use, this Public License does not apply, and You do not need to comply with its terms and conditions.

3. Term. The term of this Public License is specified in Section 6(a).

4. Media and formats; technical modifications allowed. The Licensor authorizes You to exercise the Licensed Rights in all media and formats whether now known or hereafter created, and to make technical modifications necessary to do so. The Licensor waives and/or agrees not to assert any right or authority to forbid You from making technical modifications necessary to exercise the Licensed Rights, including technical modifications necessary to circumvent Effective Technological Measures. For purposes of this Public License, simply making modifications authorized by this Section 2(a) (4) never produces Adapted Material.

5. Downstream recipients.

a. Offer from the Licensor -- Licensed Material. Every recipient of the Licensed Material automatically receives an offer from the Licensor to exercise the Licensed Rights under the terms and conditions of this Public License.

b. Additional offer from the Licensor -- Adapted Material. Every recipient of Adapted Material from You automatically receives an offer from the Licensor to exercise the Licensed Rights in the Adapted Material under the conditions of the Adapter's License You apply.

c. No downstream restrictions. You may not offer or impose any additional or different terms or conditions on, or apply any Effective Technological Measures to, the Licensed Material if doing so restricts exercise of the Licensed Rights by any recipient of the Licensed Material.

6. No endorsement. Nothing in this Public License constitutes or
   may be construed as permission to assert or imply that You
   are, or that Your use of the Licensed Material is, connected
   with, or sponsored, endorsed, or granted official status by,
   the Licensor or others designated to receive attribution as
   provided in Section 3(a)(1)(A)(i).

b. Other rights.

1. Moral rights, such as the right of integrity, are not
   licensed under this Public License, nor are publicity,
   privacy, and/or other similar personality rights; however, to
   the extent possible, the Licensor waives and/or agrees not to
   assert any such rights held by the Licensor to the limited
   extent necessary to allow You to exercise the Licensed
   Rights, but not otherwise.

2. Patent and trademark rights are not licensed under this
   Public License.

3. To the extent possible, the Licensor waives any right to
   collect royalties from You for the exercise of the Licensed
   Rights, whether directly or through a collecting society
   under any voluntary or waivable statutory or compulsory
   licensing scheme. In all other cases the Licensor expressly
   reserves any right to collect such royalties.

Section 3 -- License Conditions.

Your exercise of the Licensed Rights is expressly made subject to the
following conditions.

a. Attribution.

1. If You Share the Licensed Material (including in modified
   form), You must:

   a. retain the following if it is supplied by the Licensor
      with the Licensed Material:

      i. identification of the creator(s) of the Licensed
         Material and any others designated to receive
         attribution, in any reasonable manner requested by
         the Licensor (including by pseudonym if
         designated);

      ii. a copyright notice;

      iii. a notice that refers to this Public License;

      iv. a notice that refers to the disclaimer of
          warranties;

      v. a URI or hyperlink to the Licensed Material to the
         extent reasonably practicable;

   b. indicate if You modified the Licensed Material and
      retain an indication of any previous modifications; and

   c. indicate the Licensed Material is licensed under this
      Public License, and include the text of, or the URI or
      hyperlink to, this Public License.

2. You may satisfy the conditions in Section 3(a)(1) in any
   reasonable manner based on the medium, means, and context in
   which You Share the Licensed Material. For example, it may be
   reasonable to satisfy the conditions by providing a URI or
   hyperlink to a resource that includes the required
   information.

3. If requested by the Licensor, You must remove any of the
   information required by Section 3(a)(1)(A) to the extent
   reasonably practicable.

b. ShareAlike.

   In addition to the conditions in Section 3(a), if You Share
   Adapted Material You produce, the following conditions also apply.

1. The Adapter's License You apply must be a Creative Commons
   license with the same License Elements, this version or
   later, or a BY-SA Compatible License.

2. You must include the text of, or the URI or hyperlink to, the
   Adapter's License You apply. You may satisfy this condition
   in any reasonable manner based on the medium, means, and
   context in which You Share Adapted Material.

3. You may not offer or impose any additional or different terms
   or conditions on, or apply any Effective Technological
   Measures to, Adapted Material that restrict exercise of the
   rights granted under the Adapter's License You apply.

Section 4 -- Sui Generis Database Rights.

Where the Licensed Rights include Sui Generis Database Rights that
apply to Your use of the Licensed Material:

a. for the avoidance of doubt, Section 2(a)(1) grants You the right
   to extract, reuse, reproduce, and Share all or a substantial
   portion of the contents of the database;

b. if You include all or a substantial portion of the database
   contents in a database in which You have Sui Generis Database
   Rights, then the database in which You have Sui Generis Database
   Rights (but not its individual contents) is Adapted Material,
   including for purposes of Section 3(b); and

c. You must comply with the conditions in Section 3(a) if You Share
   all or a substantial portion of the contents of the database.

For the avoidance of doubt, this Section 4 supplements and does not
replace Your obligations under this Public License where the Licensed
Rights include other Copyright and Similar Rights.

Section 5 -- Disclaimer of Warranties and Limitation of Liability.

a. UNLESS OTHERWISE SEPARATELY UNDERTAKEN BY THE LICENSOR, TO THE
   EXTENT POSSIBLE, THE LICENSOR OFFERS THE LICENSED MATERIAL AS-IS
   AND AS-AVAILABLE, AND MAKES NO REPRESENTATIONS OR WARRANTIES OF
   ANY KIND CONCERNING THE LICENSED MATERIAL, WHETHER EXPRESS,
   IMPLIED, STATUTORY, OR OTHER. THIS INCLUDES, WITHOUT LIMITATION,
   WARRANTIES OF TITLE, MERCHANTABILITY, FITNESS FOR A PARTICULAR
   PURPOSE, NON-INFRINGEMENT, ABSENCE OF LATENT OR OTHER DEFECTS,
   ACCURACY, OR THE PRESENCE OR ABSENCE OF ERRORS, WHETHER OR NOT
   KNOWN OR DISCOVERABLE. WHERE DISCLAIMERS OF WARRANTIES ARE NOT
   ALLOWED IN FULL OR IN PART, THIS DISCLAIMER MAY NOT APPLY TO YOU.

b. TO THE EXTENT POSSIBLE, IN NO EVENT WILL THE LICENSOR BE LIABLE
   TO YOU ON ANY LEGAL THEORY (INCLUDING, WITHOUT LIMITATION,
   NEGLIGENCE) OR OTHERWISE FOR ANY DIRECT, SPECIAL, INDIRECT,
   INCIDENTAL, CONSEQUENTIAL, PUNITIVE, EXEMPLARY, OR OTHER LOSSES,
   COSTS, EXPENSES, OR DAMAGES ARISING OUT OF THIS PUBLIC LICENSE OR
   USE OF THE LICENSED MATERIAL, EVEN IF THE LICENSOR HAS BEEN
   ADVISED OF THE POSSIBILITY OF SUCH LOSSES, COSTS, EXPENSES, OR
   DAMAGES. WHERE A LIMITATION OF LIABILITY IS NOT ALLOWED IN FULL OR
   IN PART, THIS LIMITATION MAY NOT APPLY TO YOU.

c. The disclaimer of warranties and limitation of liability provided
   above shall be interpreted in a manner that, to the extent
   possible, most closely approximates an absolute disclaimer and
   waiver of all liability.

Section 6 -- Term and Termination.

a. This Public License applies for the term of the Copyright and
   Similar Rights licensed here. However, if You fail to comply with
   this Public License, then Your rights under this Public License
   terminate automatically.

b. Where Your right to use the Licensed Material has terminated under
   Section 6(a), it reinstates:

   1. automatically as of the date the violation is cured, provided
      it is cured within 30 days of Your discovery of the
      violation; or

   2. upon express reinstatement by the Licensor.

   For the avoidance of doubt, this Section 6(b) does not affect any
   right the Licensor may have to seek remedies for Your violations
   of this Public License.

c. For the avoidance of doubt, the Licensor may also offer the
   Licensed Material under separate terms or conditions or stop
   distributing the Licensed Material at any time; however, doing so
   will not terminate this Public License.

d. Sections 1, 5, 6, 7, and 8 survive termination of this Public
   License.

Section 7 -- Other Terms and Conditions.

a. The Licensor shall not be bound by any additional or different
   terms or conditions communicated by You unless expressly agreed.

b. Any arrangements, understandings, or agreements regarding the
   Licensed Material not stated herein are separate from and
   independent of the terms and conditions of this Public License.

Section 8 -- Interpretation.

a. For the avoidance of doubt, this Public License does not, and
   shall not be interpreted to, reduce, limit, restrict, or impose
   conditions on any use of the Licensed Material that could lawfully
   be made without permission under this Public License.

b. To the extent possible, if any provision of this Public License is
   deemed unenforceable, it shall be automatically reformed to the
   minimum extent necessary to make it enforceable. If the provision
   cannot be reformed, it shall be severed from this Public License
   without affecting the enforceability of the remaining terms and
   conditions.

```
  c. No term or condition of this Public License will be waived and no
     failure to comply consented to unless expressly agreed to by the
     Licensor.

  d. Nothing in this Public License constitutes or may be interpreted
     as a limitation upon, or waiver of, any privileges and immunities
     that apply to the Licensor or You, including from the legal
     processes of any jurisdiction or authority.


=======================================================================

Creative Commons is not a party to its public
licenses. Notwithstanding, Creative Commons may elect to apply one of
its public licenses to material it publishes and in those instances
will be considered the "Licensor." The text of the Creative Commons
public licenses is dedicated to the public domain under the CC0 Public
Domain Dedication. Except for the limited purpose of indicating that
material is shared under a Creative Commons public license or as
otherwise permitted by the Creative Commons policies published at
creativecommons.org/policies, Creative Commons does not authorize the
use of the trademark "Creative Commons" or any other trademark or logo
of Creative Commons without its prior written consent including,
without limitation, in connection with any unauthorized modifications
to any of its public licenses or any other arrangements,
understandings, or agreements concerning use of licensed material. For
the avoidance of doubt, this paragraph does not form part of the
public licenses.

Creative Commons may be contacted at creativecommons.org.
```

Trademarks

Choupo is a trademark of TalentGround Lda.

Anthropic, Claude, and Claude Code are trademarks or registered trademarks of Anthropic, PBC.

1 What the Explorer is

The Explorer is Choupo's *interactive thermodynamics bench*: pick components, pick a view, and SEE what the selected property models do — instantly, in the browser, with no case authoring at all. It answers the question that comes *before* any simulation: **"what does this thermodynamics look like?"**

It sits deliberately between two other surfaces:

- The **props bench** (`choupoProps` cases) asks the same questions *reproducibly*: a case file, golden-locked numbers, validation blocks. The Explorer is its sketchpad — what you find here, you pin down there.
- The **simulators** consume the models the Explorer displays. A surprise in a flowsheet (an azeotrope, a scaling mineral, a runaway γ) is usually visible in the Explorer in thirty seconds.

Everything the Explorer draws is computed by the SAME C++ engine (compiled to WebAssembly) with the SAME curated catalogue (`data/standards/`) the solvers use. There is no "display model": if the Explorer shows an azeotrope at $x = 0.89$, the distillation column will hit it at $x = 0.89$.

2 The workflow

Explore is *one* tab with two **views** of one selected set, switched in place by the **Catalogue | Surfaces** control at the top left: the *Catalogue* browses the substances and reads their records, the *Surfaces* plot them. The set and the view travel in the address (`?workspace=explore&view=surfaces&components=water,ethanol`), so an exploration is a link you can hand to somebody.

1. **Pick components** in the left panel. The list is the live catalogue; each card shows the data the component actually carries (criticals, P^{sat}, c_p, formation — and what it lacks). Case-local components (from an open case's `constant/`) appear alongside, marked.
2. **Pick a view** (the tabs enable themselves when their component-count and data requirements are met; a disabled tab tells you WHY it is disabled).
3. **Pick the method** where more than one applies — activity model, equation of state, P^{sat} correlation. Overlaying two methods on the same axes is the fastest modelling lesson Choupo offers: the gap between the curves IS the modelling uncertainty.
4. **Export**: every view is a Plotly figure (zoom, hover, save PNG) backed by numbers you can carry into a props case for the golden-locked version.

3 The views, one by one

3.1 The Catalogue view (the compound browser)

The catalogue is a *tree*, not a list. Groups derived from each record's own facts fold and unfold with their member count; the groups a student charges to a vessel open by default, the combustion library, the radicals and the synthetic test stand-ins start folded. A group too large for one screen is subdivided into *families*, and the family comes from the record, never from the name: first the *declared UNIFAC groups* (the highest-precedence group present decides — an acid before an ester before an alcohol, down to an alkane); only for a record with no group decomposition, the *elemental formula*, coarser and labelled so with a "(by formula)" suffix. A record with neither is shown under *"No formula declared in the record"* — a visible curation gap, never a guess. Typing in the search box flattens the tree; a double click inspects a component without changing the set. The browser reads the catalogue; it does not edit a record.

The browser is the left half of the *Catalogue* view — the view `?workspace=explore` opens when the address names no set. A click adds a compound to the set *and* shows its record in the right half — identity, what the record carries, the curation dossier's verdict — so the panel follows your reading; a double click reads a record without changing the set. **Plot n compounds** switches to the *Surfaces* view in place, and for a pair some study has measured, **Evidence for this pair** opens the Evidence view (§3.15). The Surfaces do not need the Catalogue: they keep a compound rail of their own and open perfectly well with nothing selected (`?workspace=explore&view=surfaces`). A component the address names but the catalogue cannot resolve is left out of the set and said so, never dropped in silence. **F1** on the Catalogue view opens this section; on the Surfaces it opens the Theory Guide section of the active lens. The old addresses — `?workspace=properties` and `?workspace=compounds` — still work: they are rewritten to the view they used to open.

3.2 Property vs T/P (scan)

Any pure-component property — P^{sat}, liquid density, c_p, viscosity, enthalpy — swept over temperature or pressure, for one or many components. Use it to: check a correlation's range before trusting it in a case; compare components; spot the nonsense that extrapolation produces outside a fit's window (the guide's recurring lesson: a correlation is DATA, and data has a domain).

3.3 Pure phase diagram (P–T)

The full phase map of one substance: sublimation, melting and vapour-pressure lines meeting at the triple point, ending at the critical point. Expect water's negatively-sloped melting line (the anomaly), and the supercritical region where the liquid/vapour distinction dissolves.

3.4 Binary boiling envelope (T–x–y)

The bubble and dew curves of a binary at fixed P. This is where azeotropes announce themselves: the curves touch, and no distillation can cross the touching point. Switch the activity model (ideal → NRTL → UNIFAC) and watch the envelope bend — ideal solutions cannot azeotrope; real ones do.

3.5 $\gamma(x)$ — activity coefficients

The raw non-ideality of a binary: γ_1, γ_2 against composition, with the infinite-dilution values γ^{∞} at the edges. $\gamma > 1$: the pair dislikes mixing (positive deviation, minimum-boiling azeotropes); $\gamma < 1$: association (maximum-boiling). The Gibbs–Duhem constraint ties the two curves together — one cannot bend without the other answering.

3.6 Binary flash (x–y + lever rule)

One flash, drawn: feed, vapour and liquid on the equilibrium diagram with the lever rule made visible. Use it to understand what a single equilibrium stage can and cannot do.

3.7 Binary and ternary LLE

Liquid–liquid splitting from the mixing Gibbs energy: $g_{\mathrm{mix}}(x)$ with the common-tangent construction (binary), and the ternary solubility envelope with tie-lines (UNIFAC-predicted). Expect the tangent points — not the minima — to define the coexisting phases; that distinction is the whole thermodynamics of demixing.

3.8 Ternary boiling surface

T_{bubble} over the composition triangle: valleys are distillation boundaries, and azeotropes sit at the stationary points.

3.9 Scaling (SI vs recovery)

The membrane/brine screening view: concentrate a water composition over recovery and watch each mineral's saturation index climb toward SI = 0 (the precipitation line). The Davies-vs-Pitzer method switch is the lesson: at high ionic strength the two activity models give DIFFERENT scaling verdicts, and choosing one is an engineering decision.

3.10 Cohesion of the pure liquids (Hildebrand parameter)

One bar per *pure* liquid at the stated temperature: $\delta = \sqrt{(\Delta H_{\mathrm{vap}}(T) - RT)/V_m}$, derived from each record's own ΔH_{vap}, T_c and V_{liq} and never stored. A larger value is a more cohesive liquid, *not* a larger dissolving power, and no mixture property is computed in this view. The cohesive energy includes hydrogen bonding; what the single parameter cannot do is separate it from dispersion and polarity, so two close values make a pair a *candidate*, never a verdict — water and ethanol sit 22 $\mathrm{MPa}^{1/2}$ apart and mix in all proportions. The three-parameter Hansen split is what that needs: the engine reads it from a `hansen { dD; dP; dH; }` block on the component record and draws the Teas coordinates, but no shipped record carries one yet, so what is missing is licence-clean *data*, not code — the view and the run say so rather than inventing a triple. The `published` column is an independently reported value carried as an anchor that checks the derivation and never feeds it. **F1** opens the Theory Guide's chapter on the solubility parameter (`ch:solubility-parameter`), which derives the number and the Teas triangle and states both limits.

3.11 Equilibrium map (Gibbs)

The chemical-reaction view: pick two or more gas-phase species (with plain formulas — the atom matrix is derived from them, glass-box) and a feed, and get iso-lines of a product's equilibrium mole fraction over the $T \times P$ plane. The whole point is the tension it makes visible: for ammonia ($\mathrm{N_2 + 3H_2 \rightleftharpoons 2NH_3}$) the equilibrium optimum sits cold and high-pressure, yet the labelled industrial window sits hot — where the catalyst can work. Answers the beginner's real confusion first ("where do I write the reaction?" — you don't; Gibbs redistributes the ATOMS you fed, shown as a live element balance). *Click any cell* for its full equilibrium composition and the ready-to-run `gibbsReactor` case dict — the map is a case generator. The *advanced* toggle exposes the temperature-approach ΔT (the empirical closeness-to-equilibrium knob commercial tools hide); it snaps rather than animates, and ghosts the $\Delta T = 0$ contours underneath so you read the before/after, not a motion. Unconverged cells are marked, never interpolated.

3.12 Steam tables (IF97)

Saturation and superheat properties of water from IAPWS-IF97 — h_f, h_g, h_{fg}, entropies, volumes — the backbone of every steam and power-cycle case, browsable.

3.13 EduTools (the Methods workspace)

Since 2026-08-15 the classical *method constructions* live in their own workspace, **EduTools**, split from the Explorer by one criterion: *a property surface answers "what does this system's property look like?"* (the Explorer); *a method construction answers "what does the classical graphical method say about a design question?"* — McCabe–Thiele, Kremser, Rayleigh, ε-NTU, pinch composites, and derivation pages for the property models. Open it from the hub's **EduTools** button: it is a tab of its own, needs no case, and does not talk to the flowsheet. A tool is chosen from the top row of the tab; every tool carries a one-line "teaches" caption and its Theory Guide link. Every curve is an engine run (`choupoProps` in WebAssembly) over a transient synthesized case — *zero physics in TypeScript*; the staircase drawn on it is geometry. Planned tools stay visible and disabled, naming what will feed them. It never writes a case: "Author → copy propsDict" emits the dict for you to author on disk.

3.14 Literature ("who measured this?")

Provenance is the differentiator, and this workspace puts its question one click from the flowsheet. With a case open and your mirror installed, the tab's menu carries **Literature**: type compound names (every word must match a compound in the article) or click a chip for one of the case's own components, and read who measured that system — authors, year, title, journal, a DOI link, and the properties measured. It searches your *private* mirror of the NIST/TRC ThermoML Archive, installed once with `bin/choupo-thermoml sync` on your own machine; the runtime never reads it and the public site has no mirror, so there the menu does not offer the view at all (an entry with nothing behind it is hidden), and a link to it shows the install instructions instead. That absence is a status, not an empty result: *"nobody measured this"* and *"you have no mirror"* are different sentences. It is a *reading list, never a value*: no number is copied into a case or a record, and the only outbound action is opening the article. Read it and cite it — never this index.

3.15 Evidence (measured points against every candidate)

Pick exactly two components that some measured study is about — methanol and water is the worked example — and the **evidence** lens appears (it is not offered where no dataset for the pair exists). It is the Explorer's answer to *"which model should I trust for this pair?"*, and it answers by showing, never by deciding.

On the left: the **measured datasets** for the pair, gathered from three places — the bundled tutorials' `constant/experiments/`, your private `data/local/evidence/` folder (the development GUI only; the public site never sees it) and the open case — each with its citation, DOI, number of points, pressure and review status. One measurement is one dataset however many places carry a copy: copies are merged by the checksum of their data block, and the list says where else it lives. Below them, the **candidate models**: every parameter record for the pair in any tier (each a separate candidate, labelled by where it came from), UNIFAC where both components carry groups, COSMO-SAC only

where a sigma profile is actually installed, and ideal mixing. Tick and untick both lists; on a phone they fold behind one button.

On the right: the measured bubble temperatures (with the dataset's own uncertainty bars) under one curve per candidate; one **residual** panel per candidate (engine minus measurement); and a table of the mean absolute deviation, its relative form and the bias. A dataset is told by its marker shape, a candidate by its colour. Where a dossier cites a candidate — a pair Choupo regressed in a curation tutorial — its verdict and held-out AAD sit beside it.

What it computes: nothing physical. Each candidate is one `choupoProps` run, its parameters written inline, asked *at the measured liquid compositions* (`vary { points ( ...); }`), never read off a curve between two grid points. The view subtracts and averages those answers and fits nothing; fitting and promoting a pair stay with the curation tools. The address carries the selection (`&lens=evidence&datasets=...&models=...`), so the picture a professor pastes is the picture a student gets. Two lessons are waiting in the methanol–water example: the fitted pair is inside the band declared before its fit and still not closer than the predictive model on the held-out study, and part of every residual is the vapour-pressure record's, not the activity model's. **F1** (or the book icon) on this view opens the Theory Guide's section on what is fittable and what is not (`ch:fittable`) — where a parameter comes from, which is what a residual here is evidence about; the view's own *How to read this view* link opens this section.

3.16 Phase split along T or P (V / L / S, pH)

Pick two or more components the engine can flash — every one carrying a vapour pressure, or all of them components of the open case's own thermophysical system — and the **phase split** lens appears. It answers *"what exists at this temperature, and how much?"* for ONE feed: you give the overall composition in moles, hold P (or T) and move T (or P) over a range, and at every grid point the engine solves the whole phase split through the flash unit's own solver — vapour, one or two liquids, every crystallising solid a record declares, minerals precipitating where the package speciates. The overall composition stays fixed; what moves is how it is shared between the phases. Cooling a water–ethanol liquor from 0 to $-20\,^{\circ}\mathrm{C}$ shows the freeze-concentration lesson: one liquid, then ice appearing between -8 and $-9\,^{\circ}\mathrm{C}$ (a 90/10 molar feed under the curated NRTL pair), then the liquor growing richer in ethanol as more water leaves as ice.

On the left: the **thermophysical system**. *Built here* is a molecular package over the set — the liquid's activity model (ideal, NRTL, Wilson, UNIFAC; under NRTL and Wilson the panel says which pairs a curated record covers) and, for each component whose record declares an enthalpy of fusion and a fusion temperature, a box to let its pure solid crystallise. With a crystal ticked the engine solves liquid + solid with no vapour (a solid beside a vapour is not solved yet), so the phase set is not offered. *The open case's* sends the open case's `constant/` tree as written, its chemistry included — the route by which pH and precipitates reach the lens, since the package built here does not speciate. Below: the **feed** in moles (sent as typed; the engine normalises it to one mole and says so in its own words), the swept variable with its held value, the range and the number of points, and the flash unit's own phase-set word (`VL`, `LL`, `VLLE`, `auto`); for the last three the package built here declares two liquids sharing the one activity model, since the flash refuses to split a liquid it was given only one of.

On the right: the amount of every phase in mol per mol of feed as **stacked bars at the grid points** — the engine's amounts placed on top of each other, summing to one at every solved point; nothing is drawn between two grid points. A phase that **appears or disappears** is marked by a shaded band spanning the two grid values the engine says the change lies between: the boundary is somewhere inside that band, and the view does not claim to know where. Below: **pH** in its own panel where the engine published one (otherwise a sentence saying it did not), and the **composition** of a chosen phase, with a gap where that phase is absent. Then the engine's own sentences: the events, every **refused point** with its reason (a gap in every figure, never a neighbour's value), the record-level announcements at the first point that raised each (a vapour pressure extrapolated below its fitted window, a pair used outside its span), and what the scan does not model.

What it computes: nothing physical. One `choupoProps` run of one `phaseSplitScan` operation; every number on screen is a number of its `phaseSplitScans` result block. *What it cannot show:* a solid no record declares. An excipient solidifies here only where its record carries the crystal's data — `sucrose.dat` has no enthalpy of fusion, so sucrose never crystallises in this view — and nucleation and supercooling are not modelled (every point is the equilibrium state). **F1** (or the book icon) opens the Theory Guide's isothermal flash (`ch:flash`), the calculation solved at every point; the view's own *How to read this view* link opens this section.

4 Provenance and honesty rules

The Explorer inherits the project's credo:

- **Every number has a source.** Component cards show where each value came from; estimates carry their UNVALIDATED badge; nothing is silently filled in.
- **Disabled means explained.** A view that cannot run tells you which requirement failed (component count, missing VLE data, missing UNIFAC groups) — never a dead button.
- **The Explorer never writes.** It reads the catalogue and the open case; promoting data, fitting parameters and locking goldens belong to the props bench and the curation tools. Sketch here, commit there.

5 From Explorer to case: the hand-off

A typical session: you notice in the T–x–y view that your solvent pair azeotropes at 78 % — so the simple column in your flowsheet cannot deliver 99 % purity. The hand-off is: (1) reproduce the envelope as a props case (`propertyScanBinary`) so the finding is golden-locked; (2) switch the flowsheet to the azeotrope-aware design (pressure-swing or entrainer); (3) cite the Explorer finding in the case header. The Explorer is where you LEARN; cases are where knowledge is kept.