Tell us whether you accept cookies

We use <u>cookies to collect information</u> about how you use GOV.UK. We use this information to make the website work as well as possible and improve government services.

Accept all cookies

Set cookie preferences





Coronavirus (COVID-19): what you need to do

Stay at home

- Only go outside for food, health reasons or work (but only if you cannot work from home)
- If you go out, stay 2 metres (6ft) away from other people at all times
- · Wash your hands as soon as you get home

Do not meet others, even friends or family.

You can spread the virus even if you don't have symptoms.

Hide message

Home > COVID-19: guidance on shielding and protecting people defined on medical grounds as extremely vulnerable



Guidance

Guidance on shielding and protecting people defined on medical grounds as extremely vulnerable from COVID-19

Updated 30 March 2020

Contents

Background and scope of guidance

What do we mean by extremely vulnerable?

What you need to know

How do these measures differ from the social distancing guidance for vulnerable people issued?

Symptoms

What is shielding?

Handwashing and respiratory hygiene

What should you do if you develop symptoms of coronavirus (COVID-19)?

How can you get assistance with foods and medicines if you are shielding?

What should you do if you have hospital and GP appointments during this period?

What is the advice for visitors, including those who are providing care for you?

What is the advice for informal carers who provide care for someone who is extremely vulnerable?

How do you look after your mental wellbeing?

What steps can you take to stay connected with family and friends during this time?

What is the advice for people living in long-term care facilities, either for the elderly or persons with special needs?

What is the advice for parents and schools with extremely vulnerable children?

Background and scope of guidance

This guidance is for people, including children, who are at very high risk of severe illness from coronavirus (COVID-19) because of an underlying health condition, and for their family, friends and carers. It is intended for use in situations where the extremely vulnerable person is living in their own home, with or without additional support. This includes the extremely clinically vulnerable people living in long-term care facilities, either for the elderly or persons with special needs.

Shielding is a measure to protect people who are clinically extremely vulnerable by minimising all interaction between those who are extremely vulnerable and others. We are strongly advising people with serious underlying health conditions (listed below), which put them at very high risk of severe illness from coronavirus (COVID-19), to rigorously follow shielding measures in order to keep themselves safe.

What do we mean by extremely vulnerable?

People falling into this extremely vulnerable group include:

- 1. Solid organ transplant recipients.
- 2. People with specific cancers:
 - · people with cancer who are undergoing active chemotherapy
 - · people with lung cancer who are undergoing radical radiotherapy
 - people with cancers of the blood or bone marrow such as leukaemia, lymphoma or myeloma who are at any stage of treatment
 - people having immunotherapy or other continuing antibody treatments for cancer
 - people having other targeted cancer treatments which can affect the immune system, such as protein kinase inhibitors or PARP inhibitors
 - people who have had bone marrow or stem cell transplants in the last 6 months, or who are still taking immunosuppression drugs
- 3. People with severe respiratory conditions including all cystic fibrosis, severe asthma and severe COPD.
- 4. People with rare diseases and inborn errors of metabolism that significantly increase the risk of infections (such as SCID, homozygous sickle cell).
- 5. People on immunosuppression therapies sufficient to significantly increase risk of infection.
- 6. Women who are pregnant with significant heart disease, congenital or acquired.

Shielding is for your personal protection. It is your choice to decide whether to follow the measures we advise. Individuals who have been given a prognosis of less than 6 months to live, and some others in special circumstances, could decide not to undertake shielding. This will be a deeply personal decision. We advise calling your GP or specialist to discuss this.

The NHS in England is directly contacting people with these conditions to provide further advice.

If you think you fall into one of the categories of extremely vulnerable people listed above and you have not received a letter or been contacted by your GP, you should discuss your concerns with your GP or hospital clinician.

We understand this is an anxious time and people considered extremely vulnerable will understandably have questions and concerns. Plans are being readied to make sure you can rely on a wide range of help and support.

What you need to know

If you have an underlying health condition listed above, you are at very high risk of severe illness as a result of coronavirus (COVID-19) requiring admission to hospital.

Shielding is a practice used to protect extremely vulnerable people from coming into contact with coronavirus.

You are strongly advised to stay at home at all times and avoid any face-to-face contact for a period of at least 12 weeks from the day you receive your letter. Please note that this period of time could change.

Visits from people who provide essential support to you such as healthcare, personal support with your daily needs or social care should continue, but carers and care workers must stay away if they have any of the symptoms of coronavirus (COVID-19). You may find this guidance on home care provision useful. All people coming to your home should wash their hands with soap and water for at least 20 seconds on arrival to your house and often while they are there.

You should have an alternative list of people who can help you with your care if your main carer becomes unwell. You can also contact your local council for advice on how to access care.

If you think you have developed symptoms of COVID-19 such as a new, continuous cough or fever, seek clinical advice using the NHS 111 online coronavirus service or call NHS 111. Do this as soon as you get symptoms.

If you have someone else living with you, they are not required to adopt these protective shielding measures for themselves. They should do what they can to support you in shielding and they should stringently follow guidance on social distancing, reducing their contact outside the home. If you care for but don't actually live with someone who is extremely vulnerable, you should still stringently follow guidance on social distancing.

How do these measures differ from the social distancing guidance for vulnerable people issued?

You are strongly advised to stay at home at all times for a period of at least 12 weeks from the day you receive your letter. Avoid going out for food and medicine. Ask a friend, neighbour or family member to bring your supplies where possible.

Symptoms

The most common symptoms of coronavirus (COVID-19) are recent onset of:

- · new continuous cough and/or
- high temperature (above 37.8 °C)

What is shielding?

Shielding is a measure to protect extremely vulnerable people by minimising interaction between those who are extremely vulnerable and others. This means that those who are extremely vulnerable should not leave their homes, and within their homes should minimise all non-essential contact with other members of their household. This is to protect those who are at very high risk of severe illness from coronavirus (COVID-19) from coming into contact with the virus.

If you think you have a condition which makes you extremely vulnerable or have received a letter from NHS England you are strongly advised to shield yourself, to reduce the chance of getting coronavirus (COVID-19) and follow the face-to-face distancing measures below.

The measures are:

- 1. Strictly avoid contact with someone who is displaying symptoms of coronavirus (COVID-19). These symptoms include high temperature and/or new and continuous cough.
- 2. Do not leave your house.
- 3. Do not attend any gatherings. This includes gatherings of friends and families in private spaces, for example, family homes, weddings and religious services.
- 4. Do not go out for shopping, leisure or travel and, when arranging food or medication deliveries, these should be left at the door to minimise contact.
- 5. Keep in touch using remote technology such as phone, internet, and social media.

Do use telephone or online services to contact yourGP or other essential services.

We know that stopping these activities will be difficult. You should try to identify ways of staying in touch with others and participating in your normal activities remotely from your home. However, you must not participate in alternative activities if they involve any contact with other people.

What should you do if you have someone else living with you?

While the rest of your household are not required to adopt these protective shielding measures for themselves, we would expect them to do what they can to support you in shielding and to stringently follow <u>guidance on social distancing</u>.

- 1. Minimise as much as possible the time other family members spend in shared spaces such as kitchens, bathrooms and sitting areas, and keep shared spaces well ventilated.
- 2. Aim to keep 2 metres (3 steps) away from people you live with and encourage them to sleep in a different bed where possible. If you can, you should use a separate bathroom from the rest of the household. Make sure you use separate towels from the other people in your house, both for drying themselves after bathing or showering and for hand-hygiene purposes.
- 3. If you do share a toilet and bathroom with others, it is important that they are cleaned after use every time (for example, wiping surfaces you have come into contact with). Another tip is to consider drawing up a rota for bathing, with you using the facilities first.
- 4. If you share a kitchen with others, avoid using it while they are present. If you can, you should take your meals back to your room to eat. If you have one, use a dishwasher to clean and dry the family's used crockery and cutlery. If this is not possible, wash them using your usual washing up liquid and warm water and dry them thoroughly. If you are using your own utensils, remember to use a separate tea towel for drying these.
- 5. We understand that it will be difficult for some people to separate themselves from others at home. You should do your very best to follow this guidance and everyone in your household should regularly wash their hands, avoid touching their face, and clean frequently touched surfaces.

If the rest of your household stringently follow advice on social distancing and minimise the risk of spreading the virus within the home by following the advice above, there is no need for them to also shield alongside you.

Handwashing and respiratory hygiene

There are general principles you should follow to help prevent the spread of airway and chest infections caused by respiratory viruses, including:

- wash your hands more often with soap and water for at least 20 seconds or use a hand sanitiser. Do this after you blow your nose, sneeze or cough, and after you eat or handle food
- · avoid touching your eyes, nose, and mouth with unwashed hands
- · avoid close contact with people who have symptoms
- cover your cough or sneeze with a tissue, then throw the tissue in a bin
- · clean and disinfect frequently touched objects and surfaces in the home

What should you do if you develop symptoms of coronavirus (COVID-19)?

If you develop symptoms of COVID-19 (high temperature above 37.8 °C and/or new and continuous cough), seek clinical advice using the NHS 111 online coronavirus service or call NHS 111 if you don't have internet access. Do this as soon as you get symptoms. In an emergency, call 999 if you are seriously ill. Do not visit the GP, pharmacy, urgent care centre or a hospital.

To help the NHS provide you with the best care if you need to go to hospital as a result of catching coronavirus, we ask that you prepare a single hospital bag. This should include your emergency contact, a list of the medications you take (including dose and frequency), any information on your planned care appointments and things you would need for an overnight stay (snacks, pyjamas, toothbrush, medication and so on). If you have an advanced care plan, please include that.

How can you get assistance with foods and medicines if you are shielding?

Ask family, friends and neighbours to support you and use online services. If this is not possible, then the public sector, business, charities and the general public are gearing up to help those advised to stay at home. Please discuss your daily needs during this period of staying at home with carers, family, friends, neighbours or local community groups to see how they can support you. Please visit gov.uk/coronavirus-extremely-vulnerable to register for the support that you need. This includes help with food, shopping deliveries and additional care you might need.

The government is helping pharmacies to deliver prescriptions. Prescriptions will continue to cover the same length of time as usual. If you do not currently have your prescriptions collected or delivered, you can arrange this by:

- 1. Asking someone who can pick up your prescription from the local pharmacy (this is the best option, if possible).
- 2. Contacting your pharmacy to ask them to help you find a volunteer (who will have been ID checked) or deliver it to you.

You may also need to arrange for collection or delivery of hospital specialist medication that is prescribed to you by your hospital care team.

If you receive support from health and social care organisations, for example, if you have care provided for you through the local authority or health care system, this will continue as normal. Your health or social care provider will be asked to take additional precautions to make sure that you are protected. The advice for formal carers is included in the home-care-provision.

What should you do if you have hospital and GP appointments during this period?

We advise everyone to access medical assistance remotely, wherever possible. However, if you have a scheduled hospital or other medical appointment during this period, talk to your GP or specialist to ensure you continue to receive the care you need and determine which of these appointments are absolutely essential.

It is possible that your hospital may need to cancel or postpone some clinics and appointments. You should contact your hospital or clinic to confirm appointments.

What is the advice for visitors, including those who are providing care for you?

Contact regular visitors to your home, such as friends and family to let them know that you are shielding and that they should not visit you during this time unless they are providing essential care for you. Essential care includes things like help with washing, dressing or feeding.

If you receive regular health or social care from an organisation, either through your local authority or paid for by yourself, inform your care providers that you are shielding and agree a plan for continuing your care.

If you receive essential care from friends or family members, speak to your carers about extra precautions they can take to keep you safe. You may find this guidance on home-care-provision useful.

Speak to your carers about backup plans for your care in case your main carer is unwell and needs to self-isolate. If you need help with care but you're not sure who to contact, or if you do not have family or friends who can help you, you can contact your local council who will be able to help you and assess any social care needs you might have. Please visit gov.uk/coronavirus-extremely-vulnerable to register for the support that you need.

What is the advice for informal carers who provide care for someone who is extremely vulnerable?

If you are caring for someone who is extremely vulnerable due to severe illness from COVID-19, there are some simple steps that you can take to protect them and to reduce their risk at the current time. Ensure you follow advice on good hygiene:

- · only care that is essential should be provided
- wash your hands on arrival and often, using soap and water for at least 20 seconds or use hand sanitiser
- · cover your mouth and nose with a tissue or your sleeve (not your hands) when you cough or sneeze
- · put used tissues in the bin immediately and wash your hands afterwards
- · do not visit or provide care if you are unwell and make alternative arrangements for their care
- provide information on who they should call if they feel unwell, how to use NHS 111 online coronavirus service and leave the number for NHS 111 prominently displayed
- find out about different sources of support that could be used and accessing further advice on creating a contingency plan is available from <u>Carers UK</u>
- look after your own wellbeing and physical health during this time. Further information on thisis available.

How do you look after your mental wellbeing?

Social isolation, reduction in physical activity, unpredictability and changes in routine can all contribute to increasing stress. Many people including those without existing mental health needs may feel anxious about this impact including support with daily living, ongoing care arrangements with health providers, support with medication and changes in their daily routines.

If you are receiving services for your mental health, learning disability or autism and are worried about the impact of

isolation please contact your key worker or care coordinator or provider to review your care plan. If you have additional needs please contact your key worker or care coordinator to develop a safety or crisis plan.

Understandably, you may find that shielding and distancing can be boring or frustrating. You may find your mood and feelings are affected and you may feel low, worried or have problems sleeping and you might miss being outside with other people.

At times like these, it can be easy to fall into unhealthy patterns of behaviour which in turn can make you feel worse. There are simple things you can do that may help, to stay mentally and physically active during this time such as:

- look for ideas of exercises you can do at home on the NHS website
- spend time doing things you enjoy this might include reading, cooking, other indoor hobbies or listening to favourite radio programmes or watching TV
- try to eat healthy, well-balanced meals, drink enough water, exercise regularly, and try to avoid smoking, alcohol and drugs
- try spending time with the windows open to let in the fresh air, arranging space to sit and see a nice view (if possible)
 and get some natural sunlight, or get out into any private space, keeping at least 2 metres away from your neighbours
 and household members if you are sitting on your doorstep

Constantly watching the news can make you feel more worried. If you think it is affecting you, try to limit the time you spend watching, reading, or listening to media coverage of the outbreak. It may help to only check the news at set times or limit this to a couple of times a day.

Try to focus on the things you can control, such as your behaviour, who you speak to and who you get information from. Every Mind Matters provides simple tips and advice to start taking better care of your mental health.

If you are struggling with your mental health, please see the NHS mental health and wellbeing advice website for self-assessment, audio guides and tools that you can use. If you are still struggling after several weeks and it is affecting your daily life, please contact NHS 111 online. If you have no internet access, you should call NHS 111.

What steps can you take to stay connected with family and friends during this time?

Draw on support you might have through your friends, family and other networks during this time. Try to stay in touch with those around you over the phone, by post or online. Let people know how you would like to stay in touch and build that into your routine. This is also important in looking after your mental wellbeing and you may find it helpful to talk to them about how you are feeling if you want to.

Remember, it is okay to share your concerns with others you trust and in doing so you may end up providing support to them, too. Or you might want to try an NHS recommended helpline.

What is the advice for people living in long-term care facilities, either for the elderly or persons with special needs?

The advice above also applies to extremely vulnerable persons living in long-term care facilities. Care providers should carefully discuss this advice with the families, carers and specialist doctors caring for such persons to ensure this guidance is strictly adhered to.

What is the advice for parents and schools with extremely vulnerable children?

The advice above also applies to extremely vulnerable children in mainstream and special schools.

Is there anything wrong with this page?

Coronavirus (COVID-19)

Coronavirus (COVID-19): what you need to do

Transition period

Transition period: check how to get ready

Services and information

Benefits

Births, deaths, marriages and care

Business and self-employed

Childcare and parenting

Citizenship and living in the UK

Crime, justice and the law

Disabled people

Driving and transport

Education and learning

Employing people

Environment and countryside

Housing and local services

Money and tax

Passports, travel and living abroad

Visas and immigration

Working, jobs and pensions

Departments and policy

How government works

Departments

Worldwide

Services

Guidance and regulation

News and communications

Research and statistics

Policy papers and consultations

Transparency and freedom of information releases

Help Privacy Cookies Contact Accessibility statement Terms and conditions Rhestr o Wasanaethau Cymraeg
Built by the Government Digital Service

OGL

All content is available under the Open Government Licence v3.0, except where otherwise stated

