Name:	Student Number:

BIOLOGY 2A03 TEST #2

March 10, 2017 50 minutes

Dr. Graham Scott Ms. Sinah Lee

Special Instructions:

- This test contains 9 pages and 40 questions
- Mark the letter of the one fully correct answer on the scan sheet.
- One mark per questions. 40 marks total (there is no penalty for incorrect answers)
- Only the McMaster Standard Calculator (Casio FX-991) is permitted

THE FOLLOWING EQUATIONS <u>MAY</u> BE NEEDED TO ANSWER SOME OF THE QUESTIONS ON THE QUIZ:

$$V = \frac{[S] \cdot V_{max}}{K_m + [S]}$$

$$R = \frac{8 \, \eta \, L}{\pi \, r^4}$$

$$F = K \cdot A \cdot ([X]_{out} - [X]_{in})$$

$$NFP = (P_{CAP} + \pi_{IF}) - (\pi_{CAP} + P_{IF})$$

$$V_A = f_R \times (V_T - V_D)$$

$$Q = \frac{\Delta P}{R}$$

$$F = \frac{K \cdot A \cdot \Delta P_{gas}}{T}$$

- 1. When an uncharged solute diffuses across a membrane, the net flux
 - a) can be described by Fick's law
 - b) always occurs from low concentration to high concentration
 - c) can be altered by the membrane potential
 - d) All of the above
 - e) None of the above
- 2. If the membrane potential is -70 mV and the equilibrium potential for a negatively charged ion is -90 mV, what are the directions of the electrical driving force and the electrochemical driving force for that ion?
 - a) outward; inward
 - b) outward; outward
 - c) inward; inward
 - d) inward; outward
- 3. Which statement best describes the depolarization phase of an action potential?
 - a) It is caused by the closing of potassium channels.
 - b) It is caused by the opening of sodium channels.
 - c) It is caused by the inward movement of potassium ions.
 - d) It is caused by the closing of chloride channels.
 - e) None of the above.


Na	me: Student Number:
4.	The binding of a neurotransmitter to its receptor at an excitatory synapse can lead to the of channels. a) opening: potassium b) opening: sodium c) closure: sodium d) opening: chloride e) closing: calcium
5.	 Which of the following is an accurate description of the sliding filament model of muscle contraction: a) Contraction occurs as adjacent thick filaments slide past each other. b) Muscle shortening occurs as actin and myosin slide past each other. c) Muscle shortening occurs when thin filaments overlap each other. d) Muscle shortening causes the I-band to lengthen. e) None of the above.
6.	Which of the following physiological responses is associated with elevated sympathetic nervous system activity? a) Enhanced digestion b) Enhanced absorption of nutrients c) Decreased heart rate d) Increased contractile force of the heart e) Inhibition of cardiovascular function
7.	Sympathetic preganglionic neurons release the neurotransmitter; sympathetic postganglionic neurons release the neurotransmitter a) acetylcholine; acetylcholine b) acetylcholine; norepinephrine c) epinephrine; norepinephrine d) norepinephrine; acetylcholine e) norepinephrine; norepinephrine
8.	Where in the central nervous system do the preganglionic neurons of the sympathetic nervous system originate? a) Brainstem b) Brainstem and sacral region of the spinal cord c) Thoracic and lumbar regions of the spinal cord d) Effector organ e) Adrenal medulla
9.	 Which of the following regarding the endocrine system is <u>false</u>? a) It can be under nervous control b) It releases hormones into synapses c) It is an important long-distance communication system in the body d) It can regulate metabolic rate e) It can employ both lipophilic and lipophobic messengers

Naı	me:	Student Number:
10.		
11.	Which hormone below ca a) adrenocorticotropic b) cortisol c) corticotropin releasing d) estrogen e) None of the above	
12.	What hormone, released to and milk letdown in the base as a luteinizing hormone by vasopressin c) oxytocin d) antidiuretic hormone e) prolactin	by the posterior pituitary, functions in uterine contraction preast?
	 a) they are secreted from b) some of their effects of c) thyroid hormones ind d) the adrenal cortex is into the bloodstream e) All of the above states Antagonistic hormone into	can be blocked with the use of beta blockers uce the synthesis of catecholamine receptors in some cells the secondary endocrine organ involved in their release ments are true teractions
	b) occur between insulin	etween hormones with opposing effects a and glucagon nones have additive effects
15.	a) excess glucagon secreb) insulin resistance; desc) destruction of beta control	struction of beta cells cells; insulin resistance cells; excess cortisol secretion

Name:	Student Number:

- 16. The circulatory system consists of two divisions and is supplied with blood by different sides of the heart. The right heart supplies blood to the _____ circuit, whereas the left heart supplies blood to the _____ circuit.
 - a) pulmonary; systemic
 - b) systemic; pulmonary
 - c) oxygenated; deoxygenated
 - d) superior (upper body); inferior (lower body)
 - e) arterial; venous
- 17. Closure of the atrioventricular valve occurs when
 - a) the valve contracts.
 - b) pressure inside the ventricle is less than pressure inside the atrium.
 - c) pressure inside the ventricle is greater than pressure inside the atrium.
 - d) the papillary muscle contracts.
 - e) the atrium contracts.

The changes in pressure during the cardiac cycle for the left ventricle, left atrium, and aorta are shown in the diagram below. Use the diagram to answer questions 18 to 20.



- 18. Which letter on the above diagram corresponds to the point at which the aortic valve closes?
 - a) A
 - b) B
 - c) C
 - d) D
 - e) E
- 19. Which letters correspond to the points at which heart sounds are generated?
 - a) A and B
 - b) A and C
 - c) B and C
 - d) A and D
 - e) Not applicable the heart does not generate sound

Name:	Student Number:


- 20. Which letter on the above diagram corresponds to the point at which the atria begin contracting?
 - a) A
 - b) B
 - c) C
 - d) D
 - e) E
- 21. Which of the following statements is <u>true</u> about action potentials in cardiac *contractile* cells?
 - a) Cardiac action potentials last much longer than neural action potentials due to the opening of Ca^{2+} channels and the closing of K^+ channels.
 - b) The depolarization phase is slower in cardiac action potentials than in neural action potentials.
 - c) Neurotransmitter release at the neuromuscular junction will always induce an action potential in a cardiac muscle fibre.
 - d) Action potentials in cardiac contractile cells occur spontaneously because of the slow depolarization caused by Na⁺ leak channels.
 - e) None of the above.
- 22. Which of the following statements is true about cardiac *pacemaker* cells?
 - a) They are located in the sinoatrial node and in the atrial conduction fibres.
 - b) The intrinsic rate of action potential firing is faster in the atrioventricular node than in the sinoatrial node.
 - c) Action potentials only occur in pacemaker cells when they are stimulated by the sympathetic nervous system.
 - d) Action potentials in pacemaker cells occur spontaneously because of the slow depolarization caused by Na⁺ leak channels.
 - e) None of the above.
- 23. Which of the following is an accurate representation of the order in which action potentials spread across the heart during a heartbeat?
 - a) Sinoatrial node, intraventricular pathway, Purkinje fibres, atrioventricular node, bundle of His.
 - b) Sinoatrial node, internodal pathway, atrioventricular node, bundle of His, Purkinje fibres.
 - c) Sinoatrial node, internodal pathway, ventricular contractile cells, atrioventricular node, Purkinje fibres.
 - d) Atrioventricular node, internodal pathway, sinoatrial node, bundle of His, intraventricular pathway.
 - e) None of the above.

Name:	Student Number:
-------	-----------------

- 24. Which of the following components of an ECG represents ventricular depolarization?
 - a) P wave
 - b) QRS complex
 - c) T wave
 - d) PQ interval
 - e) TQ segment
- 25. Which of the following mechanisms increase heart rate?
 - a) Acetylcholine released by the vagus nerve.
 - b) An increase in the firing rate of afferent baroreceptor neurons.
 - c) Norepinephrine released by the sympathetic nervous system.
 - d) Increased venous return.
 - e) None of the above.
- 26. Which of the following statements is an accurate description of how the autonomic nervous system can control of <u>heart rate</u>?
 - a) Norepinephrine binds to alpha-receptors on pacemaker cells to increase the force of contraction
 - b) The parasympathetic nervous system slows heart rate by closing background leak channels in pacemaker cells
 - c) Acetylcholine released onto the pacemaker cells by the sympathetic nervous system accelerates heart rate
 - d) The autonomic nervous system changes the shape and duration of the cardiac action potential in contractile cells
 - e) None of the above
- 27. Which of the following would increase the rate of blood flow through a blood vessel?
 - a) constriction of the blood vessel
 - b) increased viscosity of the blood
 - c) increased pressure of the blood entering the vessel
 - d) decreased radius of the vessel
 - e) increased length of the vessel
- 28. Which of the following statements is true with regards to capillaries?
 - a) They are composed of an endothelium, connective tissue, and smooth muscle
 - b) Large proteins can diffuse through the space between endothelial cells
 - c) They are leakier in the brain than in other tissues in order to facilitate exchange
 - d) Blood velocity is slower through capillaries than through arteries
 - e) The heart is the only organ that does not contain capillaries

Name:	Student Number:


29. Which of the following statements is <u>true</u> about the following graph illustrating the compliance of arteries and veins?



- a) Curve #1 depicts compliance in veins
- b) Curve #2 depicts compliance in veins
- c) Curve #1 depicts a volume reservoir
- d) Curve #1 depicts a pressure reservoir
- e) Both A and C are correct
- 30. Which of the following statements is <u>true</u> regarding the bulk flow of fluid across systemic capillaries?
 - a) Oncotic pressure in the blood causes filtration
 - b) Reabsorption is caused by the diffusion of proteins across the capillary wall
 - c) Net filtration pressure is a balance between hydrostatic and oncotic pressures
 - d) Filtration must equal reabsorption in order to avoid edema
 - e) None of the above
- 31. Given that the net filtration of fluid out of the capillaries averages about 3 liters per day, how is blood volume maintained in light of this apparent fluid loss?
 - a) Fluid is returned to the blood as lymphatic fluid by the lymphatic system.
 - b) Gravity moves the fluid to the lowest point in the body, where the fluid is absorbed.
 - c) The net filtration is equally balanced by absorption.
 - d) The kidneys are involved in the reabsorption of the remaining fluid.
 - e) Although fluid moves out across the capillary, it tends to move inward across veins.
- 32. The skeletal muscle pump:
 - a) Facilitates venous return
 - b) Helps increase venous blood pressure
 - c) Prevents blood from pooling in the extremities
 - d) All of the above
 - e) None of the above

Nar	ne:	Student Number:
33.	Blo	ood pressure is:
		Regulated by baroreceptors in the aorta and carotid arteries
	b)	Increased by activation of the parasympathetic nervous system
	c)	Restored after acute blood loss because the firing of action potentials from the
		baroreceptors increases
	d)	Regulated by a positive feedback loop
	e)	All of the above
34.	Wł	nich of the following could be the result of a baroreceptor reflex in response to a
	dro	pp in mean arterial pressure:
	a)	Decreased total peripheral resistance (TPR)
	b)	Increase in heart rate
	c)	Increase in parasympathetic nervous system output to the heart
	d)	Decrease in venous pressure
	e)	Decrease in ventricle contractility
35.	Wł	nich of the following is <u>not</u> an important function of the conducting zone of the
	res	piratory tract?
		Providing the "mucus escalator" mechanism that helps cleanse inhaled air.
		Warming the incoming air to 37°C and humidifying it to 100% relative humidity.
		Providing a passageway through which air can flow.
		Providing supplementary respiratory gas exchange capacity.
	e)	Regulating the resistance to air flow through the relaxation or constriction of smooth muscle.
36.	At	rest exhalation is a(n) process that involves
	a)	Passive ; relaxation of the diaphragm
		Active; contraction of the diaphragm
	c)	Active; relaxation of the intercostals
	d)	Passive; contraction of the external intercostals
	e)	Both A and D
37.	Su	rfactant helps to prevent the alveoli from collapsing by
	a)	humidifying the air before it enters
	b)	warming the air before it enters
	c)	reducing the surface tension of alveolar fluid
	d)	protecting the surface of alveoli from dehydration and other environmental variations
	e)	strengthening lung bones
	\cup	such guiding fung bones

Use the diagram below to answer questions 38-39



- 38. Identify the letter in the above figure that corresponds to vital capacity.
 - a) A.
 - b) B.
 - c) C.
 - d) D.
 - e) **E**.
- 39. Identify the letter in the above figure that represents the volume of air remaining in the lungs after a maximal exhalation.
 - a) A.
 - **b**) **B**.
 - c) C.
 - d) D.
 - e) E.
- 40. A person is taking 12 breaths per minute and has a total ventilation of 6000 ml/min. What is his/her tidal volume? What is his/her alveolar ventilation if he/she has a dead space volume of 100 ml?
 - a) 500 ml; 4800 ml/min.
 - b) 500 ml; 1200 ml/min.
 - c) 112.5 L; 1500 ml/min.
 - d) 400 ml; 4800 ml/min.
 - e) None of the above.

THE END