

COMPSCI/SFWRENG 2FA3
Discrete Mathematics with Applications II
Winter 2020

Assignment 9

Dr. William M. Farmer
McMaster University

Revised: March 21, 2020

Assignment 9 consists of two problems. You must write your solutions to the problems using LaTeX.

Please submit Assignment 9 as two files, `Assignment_9_YourMacID.tex` and `Assignment_9_YourMacID.pdf`, to the Assignment 9 folder on Avenue under Assessments/Assignments. *YourMacID* must be your personal MacID (written without capitalization). The `Assignment_9_YourMacID.tex` file is a copy of the LaTeX source file for this assignment (`Assignment_9.tex` found on Avenue under Contents/Assignments) with your solution entered after each problem. The `Assignment_9_YourMacID.pdf` is the PDF output produced by executing

```
pdflatex Assignment_9_YourMacID
```

This assignment is due **Sunday, March 29, 2020 before midnight**. You are allow to submit the assignment multiple times, but only the last submission will be marked. **Late submissions and files that are not named exactly as specified above will not be accepted!** It is suggested that you submit your preliminary `Assignment_9_YourMacID.tex` and `Assignment_9_YourMacID.pdf` files well before the deadline so that your mark is not zero if, e.g., your computer fails at 11:50 PM on March 29.

Although you are allowed to receive help from the instructional staff and other students, your submission must be your own work. Copying will be treated as academic dishonesty! If any of the ideas used in your submission were obtained from other students or sources outside of the lectures and tutorials, you must acknowledge where or from whom these ideas were obtained.

Problems

1. **[10 points]** Construct a regular grammar that generates the language matched by the regular expression $(000^* + 111^*)^*$.

Jatin — chowdhaj — March 29th, 2020

Put your regular grammar here.

$G = (V, T, S, P)$ where:

$$V = \{S, A, B, C\}$$

$$T = \{0, 1\}$$

$$S = S$$

$$P = \{$$

$$S \rightarrow A \mid B \mid C,$$

$$A \rightarrow 000A \mid B,$$

$$B \rightarrow 111B \mid A,$$

$$0A \rightarrow 0,$$

$$1B \rightarrow 1,$$

$$C \rightarrow \epsilon$$

$$\}$$

2. [10 points] Let $\Sigma = \{a, b\}$ and $L = \{x \in \Sigma^* \mid x \neq \text{rev}(x)\}$. Construct a simple grammar for L as well as grammars in Chomsky and Greibach normal form for L .

Jatin — chowdhaj — March 29th, 2020

Put your three grammars here.

Simple Grammar

Let $G = (N, \Sigma, P, S)$

$$N = \{S_0, S_1\}$$

$$\Sigma = \{a, b\}$$

$$P = \{$$

$$S_0 \rightarrow aS_0a \mid aS_1b \mid bS_1a \mid bS_0b,$$

$$S_1 \rightarrow aS_1a \mid aS_1b \mid bS_1a \mid bS_1b \mid a \mid b \mid \epsilon$$

$$\}$$

$$S = S_0$$