

Lab #1 - Assessment Worksheet

Performing Reconnaissance and Probing Using Common Tools

Course Name and Number:

Foundations of Cybersecurity - 202170 CYBS-5F70-7QA

Student Name:

Christopher Phan

Instructor Name:

Karen Winters

Lab Due Date:

08/31/2021

Lab Assessment Questions & Answers

1. Name at least five applications and tools used in the lab.

TargetWindows, Wireshark, NetWitness Investigator, Nessus, FileZilla, Tftpd64, TargetLinux, Zenmap

2. What is promiscuous mode?

Promiscuous mode allows applications to capture packets destined to any host on the same subnet or virtual LAN.

2 | Lab #1: Performing Reconnaissance and Probing Using Common Tools

3. How does Wireshark differ from NetWitness Investigator?

Wireshark only analyzes files packet that are captured, while NetWitness Investigator analyzes protocols.

4. Why is it important to select the student interface in the Wireshark application?

It is important to select this option, as Wireshark would be much more difficult to comprehend as it will show a much more complex interface than what was shown for a student, highlighting sections to be more easily comprehensive for a student.

5. What is the command line syntax for running an Intense Scan with Zenmap on a target subnet of 172.30.0.0/24?

The reason why this target subnet is used due to the fact that it is a control group that emulates what a intense scan with Zenmap would actually look like.

6. Name at least five different scans that may be performed with Zenmap.

Intense Scan, Intense Scan plus UDP, Intense Scan all TCP ports, Intense scan no ping, Ping scan, Quick scan, Quick scan plus

3 | Lab #1: Performing Reconnaissance and Probing Using Common Tools

7. How many different tests (i.e., scripts) did your Intense Scan perform?

143 different tests were ran.

8. Based on your interpretation of the Intense Scan, describe the purpose/results of each tests script performed during the report.

Based on the scripts shown on the NMap output, it shows how the type of server, how many are on the server, if there is anything that is noticeable through detection, the topology of the server, how many services are being produced for different hosts, what kind of OS systems are on the server, and information about each host.

9. How many total IP hosts did Zenmap find on the network?

255 IP hosts were found.