Evaluation Form Redesign (Backend Preferences)

This is an inventory of all settings, inputs, etc that go into creating a form definition. All forms are created on the Administrator pages (backend) of the system. All back-end inputs directly impact what displays on the front end. This is not an exhaustive list, there could be some missing pieces.

Form Definition:

Source of truth: Admin "Rubric Editor" (`admin/rubricedit.xhtml` / `RubricEdit.java`); model `core/Rubric.java` ; fill-in behavior in `userbeans/RubricRec.java` , `core/Userdata.java` , `core/Question.java` . In TeachPoint an evaluation "form" = a **Rubric**; a form instance a user fills = a **Userdata** record. "Owner" = the form's creating evaluator; "evaluee/subject" = the person being evaluated.

1. Use For (Feature)

Definition: `feature_type` . Builder values: **Evaluation (0)**, **Coaching (1)** (if enabled), **Activity Tracking (3)** (if enabled). Default **Evaluation**. (`Both` =2 and `PD Tracking` =4 exist in the model but are not selectable here.)

Fill-in acceptance criteria:

- [ ] The form must appear only in the fill-in flow for its feature (Evaluation form in the evaluation flow, Coaching in coaching, Activity Tracking in activity-tracking). Pickers are filtered by `feature_type` .
- [ ] Starting the form must stamp the correct feature source on the instance (e.g. Coaching engagement source, Activity Tracking source).
- [ ] Only **Evaluation** forms are mobile-capable; mobile fill-in must not offer non-Evaluation forms.
- [ ] The Prevent Self-Evaluation rule (#8) applies **only** to Evaluation forms.
- [ ] `Both` is treated as Evaluation for fill-in purposes.

2. Type

Definition: `type` — **Normal (0)**, **Read-Only (1)**, **Computed (2)**. Default **Normal**. Locked after publish.

Fill-in acceptance criteria:

- [ ] **Normal** — the user can enter/edit answers on all questions they are permitted to record.
- [ ] **Read-Only** — fully view-only: no question, heading, or attachment is editable. Leaving/cancelling discards the temporary instance rather than saving.
- [ ] **Computed** — answers are auto-calculated, not entered; computed questions display their result and present no editable input.
- [ ] For **Read-Only** and **Computed**, the form-level controls that depend on `type != Computed` (elapsed-time, observation, privacy, name-edit, pass-all, sharing, signature) must be hidden/disabled.
- [ ] Only **Normal** forms are mobile-capable.

3. Included Elapsed-Time Recording

Definition: `rec_elapsed` flag (0/1), default **off**. Enabling it in the builder auto-enables **Observation Form** (#4). Not changeable after publish.

Fill-in acceptance criteria:

- [ ] When on, the form must show a **form-level elapsed-time bar with a Start/Stop button** at the top of the record.
- [ ] The button toggles Start ↔ Stop; starting records a start timestamp, stopping adds elapsed seconds to the instance's stored total and persists it.
- [ ] Accumulated elapsed time displays as H:M:S and is manually editable.
- [ ] The Start button is disabled once the timer reaches the maximum allowed value.
- [ ] Elapsed-time recording is **optional** — it never blocks completion; an untouched timer (elapsed = 0) counts as "empty" for auto-cleanup of unstarted forms.
- [ ] If the form is closed while the timer runs, the timer must be force-stopped and the value saved.
- [ ] This form-level timer is distinct from the per-question "Timer" question type; do not conflate them.

4. Observation Form

Definition: `observation` flag (0/1), default **off**. Auto-set to true when Elapsed-Time Recording (#3) is enabled. Hidden for Computed forms.

Fill-in acceptance criteria:

- [ ] Observation is a **classification** of the resulting instance — it does not change question-entry widgets or gate answering. Answer behavior must be identical whether or not it is set.
- [ ] Instances must be flagged so downstream observation reporting and the mobile/API form definition treat the completed form as an observation.
- [ ] Because Elapsed-Time auto-enables Observation, the two must be handled independently in the UI (observation present without a timer is valid).

5. Allow Privacy Control

Definition: `allow_private` flag (0/1), default **off** (on for legacy coaching forms). Hidden for Computed forms.

Fill-in acceptance criteria:

- [ ] A **Privacy On/Off control** appears in the header **only when** the form allows privacy **AND** the instance is not a self-evaluation. Otherwise no privacy control shows.
- [ ] The control is editable **only** by the owner, and not in review/archived/imported state; otherwise it displays read-only.
- [ ] Changing privacy persists immediately and is recorded in the change log.
- [ ] When private, the evaluee/subject is denied visibility and share/visibility notifications are suppressed. A private form is not surfaced to the evaluee.
- [ ] If `allow_private` is off, no privacy control appears anywhere in the fill-in experience.
- [ ] Note the stored value inversion (private = 0, non-private = 1); the "On/Off" label must map to the correct stored state.

6. Allow Form Name Editing

Definition: `allow_rnameedit` flag (0/1), default **off**. Hidden for Computed forms.

Fill-in acceptance criteria:

- [ ] When on, the header title is **editable** (inline field) once the user enters header-edit mode; when off, the title is static text.
- [ ] Editing the title persists the renamed instance immediately.
- [ ] Even when allowed, the rename is still subject to the general heading-edit permission (ownership / signature-lock). If not permitted, the attempt is rejected/logged rather than silently saved.

- [ ] When the instance name differs from the original template name, surface the original form name (e.g. tooltip/subtext).
- [ ] When off, the user has no way to rename the instance.

7. Allow "Pass All" Option for Pass/Fail Questions

Definition: `pass_all_button` flag (0/1), default **off**. Hidden for Computed forms. Applies only to Pass/Fail question type.

Fill-in acceptance criteria:

- [ ] When on **and** the form has editable Pass/Fail questions, the header shows **"Pass All"** and **"Clear All"** buttons.
- [ ] "Pass All" sets every editable Pass/Fail question to its first (Pass) rating in one action, behind a confirmation dialog; it must not touch non-Pass/Fail questions and skips questions already at that value.
- [ ] "Clear All" resets those same Pass/Fail questions.
- [ ] Both buttons are enabled only for the owner and not in review/archived/imported state.
- [ ] When off, or when there are no editable Pass/Fail questions, these buttons do not appear.

8. Prevent Use for Self-Evaluation

Definition: `restrict_self_evaluation` (boolean). Default from district pref `form_restrict_self_evaluation_behavior` (default false). **Only meaningful for Evaluation forms** — coerced to false otherwise.

Fill-in acceptance criteria:

- [ ] Enforcement is at **form-selection time**, not a submit-time validation error. When on, the form is **excluded from the picker** whenever the logged-in user is also the selected subject.
- [ ] In plan-driven creation, the current user is excluded as an eligible evaluee for a restricted form.
- [ ] For non-Evaluation forms, this restriction never applies (flag forced false).
- [ ] Do not conflate with the runtime "is self-evaluation" detection (user == target) that drives notification/sharing/privacy visibility — that is separate.

9. Sharing Behavior (incl. "Required for Form Completion")

Definition: Two coupled fields. `sharing_behavior`: **Author can share (0, default)**, **Any evaluator can share (1)**, **Sharing disabled (2)**. `completion_require_sharing`: boolean, **default true** ("Required for form completion"). Both locked after publish.

Fill-in acceptance criteria:

- [ ] The **share control** appears only when the form is not already shared **and** the current user's role matches `sharing_behavior` (owner-only for "Author can share"; any evaluator for "Any evaluator can share"). When "Sharing disabled", no share option ever appears (including share-on-sign).
- [ ] Sharing persists the share state, stamps a shared date, fires the "form shared" notification, and logs the action.
- [ ] **"Required for form completion" = true:** even with all required questions answered and all signatures signed, the form must **not** reach *Completed*/*Submitted* until shared; until then it is capped at *Shared* or *Created*. Status/progress must reflect this.
- [ ] **"Required for form completion" = false:** sharing does not affect completion; answering + signing alone can drive it to Completed/Submitted.
- [ ] The "ready to complete / incomplete" indicators must use the same rule: a form that requires sharing but is unshared is not complete.
- [ ] A locking signature with share-on-sign selected may auto-satisfy the sharing requirement (see #10); the UI must reflect the resulting shared + completion state.

10. Signature Behavior

Definition: `signature_behavior` controls signature **locking semantics** (not who signs / whether required): **Signature locks signer from further editing (0, default)**, **First signature locks all questions (1)**, **Signature locks all questions prior to signature (2)**. *Who signs* and *whether required* come from individual **signature questions** in the form body (signer role = question subtype: evaluator/author, evaluee/reflection, third-party, anyone, any-evaluator; "required" is per signature question).

Fill-in acceptance criteria:

- [ ] **Mode 0 (locks signer):** a signer may sign once their own relevant required questions are answered; signing locks only that signer.
- [ ] **Mode 1 (first signature locks all):** signing is allowed only when all required questions are answered; the first signature then locks the whole form for everyone.
- [ ] **Mode 2 (locks prior):** signing is allowed once all required questions ordered before the signature are answered; signing locks everything prior to it.
- [ ] When requirements aren't met, show the "requirements not met" alert instead of the sign dialog.
- [ ] The correct signer(s) can sign per the signature question's role — including the **evaluee** when a signature question targets them; offer signer selection where applicable.
- [ ] Required signatures gate completion: *Completed* requires all signatures signed (plus all required questions answered, plus the sharing gate from #9); *Submitted* requires the required (author) signatures.
- [ ] For a locking signature, the share-on-sign checkbox appears only when the current user's role matches `sharing_behavior`; selecting it auto-shares on signing.
- [ ] Post-signature edit-locking is enforced per the mode above across questions, headings, and attachments.

11. JAC Codes (incl. the "Both / multiple codes" behavior)

⚠ There is **no single None/One/Both field.** There are two independent JAC subsystems, each gated by a district feature flag: **California JAC** (`jac_code` + `jac_duration` , admin metadata, not entered at fill-in) and **CalFire JAC** (0/1/many attached codes, plus `calfire_jac_required` and `calfire_jac_duration`). The "both/multiple" behavior is CalFire-specific.

Fill-in acceptance criteria:

- [ ] **California JAC code** is form-level metadata only — the fill-in user never enters it and it must not appear as a question.
- [ ] **CalFire — no codes attached:** no JAC input appears during fill-in.
- [ ] **CalFire — exactly one code attached:** the code is auto-assigned to the instance; the user enters nothing.
- [ ] **CalFire — more than one code ("both"/multiple):** a single-select JAC-code dropdown question is injected as the **first question** of the form; the user must choose which code applies. Selection writes the chosen code to the instance and logs it.
- [ ] The injected JAC dropdown is **required** when `calfire_jac_required` is true, **optional** when false.
- [ ] All CalFire JAC fill-in behavior applies only when the district has the CalFire JAC feature enabled.

12. Status

Definition: `state` — **Archived (0)**, **Unpublished/Draft (1, default)**, **Published (2)**, **Superseded (3)**, **Publish-Restricted (4)**, plus Deleted (-1, not user-selectable). Once past Unpublished, a form cannot return to Unpublished, and Type/elapsed-time lock.

Fill-in acceptance criteria:

- [ ] **Published (2):** fillable/assignable to all users (subject to the Self-Evaluation rule #8).
- [ ] **Publish-Restricted (4):** fillable **only** when the assignee is in the form's evaluee access list **and** the logged-in user is in the evaluator access list. Users outside those lists must not be offered the form.
- [ ] **Unpublished/Draft (1), Archived (0), Superseded (3), Deleted (-1):** not selectable to fill or assignable. Deleted forms are excluded from all form queries.
- [ ] The Self-Evaluation restriction (#8) still applies on top of status: even a Published form is blocked when the user is filling it on themselves and the form prevents self-evaluation.

13. TargetSolutions Tags (TS Tags)

Definition: A list of TS Tags (`RubricTag` , type `TS_TAG` — tag id + name) attached to the form, chosen from a **predefined catalog fetched live from the TargetSolutions REST API**. Stored in `rubric_custom_fields` , keyed to the **rubric (form definition)**, not to a filled-in instance. Default **empty**. Gated by the district feature `TARGETSOLUTIONS_INTEGRATION` **AND** the **PUBLIC domain only** (also requires a district TargetSolutions customer id). Multi-select; if the Add/Edit dialog is opened and saved, at least one tag is required.

Fill-in acceptance criteria:

- [ ] TS Tags are **purely form-definition metadata** — the person filling in the form must **not** see or enter them. They must not appear as a question or header control in the fill-in UI, and must not be editable by the author/evaluee.
- [ ] Answer/fill-in behavior must be **identical** whether or not TS Tags are set on the form.
- [ ] On **form completion/sync**, the tags must flow to TargetSolutions: when a completed form recording is synced (feature fully enabled), the outgoing message must include the form's TS tags (type `TS_TAG` , objectID = tag id, name = tag name), read **fresh from the rubric definition** — never from anything the filler entered. The redesigned fill-in/completion flow must not drop or block this downstream sync.
- [ ] All TS Tag behavior applies only when `TARGETSOLUTIONS_INTEGRATION` is enabled and the form is in the PUBLIC domain; otherwise the field does not exist.

Cross-cutting notes for the redesign

- **Computed-type dependency:** Elapsed-time, Observation, Privacy, Name-Editing, Pass-All, Sharing, and Signature options are all hidden when `type = Computed` . Gate these controls on form type.
- **Feature dependency:** Self-Evaluation restriction and mobile capability apply only to Evaluation forms.
- **Completion is a computed state** (Created → Shared → Submitted → Completed) driven jointly by: all required questions answered, all required signatures signed (per Signature Behavior), and — if enabled — the form being shared (Sharing Behavior). Progress/status indicators must derive from the same rules, not a local heuristic.
- **Owner-gated controls:** Privacy toggle, Pass All/Clear All, and (per role) sharing are owner/role-restricted and disabled in review/archived/imported states.

Question details:

Type	Subtype	Details/Customizations	Question Appearance
Heading	Read Only		• Background Color • Title Font • Title Alignment • Include a dividing line above the questions
Instructions	Read Only	1. RTE in Details	• Background Color • Title Font • Title Alignment • Include a dividing line above the questions
Text Entry	Normal Reflection Third-Party Read Only Anyone Any Evaluator	1. RTE in Details 2. Required question 3. Allow Attachments 4. Pre-defined tags 5. Optional Tags 6. Max length Text 7. Watermark	• Background Color • Title Font • Title Alignment • Include a dividing line above the questions • Location of text entry box ◦ Underneath the question title (Default) ◦ Next to question
Rating Scale	Normal Reflection Third Party Read Only Anyone Any Evaluator	1. RTE in Details 2. Required 3. Allow Attachments 4. Allow Annotation 5. Pre-defined tags 6. Optional Tags 7. Up to 8 ‘ratings’ can be added	• Background Color • Title Font • Title Alignment • Include a dividing line above the questions • Location of text entry box

		a. Each rating has a numeric value b. Title (required) c. Description (Optional) d. Option to: i. Exclude from averages report ii. Require Duration	◦ Underneath the question title (Default) ◦ Next to question
Choose One	Normal Reflection Third Party Read Only Anyone Any Evaluator	1. RTE in Details 2. Required 3. Allow Attachments 4. Allow Annotation 5. Text input for selection 6. Pre-defined tag added to a selection option 7. Format of selections a. Dropdown b. Column List 8. Number of Columns a. Option 1 - 4	• Background Color • Title Font • Title Alignment • Include a dividing line above the questions
Choose Any	Normal Reflection Third Party Read Only Anyone Any Evaluator	1. RTE in Details 2. Required 3. Allow Attachments 4. Allow Annotation 5. Number of columns a. 1-4 6. Text input for selection	• Background Color • Title Font • Title Alignment • Include a dividing line above the questions

		7. Pre-defined tag added to a selection option	
Date	Normal Reflection Third Party Read Only Anyone Any Evaluator	1. RTE in details 2. Required 3. Allow Attachments 4. Allow Annotation 5. Pre-defined tag 6. Optional Tag	• Background Color • Title Font • Title Alignment • Include a dividing line above the questions • Location of text entry box ◦ Underneath the question title (Default) ◦ Next to question
Time	Normal Reflection Third Party Read Only Anyone Any Evaluator	1. RTE in details 2. Required 3. Allow Attachments 4. Allow Annotation 5. Pre-defined tag 6. Optional Tag	• Background Color • Title Font • Title Alignment • Include a dividing line above the questions • Location of text entry box ◦ Underneath the question title (Default) ◦ Next to question
Date/Time	Normal Reflection Third Party Read Only Anyone Any Evaluator	1. RTE in details 2. Required 3. Allow Attachments 4. Allow Annotation 5. Pre-defined tag 6. Optional Tag	• Background Color • Title Font • Title Alignment • Include a dividing line above the questions • Location of text entry box ◦ Underneath the question title

			(Default) ◦ Next to question
Signature	Normal Reflection Third Party Anyone Any Evaluator	1. RTE in details 2. Required 3. **Hand Drawn** 4. Notify when ready for signature 5. Show on to-do list when ready for signature	• Background Color • Title Font • Title Alignment • Include a dividing line above the questions
Signature (non locking)	Normal Reflection Third Party Anyone Any Evaluator	1. RTE in details 2. Required 3. Hand Drawn 4. Notify when ready for signature 5. Show on to-do list when ready for signature	• Background Color • Title Font • Title Alignment • Include a dividing line above the questions
Computed	Normal Reflection Third Party Anyone Any evaluator Computed Only	1. RTE 2. Allow Attachments 3. Hidden 4. Pre-defined tags 5. Description (not visible) 6. Computed Expression Wizard 7. Add validations	• Background Color • Title Font • Title Alignment • Include a dividing line above the questions • Location of text entry box ◦ Underneath the question title (Default) ◦ Next to question
Scripting	Normal Anyone Any Evaluator-Default	1. RTE 2. Allow attachments 3. Pre-defined tags 4. Optional Tags	1. Background Color 2. Title Font 3. Title Alignment 4. Include a dividing line above the question

Video	Normal Anyone - Default Any Evaluator	1. RTE 2. Pre-defined tags 3. Optional Tags	1. Background Color 2. Title Font 3. Title Alignment 4. Include a dividing line above the question
Pass/Fail	Normal- Default Reflection Third Party Read Only Anyone Any Evaluator	1. RTE 2. Required 3. Allow Attachments 4. Allow Annotation 5. Pre-defined tags 6. Optional Tags 7. Special behavior a. None- Default b. Critical c. Overall Duration 8. Input a. Value b. Title (Name can be edited) c. Description Optional d. Exclude from Averages Report	1. Background color 2. Title font 3. Title Alignment 4. Include a dividing line above the question 5. Location of Pass/Fail selector a. Underneath b. Next to
Duation	Normal- Default Reflection Third Party Read Only Anyone Any Evaluator	1. RTE 2. Required 3. Allow Attachments 4. Allow Annotation 5. Pre-defined tags 6. Optional Tags 7. Special behavior a. None- Default b. Overall Duration	1. Background color 2. Title font 3. Title Alignment 4. Include a dividing line above the question 5. Location of Pass/Fail selector a. Underneath b. Next to

Rich Text Editor Options:

NOTE: The RTE options below are the only ones available in the back-end Form Builder. RTE options are also available on the front-end form (where users fill in the evaluation), but those are defined separately and don't need to match the back-end set.

1. Font:
    a. Small
    b. Normal-default
    c. Large
    d. Huge
2. Bold
3. Underline
4. Text Color
5. Text background color
6. Numbered list
7. Bullet list
8. Indent right
9. Indent left
10. Align
    a. Right
    b. Center
    c. Left
    d. Middle
11. Hyperlink
12. Image