The effectiveness of psychological therapy for treatment of functional seizures in adults: A systematic review and meta-analysis

A systematic review and meta-analysis

Yihui Xie   Yihui Xie   Yihui Xie   Yihui Xie   Yihui Xie   Yihui Xie
Yihui Xie   Yihui Xie

2022-04-18

Contents

Abstract

Objective:

    Method:

    Results:

    Conclusion:

    Keywords:

    Clinical Significance of this Article:

Chapter 1

Introduction

You can label chapter and section titles using `{#label}` after them, e.g., we can reference Chapter 1. If you do not manually label them, there will be automatic labels anyway, e.g., Chapter 3.

Figures and tables with captions will be placed in `figure` and `table` environments, respectively.

```r
par(mar = c(4, 4, .1, .1))
plot(pressure, type = 'b', pch = 19)
```


Figure 1.1: Here is a nice figure!

Reference a figure by its code chunk label with the `fig:` prefix, e.g., see Figure 1.1. Similarly, you can reference tables generated from `knitr::kable()`, e.g., see Table 1.1.

Table 1.1: Here is a nice table!

Sepal.Length	Sepal.Width	Petal.Length	Petal.Width	Species
5.1	3.5	1.4	0.2	setosa
4.9	3.0	1.4	0.2	setosa
4.7	3.2	1.3	0.2	setosa
4.6	3.1	1.5	0.2	setosa
5.0	3.6	1.4	0.2	setosa
5.4	3.9	1.7	0.4	setosa
4.6	3.4	1.4	0.3	setosa
5.0	3.4	1.5	0.2	setosa
4.4	2.9	1.4	0.2	setosa
4.9	3.1	1.5	0.1	setosa
5.4	3.7	1.5	0.2	setosa
4.8	3.4	1.6	0.2	setosa
4.8	3.0	1.4	0.1	setosa
4.3	3.0	1.1	0.1	setosa
5.8	4.0	1.2	0.2	setosa
5.7	4.4	1.5	0.4	setosa
5.4	3.9	1.3	0.4	setosa
5.1	3.5	1.4	0.3	setosa
5.7	3.8	1.7	0.3	setosa
5.1	3.8	1.5	0.3	setosa

```
knitr::kable(
  head(iris, 20), caption = 'Here is a nice table!',
  booktabs = TRUE
)
```

You can write citations, too. For example, we are using the **bookdown** package (Xie, 2022) in this sample book, which was built on top of R Markdown and **knitr** (Xie, 2015).

Chapter 2

Literature

Here is a review of existing methods.

Chapter 3

Methods

We describe our methods in this chapter.

Math can be added in body using usual syntax like this

3.1 math example

p is unknown but expected to be around $1/3$. Standard error will be approximated

$$SE = \sqrt{(\frac{p(1-p)}{n})} \approx \sqrt{\frac{1/3(1-1/3)}{300}} = 0.027$$

You can also use math in footnotes like this[1].

We will approximate standard error to 0.027[2]

---

[1] where we mention $p = \frac{a}{b}$

[2] p is unknown but expected to be around $1/3$. Standard error will be approximated

$$SE = \sqrt{(\frac{p(1-p)}{n})} \approx \sqrt{\frac{1/3(1-1/3)}{300}} = 0.027$$

Chapter 4

Applications

Some *significant* applications are demonstrated in this chapter.

4.1   Example one

4.2   Example two

Chapter 5

Final Words

We have finished a nice book.

Bibliography

Xie, Y. (2015). *Dynamic Documents with R and knitr*. Chapman and Hall/CRC, Boca Raton, Florida, 2nd edition. ISBN 978-1498716963.

Xie, Y. (2022). *bookdown: Authoring Books and Technical Documents with R Markdown*. R package version 0.25.