




Strategic Objective:


Bridging the 2026 Open Access transition with a deterministic semantic layer.

Core Premise:

The Model Context Protocol (MCP) provides the most effective, safest, and highest-impact architecture to unlock Cranfield University's definitive national soils data for AI agents and policy workflows.

Key Deliverables:

Frictionless access, safe semantic translation, and hardcoded provenance for 60+ years of UK soil intelligence.



Layer 4: Interpreted Layers

Actionable thematic logic: HOST (29 hydrological classes), Wetness (6 classes), and Carbon Stock.

Layer 3: Attributes (Tables)

Deep taxonomy, particle size fractions, and carbon/water retention parameters. Key tables: SOILSERIES, HORIZON Fundamentals/Hydraulics.

Layer 2: NATMAP (National Polygon Maps)


The core 1:250,000-scale vector dataset; ~300 mapped soil associations redigitized to OS basemaps.

Layer 1: NSI (Point Monitoring)

Systematic sampling since ~1980; >20 topsoil chemical elements plus pH.


A historic policy shift transforms an exclusive asset into open infrastructure

The Past - Friction and Asymmetry



- Historic royalty barriers for non-Crown bodies.
- Restricted user-status licensing models.
- Forced deletion of derivative data via legacy distribution.

2026 & Beyond - The Open Access Catalyst



- Defra & Cranfield agreement established.
- portal.landis.org.uk becomes the core distribution hub.
- Objective: Unlocking ELMS, Net Zero, and Natural Capital policy delivery without friction.

The usability gap: Open access exposes raw complexity and high-stakes misinterpretation risks

Data Structure

Mapped polygons are sweeping generalizations. Soilscape collapses 300 associations into just 27 classes.

Technical Friction


Raw series joins are highly complex for non-GIS developers, requiring relational mastery of mapping unit keys.

The Generalization Trap


Non-specialist practitioners (planners, engineers) risk using 1:250k scale maps for site-level engineering or planning decisions, fundamentally violating the dataset's scientific limits.



Model Context Protocol (MCP) acts as a thin, deterministic semantic sheath



LandIS is structurally optimized for semantic AI tooling via its deterministic join model



This deterministic chain proves LandIS is built for semantic querying, not just visual mapping. MCP can automate this exact sequence to generate reasoned answers.

A stratified taxonomy of spatial tools: From raw primitives to derived semantic insights



Application Layer: Derived Semantic Tools

Converts raw data into decision-ready constraints.




Drainage Narratives

Aggregating HOST + Wetness into flood-response behavior.



High-Carbon Screening

Summarizing NATMAP Carbon stocks by depth layer.




Trenching Difficulty

Combining shrink-swell, depth-to-rock, and wetness classes.

Foundation Layer: Primitive Tools

Returns structured JSON with explicit provenance

```
landis.catalog.list_products()
```




Dataset Discovery

```
landis.soilscapes.point(lat, lon)
```



Point Lookup

```
landis.natmap.association_series(reusid)
```




Association Expansion

```
landis.nsi.nearest_point(year=1995)
```




Monitoring Access


The Assurance Engine embeds governance, safety, and provenance into every response



A single spatial coordinate unlocks distinct strategic value across sectors



Synthesis: Agentic infrastructure planning using the Trenching Difficulty toolchain




Takeaway: The MCP server synthesized three complex, deeply nested relational databases into a single operational risk score in seconds.


The Context Layer: Equipping AI with static knowledge and guided reasoning templates

Exposed Resources (Static Knowledge)

The MCP server exposes vital documentation as readable resources without side effects.




`landis://docs/soil-data-structures`
(Guides AI on how to join keys).



`landis://docs/soil-classification`
(Standardizes taxonomy vocabulary).


Exposed Prompts (Guided Behavior)

Ready-made templates injected into host applications.



Route Constraint Screener:
"Given a polyline, summarize construction constraints and generate a verification checklist."

Local Planning Evidence Pack:
"Given an administrative area, produce a constraints briefing with required legal caveats."



Diagnostic Matrix: MCP delivers unmatched composability and non-expert usability

Criteria	WMS/Viewers	Bulk Downloads	OGC API	MCP Server
Non-GIS User Usability				
Cross-Dataset Composability				
Reproducibility & Lineage				
Embedded Governance & Caveats				 (hardcoded context)

While OGC APIs remain critical for high-volume enterprise ingestion, MCP is the only layer that actively protects non-specialists from misinterpreting data via automated semantic guardrails.

Capability Map: Aligning the user task to the right interface architecture

		Interface Architectures						
User Tasks		Viewers	Bulk Downloads	API	MCP Tools	MCP Resources	MCP App	Prompts
User Task	What soils are here?	High Fit	Medium Fit	Medium Fit	Medium Fit	Medium Fit	High Fit	Medium Fit
	Evidence-grade reproducible modelling	Low Fit	High Fit	High Fit	Medium Fit	Low Fit	Low Fit	Low Fit
	Route/asset intersection at scale	Medium Fit	Medium Fit	High Fit	High Fit	Medium Fit	Low Fit	Low Fit
	Non-specialist guidance and caveats	Medium Fit	Low Fit	Medium Fit	High Fit	Medium Fit	Medium Fit	High Fit
	Governance/ provenance inspection	Low Fit	Medium Fit	High Fit	Medium Fit	High Fit	Medium Fit	Medium Fit
		Low Fit	Medium Fit	High Fit				

Recommended deployment roadmap: Unlocking value in three structured phases

Phase 3 (Pilot)


Deploy prompt templates to three pilot personas: a Defra cross-policy data user, an Environment Agency flood team, and a Water Utility asset risk team. Measure usage and caveat-retention.

Phase 2 (MVP MCP)

Implement foundational point/area tools. Build one "Hero" derived tool based on proven utility demand: `derive.pipe_corrosion_risk` utilizing the **SOILSERIES** Leacs data.

Phase 1 (Discovery)

Validate **portal.landis.org.uk** endpoints & build internal registry. Catalog dataset versions, schemas, and specific open-access license constraints.



Strategic imperatives for a frictionless open-access rollout



1. Licensing Clarity

Define the exact End User License Agreement ([EULA](#)) for open access. Does it permit automated redistribution, commercial derivative works, and AI ingestion without historic “delete after 1 year” mapshop constraints?



2. Programmatic Update Policies

Establish reliable changelogs and versioning identifiers for bulk packages ([NATMAPvector](#), [NSI](#)) to ensure AI responses remain perfectly reproducible and auditable.



3. Aggregation Governance

Finalize official scientific guidance on spatial joins. Must the AI default to the dominant soil series within a generalized polygon, or calculate a weighted average for specific carbon/wetness variables?