


story — script with English key


The team deployed a new release yesterday.



!be348fc8d50d2c77... \$EVENT.PAST.PUNCTUAL.BEGIN :ARG0 (\$GROUP) :ARG1 (\$EVENT.PAST.PUNCTUAL)

reads: an event that is in the past, instantaneous, beginning whose agent is (a group) whose patient is (an event that is in the past, instantaneous) [gloss: "The team deployed a new release yesterday."]


Latency increased after the deploy.



!c937b0a391289ee1... \$PROCESS.INCREASE.PAST.AFTER :ARG0 (\$QUANTITY.DURATIVE) :ARG1 (\$EVENT.PUNCTUAL)

reads: a process that is rising, in the past, after a reference whose agent is (a quantity that is extended in time) whose patient is (an event that is instantaneous) [gloss: "Latency increased after the deploy."]


The customers reported errors in the eu region.



!e7c6e08b8d0d7e3d... \$SIGN.PAST.OBSERVED.ASSERT :ARG0 (\$AGENT) :ARG1 (\$EVENT.BAD) :SCOPE (\$PLACE) ← {"names" {"SCOPE" "eu"}}

reads: a signal that is observed, in the past, asserted whose agent is (an agent) whose patient is (an event that is bad) over (a place) [gloss: "The customers reported errors in the eu region."]


We believe the database is the cause.



!e6daa156c3211d45... \$STATE.BELIEVED :ARG0 (\$RELATION.CAUSE :SCOPE (\$GROUP)) :ARG1 (\$ENTITY)

reads: a state that is believed whose agent is (a relation that is causing over (a group)) whose patient is (a thing)
[gloss: "We believe the database is the cause."]


If the load rises, the service will fail.



!3491d62f3e0f5291... \$EVENT.NEGATE.FUTURE.BAD :ARG0 (\$PROCESS.DURATIVE) :CONDITION (\$PROCESS.INCREASE :ARG0 (\$QUANTITY.DURATIVE))

reads: an event that is negated (not holding), in the future, bad whose agent is (a process that is extended in time) given (a process that is rising whose agent is (a quantity that is extended in time)) [gloss: "If the load rises, the service will fail."]


The engineer must roll back the release now.



!35ea67c2d6ea5c4f... \$PROCESS.NECESSARY.PAST :ARG0 (\$AGENT) :ARG1 (\$EVENT.NOW.PUNCTUAL)

reads: a process that is necessary, in the past whose agent is (an agent) whose patient is (an event that is at present, instantaneous) [gloss: "The engineer must roll back the release now."]

The rollback fixed the problem.



!83e15503782cccaf... \$PROCESS.PAST.END.GOOD :ARG0 (\$PROCESS.PAST) :ARG1 (\$STATE.BAD)

reads: a process that is in the past, ending, good whose agent is (a process that is in the past) whose patient is (a state that is bad) [gloss: "The rollback fixed the problem."]

The system is healthy and the incident is over.



!b56a7a1bcf901bc6... \$GROUP.GOOD

reads: a group that is good [gloss: "The system is healthy and the incident is over."]

The system is healthy and the incident is over.



!e471eb21a7ba2e59... \$EVENT.NOW.BAD

reads: an event that is at present, bad [gloss: "The system is healthy and the incident is over."]