Practical exercise 2-3: Using Command History


This Practical Exercise will take students through the use of some command history in a bash shell.

Open VirtualBox and start the openSUSE VM. Run snapshot 2-1 for the correctly configured environment. To run snapshot 2-1:


1. Open the Oracle VM VirtualBox manager by double clicking this icon on your desktop:



2. Click "Snapshots" in the top right of the Oracle VM Virtualbox Manager.




3. In the right side box populated with snapshots scroll up and find the one titled "Snapshot 2-1" and right click on it. The following box should appear:



4. Select "Restore Snapshot" and the following pop-up should appear:



- **5.** Uncheck the "Create a Snapshot of the current machine state" box and then click the "Restore" button.
- **6.** You should now see in the left box the openSUSE (Snapshot 2-1) with a status of "Powered Off." Power it on by double clicking it.



- 7. A separate window should open and you should see the openSUSE Linux OS booting.
- **8.** Log in as the user student with the password: **student**; then press CTRL+ALT+F1.
- **9.** At your login prompt, authenticate to the system as the user: **student** and password: **student** again.
- **10.** At the shell prompt, enter **ls** –**l** /**var/log**.
- **11.** At the shell prompt, enter **pwd**.
- 12. At the shell prompt, enter whoami.
- **13.** Run the ls command in step 3 again by pressing the UP ARROW key three times and then pressing ENTER.
- 14. Use the UP ARROW key to run the pwd command again.
- 15. Use the UP ARROW key to run the whoami command again.
- **16.** Enter logout and then press ALT+F7.

-- End of Practical Exercise--