

SUBCON COMMAND

UI THEME & VISUAL BRAND GUIDE

Helping Craftsmen Become Businessmen.

TACTICAL MARGIN SYSTEMS | REAL-TIME METRICS | CREW PERFORMANCE | FINANCIAL CONTROL

CANONICAL VISUAL DIRECTION

Warm linen + translucent operating surfaces + cyan instrumentation + disciplined industrial typography.

VERSION 1.0 / SEPTEMBER 2026

Canonical Visual Reference

This Crew Schedule treatment is the visual anchor for the product. New and existing screens should feel like members of this same system, even when their information density differs.



Approved direction: warm linen/brown environment, transparent black and sand surfaces, cyan command color, technical typography, crisp operational data.

Brand Position & Personality

HELPING CRAFTSMEN BECOME BUSINESSMEN.

Subcon Command is a premium construction operating platform. It should feel less like generic business software and more like serious professional equipment: field credible, performance-driven, disciplined, and built for measurable results.

FIELD CREDIBILITY	PERFORMANCE	DISCIPLINE	BUSINESS CONTROL
Concrete, tools, crews, real work	Sports-car telemetry, live metrics	Tactical hierarchy without costume	Margin, cash, quality, production

The target feeling

- Focused, capable, energized, in control.
- Premium and expensive, but still rugged enough for real construction.
- Fast and technical, without becoming a gamer interface or sci-fi dashboard.
- Military influence through discipline, hierarchy, and clarity, not camouflage or stencil clichés.

What it is not

- Not lifestyle, wellness, cozy, or pastel.
- Not generic white-card SaaS.
- Not an all-black dark theme.
- Not decorative futurism or excessive neon.

Color System

CYAN #12D8F2 Command / selection / live	ESPRESSO #241B16 Dark base
BROWN 800 #3C2E25 Dark structure	BROWN 700 #584534 Material depth
TAUPE #8B735E Warm neutral	LINEN #D4C3AA Texture / work surface
SAND #E7DAC4 Light glass	WARM IVORY #F2E9D9 High readability
SUCCESS #37D47F Healthy / available	WARNING #FFAA2D Attention / risk
DANGER #FF4D43 Intervention	PURPLE #7637F5 Category / assignment

Cyan is the command color

Use cyan for active navigation, primary actions, selected states, current-day instrumentation, focus rings, progress, and key data accents. It should pop because everything around it is restrained. Do not drift back toward teal.

Semantic colors mean something

Green is healthy. Amber needs attention. Red requires intervention. Purple/blue may classify jobs or assignments. Never use semantic colors merely to decorate a screen.

Surfaces, Transparency & Linen

The key breakthrough in the approved direction is transparency. The brown/linen environment remains visible through both dark and light operating surfaces. This keeps the interface distinctive and reduces the dead, heavy feeling of opaque black.

SURFACE	TOKEN / OPACITY	PRIMARY USE
Dark Glass	rgba(24,21,18,.58-.82)	Navigation, KPI framing, headers, modals
Brown Glass	rgba(75,57,44,.34-.48)	Crew panels, secondary structural areas
Light Glass	rgba(242,233,217,.62-.88)	Schedules, tables, forms, dense work areas

Linen rules

- Use one global fine-scale linen texture over the warm brown/taupe shell.
- Texture should remain visible but never compete with text or data.
- Do not texture each card independently.
- If readability is weak, increase panel opacity before removing the global material feel.

Transparency rules

- Dark panels should read espresso/graphite, not pure black.
- Light panels should read warm technical paper, not bright white.
- Backdrop blur is subtle, around 10px, never novelty frosted-glass.
- Avoid stacking multiple translucent layers unless the hierarchy requires it.

Typography, Geometry & Motion

Typography

BARLOW CONDENSED for command language, KPIs, section headers, and performance numbers.

Inter for UI, labels, forms, tables, and body copy.

Roboto Mono optional for IDs, compact technical values, and diagnostic data.

ROLE	SIZE	TREATMENT
Page title	30-42 px	Condensed 700-800
KPI number	36-56 px	Condensed 700-800
Section header	16-20 px	Condensed 700-800
Card title	14-17 px	UI 700
Body/data	13-15 px	UI 400-600
Micro-label	10-12 px	Uppercase, tracked

Geometry

4 / 6 / 9 / 12 px radius scale. Cards generally live at 6-10 px. Major containers top out near 12 px. Thin borders, tight alignment, crisp grid. Components should feel fabricated, not pillowy.

Motion

120-240 ms transitions. Use for hover, selected states, expand/collapse, drawers, and small progress changes. Avoid looping animation, pulsing neon, bounce, or game-like effects.

Component Language

SIDEBAR	Espresso translucent shell. Cyan marks the active location. Mission language may live near the footer.
TOP BAR	Warm transparent structure. Compact search and controls. No oversized pills.
KPI CARDS	One primary value, one short label, one trend/support metric. Meters only when operationally meaningful.
SCHEDULES / TABLES	Warm Light Glass canvas, dark header, subtle grid, cyan current-day state, strong numeric alignment.
CREW PANELS	Brown transparent panel, status dots with semantic meaning, subdued secondary IDs, clean row rhythm.
BUTTONS	Primary = cyan fill/dark text. Secondary = transparent with precise border. Red only for destructive/intervention actions.
INPUTS	36-44 px typical height, strong contrast, cyan focus, readable placeholders.
MODALS / DRAWERS	Dark Glass 3 or Light Glass 3. Preserve the brown/linen world around them.

Screen Strategy

COMMAND / CINEMATIC SCREENS	DENSE OPERATIONAL SCREENS
Home Executive dashboards Sales Command landing Field Command landing Use more dark glass, hero imagery, large KPIs, condensed typography, and cyan instrumentation.	Crew Schedule Calendar AR / billing lists Job lists Estimating Production logs Use warm translucent light canvas for the work area, dark glass for framing, minimal decoration, and cyan for selection/navigation.

Critical rule: do not force the whole application into one brightness level. The contrast between dark command framing and warm-light operational canvases is part of the brand.

Imagery

- Use concrete work, surface prep, tools, machinery, crews, trucks, steel, and real field conditions.
- Warm/desaturated, high contrast, often partially obscured behind translucent UI.
- Avoid generic office stock, holograms, fake soldiers/camouflage, or glossy corporate construction imagery.

Do / Don't & Accessibility

DO	DON'T
✓ Let brown linen remain visible.	× Use opaque black as the default background.
✓ Use translucent surfaces.	× Turn cyan back into teal.
✓ Use cyan as an intentional pop.	× Make every card glow.
✓ Use condensed type for command/performance language.	× Use oversized rounded SaaS cards.
✓ Keep tables crisp and highly readable.	× Introduce lifestyle softness or pastel styling.
✓ Use status color semantically.	× Make the UI look like a video game.
✓ Preserve functional density.	× Redesign workflows while applying the theme.

Eye strain & accessibility

- Body text should meet WCAG AA contrast wherever practical.
- Avoid pure white on pure black across large regions.
- Use warm off-white text on dark surfaces.
- Keep dense desktop data at 13 px minimum unless truly constrained.
- Never put small muted text directly over busy photography.
- Do not rely on color alone for critical status.
- Use cyan for clear keyboard focus states.

Coding Terminal Handoff

Non-negotiable instruction

Do not redesign the interface while applying this theme. Preserve existing functionality, information architecture, data bindings, interactions, and responsive behavior unless explicitly instructed otherwise.

Implementation order

- 01 Preserve structure and functionality.
- 02 Apply global linen/brown shell.
- 03 Theme sidebar and top bar.
- 04 Classify major surfaces as Dark Glass or Light Glass.
- 05 Apply typography hierarchy.
- 06 Replace arbitrary accents with cyan or semantic colors.
- 07 Normalize radii, borders, shadows, buttons, inputs, tabs, and states.
- 08 Check laptop-width readability and mobile/tablet behavior.
- 09 Run contrast/accessibility review.
- 10 Compare against the canonical Crew Schedule reference.

Standard terminal prompt

Read SUBCON_COMMAND_UI_STANDARD.md before making changes. Apply the Subcon Command design system without redesigning workflow or changing functionality unless explicitly requested. Use warm brown linen, translucent espresso/graphite and warm sand/ivory surfaces, cyan command accent, condensed performance typography, precise low-radius geometry, restrained depth, and semantic operational colors. Compare the finished screen against the canonical Crew Schedule reference and the acceptance checklist.

THE INTERFACE SHOULD FEEL LIKE EQUIPMENT, NOT DECORATION.

People. Schedule. Quality. Production. Margin. Cash.

THE LOCKED IDENTITY MARK

Geometry A - Bold & Open | Canonical Subcon Command master geometry

The identity is now built around one permanent silhouette. Geometry A is the master mark. Every premium, utility, monochrome, app, desktop, favicon, engraving, and embroidery expression must derive from this geometry.

SUBCON COMMAND

GEOMETRY COMPARISON

SAME HEX. THREE VARIATIONS. YOU DECIDE.

CRAFTSMANSHIP BUILDS TOMORROW.
SUBCON COMMAND MAKES IT MORE PROFITABLE.

SAME MARK.
ANY SIZE.
ALWAYS CLEAR.

A | BOLD & OPEN

Strong, clear, and highly legible.




CHARACTERISTICS

- ✓ Bold center S
- ✓ More open negative space
- ✓ Strong separation of pieces
- ✓ Excellent readability
- ✓ Impactful at small sizes

CONSIDERATIONS

- Slightly less compact than B or C

SIZES (SAME GEOMETRY, DIFFERENT SCALES)



512 256 128 64 32 16

B | BALANCED

Optimal proportion and flow.




CHARACTERISTICS

- ✓ Balanced center S
- ✓ Clean, modern look
- ✓ Pieces feel equal and connected
- ✓ Strong at all sizes
- ✓ Works across all uses
- ✓ Best all-around option

CONSIDERATIONS

- None significant

SIZES (SAME GEOMETRY, DIFFERENT SCALES)



512 256 128 64 32 16

C | COMPACT & PRECISE

Tighter, more technical feel.




CHARACTERISTICS

- ✓ Tighter center S
- ✓ More compact form
- ✓ Technical, engineered feel
- ✓ Maintains clarity at small sizes
- ✓ Distinct and memorable

CONSIDERATIONS


- Slightly less open
- Requires precise spacing
- May feel more technical (less friendly)

SIZES (SAME GEOMETRY, DIFFERENT SCALES)




512 256 128 64 32 16

DETAILED GEOMETRY (100 × 100 UNITS)



Inner hex = 82%
Stroke (hex) = 9%
Gap width = 13%
Piece width = 34%
Inner S angle = 60°
All angles = 120°



Inner hex = 82%
Stroke (hex) = 9%
Gap width = 11%
Piece width = 34%
Inner S angle = 60°
All angles = 120°



Inner hex = 82%
Stroke (hex) = 9%
Gap width = 9%
Piece width = 34%
Inner S angle = 60°
All angles = 120°

SUBCON COMMAND™
BUILD A MORE PROFITABLE TOMORROW



PEOPLE
ON SITE



SYSTEMS
IN THE OFFICE



A STRONGER
BUSINESS

THE SAME DIRECTION.
TOGETHER.

APPROVED: A - BOLD & OPEN

WHY A WON

- The center S reads immediately instead of becoming a puzzle.
- The two complementary pieces remain visibly separate and still feel machined to fit together.
- The larger negative space survives 16-64 px reduction better than tighter alternatives.
- The heavier geometry feels like equipment, hardware, and a bolt head rather than a generic tech hexagon.
- The silhouette is strong enough to become recognizable without the Subcon Command wordmark.

SYMBOL ARCHITECTURE

Two sides. One system.

HEXAGON / BOLT HEAD

Construction, hardware, fastening, strength, reliability and engineered systems. The silhouette should read as physical equipment before it reads as a software trope.

TWO INTERLOCKING PIECES

Craftsmanship + business. Field + office. Labor + intellect. Production + margin. People + systems. The two forms are separate, complementary and designed to fit perfectly together.

CENTER S / NEGATIVE SPACE

Subcon Command. The open S is the recognition engine of the mark. It must remain clear at small sizes and must never be tightened merely to look more technical.

THE GOVERNING BRAND PRINCIPLE

“Subcon Command should feel like professional equipment that happens to run on a screen.”

PHYSICAL LOGIC

Avoid impossible-perspective or Escher geometry. The mark should suggest two manufacturable components that were designed as one system, separated, and could lock back together. That physical plausibility is part of the construction credibility.

GEOMETRY RULES

- Regular bolt-head / hexagonal silhouette.
- Equal visual weight between the two complementary pieces.
- Open, generous center S and negative-space gap.
- 60-degree / 120-degree angular language throughout.
- No stretching, skewing, rotating, redrawing, or generative reinterpretation.

OFFICIAL MARK FAMILY

One geometry. Different levels of material detail.



PREMIUM / DIMENSIONAL MARK

For login, splash, marketing, website hero, large navigation branding, print, signage and apparel. Use cyan interlocking pieces, gunmetal bolt structure and dark recessed negative space. Restrained bevels, brushed metal, micro-scratches and realistic shadows are allowed. Avoid glass, neon, sci-fi and gaming-logo effects.

UTILITY / RECOGNITION MARK

For app icons, desktop icons, favicons, menus and compact UI. Flip the hierarchy: cyan bolt/hexagon, black or espresso pieces, cyan center negative space. At small sizes, silhouette and contrast matter more than material realism.

SCALE, USAGE & PROTECTION

Recognition is built by repetition, not reinterpretation.

SIZE BEHAVIOR

1024-512 px	Full dimensional treatment allowed.
256-128 px	Reduce surface detail; retain only crisp, useful bevel.
64-32 px	Flat utility mark. No texture, glow, scratches or complex shadows.
16 px	Simplest approved utility glyph; the center S must remain visibly open.

CLEAR SPACE

Maintain at least 25% of symbol height as clear space on every side. For hero and marketing compositions, prefer 35-50% when space permits.

DO NOT

- Stretch, skew, rotate, crop or change the interlock geometry.
- Change the center S or tighten its negative space.
- Assign arbitrary colors to the two pieces or substitute another hero color for cyan.
- Add strong glow, glass, excessive chrome or effects that obscure the construction.
- Use the detailed dimensional mark at favicon scale.
- Ask an image generator or coding agent to recreate the production logo from a prompt.

PRODUCTION ASSET RULE

Once the approved master vector is created from Geometry A, every implementation must reference that asset. Coding agents must not rebuild the mark with CSS polygons, font glyphs, icon libraries or generative tools.

BRAND RECOGNITION SYSTEM

The mark and interface now tell the same story.

LARGE-FORMAT CHARACTER

Material and depth create premium character: machined gunmetal, cyan anodized surfaces, warm brown/linen environments, controlled shadows and physical credibility. The brand should feel stamped, cast, machined or bolted into professional equipment.

SMALL-FORMAT RECOGNITION

Silhouette and contrast create recognition: cyan hexagon, black complementary pieces and cyan negative space. Detail disappears as size decreases, but Geometry A never changes.

WHAT THE SYSTEM COMMUNICATES

- Craftsmanship becomes measurable business performance.
- Field execution connects directly to margin.
- People and systems work as complementary parts.
- Real-time production and crew data become operational control.
- Subcon Command belongs in the contractor's world, not in generic Silicon Valley SaaS.

CORE LANGUAGE

Helping Craftsmen Become Businessmen. | Tactical Margin Systems. | People. Systems. Profit. Freedom.