```
// -----App.vue-----
<template>
  <div id="app">
   <!-- 路由占位符 -->
   <router-view></router-view>
  </div>
</template>
<script>
export default {
 name: 'app'
}
</script>
<style>
</style>
// -----main.js-----
import Vue from 'vue'
import App from './App.vue'
import router from './router'
import store from './store'
import ElementUI from 'element-ui'
import 'element-ui/lib/theme-chalk/index.css'
import './plugins/element.js'
import './assets/css/global.css'
import axios from 'axios'
Vue.use(ElementUI)
// 每个vue实例都可以通过axios发送Ajax请求,配置请求根路径
axios.defaults.baseURL = 'http://127.0.0.1:8888/api/private/v1/'
Vue.prototype.$http = axios
Vue.config.productionTip = false
new Vue({
  router,
  store,
 render: h \Rightarrow h(App)
}).$mount('#app')
// -----components/Login.vue-----
<template>
  <div class="login_container">
   <div class="login_box">
     <!-- 头像区 -->
     <div class="avatar_box">
       <img src="../assets/logo.png" alt="avatar">
     </div>
     <!-- 登录表单区 -->
     <el-form :model="loginForm" :rules="loginFormRules" ref="loginFormRef"</pre>
class="login_form">
       <!-- 用户名 -->
       <el-form-item prop="username">
```

```
<el-input v-model="loginForm.username" placeholder="请输入用户名" prefix-
icon="el-icon-user"></el-input>
       </el-form-item>
       <!-- 密码 -->
       <el-form-item prop="password">
          <el-input v-model="loginForm.password" placeholder="请输入密码" prefix-
icon="el-icon-lock" type="password"></el-input>
       </el-form-item>
       <!-- 按钮 -->
       <el-form-item class="btns">
         <el-button type="primary" @click="submitForm('loginFormRef')">登录</el-
button>
         <el-button type="info" @click="resetForm('loginFormRef')">重置</el-
button>
       </el-form-item>
     </el-form>
   </div>
  </div>
</template>
<script>
export default {
  data () {
   return {
     // 登录表单的数据绑定
     loginForm: {
       username: '',
       password: ''
     },
      // 登录表单的验证规则
     loginFormRules: {
       // 验证用户名
       username: [
         { required: true, message: '请输入用户名', trigger: 'blur' },
         { min: 3, max: 5, message: '长度在 3 到 5 个字符', trigger: 'blur' }
       ],
       // 验证密码
       password: [
          { required: true, message: '请输入密码', trigger: 'blur' },
         { min: 6, max: 15, message: '长度在 6 到 15 个字符', trigger: 'blur' }
       ٦
     }
   }
  },
  methods: {
    submitForm (formName) {
      this.$refs[formName].validate(async valid => {
       if (valid) {
         const { data: res } = await this.$http.post('login', this.loginForm)
         if (res.meta.status !== 200) {
           this.$message.error('登录失败')
         } else {
           this.$message({
             message: '登录成功',
             type: 'success'
           window.sessionStorage.setItem('token', res.data.token)
           this.$router.push('/home')
```

```
} else {
          return false
        }
      })
    },
    resetForm (formName) {
      this.$refs[formName].resetFields()
    }
  }
}
</script>
<style lang="less" scoped>
  .login_container {
    position: relative;
    background-color: #2b4b6b;
   height: 100%;
  }
  .login_box {
    position: absolute;
    width: 450px;
    height: 300px;
    background-color: #fff;
    border-radius: 3px;
    top: 50%;
    left: 50%;
    transform: translate(-50%, -50%);
  }
  .avatar_box {
    position: absolute;
    left: 50%;
    transform: translate(-50%, -50%);
    height: 130px;
    width: 130px;
    border-radius: 50%;
    border: 1px solid #eee;
    padding: 10px;
    box-shadow: 0 0 10px #ddd;
    background-color: #fff;
    img {
      width: 100%;
      height: 100%;
      border-radius: 50%;
      background-color: #eee;
    }
  .login_form {
    position: absolute;
    bottom: 0;
    width: 100%;
    padding: 0 20px;
    box-sizing: border-box;
  }
  .btns {
    display: flex;
    justify-content: flex-end;
  }
```

```
</style>
// -----components/Home.vue-----
<template>
  <el-button type="info" @click="logout">退出</el-button>
</template>
<script>
export default {
 methods: {
   logout () {
     // 清空token
     window.sessionStorage.clear()
     // 重定向到login
     this.$router.push('/login')
   }
 }
}
</script>
<style lang="less" scoped>
</style>>
// -----router/index.js-----
import Vue from 'vue'
import VueRouter from 'vue-router'
import Login from '../components/Login.vue'
import Home from '../components/Home.vue'
Vue.use(VueRouter)
const routes = [
   path: '/',
   redirect: '/login'
 },
   path: '/login',
   component: Login
 },
   path: '/home',
   component: Home
 }
]
const router = new VueRouter({
  routes
})
// 挂载路由导航守卫
router.beforeEach((to, from, next) => {
 // to 将要访问哪个路径
 // from 从哪个路径跳转而来
 // next 函数,表示放行next(强制跳转路径)
 if (to.path === '/login') return next()
  // 获取token
  const tokenStr = window.sessionStorage.getItem('token')
```

```
// 在这里if的判断逻辑仅作为表意,实际是要把token传回服务器确认
if (!tokenStr) return next('/login')
next()
})
export default router
```