






original_key=Theta_1500_0___reshoot_key=Theta_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7894426.0, reshoot_counts = 144111557.0
normalization = 0.055, reshoot_counts*normalization = 7891770.0
original average = 0.01 Theta [rad], reshoot average = 0.01 Theta [ra
counts [1/rad]
Theta [rad]
6×10^9
4×10^9
3×10^9
2×10^9
10^9
6×10^8
4×10^8
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_1500_1___reshoot_key=Theta_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 54899.9, reshoot_counts = 57438675.0
normalization = 0.055, reshoot_counts*normalization = 3145430.0
original average = 1.00 Theta [rad], reshoot average = 0.01 Theta [ra
counts [1/rad]
Theta [rad]
3 × 10^9
2 × 10^9
10^9
6 × 10^8
4 × 10^8
3 × 10^8
2 × 10^8
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_1500_2___reshoot_key=Theta_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 14170.7, reshoot_counts = 14823955.0
normalization = 0.055, reshoot_counts*normalization = 811782.5
original average = 2.00 Theta [rad], reshoot average = 0.01 Theta [ra
counts [1/rad]
6 × 10^8
4 × 10^8
3 × 10^8
2 × 10^8
10^8
6 × 10^7
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_3___reshoot_key=Theta_1_3
original counts = 225.4, reshoot_counts = 235707.0
normalization = 0.055, reshoot_counts*normalization = 12907.7
original average = 2.99 Theta [rad], reshoot average = 0.01 Theta [ra
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Theta [rad]
10^7
10^6
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_1500_4___reshoot_key=Theta_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 13504.0
normalization = 0.055, reshoot_counts*normalization = 739.5
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
Theta [rad]
6 × 10^5
4 × 10^5
3 × 10^5
2 × 10^5
10^5
6 × 10^4
4 × 10^4
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_1500_5___reshoot_key=Theta_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 3416.0
normalization = 0.055, reshoot_counts*normalization = 187.1
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
10^5
10^4
counts [1/rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_6___reshoot_key=Theta_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 1931.0
normalization = 0.055, reshoot_counts*normalization = 105.7
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
10^5
10^4
counts [1/rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_7___reshoot_key=Theta_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 1330.0
normalization = 0.055, reshoot_counts*normalization = 72.8
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
Theta [rad]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_1500_8___reshoot_key=Theta_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 410.0
normalization = 0.055, reshoot_counts*normalization = 22.5
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad]
counts [1/rad]
Theta [rad]
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_1500_9___reshoot_key=Theta_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 136.0
normalization = 0.055, reshoot_counts*normalization = 7.4
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad]
counts [1/rad]
Theta [rad]
6×10^3
4×10^3
3×10^3
2×10^3
10^3
6×10^2
4×10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_1500_10___reshoot_key=Theta_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 361.0
normalization = 0.055, reshoot_counts*normalization = 19.8
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
10^4
10^3
counts [1/rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_11___reshoot_key=Theta_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 279.0
normalization = 0.055, reshoot_counts*normalization = 15.3
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
10^4
10^3
counts [1/rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_12___reshoot_key=Theta_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 340.0
normalization = 0.055, reshoot_counts*normalization = 18.6
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
10^4
10^3
counts [1/rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_13___reshoot_key=Theta_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 151.0
normalization = 0.055, reshoot_counts*normalization = 8.3
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
10^4
10^3
counts [1/rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_14___reshoot_key=Theta_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 333.0
normalization = 0.055, reshoot_counts*normalization = 18.2
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
10^4
10^3
counts [1/rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_15___reshoot_key=Theta_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 192.0
normalization = 0.055, reshoot_counts*normalization = 10.5
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
10^4
10^3
counts [1/rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_16___reshoot_key=Theta_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 107.0
normalization = 0.055, reshoot_counts*normalization = 5.9
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
Theta [rad]
6×10^3
4×10^3
3×10^3
2×10^3
10^3
6×10^2
4×10^2
3×10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_1500_17___reshoot_key=Theta_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 84.0
normalization = 0.055, reshoot_counts*normalization = 4.6
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
Theta [rad]
4×10^3
3×10^3
2×10^3
10^3
6×10^2
4×10^2
3×10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_1500_18___reshoot_key=Theta_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 158.0
normalization = 0.055, reshoot_counts*normalization = 8.7
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
10^4
10^3
counts [1/rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_19___reshoot_key=Theta_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 69.0
normalization = 0.055, reshoot_counts*normalization = 3.8
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
Theta [rad]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_1500_20___reshoot_key=Theta_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.055, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_21___reshoot_key=Theta_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.055, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_22___reshoot_key=Theta_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 61.0
normalization = 0.055, reshoot_counts*normalization = 3.3
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
Theta [rad]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_1500_23___reshoot_key=Theta_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 61.0
normalization = 0.055, reshoot_counts*normalization = 3.3
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
Theta [rad]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_1500_24___reshoot_key=Theta_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 44.0
normalization = 0.055, reshoot_counts*normalization = 2.4
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
Theta [rad]
2 × 10^3
10^3
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_1500_25___reshoot_key=Theta_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.055, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_26___reshoot_key=Theta_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.055, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_e-___reshoot_key=Theta_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 9823782.0
normalization = 0.055, reshoot_counts*normalization = 537965.4
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
Theta [rad]
6 × 10^8
4 × 10^8
3 × 10^8
2 × 10^8
10^8
6 × 10^7
4 × 10^7
3 × 10^7
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_1500_e+___reshoot_key=Theta_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 5773.0
normalization = 0.055, reshoot_counts*normalization = 316.1
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
Theta [rad]
3 × 10^5
2 × 10^5
10^5
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_1500_gamma___reshoot_key=Theta_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 8531551.0
normalization = 0.055, reshoot_counts*normalization = 467200.8
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
Theta [rad]
4 × 10^8
3 × 10^8
2 × 10^8
10^8
6 × 10^7
4 × 10^7
3 × 10^7
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_1500_mu-___reshoot_key=Theta_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 691.0
normalization = 0.055, reshoot_counts*normalization = 37.8
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
Theta [rad]
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_1500_mu+___reshoot_key=Theta_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 525.0
normalization = 0.055, reshoot_counts*normalization = 28.7
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
Theta [rad]
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_1500_pi-___reshoot_key=Theta_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 2758.0
normalization = 0.055, reshoot_counts*normalization = 151.0
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
10^5
10^4
counts [1/rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_pi+___reshoot_key=Theta_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 2059.0
normalization = 0.055, reshoot_counts*normalization = 112.8
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
10^5
10^4
counts [1/rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Phi_1500_0___reshoot_key=Phi_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 181009.4, reshoot_counts = 144111557.0
normalization = 0.055, reshoot_counts*normalization = 7891770.0
original average = 3.14 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
Phi [rad]
10^{10}
10^{9}
10^{8}
10^{7}
10^{6}
0
1
2
3
4
5
6



original_key=Phi_1500_1___reshoot_key=Phi_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 71834.9, reshoot_counts = 57438675.0
normalization = 0.055, reshoot_counts*normalization = 3145430.0
original average = 3.14 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
Phi [rad]
10^9
10^8
10^7
10^6
0
1
2
3
4
5
6



original_key=Phi_1500_2___reshoot_key=Phi_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 18680.5, reshoot_counts = 14823955.0
normalization = 0.055, reshoot_counts*normalization = 811782.5
original average = 3.14 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
Phi [rad]
10^9
10^8
10^7
10^6
10^5
0
1
2
3
4
5
6



original_key=Phi_1500_3___reshoot_key=Phi_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 284.7, reshoot_counts = 235707.0
normalization = 0.055, reshoot_counts*normalization = 12907.7
original average = 3.15 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_1500_4___reshoot_key=Phi_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13.9, reshoot_counts = 13504.0
normalization = 0.055, reshoot_counts*normalization = 739.5
original average = 3.18 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
Phi [rad]
10^6
10^5
10^4
10^3
10^2
0
1
2
3
4
5
6



original_key=Phi_1500_5___reshoot_key=Phi_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4.3, reshoot_counts = 3416.0
normalization = 0.055, reshoot_counts*normalization = 187.1
original average = 3.08 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
Phi [rad]
10^5
10^4
10^3
10^2
0
1
2
3
4
5
6



original_key=Phi_1500_6___reshoot_key=Phi_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.8, reshoot_counts = 1931.0
normalization = 0.055, reshoot_counts*normalization = 105.7
original average = 3.71 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_1500_7___reshoot_key=Phi_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.3, reshoot_counts = 1330.0
normalization = 0.055, reshoot_counts*normalization = 72.8
original average = 3.26 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_1500_8___reshoot_key=Phi_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.4, reshoot_counts = 410.0
normalization = 0.055, reshoot_counts*normalization = 22.5
original average = 3.44 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^4
10^3
10^2
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_9___reshoot_key=Phi_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.1, reshoot_counts = 136.0
normalization = 0.055, reshoot_counts*normalization = 7.4
original average = 3.27 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^3
10^2
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_10___reshoot_key=Phi_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.4, reshoot_counts = 361.0
normalization = 0.055, reshoot_counts*normalization = 19.8
original average = 2.59 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^4
10^3
10^2
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_11___reshoot_key=Phi_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.2, reshoot_counts = 279.0
normalization = 0.055, reshoot_counts*normalization = 15.3
original average = 2.85 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^4
10^3
10^2
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_12___reshoot_key=Phi_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.3, reshoot_counts = 340.0
normalization = 0.055, reshoot_counts*normalization = 18.6
original average = 3.15 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^4
10^3
10^2
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_13___reshoot_key=Phi_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.2, reshoot_counts = 151.0
normalization = 0.055, reshoot_counts*normalization = 8.3
original average = 3.17 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_1500_14___reshoot_key=Phi_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.3, reshoot_counts = 333.0
normalization = 0.055, reshoot_counts*normalization = 18.2
original average = 2.73 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^4
10^3
10^2
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_15___reshoot_key=Phi_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.2, reshoot_counts = 192.0
normalization = 0.055, reshoot_counts*normalization = 10.5
original average = 3.08 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^4
10^3
10^2
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_16___reshoot_key=Phi_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.1, reshoot_counts = 107.0
normalization = 0.055, reshoot_counts*normalization = 5.9
original average = 3.78 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^3
10^2
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_17___reshoot_key=Phi_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.1, reshoot_counts = 84.0
normalization = 0.055, reshoot_counts*normalization = 4.6
original average = 3.44 Phi [rad], reshoot average = 0.01 Phi [rad]
10^3
10^2
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_18___reshoot_key=Phi_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.2, reshoot_counts = 158.0
normalization = 0.055, reshoot_counts*normalization = 8.7
original average = 3.59 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
Phi [rad]
10^4
10^3
10^2
0
1
2
3
4
5
6



original_key=Phi_1500_19___reshoot_key=Phi_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.1, reshoot_counts = 69.0
normalization = 0.055, reshoot_counts*normalization = 3.8
original average = 2.90 Phi [rad], reshoot average = 0.01 Phi [rad]
10^3
10^2
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_20___reshoot_key=Phi_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.055, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_21___reshoot_key=Phi_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.055, reshoot_counts*normalization = 0.0
original average = 1.86 Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
Phi [rad]
0
10
20
30
40
50
60
0
1
2
3
4
5
6



original_key=Phi_1500_22___reshoot_key=Phi_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.1, reshoot_counts = 61.0
normalization = 0.055, reshoot_counts*normalization = 3.3
original average = 3.25 Phi [rad], reshoot average = 0.01 Phi [rad]
10^3
10^2
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_23___reshoot_key=Phi_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.1, reshoot_counts = 61.0
normalization = 0.055, reshoot_counts*normalization = 3.3
original average = 2.95 Phi [rad], reshoot average = 0.01 Phi [rad]
10^3
10^2
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_24___reshoot_key=Phi_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.1, reshoot_counts = 44.0
normalization = 0.055, reshoot_counts*normalization = 2.4
original average = 2.17 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^3
10^2
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_25___reshoot_key=Phi_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.055, reshoot_counts*normalization = 0.0
original average = 1.01 Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
Phi [rad]
0
10
20
30
40
50
60
0
1
2
3
4
5
6



original_key=Phi_1500_26___reshoot_key=Phi_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.055, reshoot_counts*normalization = 0.0
original average = 1.79 Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
Phi [rad]
0
10
20
30
40
50
60
0
1
2
3
4
5
6



original_key=Phi_1500_e-___reshoot_key=Phi_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12366.3, reshoot_counts = 9823782.0
normalization = 0.055, reshoot_counts*normalization = 537965.4
original average = 3.14 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^8
10^7
10^6
10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_e+___reshoot_key=Phi_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6.3, reshoot_counts = 5773.0
normalization = 0.055, reshoot_counts*normalization = 316.1
original average = 3.27 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^5
10^4
10^3
10^2
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_gamma___reshoot_key=Phi_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10648.4, reshoot_counts = 8531551.0
normalization = 0.055, reshoot_counts*normalization = 467200.8
original average = 3.14 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^8
10^7
10^6
10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_mu-___reshoot_key=Phi_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.5, reshoot_counts = 691.0
normalization = 0.055, reshoot_counts*normalization = 37.8
original average = 2.94 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^4
10^3
10^2
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_mu+___reshoot_key=Phi_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.3, reshoot_counts = 525.0
normalization = 0.055, reshoot_counts*normalization = 28.7
original average = 3.55 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^4
10^3
10^2
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_pi-___reshoot_key=Phi_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.6, reshoot_counts = 2758.0
normalization = 0.055, reshoot_counts*normalization = 151.0
original average = 3.36 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_1500_pi+___reshoot_key=Phi_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.0, reshoot_counts = 2059.0
normalization = 0.055, reshoot_counts*normalization = 112.8
original average = 3.40 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Ekin_1500_0___reshoot_key=EkinU_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7891407.0, reshoot_counts = 144077148.0
normalization = 0.055, reshoot_counts*normalization = 7889885.8
original average = 243.13 Ek [MeV/u], reshoot average = 243.30 Ek [
counts [u/MeV]
Ek [MeV/u]
10^{6}
10^{5}
10^{4}
10^{3}
10^{2}
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_1500_1___reshoot_key=EkinU_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3145347.5, reshoot_counts = 57436120.5
normalization = 0.055, reshoot_counts*normalization = 3145290.1
original average = 195.13 Ek [MeV/u], reshoot average = 195.13 Ek [
counts [u/MeV]
Ek [MeV/u]
10^{5}
10^{4}
10^{3}
10^{2}
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_1500_2___reshoot_key=EkinU_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 811754.5, reshoot_counts = 14821177.0
normalization = 0.055, reshoot_counts*normalization = 811630.4
original average = 142.71 Ek [MeV/u], reshoot average = 142.74 Ek [
counts [u/MeV]
Ek [MeV/u]
10^{5}
10^{4}
10^{3}
10^{2}
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_1500_3___reshoot_key=EkinU_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12909.0, reshoot_counts = 235639.5
normalization = 0.055, reshoot_counts*normalization = 12904.0
original average = 107.35 Ek [MeV/u], reshoot average = 107.25 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_1500_4___reshoot_key=EkinU_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 740.0, reshoot_counts = 13483.5
normalization = 0.055, reshoot_counts*normalization = 738.4
original average = 90.06 Ek [MeV/u], reshoot average = 89.58 Ek [Me
counts [u/MeV]
Ek [MeV/u]
10^{2}
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_1500_5___reshoot_key=EkinU_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 187.5, reshoot_counts = 3340.5
normalization = 0.055, reshoot_counts*normalization = 182.9
original average = 93.99 Ek [MeV/u], reshoot average = 98.26 Ek [Me
counts [u/MeV]
Ek [MeV/u]
10^{2}
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_1500_6___reshoot_key=EkinU_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 100.0, reshoot_counts = 1815.5
normalization = 0.055, reshoot_counts*normalization = 99.4
original average = 184.05 Ek [MeV/u], reshoot average = 199.27 Ek [
counts [u/MeV]
Ek [MeV/u]
10^{2}
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_1500_7___reshoot_key=EkinU_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 74.0, reshoot_counts = 1267.5
normalization = 0.055, reshoot_counts*normalization = 69.4
original average = 209.02 Ek [MeV/u], reshoot average = 226.73 Ek [
counts [u/MeV]
Ek [MeV/u]
10^{2}
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_1500_8___reshoot_key=EkinU_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 22.0, reshoot_counts = 400.5
normalization = 0.055, reshoot_counts*normalization = 21.9
original average = 230.55 Ek [MeV/u], reshoot average = 239.18 Ek [
counts [u/MeV]
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_9___reshoot_key=EkinU_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8.0, reshoot_counts = 136.0
normalization = 0.055, reshoot_counts*normalization = 7.4
original average = 254.75 Ek [MeV/u], reshoot average = 256.97 Ek [
counts [u/MeV]
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_10___reshoot_key=EkinU_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 21.0, reshoot_counts = 361.0
normalization = 0.055, reshoot_counts*normalization = 19.8
original average = 257.74 Ek [MeV/u], reshoot average = 264.57 Ek [
counts [u/MeV]
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_11___reshoot_key=EkinU_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 14.0, reshoot_counts = 279.0
normalization = 0.055, reshoot_counts*normalization = 15.3
original average = 265.86 Ek [MeV/u], reshoot average = 268.47 Ek [
counts [u/MeV]
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_12___reshoot_key=EkinU_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 19.0, reshoot_counts = 340.0
normalization = 0.055, reshoot_counts*normalization = 18.6
original average = 259.66 Ek [MeV/u], reshoot average = 272.00 Ek [
counts [u/MeV]
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_13___reshoot_key=EkinU_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9.0, reshoot_counts = 151.0
normalization = 0.055, reshoot_counts*normalization = 8.3
original average = 250.17 Ek [MeV/u], reshoot average = 265.27 Ek [
counts [u/MeV]
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_14___reshoot_key=EkinU_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 18.0, reshoot_counts = 333.0
normalization = 0.055, reshoot_counts*normalization = 18.2
original average = 283.44 Ek [MeV/u], reshoot average = 282.91 Ek [
counts [u/MeV]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_15___reshoot_key=EkinU_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11.0, reshoot_counts = 192.0
normalization = 0.055, reshoot_counts*normalization = 10.5
original average = 291.05 Ek [MeV/u], reshoot average = 291.45 Ek [
counts [u/MeV]
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_16___reshoot_key=EkinU_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6.0, reshoot_counts = 107.0
normalization = 0.055, reshoot_counts*normalization = 5.9
original average = 293.67 Ek [MeV/u], reshoot average = 293.29 Ek [
counts [u/MeV]
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_17___reshoot_key=EkinU_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5.0, reshoot_counts = 84.0
normalization = 0.055, reshoot_counts*normalization = 4.6
original average = 289.70 Ek [MeV/u], reshoot average = 290.98 Ek [
counts [u/MeV]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_18___reshoot_key=EkinU_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9.0, reshoot_counts = 158.0
normalization = 0.055, reshoot_counts*normalization = 8.7
original average = 237.72 Ek [MeV/u], reshoot average = 254.13 Ek [
counts [u/MeV]
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_19___reshoot_key=EkinU_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4.0, reshoot_counts = 69.0
normalization = 0.055, reshoot_counts*normalization = 3.8
original average = 187.00 Ek [MeV/u], reshoot average = 204.57 Ek [
counts [u/MeV]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_20___reshoot_key=EkinU_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.055, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_21___reshoot_key=EkinU_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.0, reshoot_counts = 0.0
normalization = 0.055, reshoot_counts*normalization = 0.0
original average = 300.50 Ek [MeV/u], reshoot average = nan Ek [MeV
counts [u/MeV]
Ek [MeV/u]
0.0
0.2
0.4
0.6
0.8
1.0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_1500_22___reshoot_key=EkinU_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4.0, reshoot_counts = 61.0
normalization = 0.055, reshoot_counts*normalization = 3.3
original average = 225.50 Ek [MeV/u], reshoot average = 252.78 Ek [
counts [u/MeV]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_23___reshoot_key=EkinU_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.0, reshoot_counts = 61.0
normalization = 0.055, reshoot_counts*normalization = 3.3
original average = 208.17 Ek [MeV/u], reshoot average = 203.66 Ek [
counts [u/MeV]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_24___reshoot_key=EkinU_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.0, reshoot_counts = 44.0
normalization = 0.055, reshoot_counts*normalization = 2.4
original average = 300.50 Ek [MeV/u], reshoot average = 300.52 Ek [
counts [u/MeV]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_25___reshoot_key=EkinU_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.0, reshoot_counts = 0.0
normalization = 0.055, reshoot_counts*normalization = 0.0
original average = 304.00 Ek [MeV/u], reshoot average = nan Ek [MeV
counts [u/MeV]
Ek [MeV/u]
0.0
0.2
0.4
0.6
0.8
1.0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_1500_26___reshoot_key=EkinU_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.0, reshoot_counts = 0.0
normalization = 0.055, reshoot_counts*normalization = 0.0
original average = 300.50 Ek [MeV/u], reshoot average = nan Ek [MeV
counts [u/MeV]
Ek [MeV/u]
0.0
0.2
0.4
0.6
0.8
1.0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_1500_e-___reshoot_key=EkinU_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 42501.4, reshoot_counts = 9814486.5
normalization = 0.055, reshoot_counts*normalization = 537456.3
original average = 0.32 Ek [MeV/u], reshoot average = 0.57 Ek [MeV/u
counts [u/MeV]
Ek [MeV/u]
10^{7}
10^{6}
10^{5}
10^{4}
10^{3}
10^{2}
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_1500_e+___reshoot_key=EkinU_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 28.2, reshoot_counts = 5473.0
normalization = 0.055, reshoot_counts*normalization = 299.7
original average = 15.40 Ek [MeV/u], reshoot average = 15.23 Ek [Me
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_1500_gamma___reshoot_key=EkinU_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 44583.1, reshoot_counts = 7660382.0
normalization = 0.055, reshoot_counts*normalization = 419494.3
original average = 2.72 Ek [MeV/u], reshoot average = 3.33 Ek [MeV/u
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_1500_mu-___reshoot_key=EkinU_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.9, reshoot_counts = 691.0
normalization = 0.055, reshoot_counts*normalization = 37.8
original average = 56.18 Ek [MeV/u], reshoot average = 55.74 Ek [Me
counts [u/MeV]
Ek [MeV/u]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_1500_mu+___reshoot_key=EkinU_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.7, reshoot_counts = 525.0
normalization = 0.055, reshoot_counts*normalization = 28.7
original average = 52.35 Ek [MeV/u], reshoot average = 52.65 Ek [Me
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_pi-___reshoot_key=EkinU_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 298.8, reshoot_counts = 2758.0
normalization = 0.055, reshoot_counts*normalization = 151.0
original average = 128.59 Ek [MeV/u], reshoot average = 128.27 Ek [
counts [u/MeV]
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_pi+___reshoot_key=EkinU_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 222.7, reshoot_counts = 2059.0
normalization = 0.055, reshoot_counts*normalization = 112.8
original average = 182.94 Ek [MeV/u], reshoot average = 181.51 Ek [
counts [u/MeV]
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=X_1500_0___reshoot_key=X_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2007032.0, reshoot_counts = 36027889.2
normalization = 0.055, reshoot_counts*normalization = 1972942.5
original average = -0.00 x pos [mm], reshoot average = -0.13 x pos [
counts [1/mm]
10^6
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_1___reshoot_key=X_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 799787.8, reshoot_counts = 14359668.8
normalization = 0.055, reshoot_counts*normalization = 786357.5
original average = -0.01 x pos [mm], reshoot average = -0.13 x pos [
counts [1/mm]
x pos [mm]
10^6
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400



original_key=X_1500_2___reshoot_key=X_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 206478.2, reshoot_counts = 3705988.8
normalization = 0.055, reshoot_counts*normalization = 202945.6
original average = 0.05 x pos [mm], reshoot average = -0.08 x pos [m
counts [1/mm]
x pos [mm]
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400



original_key=X_1500_3___reshoot_key=X_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3287.1, reshoot_counts = 58926.8
normalization = 0.055, reshoot_counts*normalization = 3226.9
original average = -0.36 x pos [mm], reshoot average = -0.52 x pos [
counts [1/mm]
10^3
10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_4___reshoot_key=X_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 188.5, reshoot_counts = 3376.0
normalization = 0.055, reshoot_counts*normalization = 184.9
original average = 0.32 x pos [mm], reshoot average = 0.10 x pos [m
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_5___reshoot_key=X_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 49.0, reshoot_counts = 854.0
normalization = 0.055, reshoot_counts*normalization = 46.8
original average = -2.05 x pos [mm], reshoot average = -2.06 x pos [
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_6___reshoot_key=X_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26.2, reshoot_counts = 482.8
normalization = 0.055, reshoot_counts*normalization = 26.4
original average = -1.76 x pos [mm], reshoot average = -1.22 x pos [
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_7___reshoot_key=X_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 18.5, reshoot_counts = 332.5
normalization = 0.055, reshoot_counts*normalization = 18.2
original average = 0.57 x pos [mm], reshoot average = 0.33 x pos [m
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_8___reshoot_key=X_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5.5, reshoot_counts = 102.5
normalization = 0.055, reshoot_counts*normalization = 5.6
original average = -0.40 x pos [mm], reshoot average = -1.99 x pos [
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_9___reshoot_key=X_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.0, reshoot_counts = 34.0
normalization = 0.055, reshoot_counts*normalization = 1.9
original average = -2.69 x pos [mm], reshoot average = -2.56 x pos [
counts [1/mm]
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_10___reshoot_key=X_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5.2, reshoot_counts = 90.2
normalization = 0.055, reshoot_counts*normalization = 4.9
original average = 0.35 x pos [mm], reshoot average = 1.71 x pos [m
counts [1/mm]
x pos [mm]
10^2
10^1
10^0
−400
−200
0
200
400



original_key=X_1500_11___reshoot_key=X_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.5, reshoot_counts = 69.8
normalization = 0.055, reshoot_counts*normalization = 3.8
original average = -3.86 x pos [mm], reshoot average = -3.71 x pos [
counts [1/mm]
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_12___reshoot_key=X_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4.8, reshoot_counts = 85.0
normalization = 0.055, reshoot_counts*normalization = 4.7
original average = -0.39 x pos [mm], reshoot average = -0.29 x pos [
counts [1/mm]
x pos [mm]
10^2
10^1
10^0
−400
−200
0
200
400



original_key=X_1500_13___reshoot_key=X_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.2, reshoot_counts = 37.8
normalization = 0.055, reshoot_counts*normalization = 2.1
original average = -2.60 x pos [mm], reshoot average = -4.20 x pos [
counts [1/mm]
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_14___reshoot_key=X_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4.5, reshoot_counts = 83.2
normalization = 0.055, reshoot_counts*normalization = 4.6
original average = 1.33 x pos [mm], reshoot average = 0.31 x pos [m
counts [1/mm]
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_15___reshoot_key=X_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.8, reshoot_counts = 48.0
normalization = 0.055, reshoot_counts*normalization = 2.6
original average = 1.28 x pos [mm], reshoot average = -2.52 x pos [m
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_16___reshoot_key=X_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.2, reshoot_counts = 26.8
normalization = 0.055, reshoot_counts*normalization = 1.5
original average = -7.76 x pos [mm], reshoot average = -4.00 x pos [
counts [1/mm]
x pos [mm]
6 × 10^1
4 × 10^1
3 × 10^1
2 × 10^1
10^1
6 × 10^0
4 × 10^0
3 × 10^0
2 × 10^0
−400
−200
0
200
400



original_key=X_1500_17___reshoot_key=X_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.2, reshoot_counts = 21.0
normalization = 0.055, reshoot_counts*normalization = 1.1
original average = 4.12 x pos [mm], reshoot average = 7.03 x pos [m
counts [1/mm]
x pos [mm]
6 × 10^1
4 × 10^1
3 × 10^1
2 × 10^1
10^1
6 × 10^0
4 × 10^0
3 × 10^0
2 × 10^0
−400
−200
0
200
400



original_key=X_1500_18___reshoot_key=X_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.2, reshoot_counts = 39.5
normalization = 0.055, reshoot_counts*normalization = 2.2
original average = 15.10 x pos [mm], reshoot average = 17.12 x pos
counts [1/mm]
x pos [mm]
10^2
10^1
10^0
−400
−200
0
200
400



original_key=X_1500_19___reshoot_key=X_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.0, reshoot_counts = 17.2
normalization = 0.055, reshoot_counts*normalization = 0.9
original average = 3.88 x pos [mm], reshoot average = 1.89 x pos [m
counts [1/mm]
x pos [mm]
6 × 10^1
4 × 10^1
3 × 10^1
2 × 10^1
10^1
6 × 10^0
4 × 10^0
3 × 10^0
2 × 10^0
−400
−200
0
200
400



original_key=X_1500_20___reshoot_key=X_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.055, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_21___reshoot_key=X_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.2, reshoot_counts = 0.0
normalization = 0.055, reshoot_counts*normalization = 0.0
original average = 18.88 x pos [mm], reshoot average = nan x pos [m
counts [1/mm]
x pos [mm]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
3.5
4.0
−400
−200
0
200
400



original_key=X_1500_22___reshoot_key=X_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.9, reshoot_counts = 15.2
normalization = 0.055, reshoot_counts*normalization = 0.8
original average = 3.12 x pos [mm], reshoot average = 3.38 x pos [m
counts [1/mm]
x pos [mm]
6 × 10^1
4 × 10^1
3 × 10^1
2 × 10^1
10^1
6 × 10^0
4 × 10^0
3 × 10^0
2 × 10^0
−400
−200
0
200
400



original_key=X_1500_23___reshoot_key=X_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.8, reshoot_counts = 15.2
normalization = 0.055, reshoot_counts*normalization = 0.8
original average = -10.96 x pos [mm], reshoot average = -10.03 x pos
counts [1/mm]
x pos [mm]
6×10^1
4×10^1
3×10^1
2×10^1
10^1
6×10^0
4×10^0
3×10^0
−400
−200
0
200
400



original_key=X_1500_24___reshoot_key=X_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.8, reshoot_counts = 11.0
normalization = 0.055, reshoot_counts*normalization = 0.6
original average = -7.71 x pos [mm], reshoot average = -6.22 x pos [
counts [1/mm]
x pos [mm]
6×10^1
4×10^1
3×10^1
2×10^1
10^1
6×10^0
4×10^0
3×10^0
2×10^0
−400
−200
0
200
400



original_key=X_1500_25___reshoot_key=X_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.5, reshoot_counts = 0.0
normalization = 0.055, reshoot_counts*normalization = 0.0
original average = -6.88 x pos [mm], reshoot average = nan x pos [m
counts [1/mm]
x pos [mm]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
3.5
4.0
−400
−200
0
200
400



original_key=X_1500_26___reshoot_key=X_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.2, reshoot_counts = 0.0
normalization = 0.055, reshoot_counts*normalization = 0.0
original average = -28.12 x pos [mm], reshoot average = nan x pos [r
counts [1/mm]
x pos [mm]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
3.5
4.0
−400
−200
0
200
400



original_key=X_1500_e-___reshoot_key=X_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 140022.9, reshoot_counts = 2455945.5
normalization = 0.055, reshoot_counts*normalization = 134491.3
original average = -0.02 x pos [mm], reshoot average = -0.14 x pos [
counts [1/mm]
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_e+___reshoot_key=X_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 76.1, reshoot_counts = 1443.2
normalization = 0.055, reshoot_counts*normalization = 79.0
original average = -0.15 x pos [mm], reshoot average = -0.03 x pos [
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_gamma___reshoot_key=X_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 118857.9, reshoot_counts = 2132887.8
normalization = 0.055, reshoot_counts*normalization = 116800.2
original average = -0.02 x pos [mm], reshoot average = -0.14 x pos [
counts [1/mm]
x pos [mm]
10^0
10^1
10^2
10^3
10^4
10^5
−400
−200
0
200
400



original_key=X_1500_mu-___reshoot_key=X_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7.2, reshoot_counts = 172.8
normalization = 0.055, reshoot_counts*normalization = 9.5
original average = -1.54 x pos [mm], reshoot average = -2.60 x pos [
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_mu+___reshoot_key=X_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4.2, reshoot_counts = 131.2
normalization = 0.055, reshoot_counts*normalization = 7.2
original average = -2.07 x pos [mm], reshoot average = -1.57 x pos [
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_pi-___reshoot_key=X_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 37.8, reshoot_counts = 689.5
normalization = 0.055, reshoot_counts*normalization = 37.8
original average = 0.93 x pos [mm], reshoot average = 0.92 x pos [m
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_pi+___reshoot_key=X_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 28.5, reshoot_counts = 514.8
normalization = 0.055, reshoot_counts*normalization = 28.2
original average = -4.50 x pos [mm], reshoot average = -4.63 x pos [
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=Y_1500_0___reshoot_key=Y_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2007072.9, reshoot_counts = 36027889.2
normalization = 0.055, reshoot_counts*normalization = 1972942.5
original average = 0.01 y pos [mm], reshoot average = -0.12 y pos [m
counts [1/mm]
y pos [mm]
10^6
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400



original_key=Y_1500_1___reshoot_key=Y_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 799762.4, reshoot_counts = 14359668.8
normalization = 0.055, reshoot_counts*normalization = 786357.5
original average = 0.01 y pos [mm], reshoot average = -0.11 y pos [m
counts [1/mm]
y pos [mm]
10^6
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400



original_key=Y_1500_2___reshoot_key=Y_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 206341.4, reshoot_counts = 3705988.8
normalization = 0.055, reshoot_counts*normalization = 202945.6
original average = 0.02 y pos [mm], reshoot average = -0.12 y pos [m
counts [1/mm]
y pos [mm]
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400



original_key=Y_1500_3___reshoot_key=Y_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3282.4, reshoot_counts = 58926.8
normalization = 0.055, reshoot_counts*normalization = 3226.9
original average = 0.03 y pos [mm], reshoot average = -0.09 y pos [m
counts [1/mm]
10^3
10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_4___reshoot_key=Y_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 190.0, reshoot_counts = 3376.0
normalization = 0.055, reshoot_counts*normalization = 184.9
original average = 0.43 y pos [mm], reshoot average = 0.39 y pos [m
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_5___reshoot_key=Y_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 48.0, reshoot_counts = 854.0
normalization = 0.055, reshoot_counts*normalization = 46.8
original average = -1.63 y pos [mm], reshoot average = -1.23 y pos [
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_6___reshoot_key=Y_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 27.1, reshoot_counts = 482.8
normalization = 0.055, reshoot_counts*normalization = 26.4
original average = -2.42 y pos [mm], reshoot average = -2.50 y pos [
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_7___reshoot_key=Y_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 19.2, reshoot_counts = 332.5
normalization = 0.055, reshoot_counts*normalization = 18.2
original average = 2.13 y pos [mm], reshoot average = 2.17 y pos [m
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_8___reshoot_key=Y_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5.5, reshoot_counts = 102.5
normalization = 0.055, reshoot_counts*normalization = 5.6
original average = -6.56 y pos [mm], reshoot average = -5.84 y pos [
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_9___reshoot_key=Y_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.0, reshoot_counts = 34.0
normalization = 0.055, reshoot_counts*normalization = 1.9
original average = 5.69 y pos [mm], reshoot average = 3.43 y pos [m
counts [1/mm]
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_10___reshoot_key=Y_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5.2, reshoot_counts = 90.2
normalization = 0.055, reshoot_counts*normalization = 4.9
original average = -6.70 y pos [mm], reshoot average = -7.91 y pos [
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_11___reshoot_key=Y_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.4, reshoot_counts = 69.8
normalization = 0.055, reshoot_counts*normalization = 3.8
original average = -5.32 y pos [mm], reshoot average = -6.92 y pos [
counts [1/mm]
y pos [mm]
6×10^1
4×10^1
3×10^1
2×10^1
10^1
6×10^0
4×10^0
3×10^0
2×10^0
−400
−200
0
200
400



original_key=Y_1500_12___reshoot_key=Y_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4.8, reshoot_counts = 85.0
normalization = 0.055, reshoot_counts*normalization = 4.7
original average = -3.66 y pos [mm], reshoot average = -4.89 y pos [
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_13___reshoot_key=Y_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.2, reshoot_counts = 37.8
normalization = 0.055, reshoot_counts*normalization = 2.1
original average = 1.51 y pos [mm], reshoot average = 2.08 y pos [m
counts [1/mm]
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_14___reshoot_key=Y_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4.4, reshoot_counts = 83.2
normalization = 0.055, reshoot_counts*normalization = 4.6
original average = 4.03 y pos [mm], reshoot average = 3.97 y pos [m
counts [1/mm]
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_15___reshoot_key=Y_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.8, reshoot_counts = 48.0
normalization = 0.055, reshoot_counts*normalization = 2.6
original average = -7.08 y pos [mm], reshoot average = -9.19 y pos [
counts [1/mm]
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_16___reshoot_key=Y_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.5, reshoot_counts = 26.8
normalization = 0.055, reshoot_counts*normalization = 1.5
original average = 11.12 y pos [mm], reshoot average = 11.56 y pos
counts [1/mm]
y pos [mm]
6×10^1
4×10^1
3×10^1
2×10^1
10^1
6×10^0
4×10^0
3×10^0
2×10^0
−400
−200
0
200
400



original_key=Y_1500_17___reshoot_key=Y_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.2, reshoot_counts = 21.0
normalization = 0.055, reshoot_counts*normalization = 1.1
original average = -2.62 y pos [mm], reshoot average = -3.89 y pos [
counts [1/mm]
y pos [mm]
6 × 10^1
4 × 10^1
3 × 10^1
2 × 10^1
10^1
6 × 10^0
4 × 10^0
3 × 10^0
2 × 10^0
−400
−200
0
200
400



original_key=Y_1500_18___reshoot_key=Y_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.2, reshoot_counts = 39.5
normalization = 0.055, reshoot_counts*normalization = 2.2
original average = 0.54 y pos [mm], reshoot average = -1.46 y pos [m
10^1
10^0
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_19___reshoot_key=Y_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.0, reshoot_counts = 17.2
normalization = 0.055, reshoot_counts*normalization = 0.9
original average = -12.81 y pos [mm], reshoot average = -12.86 y pos
counts [1/mm]
y pos [mm]
6×10^1
4×10^1
3×10^1
2×10^1
10^1
6×10^0
4×10^0
3×10^0
2×10^0
−400
−200
0
200
400



original_key=Y_1500_20___reshoot_key=Y_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.055, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
0.04
0.02
0.00
−0.02
−0.04
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_21___reshoot_key=Y_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.2, reshoot_counts = 0.0
normalization = 0.055, reshoot_counts*normalization = 0.0
original average = -17.12 y pos [mm], reshoot average = nan y pos [r
counts [1/mm]
y pos [mm]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
3.5
4.0
−400
−200
0
200
400



original_key=Y_1500_22___reshoot_key=Y_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.0, reshoot_counts = 15.2
normalization = 0.055, reshoot_counts*normalization = 0.8
original average = -10.62 y pos [mm], reshoot average = -12.62 y pos
counts [1/mm]
y pos [mm]
6 × 10^1
4 × 10^1
3 × 10^1
2 × 10^1
10^1
6 × 10^0
4 × 10^0
3 × 10^0
2 × 10^0
−400
−200
0
200
400



original_key=Y_1500_23___reshoot_key=Y_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.8, reshoot_counts = 15.2
normalization = 0.055, reshoot_counts*normalization = 0.8
original average = -22.21 y pos [mm], reshoot average = -22.00 y pos
counts [1/mm]
y pos [mm]
6×10^1
4×10^1
3×10^1
2×10^1
10^1
6×10^0
4×10^0
3×10^0
−400
−200
0
200
400



original_key=Y_1500_24___reshoot_key=Y_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.8, reshoot_counts = 11.0
normalization = 0.055, reshoot_counts*normalization = 0.6
original average = -2.54 y pos [mm], reshoot average = 1.70 y pos [m
counts [1/mm]
y pos [mm]
6×10^1
4×10^1
3×10^1
2×10^1
10^1
6×10^0
4×10^0
3×10^0
2×10^0
−400
−200
0
200
400



original_key=Y_1500_25___reshoot_key=Y_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.5, reshoot_counts = 0.0
normalization = 0.055, reshoot_counts*normalization = 0.0
original average = -12.12 y pos [mm], reshoot average = nan y pos [r
counts [1/mm]
y pos [mm]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
3.5
4.0
−400
−200
0
200
400



original_key=Y_1500_26___reshoot_key=Y_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.2, reshoot_counts = 0.0
normalization = 0.055, reshoot_counts*normalization = 0.0
original average = -23.12 y pos [mm], reshoot average = nan y pos [r
counts [1/mm]
y pos [mm]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
3.5
4.0
−400
−200
0
200
400



original_key=Y_1500_e-___reshoot_key=Y_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 139894.1, reshoot_counts = 2455945.5
normalization = 0.055, reshoot_counts*normalization = 134491.3
original average = -0.02 y pos [mm], reshoot average = -0.14 y pos [
counts [1/mm]
y pos [mm]
10^0
10^1
10^2
10^3
10^4
10^5
−400
−200
0
200
400



original_key=Y_1500_e+___reshoot_key=Y_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 76.1, reshoot_counts = 1443.2
normalization = 0.055, reshoot_counts*normalization = 79.0
original average = -1.00 y pos [mm], reshoot average = -1.32 y pos [
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_1500_gamma___reshoot_key=Y_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 118865.4, reshoot_counts = 2132887.8
normalization = 0.055, reshoot_counts*normalization = 116800.2
original average = -0.01 y pos [mm], reshoot average = -0.13 y pos [
counts [1/mm]
y pos [mm]
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400


original_key=Y_1500_mu-___reshoot_key=Y_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7.1, reshoot_counts = 172.8
normalization = 0.055, reshoot_counts*normalization = 9.5
original average = 1.00 y pos [mm], reshoot average = 2.24 y pos [m
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_1500_mu+___reshoot_key=Y_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4.2, reshoot_counts = 131.2
normalization = 0.055, reshoot_counts*normalization = 7.2
original average = -4.79 y pos [mm], reshoot average = -4.85 y pos [
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_1500_pi-___reshoot_key=Y_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 38.9, reshoot_counts = 689.5
normalization = 0.055, reshoot_counts*normalization = 37.8
original average = -2.54 y pos [mm], reshoot average = -2.84 y pos [
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_1500_pi+___reshoot_key=Y_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 28.5, reshoot_counts = 514.8
normalization = 0.055, reshoot_counts*normalization = 28.2
original average = 0.49 y pos [mm], reshoot average = -0.30 y pos [m
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]