






original_key=Theta_wide_100_0___reshoot_key=Theta_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7661930.6, reshoot_counts = 2059323.7
normalization = 1.288, reshoot_counts*normalization = 2653121.2
original average = 0.10 Theta [rad], reshoot average = 0.09 Theta [ra
counts [1/rad]
Theta [rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_1___reshoot_key=Theta_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3083869.9, reshoot_counts = 908421.1
normalization = 1.288, reshoot_counts*normalization = 1170360.5
original average = 0.10 Theta [rad], reshoot average = 0.10 Theta [ra
counts [1/rad]
Theta [rad]
10^9
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_2___reshoot_key=Theta_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 752249.6, reshoot_counts = 176132.4
normalization = 1.288, reshoot_counts*normalization = 226919.4
original average = 0.09 Theta [rad], reshoot average = 0.08 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_3___reshoot_key=Theta_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12612.3, reshoot_counts = 2608.9
normalization = 1.288, reshoot_counts*normalization = 3361.2
original average = 0.08 Theta [rad], reshoot average = 0.07 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_4___reshoot_key=Theta_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 718.3, reshoot_counts = 138.1
normalization = 1.288, reshoot_counts*normalization = 178.0
original average = 0.09 Theta [rad], reshoot average = 0.08 Theta [ra
counts [1/rad]
Theta [rad]
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_5___reshoot_key=Theta_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 139.0, reshoot_counts = 29.4
normalization = 1.288, reshoot_counts*normalization = 37.8
original average = 0.27 Theta [rad], reshoot average = 0.25 Theta [ra
counts [1/rad]
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_6___reshoot_key=Theta_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24.3, reshoot_counts = 15.5
normalization = 1.288, reshoot_counts*normalization = 19.9
original average = 0.78 Theta [rad], reshoot average = 0.77 Theta [ra
counts [1/rad]
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_7___reshoot_key=Theta_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12.1, reshoot_counts = 8.2
normalization = 1.288, reshoot_counts*normalization = 10.6
original average = 1.03 Theta [rad], reshoot average = 0.99 Theta [ra
counts [1/rad]
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_8___reshoot_key=Theta_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.8, reshoot_counts = 2.1
normalization = 1.288, reshoot_counts*normalization = 2.7
original average = 1.06 Theta [rad], reshoot average = 1.16 Theta [ra
counts [1/rad]
Theta [rad]
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
10^2
6 × 10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_9___reshoot_key=Theta_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.1, reshoot_counts = 0.1
normalization = 1.288, reshoot_counts*normalization = 0.2
original average = 0.20 Theta [rad], reshoot average = 0.20 Theta [ra
counts [1/rad]
2×10^2
10^2
6×10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_10___reshoot_key=Theta_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.1, reshoot_counts = 0.1
normalization = 1.288, reshoot_counts*normalization = 0.1
original average = 0.04 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
10^2
6 × 10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_11___reshoot_key=Theta_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.1, reshoot_counts = 0.1
normalization = 1.288, reshoot_counts*normalization = 0.1
original average = 0.14 Theta [rad], reshoot average = 0.05 Theta [ra
counts [1/rad]
2×10^2
10^2
6×10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_12___reshoot_key=Theta_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.2, reshoot_counts = 0.1
normalization = 1.288, reshoot_counts*normalization = 0.2
original average = 0.08 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
10^2
6 × 10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_13___reshoot_key=Theta_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.2, reshoot_counts = 0.1
normalization = 1.288, reshoot_counts*normalization = 0.1
original average = 0.06 Theta [rad], reshoot average = 0.05 Theta [ra
counts [1/rad]
2×10^2
10^2
6×10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_14___reshoot_key=Theta_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.1, reshoot_counts = 0.1
normalization = 1.288, reshoot_counts*normalization = 0.1
original average = 0.10 Theta [rad], reshoot average = 0.16 Theta [ra
counts [1/rad]
Theta [rad]
3 × 10^2
2 × 10^2
10^2
6 × 10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_15___reshoot_key=Theta_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.1, reshoot_counts = 0.1
normalization = 1.288, reshoot_counts*normalization = 0.1
original average = 0.06 Theta [rad], reshoot average = 0.05 Theta [ra
counts [1/rad]
10^2
6×10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_16___reshoot_key=Theta_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.1, reshoot_counts = 0.1
normalization = 1.288, reshoot_counts*normalization = 0.1
original average = 0.40 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
4 × 10^2
3 × 10^2
2 × 10^2
10^2
6 × 10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_17___reshoot_key=Theta_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.1, reshoot_counts = 0.1
normalization = 1.288, reshoot_counts*normalization = 0.1
original average = 0.24 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
4 × 10^2
3 × 10^2
2 × 10^2
10^2
6 × 10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_18___reshoot_key=Theta_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.1, reshoot_counts = 0.1
normalization = 1.288, reshoot_counts*normalization = 0.2
original average = 1.05 Theta [rad], reshoot average = 0.94 Theta [ra
counts [1/rad]
10^2
6×10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_19___reshoot_key=Theta_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.1, reshoot_counts = 0.0
normalization = 1.288, reshoot_counts*normalization = 0.1
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
4 × 10^2
3 × 10^2
2 × 10^2
10^2
6 × 10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_20___reshoot_key=Theta_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.288, reshoot_counts*normalization = 0.0
original average = 0.05 Theta [rad], reshoot average = 0.04 Theta [ra
10^2
6×10^1
counts [1/rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_21___reshoot_key=Theta_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.288, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_22___reshoot_key=Theta_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.0, reshoot_counts = 0.0
normalization = 1.288, reshoot_counts*normalization = 0.0
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^2
9×10^1
8×10^1
7×10^1
6×10^1
counts [1/rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_23___reshoot_key=Theta_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.288, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_24___reshoot_key=Theta_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.288, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_25___reshoot_key=Theta_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.288, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_26___reshoot_key=Theta_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.288, reshoot_counts*normalization = 0.0
original average = 0.03 Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
Theta [rad]
0
10
20
30
40
50
60
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_e-___reshoot_key=Theta_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 625365.0, reshoot_counts = 463304.5
normalization = 1.288, reshoot_counts*normalization = 596896.5
original average = 0.55 Theta [rad], reshoot average = 0.54 Theta [ra
counts [1/rad]
10^7
10^6
10^5
10^4
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_e+___reshoot_key=Theta_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 313.3, reshoot_counts = 170.5
normalization = 1.288, reshoot_counts*normalization = 219.7
original average = 0.23 Theta [rad], reshoot average = 0.22 Theta [ra
counts [1/rad]
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_gamma___reshoot_key=Theta_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 533370.2, reshoot_counts = 215996.3
normalization = 1.288, reshoot_counts*normalization = 278278.0
original average = 0.13 Theta [rad], reshoot average = 0.12 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_mu-___reshoot_key=Theta_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6.3, reshoot_counts = 4.2
normalization = 1.288, reshoot_counts*normalization = 5.4
original average = 0.17 Theta [rad], reshoot average = 0.17 Theta [ra
10^3
10^2
counts [1/rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_mu+___reshoot_key=Theta_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4.3, reshoot_counts = 3.9
normalization = 1.288, reshoot_counts*normalization = 5.0
original average = 0.17 Theta [rad], reshoot average = 0.16 Theta [ra
counts [1/rad]
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_pi-___reshoot_key=Theta_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 193.9, reshoot_counts = 78.6
normalization = 1.288, reshoot_counts*normalization = 101.3
original average = 0.15 Theta [rad], reshoot average = 0.14 Theta [ra
counts [1/rad]
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_pi+___reshoot_key=Theta_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 123.2, reshoot_counts = 48.7
normalization = 1.288, reshoot_counts*normalization = 62.8
original average = 0.14 Theta [rad], reshoot average = 0.12 Theta [ra
counts [1/rad]
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Phi_wide_100_0___reshoot_key=Phi_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3755776.2, reshoot_counts = 2916521.1
normalization = 1.288, reshoot_counts*normalization = 3757487.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
4 × 10^7
3 × 10^7
2 × 10^7
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_1___reshoot_key=Phi_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1645360.8, reshoot_counts = 1278770.9
normalization = 1.288, reshoot_counts*normalization = 1647499.2
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
2×10^7
10^7
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_2___reshoot_key=Phi_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 328574.9, reshoot_counts = 254665.2
normalization = 1.288, reshoot_counts*normalization = 328096.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
4 × 10^6
3 × 10^6
2 × 10^6
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_3___reshoot_key=Phi_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4970.0, reshoot_counts = 3851.4
normalization = 1.288, reshoot_counts*normalization = 4961.9
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
6 × 10^4
4 × 10^4
3 × 10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_4___reshoot_key=Phi_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 258.3, reshoot_counts = 215.2
normalization = 1.288, reshoot_counts*normalization = 277.3
original average = 3.16 Phi [rad], reshoot average = 3.12 Phi [rad]
counts [1/rad]
Phi [rad]
4×10^3
3×10^3
2×10^3
10^3
0
1
2
3
4
5
6



original_key=Phi_wide_100_5___reshoot_key=Phi_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 55.7, reshoot_counts = 37.0
normalization = 1.288, reshoot_counts*normalization = 47.6
original average = 3.16 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
10^3
10^2
0
1
2
3
4
5
6



original_key=Phi_wide_100_6___reshoot_key=Phi_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 27.4, reshoot_counts = 19.6
normalization = 1.288, reshoot_counts*normalization = 25.3
original average = 3.00 Phi [rad], reshoot average = 3.04 Phi [rad]
counts [1/rad]
Phi [rad]
6×10^2
4×10^2
3×10^2
2×10^2
10^2
6×10^1
0
1
2
3
4
5
6



original_key=Phi_wide_100_7___reshoot_key=Phi_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 15.1, reshoot_counts = 8.3
normalization = 1.288, reshoot_counts*normalization = 10.7
original average = 3.27 Phi [rad], reshoot average = 3.16 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_wide_100_8___reshoot_key=Phi_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.8, reshoot_counts = 6.1
normalization = 1.288, reshoot_counts*normalization = 7.8
original average = 3.42 Phi [rad], reshoot average = 3.07 Phi [rad]
counts [1/rad]
Phi [rad]
3 × 10^2
2 × 10^2
10^2
6 × 10^1
0
1
2
3
4
5
6



original_key=Phi_wide_100_9___reshoot_key=Phi_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.2, reshoot_counts = 0.1
normalization = 1.288, reshoot_counts*normalization = 0.2
original average = 3.98 Phi [rad], reshoot average = 3.25 Phi [rad]
counts [1/rad]
10^2
6×10^1
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_10___reshoot_key=Phi_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.2, reshoot_counts = 0.2
normalization = 1.288, reshoot_counts*normalization = 0.2
original average = 3.59 Phi [rad], reshoot average = 2.03 Phi [rad]
counts [1/rad]
10^2
6×10^1
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_11___reshoot_key=Phi_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.2, reshoot_counts = 0.1
normalization = 1.288, reshoot_counts*normalization = 0.1
original average = 2.84 Phi [rad], reshoot average = 2.87 Phi [rad]
counts [1/rad]
10^2
6×10^1
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_12___reshoot_key=Phi_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.3, reshoot_counts = 0.2
normalization = 1.288, reshoot_counts*normalization = 0.3
original average = 2.78 Phi [rad], reshoot average = 2.02 Phi [rad]
counts [1/rad]
10^2
6×10^1
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_13___reshoot_key=Phi_1_13
original counts = 0.2, reshoot_counts = 0.1
normalization = 1.288, reshoot_counts*normalization = 0.2
original average = 3.55 Phi [rad], reshoot average = 3.51 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
7×10^1
6×10^1
0
1
2
3
4
5
6



original_key=Phi_wide_100_14___reshoot_key=Phi_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.2, reshoot_counts = 0.1
normalization = 1.288, reshoot_counts*normalization = 0.1
original average = 3.15 Phi [rad], reshoot average = 4.45 Phi [rad]
counts [1/rad]
10^2
6×10^1
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_15___reshoot_key=Phi_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.1, reshoot_counts = 0.1
normalization = 1.288, reshoot_counts*normalization = 0.1
original average = 2.92 Phi [rad], reshoot average = 2.10 Phi [rad]
counts [1/rad]
10^2
6×10^1
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_16___reshoot_key=Phi_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.1, reshoot_counts = 0.1
normalization = 1.288, reshoot_counts*normalization = 0.1
original average = 1.91 Phi [rad], reshoot average = 2.72 Phi [rad]
counts [1/rad]
2×10^2
10^2
6×10^1
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_17___reshoot_key=Phi_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.1, reshoot_counts = 0.1
normalization = 1.288, reshoot_counts*normalization = 0.1
original average = 2.37 Phi [rad], reshoot average = 1.27 Phi [rad]
counts [1/rad]
10^2
6×10^1
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_18___reshoot_key=Phi_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.1, reshoot_counts = 0.1
normalization = 1.288, reshoot_counts*normalization = 0.2
original average = 3.93 Phi [rad], reshoot average = 4.17 Phi [rad]
counts [1/rad]
10^2
6×10^1
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_19___reshoot_key=Phi_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.1, reshoot_counts = 0.1
normalization = 1.288, reshoot_counts*normalization = 0.1
original average = 3.23 Phi [rad], reshoot average = 0.97 Phi [rad]
counts [1/rad]
10^2
6×10^1
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_20___reshoot_key=Phi_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.1, reshoot_counts = 0.0
normalization = 1.288, reshoot_counts*normalization = 0.0
original average = 4.79 Phi [rad], reshoot average = 5.02 Phi [rad]
counts [1/rad]
10^2
6×10^1
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_21___reshoot_key=Phi_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.288, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_22___reshoot_key=Phi_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.1, reshoot_counts = 0.0
normalization = 1.288, reshoot_counts*normalization = 0.0
original average = 2.95 Phi [rad], reshoot average = 0.60 Phi [rad]
7×10^1
6×10^1
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_23___reshoot_key=Phi_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.288, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_24___reshoot_key=Phi_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.288, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_25___reshoot_key=Phi_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.288, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_26___reshoot_key=Phi_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.288, reshoot_counts*normalization = 0.0
original average = 1.74 Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
Phi [rad]
0
10
20
30
40
50
60
0
1
2
3
4
5
6



original_key=Phi_wide_100_e-___reshoot_key=Phi_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 781488.1, reshoot_counts = 607853.6
normalization = 1.288, reshoot_counts*normalization = 783125.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
10^7
6×10^6
4×10^6
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_e+___reshoot_key=Phi_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 267.7, reshoot_counts = 234.8
normalization = 1.288, reshoot_counts*normalization = 302.6
original average = 3.13 Phi [rad], reshoot average = 3.07 Phi [rad]
counts [1/rad]
Phi [rad]
4×10^3
3×10^3
2×10^3
10^3
0
1
2
3
4
5
6



original_key=Phi_wide_100_gamma___reshoot_key=Phi_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 379533.9, reshoot_counts = 294758.7
normalization = 1.288, reshoot_counts*normalization = 379751.2
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
4 × 10^6
3 × 10^6
2 × 10^6
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_mu-___reshoot_key=Phi_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6.4, reshoot_counts = 4.4
normalization = 1.288, reshoot_counts*normalization = 5.6
original average = 3.20 Phi [rad], reshoot average = 3.31 Phi [rad]
counts [1/rad]
Phi [rad]
4×10^2
3×10^2
2×10^2
10^2
6×10^1
0
1
2
3
4
5
6



original_key=Phi_wide_100_mu+___reshoot_key=Phi_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5.3, reshoot_counts = 4.9
normalization = 1.288, reshoot_counts*normalization = 6.4
original average = 3.04 Phi [rad], reshoot average = 3.26 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_wide_100_pi-___reshoot_key=Phi_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 134.8, reshoot counts = 101.2
normalization = 1.288, reshoot counts*normalization = 130.4
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
10^3
10^2
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_pi+___reshoot_key=Phi_1_pi+
original counts = 82.4, reshoot counts = 70.9
normalization = 1.288, reshoot counts*normalization = 91.3
original average = 3.13 Phi [rad], reshoot average = 3.14 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
10^3
10^2
0
1
2
3
4
5
6



original_key=Ekin_wide_100_0___reshoot_key=EkinU_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 164809323.0, reshoot_counts = 127991265.0
normalization = 1.288, reshoot_counts*normalization = 164897015.6
original average = 216.87 Ek [MeV/u], reshoot average = 217.33 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
10^5
10^6
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_1___reshoot_key=EkinU_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 72197497.0, reshoot_counts = 56038462.0
normalization = 1.288, reshoot_counts*normalization = 72196920.2
original average = 179.76 Ek [MeV/u], reshoot average = 179.79 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
10^5
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_2___reshoot_key=EkinU_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 14370456.5, reshoot_counts = 11151889.5
normalization = 1.288, reshoot_counts*normalization = 14367490.6
original average = 132.36 Ek [MeV/u], reshoot average = 132.39 Ek [
counts [u/MeV]
Ek [MeV/u]
10^5
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_3___reshoot_key=EkinU_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 216195.5, reshoot_counts = 167417.5
normalization = 1.288, reshoot_counts*normalization = 215691.6
original average = 102.14 Ek [MeV/u], reshoot average = 101.84 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_4___reshoot_key=EkinU_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11654.5, reshoot_counts = 8896.5
normalization = 1.288, reshoot_counts*normalization = 11461.8
original average = 81.92 Ek [MeV/u], reshoot average = 82.27 Ek [Me
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_5___reshoot_key=EkinU_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2293.0, reshoot_counts = 1802.5
normalization = 1.288, reshoot_counts*normalization = 2322.2
original average = 54.10 Ek [MeV/u], reshoot average = 55.56 Ek [Me
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_6___reshoot_key=EkinU_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1055.0, reshoot_counts = 674.0
normalization = 1.288, reshoot_counts*normalization = 868.3
original average = 28.46 Ek [MeV/u], reshoot average = 43.74 Ek [Me
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_7___reshoot_key=EkinU_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 620.0, reshoot_counts = 307.0
normalization = 1.288, reshoot_counts*normalization = 395.5
original average = 25.64 Ek [MeV/u], reshoot average = 43.10 Ek [Me
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_8___reshoot_key=EkinU_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 158.5, reshoot_counts = 80.0
normalization = 1.288, reshoot_counts*normalization = 103.1
original average = 38.89 Ek [MeV/u], reshoot average = 62.14 Ek [Me
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_9___reshoot_key=EkinU_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9.0, reshoot_counts = 8.0
normalization = 1.288, reshoot_counts*normalization = 10.3
original average = 141.62 Ek [MeV/u], reshoot average = 151.12 Ek [
2×10^0
10^0
counts [u/MeV]
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_10___reshoot_key=EkinU_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9.0, reshoot_counts = 9.0
normalization = 1.288, reshoot_counts*normalization = 11.6
original average = 230.94 Ek [MeV/u], reshoot average = 280.06 Ek [
2×10^0
10^0
counts [u/MeV]
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_11___reshoot_key=EkinU_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9.0, reshoot_counts = 6.0
normalization = 1.288, reshoot_counts*normalization = 7.7
original average = 168.38 Ek [MeV/u], reshoot average = 205.67 Ek [
2×10^0
10^0
counts [u/MeV]
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_12___reshoot_key=EkinU_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 20.0, reshoot_counts = 11.5
normalization = 1.288, reshoot_counts*normalization = 14.8
original average = 236.13 Ek [MeV/u], reshoot average = 219.75 Ek [
2×10^0
10^0
counts [u/MeV]
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_13___reshoot_key=EkinU_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13.0, reshoot_counts = 8.0
normalization = 1.288, reshoot_counts*normalization = 10.3
original average = 236.35 Ek [MeV/u], reshoot average = 229.62 Ek [
2×10^0
10^0
counts [u/MeV]
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_14___reshoot_key=EkinU_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11.0, reshoot_counts = 5.5
normalization = 1.288, reshoot_counts*normalization = 7.1
original average = 247.74 Ek [MeV/u], reshoot average = 167.50 Ek [
2×10^0
10^0
counts [u/MeV]
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_15___reshoot_key=EkinU_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6.0, reshoot_counts = 3.0
normalization = 1.288, reshoot_counts*normalization = 3.9
original average = 244.14 Ek [MeV/u], reshoot average = 278.17 Ek [
2×10^0
10^0
counts [u/MeV]
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_16___reshoot_key=EkinU_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7.0, reshoot_counts = 6.0
normalization = 1.288, reshoot_counts*normalization = 7.7
original average = 166.14 Ek [MeV/u], reshoot average = 295.00 Ek [
counts [u/MeV]
Ek [MeV/u]
4×10^0
3×10^0
2×10^0
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_17___reshoot_key=EkinU_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5.0, reshoot_counts = 4.5
normalization = 1.288, reshoot_counts*normalization = 5.8
original average = 231.50 Ek [MeV/u], reshoot average = 240.70 Ek [
2×10^0
10^0
counts [u/MeV]
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_18___reshoot_key=EkinU_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8.0, reshoot_counts = 5.5
normalization = 1.288, reshoot_counts*normalization = 7.1
original average = 68.50 Ek [MeV/u], reshoot average = 63.38 Ek [Me
counts [u/MeV]
Ek [MeV/u]
6×10^0
4×10^0
3×10^0
2×10^0
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_19___reshoot_key=EkinU_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7.0, reshoot_counts = 5.0
normalization = 1.288, reshoot_counts*normalization = 6.4
original average = 238.64 Ek [MeV/u], reshoot average = 297.10 Ek [
2×10^0
10^0
counts [u/MeV]
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_20___reshoot_key=EkinU_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.0, reshoot_counts = 2.0
normalization = 1.288, reshoot_counts*normalization = 2.6
original average = 278.83 Ek [MeV/u], reshoot average = 264.50 Ek [
counts [u/MeV]
Ek [MeV/u]
1.3×10^0
1.25×10^0
1.2×10^0
1.15×10^0
1.1×10^0
1.05×10^0
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_21___reshoot_key=EkinU_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.288, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_22___reshoot_key=EkinU_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4.0, reshoot_counts = 1.0
normalization = 1.288, reshoot_counts*normalization = 1.3
original average = 300.00 Ek [MeV/u], reshoot average = 296.50 Ek [
counts [u/MeV]
Ek [MeV/u]
1.3×10^0
1.25×10^0
1.2×10^0
1.15×10^0
1.1×10^0
1.05×10^0
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_23___reshoot_key=EkinU_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.288, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_24___reshoot_key=EkinU_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.288, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_25___reshoot_key=EkinU_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.288, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_26___reshoot_key=EkinU_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.0, reshoot_counts = 0.0
normalization = 1.288, reshoot_counts*normalization = 0.0
original average = 307.50 Ek [MeV/u], reshoot average = nan Ek [MeV
counts [u/MeV]
Ek [MeV/u]
0.0
0.2
0.4
0.6
0.8
1.0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_e-___reshoot_key=EkinU_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3058316.1, reshoot_counts = 26592857.0
normalization = 1.288, reshoot_counts*normalization = 34260797.1
original average = 0.40 Ek [MeV/u], reshoot average = 0.54 Ek [MeV/u
counts [u/MeV]
Ek [MeV/u]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_e+___reshoot_key=EkinU_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1142.7, reshoot_counts = 9224.5
normalization = 1.288, reshoot_counts*normalization = 11884.3
original average = 11.84 Ek [MeV/u], reshoot average = 12.57 Ek [Me
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_gamma___reshoot_key=EkinU_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1584863.3, reshoot_counts = 11595093.0
normalization = 1.288, reshoot_counts*normalization = 14938490.0
original average = 2.53 Ek [MeV/u], reshoot average = 3.15 Ek [MeV/u
counts [u/MeV]
Ek [MeV/u]
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_mu-___reshoot_key=EkinU_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 17.0, reshoot_counts = 251.0
normalization = 1.288, reshoot_counts*normalization = 323.4
original average = 49.35 Ek [MeV/u], reshoot average = 49.07 Ek [Me
counts [u/MeV]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_mu+___reshoot_key=EkinU_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10.3, reshoot_counts = 227.0
normalization = 1.288, reshoot_counts*normalization = 292.5
original average = 47.88 Ek [MeV/u], reshoot average = 49.99 Ek [Me
counts [u/MeV]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_pi-___reshoot_key=EkinU_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11806.7, reshoot_counts = 4689.0
normalization = 1.288, reshoot_counts*normalization = 6041.1
original average = 133.15 Ek [MeV/u], reshoot average = 133.68 Ek [
counts [u/MeV]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_pi+___reshoot_key=EkinU_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7255.9, reshoot_counts = 2941.0
normalization = 1.288, reshoot_counts*normalization = 3789.0
original average = 146.45 Ek [MeV/u], reshoot average = 148.98 Ek [
10^1
10^0
counts [u/MeV]
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=X_wide_100_0___reshoot_key=X_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 41742647.9, reshoot_counts = 32016970.8
normalization = 1.288, reshoot_counts*normalization = 41248931.5
original average = -0.02 x pos [mm], reshoot average = -0.15 x pos [
3 × 10^6
2 × 10^6
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_1___reshoot_key=X_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 18271749.4, reshoot_counts = 14010258.2
normalization = 1.288, reshoot_counts*normalization = 18050058.1
original average = -0.01 x pos [mm], reshoot average = -0.14 x pos [
10^6
6×10^5
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_2___reshoot_key=X_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3631675.8, reshoot_counts = 2788546.0
normalization = 1.288, reshoot_counts*normalization = 3592611.7
original average = -0.01 x pos [mm], reshoot average = -0.14 x pos [
2×10^5
10^5
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_3___reshoot_key=X_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 54630.5, reshoot_counts = 41871.5
normalization = 1.288, reshoot_counts*normalization = 53945.0
original average = -0.10 x pos [mm], reshoot average = -0.19 x pos [
3×10^3
2×10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_4___reshoot_key=X_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2952.1, reshoot_counts = 2230.0
normalization = 1.288, reshoot_counts*normalization = 2873.0
original average = -0.29 x pos [mm], reshoot average = 0.06 x pos [m
counts [1/mm]
x pos [mm]
2 × 10^2
10^2
6 × 10^1
4 × 10^1
3 × 10^1
−400
−200
0
200
400



original_key=X_wide_100_5___reshoot_key=X_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 596.1, reshoot_counts = 473.8
normalization = 1.288, reshoot_counts*normalization = 610.4
original average = 0.21 x pos [mm], reshoot average = 0.72 x pos [m
counts [1/mm]
x pos [mm]
6 × 10^1
4 × 10^1
3 × 10^1
2 × 10^1
10^1
6 × 10^0
4 × 10^0
−400
−200
0
200
400



original_key=X_wide_100_6___reshoot_key=X_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 289.0, reshoot_counts = 225.0
normalization = 1.288, reshoot_counts*normalization = 289.9
original average = 0.54 x pos [mm], reshoot average = 1.43 x pos [m
counts [1/mm]
x pos [mm]
4 × 10^1
3 × 10^1
2 × 10^1
10^1
6 × 10^0
4 × 10^0
−400
−200
0
200
400



original_key=X_wide_100_7___reshoot_key=X_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 162.9, reshoot_counts = 119.2
normalization = 1.288, reshoot_counts*normalization = 153.6
original average = 0.19 x pos [mm], reshoot average = 1.66 x pos [m
counts [1/mm]
x pos [mm]
4 × 10^1
3 × 10^1
2 × 10^1
10^1
6 × 10^0
4 × 10^0
−400
−200
0
200
400



original_key=X_wide_100_8___reshoot_key=X_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 42.1, reshoot_counts = 30.5
normalization = 1.288, reshoot_counts*normalization = 39.3
original average = -3.05 x pos [mm], reshoot average = -3.56 x pos [
counts [1/mm]
x pos [mm]
2 × 10^1
10^1
6 × 10^0
4 × 10^0
−400
−200
0
200
400



original_key=X_wide_100_9___reshoot_key=X_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.2, reshoot_counts = 2.0
normalization = 1.288, reshoot_counts*normalization = 2.6
original average = 14.18 x pos [mm], reshoot average = -2.19 x pos [
counts [1/mm]
10^1
6×10^0
4×10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_10___reshoot_key=X_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.2, reshoot_counts = 2.2
normalization = 1.288, reshoot_counts*normalization = 2.9
original average = -5.07 x pos [mm], reshoot average = -27.96 x pos
10^1
6×10^0
4×10^0
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_11___reshoot_key=X_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.1, reshoot_counts = 1.5
normalization = 1.288, reshoot_counts*normalization = 1.9
original average = -16.60 x pos [mm], reshoot average = 15.25 x pos
10^1
6×10^0
4×10^0
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_12___reshoot_key=X_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5.6, reshoot_counts = 3.0
normalization = 1.288, reshoot_counts*normalization = 3.9
original average = -1.77 x pos [mm], reshoot average = 14.17 x pos [
10^1
6×10^0
4×10^0
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_13___reshoot_key=X_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.2, reshoot_counts = 2.0
normalization = 1.288, reshoot_counts*normalization = 2.6
original average = -5.51 x pos [mm], reshoot average = -12.31 x pos
counts [1/mm]
x pos [mm]
8 × 10^0
7 × 10^0
6 × 10^0
5 × 10^0
4 × 10^0
−400
−200
0
200
400



original_key=X_wide_100_14___reshoot_key=X_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.5, reshoot_counts = 1.5
normalization = 1.288, reshoot_counts*normalization = 1.9
original average = -1.07 x pos [mm], reshoot average = -36.96 x pos
10^1
6×10^0
4×10^0
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_15___reshoot_key=X_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.5, reshoot_counts = 0.8
normalization = 1.288, reshoot_counts*normalization = 1.0
original average = 13.79 x pos [mm], reshoot average = 10.04 x pos
5 × 10^0
4 × 10^0
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_16___reshoot_key=X_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.8, reshoot_counts = 1.5
normalization = 1.288, reshoot_counts*normalization = 1.9
original average = 16.27 x pos [mm], reshoot average = 26.71 x pos
counts [1/mm]
10^1
6×10^0
4×10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_17___reshoot_key=X_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.2, reshoot_counts = 1.2
normalization = 1.288, reshoot_counts*normalization = 1.6
original average = 5.62 x pos [mm], reshoot average = 13.03 x pos [r
counts [1/mm]
10^1
6×10^0
4×10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_18___reshoot_key=X_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.0, reshoot_counts = 2.0
normalization = 1.288, reshoot_counts*normalization = 2.6
original average = 1.62 x pos [mm], reshoot average = 3.91 x pos [m
counts [1/mm]
10^1
6×10^0
4×10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_19___reshoot_key=X_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.5, reshoot_counts = 1.2
normalization = 1.288, reshoot_counts*normalization = 1.6
original average = 5.38 x pos [mm], reshoot average = 8.88 x pos [m
5×10^0
4×10^0
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_20___reshoot_key=X_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.8, reshoot_counts = 0.5
normalization = 1.288, reshoot_counts*normalization = 0.6
original average = 10.62 x pos [mm], reshoot average = 27.38 x pos
5×10^0
4×10^0
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_21___reshoot_key=X_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.288, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_22___reshoot_key=X_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.0, reshoot_counts = 0.2
normalization = 1.288, reshoot_counts*normalization = 0.3
original average = -30.69 x pos [mm], reshoot average = -47.88 x pos
5 × 10^0
4 × 10^0
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_23___reshoot_key=X_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.288, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
0.04
0.02
0.00
−0.02
−0.04
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_24___reshoot_key=X_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.288, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_25___reshoot_key=X_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.288, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
0.04
0.02
0.00
−0.02
−0.04
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_26___reshoot_key=X_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.2, reshoot_counts = 0.0
normalization = 1.288, reshoot_counts*normalization = 0.0
original average = -23.38 x pos [mm], reshoot average = nan x pos [r
counts [1/mm]
x pos [mm]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
3.5
4.0
−400
−200
0
200
400



original_key=X_wide_100_e-___reshoot_key=X_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6455997.1, reshoot_counts = 6653060.8
normalization = 1.288, reshoot_counts*normalization = 8571443.2
original average = 0.00 x pos [mm], reshoot average = -0.13 x pos [m
counts [1/mm]
6 × 10^5
4 × 10^5
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_e+___reshoot_key=X_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2315.5, reshoot_counts = 2495.8
normalization = 1.288, reshoot_counts*normalization = 3215.4
original average = -0.17 x pos [mm], reshoot average = -0.41 x pos [
counts [1/mm]
x pos [mm]
4×10^2
3×10^2
2×10^2
10^2
6×10^1
−400
−200
0
200
400



original_key=X_wide_100_gamma___reshoot_key=X_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3183229.9, reshoot_counts = 3231671.8
normalization = 1.288, reshoot_counts*normalization = 4163510.9
original average = 0.01 x pos [mm], reshoot average = -0.11 x pos [m
4×10^5
3×10^5
2×10^5
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_mu-___reshoot_key=X_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 46.2, reshoot_counts = 62.8
normalization = 1.288, reshoot_counts*normalization = 80.8
original average = 2.88 x pos [mm], reshoot average = 3.74 x pos [m
counts [1/mm]
x pos [mm]
3 × 10^1
2 × 10^1
10^1
6 × 10^0
4 × 10^0
−400
−200
0
200
400



original_key=X_wide_100_mu+___reshoot_key=X_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 35.2, reshoot_counts = 56.8
normalization = 1.288, reshoot_counts*normalization = 73.1
original average = -1.09 x pos [mm], reshoot average = -1.75 x pos [
counts [1/mm]
x pos [mm]
2×10^1
10^1
6×10^0
4×10^0
−400
−200
0
200
400



original_key=X_wide_100_pi-___reshoot_key=X_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1178.5, reshoot_counts = 1172.2
normalization = 1.288, reshoot_counts*normalization = 1510.3
original average = -0.70 x pos [mm], reshoot average = -0.69 x pos [
10^2
6×10^1
4×10^1
3×10^1
2×10^1
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_pi+___reshoot_key=X_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 727.5, reshoot_counts = 735.2
normalization = 1.288, reshoot_counts*normalization = 947.3
original average = -0.26 x pos [mm], reshoot average = -1.14 x pos [
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=Y_wide_100_0___reshoot_key=Y_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 41744953.6, reshoot_counts = 32016970.8
normalization = 1.288, reshoot_counts*normalization = 41248931.5
original average = -0.02 y pos [mm], reshoot average = -0.15 y pos [
3 × 10^6
2 × 10^6
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_1___reshoot_key=Y_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 18271622.9, reshoot_counts = 14010258.2
normalization = 1.288, reshoot_counts*normalization = 18050058.1
original average = -0.02 y pos [mm], reshoot average = -0.14 y pos [
10^6
6×10^5
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_2___reshoot_key=Y_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3631793.1, reshoot_counts = 2788546.0
normalization = 1.288, reshoot_counts*normalization = 3592611.7
original average = -0.01 y pos [mm], reshoot average = -0.13 y pos [
2×10^5
10^5
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_3___reshoot_key=Y_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 54674.9, reshoot_counts = 41871.5
normalization = 1.288, reshoot_counts*normalization = 53945.0
original average = -0.01 y pos [mm], reshoot average = -0.13 y pos [
3×10^3
2×10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_4___reshoot_key=Y_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2948.0, reshoot_counts = 2230.0
normalization = 1.288, reshoot_counts*normalization = 2873.0
original average = -0.04 y pos [mm], reshoot average = -0.08 y pos [
counts [1/mm]
y pos [mm]
2×10^2
10^2
6×10^1
4×10^1
3×10^1
−400
−200
0
200
400



original_key=Y_wide_100_5___reshoot_key=Y_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 597.2, reshoot_counts = 473.8
normalization = 1.288, reshoot_counts*normalization = 610.4
original average = -0.17 y pos [mm], reshoot average = 0.45 y pos [m
counts [1/mm]
y pos [mm]
6 × 10^1
4 × 10^1
3 × 10^1
2 × 10^1
10^1
6 × 10^0
4 × 10^0
−400
−200
0
200
400



original_key=Y_wide_100_6___reshoot_key=Y_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 293.4, reshoot_counts = 225.0
normalization = 1.288, reshoot_counts*normalization = 289.9
original average = 1.11 y pos [mm], reshoot average = 0.24 y pos [m
counts [1/mm]
y pos [mm]
4 × 10^1
3 × 10^1
2 × 10^1
10^1
6 × 10^0
4 × 10^0
−400
−200
0
200
400



original_key=Y_wide_100_7___reshoot_key=Y_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 163.8, reshoot_counts = 119.2
normalization = 1.288, reshoot_counts*normalization = 153.6
original average = 0.48 y pos [mm], reshoot average = 0.71 y pos [m
counts [1/mm]
y pos [mm]
4 × 10^1
3 × 10^1
2 × 10^1
10^1
6 × 10^0
4 × 10^0
−400
−200
0
200
400



original_key=Y_wide_100_8___reshoot_key=Y_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 40.6, reshoot_counts = 30.5
normalization = 1.288, reshoot_counts*normalization = 39.3
original average = -2.43 y pos [mm], reshoot average = -2.51 y pos [
10^1
6×10^0
4×10^0
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_9___reshoot_key=Y_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.0, reshoot_counts = 2.0
normalization = 1.288, reshoot_counts*normalization = 2.6
original average = -6.29 y pos [mm], reshoot average = -13.75 y pos
counts [1/mm]
10^1
6×10^0
4×10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_10___reshoot_key=Y_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.0, reshoot_counts = 2.2
normalization = 1.288, reshoot_counts*normalization = 2.9
original average = -11.49 y pos [mm], reshoot average = -19.12 y pos
counts [1/mm]
10^1
6×10^0
4×10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_11___reshoot_key=Y_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.2, reshoot_counts = 1.5
normalization = 1.288, reshoot_counts*normalization = 1.9
original average = -13.82 y pos [mm], reshoot average = -12.92 y pos
counts [1/mm]
10^1
6×10^0
4×10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_12___reshoot_key=Y_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4.8, reshoot_counts = 3.0
normalization = 1.288, reshoot_counts*normalization = 3.9
original average = -11.69 y pos [mm], reshoot average = -9.27 y pos
counts [1/mm]
10^1
6×10^0
4×10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_13___reshoot_key=Y_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4.0, reshoot_counts = 2.0
normalization = 1.288, reshoot_counts*normalization = 2.6
original average = -13.78 y pos [mm], reshoot average = -29.03 y pos
counts [1/mm]
10^1
6×10^0
4×10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_14___reshoot_key=Y_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.8, reshoot_counts = 1.5
normalization = 1.288, reshoot_counts*normalization = 1.9
original average = 7.49 y pos [mm], reshoot average = 5.75 y pos [m
counts [1/mm]
10^1
6×10^0
4×10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_15___reshoot_key=Y_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.5, reshoot_counts = 0.8
normalization = 1.288, reshoot_counts*normalization = 1.0
original average = -18.29 y pos [mm], reshoot average = -19.21 y pos
counts [1/mm]
y pos [mm]
5 × 10^0
4 × 10^0
−400
−200
0
200
400



original_key=Y_wide_100_16___reshoot_key=Y_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.8, reshoot_counts = 1.5
normalization = 1.288, reshoot_counts*normalization = 1.9
original average = -4.62 y pos [mm], reshoot average = -5.58 y pos [
counts [1/mm]
10^1
6×10^0
4×10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_17___reshoot_key=Y_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.2, reshoot_counts = 1.2
normalization = 1.288, reshoot_counts*normalization = 1.6
original average = -8.12 y pos [mm], reshoot average = 3.83 y pos [m
counts [1/mm]
10^1
6×10^0
4×10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_18___reshoot_key=Y_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.0, reshoot_counts = 2.0
normalization = 1.288, reshoot_counts*normalization = 2.6
original average = 17.22 y pos [mm], reshoot average = 9.72 y pos [r
counts [1/mm]
10^1
6×10^0
4×10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_19___reshoot_key=Y_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.8, reshoot_counts = 1.2
normalization = 1.288, reshoot_counts*normalization = 1.6
original average = -29.34 y pos [mm], reshoot average = -20.27 y pos
counts [1/mm]
10^1
6×10^0
4×10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_20___reshoot_key=Y_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.5, reshoot_counts = 0.5
normalization = 1.288, reshoot_counts*normalization = 0.6
original average = 19.57 y pos [mm], reshoot average = 49.62 y pos
counts [1/mm]
10^1
6×10^0
4×10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_21___reshoot_key=Y_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.288, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
0.04
0.02
0.00
−0.02
−0.04
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_22___reshoot_key=Y_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.0, reshoot_counts = 0.2
normalization = 1.288, reshoot_counts*normalization = 0.3
original average = -13.62 y pos [mm], reshoot average = -45.38 y pos
5 × 10^0
4 × 10^0
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_23___reshoot_key=Y_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.288, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
0.04
0.02
0.00
−0.02
−0.04
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_24___reshoot_key=Y_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.288, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
0.04
0.02
0.00
−0.02
−0.04
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_25___reshoot_key=Y_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.288, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
0.04
0.02
0.00
−0.02
−0.04
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_26___reshoot_key=Y_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.2, reshoot_counts = 0.0
normalization = 1.288, reshoot_counts*normalization = 0.0
original average = -47.62 y pos [mm], reshoot average = nan y pos [r
counts [1/mm]
y pos [mm]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
3.5
4.0
−400
−200
0
200
400



original_key=Y_wide_100_e-___reshoot_key=Y_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8770698.9, reshoot_counts = 6653060.8
normalization = 1.288, reshoot_counts*normalization = 8571443.2
original average = -0.00 y pos [mm], reshoot average = -0.12 y pos [
counts [1/mm]
6 × 10^5
4 × 10^5
3 × 10^5
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_e+___reshoot_key=Y_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3091.4, reshoot_counts = 2495.8
normalization = 1.288, reshoot_counts*normalization = 3215.4
original average = 0.35 y pos [mm], reshoot average = 0.52 y pos [m
counts [1/mm]
y pos [mm]
3 × 10^2
2 × 10^2
10^2
6 × 10^1
4 × 10^1
3 × 10^1
−400
−200
0
200
400


original_key=Y_wide_100_gamma___reshoot_key=Y_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4223609.9, reshoot_counts = 3231671.8
normalization = 1.288, reshoot_counts*normalization = 4163510.9
original average = -0.03 y pos [mm], reshoot average = -0.14 y pos [
3×10^5
2×10^5
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_100_mu-___reshoot_key=Y_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 65.2, reshoot_counts = 62.8
normalization = 1.288, reshoot_counts*normalization = 80.8
original average = -1.49 y pos [mm], reshoot average = -0.72 y pos [
counts [1/mm]
y pos [mm]
2×10^1
10^1
6×10^0
4×10^0
−400
−200
0
200
400


original_key=Y_wide_100_mu+___reshoot_key=Y_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 48.9, reshoot_counts = 56.8
normalization = 1.288, reshoot_counts*normalization = 73.1
original average = 3.77 y pos [mm], reshoot average = 0.24 y pos [m
counts [1/mm]
y pos [mm]
2×10^1
10^1
6×10^0
4×10^0
−400
−200
0
200
400


original_key=Y_wide_100_pi-___reshoot_key=Y_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1530.6, reshoot_counts = 1172.2
normalization = 1.288, reshoot_counts*normalization = 1510.3
original average = 0.22 y pos [mm], reshoot average = 0.26 y pos [m
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_100_pi+___reshoot_key=Y_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 942.9, reshoot_counts = 735.2
normalization = 1.288, reshoot_counts*normalization = 947.3
original average = 0.23 y pos [mm], reshoot average = -0.15 y pos [m
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
y pos [mm]