






original_key=Theta_wide_2000_0___reshoot_key=Theta_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3893297.4, reshoot_counts = 1325514.2
normalization = 0.060, reshoot_counts*normalization = 80071.9
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^{10}
10^{8}
10^{6}
10^{4}
10^{2}
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_1___reshoot_key=Theta_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1466885.6, reshoot_counts = 532572.8
normalization = 0.060, reshoot_counts*normalization = 32171.8
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^9
10^8
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_2___reshoot_key=Theta_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 398874.3, reshoot_counts = 137717.1
normalization = 0.060, reshoot_counts*normalization = 8319.2
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^9
10^8
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_3___reshoot_key=Theta_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6823.0, reshoot_counts = 2217.3
normalization = 0.060, reshoot_counts*normalization = 133.9
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_4___reshoot_key=Theta_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 388.5, reshoot_counts = 127.6
normalization = 0.060, reshoot_counts*normalization = 7.7
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_5___reshoot_key=Theta_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 68.9, reshoot_counts = 41.1
normalization = 0.060, reshoot_counts*normalization = 2.5
original average = 0.12 Theta [rad], reshoot average = 0.12 Theta [ra
counts [1/rad]
Theta [rad]
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_6___reshoot_key=Theta_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 14.9, reshoot_counts = 46.8
normalization = 0.060, reshoot_counts*normalization = 2.8
original average = 0.33 Theta [rad], reshoot average = 0.32 Theta [ra
counts [1/rad]
Theta [rad]
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_7___reshoot_key=Theta_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8.5, reshoot_counts = 24.3
normalization = 0.060, reshoot_counts*normalization = 1.5
original average = 0.27 Theta [rad], reshoot average = 0.27 Theta [ra
counts [1/rad]
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_8___reshoot_key=Theta_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.7, reshoot_counts = 11.1
normalization = 0.060, reshoot_counts*normalization = 0.7
original average = 0.14 Theta [rad], reshoot average = 0.11 Theta [ra
counts [1/rad]
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_9___reshoot_key=Theta_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.2, reshoot_counts = 2.8
normalization = 0.060, reshoot_counts*normalization = 0.2
original average = 0.04 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_10___reshoot_key=Theta_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4.5, reshoot_counts = 7.5
normalization = 0.060, reshoot_counts*normalization = 0.5
original average = 0.04 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_11___reshoot_key=Theta_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8.4, reshoot_counts = 6.4
normalization = 0.060, reshoot_counts*normalization = 0.4
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^4
10^3
counts [1/rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_12___reshoot_key=Theta_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5.4, reshoot_counts = 7.2
normalization = 0.060, reshoot_counts*normalization = 0.4
original average = 0.04 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_13___reshoot_key=Theta_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10.3, reshoot_counts = 6.5
normalization = 0.060, reshoot_counts*normalization = 0.4
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_14___reshoot_key=Theta_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10.5, reshoot_counts = 9.3
normalization = 0.060, reshoot_counts*normalization = 0.6
original average = 0.04 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_15___reshoot_key=Theta_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5.3, reshoot_counts = 5.5
normalization = 0.060, reshoot_counts*normalization = 0.3
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_16___reshoot_key=Theta_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10.2, reshoot_counts = 5.8
normalization = 0.060, reshoot_counts*normalization = 0.4
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_17___reshoot_key=Theta_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.2, reshoot_counts = 2.4
normalization = 0.060, reshoot_counts*normalization = 0.1
original average = 0.04 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_18___reshoot_key=Theta_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6.2, reshoot_counts = 3.0
normalization = 0.060, reshoot_counts*normalization = 0.2
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^4
10^3
counts [1/rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_19___reshoot_key=Theta_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7.1, reshoot_counts = 2.0
normalization = 0.060, reshoot_counts*normalization = 0.1
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_20___reshoot_key=Theta_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.1, reshoot_counts = 1.3
normalization = 0.060, reshoot_counts*normalization = 0.1
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_21___reshoot_key=Theta_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.1, reshoot_counts = 1.3
normalization = 0.060, reshoot_counts*normalization = 0.1
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_22___reshoot_key=Theta_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.1, reshoot_counts = 1.2
normalization = 0.060, reshoot_counts*normalization = 0.1
original average = 0.04 Theta [rad], reshoot average = 0.03 Theta [ra
10^3
10^2
counts [1/rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_23___reshoot_key=Theta_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5.1, reshoot_counts = 1.3
normalization = 0.060, reshoot_counts*normalization = 0.1
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_24___reshoot_key=Theta_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4.1, reshoot_counts = 1.1
normalization = 0.060, reshoot_counts*normalization = 0.1
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_25___reshoot_key=Theta_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.1, reshoot_counts = 0.9
normalization = 0.060, reshoot_counts*normalization = 0.1
original average = 0.04 Theta [rad], reshoot average = 0.03 Theta [ra
10^3
10^2
counts [1/rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_26___reshoot_key=Theta_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.060, reshoot_counts*normalization = 0.0
original average = 0.03 Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
Theta [rad]
0
20
40
60
80
100
120
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_e-___reshoot_key=Theta_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8638.9, reshoot_counts = 137436.8
normalization = 0.060, reshoot_counts*normalization = 8302.3
original average = 0.63 Theta [rad], reshoot average = 0.62 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_e+___reshoot_key=Theta_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34.3, reshoot_counts = 78.1
normalization = 0.060, reshoot_counts*normalization = 4.7
original average = 0.12 Theta [rad], reshoot average = 0.12 Theta [ra
counts [1/rad]
Theta [rad]
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_gamma___reshoot_key=Theta_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 198205.6, reshoot_counts = 78732.9
normalization = 0.060, reshoot_counts*normalization = 4756.1
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^9
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_mu-___reshoot_key=Theta_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.5, reshoot_counts = 11.8
normalization = 0.060, reshoot_counts*normalization = 0.7
original average = 0.10 Theta [rad], reshoot average = 0.08 Theta [ra
counts [1/rad]
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_mu+___reshoot_key=Theta_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.3, reshoot_counts = 9.4
normalization = 0.060, reshoot_counts*normalization = 0.6
original average = 0.06 Theta [rad], reshoot average = 0.06 Theta [ra
counts [1/rad]
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_pi-___reshoot_key=Theta_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 55.1, reshoot_counts = 24.8
normalization = 0.060, reshoot_counts*normalization = 1.5
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_pi+___reshoot_key=Theta_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34.8, reshoot_counts = 18.0
normalization = 0.060, reshoot_counts*normalization = 1.1
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Phi_wide_2000_0___reshoot_key=Phi_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 199141.6, reshoot_counts = 3300183.6
normalization = 0.060, reshoot_counts*normalization = 199358.2
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
4 × 10^7
3 × 10^7
2 × 10^7
10^7
6 × 10^6
4 × 10^6
3 × 10^6
2 × 10^6
0
1
2
3
4
5
6



original_key=Phi_wide_2000_1___reshoot_key=Phi_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 79432.5, reshoot_counts = 1308418.8
normalization = 0.060, reshoot_counts*normalization = 79039.2
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^7
10^6
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_2___reshoot_key=Phi_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 20742.9, reshoot_counts = 342632.6
normalization = 0.060, reshoot_counts*normalization = 20697.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
4 × 10^6
3 × 10^6
2 × 10^6
10^6
6 × 10^5
4 × 10^5
3 × 10^5
2 × 10^5
0
1
2
3
4
5
6



original_key=Phi_wide_2000_3___reshoot_key=Phi_1_3
original counts = 316.6, reshoot counts = 5511.3
normalization = 0.060, reshoot_counts*normalization = 332.9
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
0
1
2
3
4
5
6



original_key=Phi_wide_2000_4___reshoot_key=Phi_1_4
original counts = 15.3, reshoot_counts = 330.1
normalization = 0.060, reshoot_counts*normalization = 19.9
original average = 3.16 Phi [rad], reshoot average = 3.03 Phi [rad]
counts [1/rad]
10^3
10^2
0
1
2
3
4
5
6
Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average



original_key=Phi_wide_2000_5___reshoot_key=Phi_1_5
original counts = 6.9, reshoot_counts = 86.0
normalization = 0.060, reshoot_counts*normalization = 5.2
original average = 2.93 Phi [rad], reshoot average = 2.95 Phi [rad]
counts [1/rad]
Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average



original_key=Phi_wide_2000_6___reshoot_key=Phi_1_6
original counts = 3.5, reshoot_counts = 94.7
normalization = 0.060, reshoot_counts*normalization = 5.7
original average = 3.35 Phi [rad], reshoot average = 3.40 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
10^3
10^2
10^1
0
1
2
3
4
5
6



original_key=Phi_wide_2000_7___reshoot_key=Phi_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.9, reshoot_counts = 40.4
normalization = 0.060, reshoot_counts*normalization = 2.4
original average = 3.46 Phi [rad], reshoot average = 3.43 Phi [rad]
counts [1/rad]
10^3
10^2
10^1
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_8___reshoot_key=Phi_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.8, reshoot_counts = 17.0
normalization = 0.060, reshoot_counts*normalization = 1.0
original average = 3.31 Phi [rad], reshoot average = 2.71 Phi [rad]
counts [1/rad]
Phi [rad]
10^3
10^2
10^1
0
1
2
3
4
5
6



original_key=Phi_wide_2000_9___reshoot_key=Phi_1_9
original counts = 0.3, reshoot_counts = 4.8
normalization = 0.060, reshoot_counts*normalization = 0.3
original average = 3.00 Phi [rad], reshoot average = 2.73 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
10^3
10^2
10^1
0
1
2
3
4
5
6



original_key=Phi_wide_2000_10___reshoot_key=Phi_1_10
original counts = 0.7, reshoot_counts = 12.0
normalization = 0.060, reshoot_counts*normalization = 0.7
original average = 3.04 Phi [rad], reshoot average = 3.26 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
10^3
10^2
10^1
0
1
2
3
4
5
6



original_key=Phi_wide_2000_11___reshoot_key=Phi_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.7, reshoot_counts = 11.0
normalization = 0.060, reshoot_counts*normalization = 0.7
original average = 2.91 Phi [rad], reshoot average = 3.35 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_wide_2000_12___reshoot_key=Phi_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.7, reshoot_counts = 11.3
normalization = 0.060, reshoot_counts*normalization = 0.7
original average = 3.02 Phi [rad], reshoot average = 3.05 Phi [rad]
counts [1/rad]
Phi [rad]
10^3
10^2
10^1
0
1
2
3
4
5
6



original_key=Phi_wide_2000_13___reshoot_key=Phi_1_13
original counts = 0.6, reshoot_counts = 10.2
normalization = 0.060, reshoot_counts*normalization = 0.6
original average = 2.81 Phi [rad], reshoot average = 2.89 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
10^3
10^2
10^1
0
1
2
3
4
5
6



original_key=Phi_wide_2000_14___reshoot_key=Phi_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.9, reshoot_counts = 14.5
normalization = 0.060, reshoot_counts*normalization = 0.9
original average = 2.89 Phi [rad], reshoot average = 2.76 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_wide_2000_15___reshoot_key=Phi_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.5, reshoot_counts = 9.5
normalization = 0.060, reshoot_counts*normalization = 0.6
original average = 3.12 Phi [rad], reshoot average = 2.87 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_wide_2000_16___reshoot_key=Phi_1_16
original counts = 0.5, reshoot_counts = 9.4
normalization = 0.060, reshoot_counts*normalization = 0.6
original average = 3.13 Phi [rad], reshoot average = 3.54 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
10^3
10^2
0
1
2
3
4
5
6



original_key=Phi_wide_2000_17___reshoot_key=Phi_1_17
original counts = 0.2, reshoot_counts = 3.9
normalization = 0.060, reshoot_counts*normalization = 0.2
original average = 3.11 Phi [rad], reshoot average = 2.97 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
10^3
10^2
0
1
2
3
4
5
6



original_key=Phi_wide_2000_18___reshoot_key=Phi_1_18
original counts = 0.3, reshoot_counts = 6.0
normalization = 0.060, reshoot_counts*normalization = 0.4
original average = 3.72 Phi [rad], reshoot average = 3.90 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
10^3
10^2
0
1
2
3
4
5
6



original_key=Phi_wide_2000_19___reshoot_key=Phi_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.3, reshoot_counts = 4.0
normalization = 0.060, reshoot_counts*normalization = 0.2
original average = 3.34 Phi [rad], reshoot average = 3.21 Phi [rad]
counts [1/rad]
Phi [rad]
10^3
10^2
10^1
0
1
2
3
4
5
6



original_key=Phi_wide_2000_20___reshoot_key=Phi_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.1, reshoot_counts = 2.6
normalization = 0.060, reshoot_counts*normalization = 0.2
original average = 3.22 Phi [rad], reshoot average = 3.93 Phi [rad]
10^3
10^2
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_21___reshoot_key=Phi_1_21
original counts = 0.1, reshoot_counts = 14.3
normalization = 0.060, reshoot_counts*normalization = 0.9
original average = 2.48 Phi [rad], reshoot average = 3.37 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
10^3
10^2
0
1
2
3
4
5
6



original_key=Phi_wide_2000_22___reshoot_key=Phi_1_22
original counts = 0.1, reshoot_counts = 2.0
normalization = 0.060, reshoot_counts*normalization = 0.1
original average = 3.72 Phi [rad], reshoot average = 3.67 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
10^2
6 × 10^1
4 × 10^1
3 × 10^1
2 × 10^1
0
1
2
3
4
5
6



original_key=Phi_wide_2000_23___reshoot_key=Phi_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.2, reshoot_counts = 2.5
normalization = 0.060, reshoot_counts*normalization = 0.2
original average = 2.35 Phi [rad], reshoot average = 1.66 Phi [rad]
counts [1/rad]
Phi [rad]
10^3
10^2
10^1
0
1
2
3
4
5
6



original_key=Phi_wide_2000_24___reshoot_key=Phi_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.1, reshoot_counts = 2.2
normalization = 0.060, reshoot_counts*normalization = 0.1
original average = 3.06 Phi [rad], reshoot average = 3.22 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_wide_2000_25___reshoot_key=Phi_1_25
original counts = 0.1, reshoot_counts = 1.4
normalization = 0.060, reshoot_counts*normalization = 0.1
original average = 3.41 Phi [rad], reshoot average = 3.53 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
10^3
10^2
0
1
2
3
4
5
6



original_key=Phi_wide_2000_26___reshoot_key=Phi_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.060, reshoot_counts*normalization = 0.0
original average = 2.67 Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
Phi [rad]
0
10
20
30
40
50
60
0
1
2
3
4
5
6



original_key=Phi_wide_2000_e-___reshoot_key=Phi_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10852.8, reshoot_counts = 180223.6
normalization = 0.060, reshoot_counts*normalization = 10887.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^6
10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_e+___reshoot_key=Phi_1_e+
original counts = 6.1, reshoot counts = 128.6
normalization = 0.060, reshoot_counts*normalization = 7.8
original average = 3.22 Phi [rad], reshoot average = 3.25 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
10^3
10^2
10^1
0
1
2
3
4
5
6



original_key=Phi_wide_2000_gamma___reshoot_key=Phi_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11554.7, reshoot_counts = 190098.1
normalization = 0.060, reshoot_counts*normalization = 11483.5
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^6
10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_mu-___reshoot_key=Phi_1_mu-
original counts = 0.6, reshoot_counts = 38.1
normalization = 0.060, reshoot_counts*normalization = 2.3
original average = 2.84 Phi [rad], reshoot average = 3.20 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
10^3
10^2
10^1
0
1
2
3
4
5
6



original_key=Phi_wide_2000_mu+___reshoot_key=Phi_1_mu+
original counts = 0.4, reshoot_counts = 11.9
normalization = 0.060, reshoot_counts*normalization = 0.7
original average = 2.70 Phi [rad], reshoot average = 3.17 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
10^3
10^2
0
1
2
3
4
5
6



original_key=Phi_wide_2000_pi-___reshoot_key=Phi_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.7, reshoot_counts = 44.9
normalization = 0.060, reshoot_counts*normalization = 2.7
original average = 3.19 Phi [rad], reshoot average = 3.16 Phi [rad]
counts [1/rad]
10^3
10^2
10^1
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_pi+___reshoot_key=Phi_1_pi+
original counts = 2.9, reshoot_counts = 51.3
normalization = 0.060, reshoot_counts*normalization = 3.1
original average = 3.35 Phi [rad], reshoot average = 3.40 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
10^3
10^2
10^1
0
1
2
3
4
5
6



original_key=Ekin_wide_2000_0___reshoot_key=EkinU_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8793122.5, reshoot_counts = 145581301.0
normalization = 0.060, reshoot_counts*normalization = 8794305.9
original average = 244.77 Ek [MeV/u], reshoot average = 244.91 Ek [
counts [u/MeV]
Ek [MeV/u]
10^{6}
10^{5}
10^{4}
10^{3}
10^{2}
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_2000_1___reshoot_key=EkinU_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3487906.0, reshoot_counts = 57738341.5
normalization = 0.060, reshoot_counts*normalization = 3487869.9
original average = 196.34 Ek [MeV/u], reshoot average = 196.35 Ek [
counts [u/MeV]
Ek [MeV/u]
10^{5}
10^{4}
10^{3}
10^{2}
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_2000_2___reshoot_key=EkinU_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 909857.5, reshoot_counts = 15063468.0
normalization = 0.060, reshoot_counts*normalization = 909957.1
original average = 143.71 Ek [MeV/u], reshoot average = 143.74 Ek [
counts [u/MeV]
Ek [MeV/u]
10^5
10^4
10^3
10^2
10^1
10^0
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_2000_3___reshoot_key=EkinU_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 14740.5, reshoot_counts = 243599.0
normalization = 0.060, reshoot_counts*normalization = 14715.4
original average = 108.65 Ek [MeV/u], reshoot average = 108.78 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_2000_4___reshoot_key=EkinU_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 824.5, reshoot_counts = 13630.5
normalization = 0.060, reshoot_counts*normalization = 823.4
original average = 89.76 Ek [MeV/u], reshoot average = 89.92 Ek [Me
counts [u/MeV]
Ek [MeV/u]
10^{2}
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_2000_5___reshoot_key=EkinU_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 223.5, reshoot_counts = 3701.5
normalization = 0.060, reshoot_counts*normalization = 223.6
original average = 113.41 Ek [MeV/u], reshoot average = 114.60 Ek [
counts [u/MeV]
Ek [MeV/u]
10^2
10^1
10^0
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_2000_6___reshoot_key=EkinU_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 195.0, reshoot_counts = 3119.0
normalization = 0.060, reshoot_counts*normalization = 188.4
original average = 201.92 Ek [MeV/u], reshoot average = 215.23 Ek [
counts [u/MeV]
Ek [MeV/u]
10^2
10^1
10^0
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_2000_7___reshoot_key=EkinU_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 111.5, reshoot_counts = 1770.0
normalization = 0.060, reshoot_counts*normalization = 106.9
original average = 236.75 Ek [MeV/u], reshoot average = 248.05 Ek [
counts [u/MeV]
Ek [MeV/u]
10^{2}
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_2000_8___reshoot_key=EkinU_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 48.0, reshoot_counts = 798.0
normalization = 0.060, reshoot_counts*normalization = 48.2
original average = 249.62 Ek [MeV/u], reshoot average = 258.46 Ek [
counts [u/MeV]
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_9___reshoot_key=EkinU_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16.0, reshoot_counts = 274.0
normalization = 0.060, reshoot_counts*normalization = 16.6
original average = 251.06 Ek [MeV/u], reshoot average = 252.33 Ek [
counts [u/MeV]
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_10___reshoot_key=EkinU_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 42.0, reshoot_counts = 697.0
normalization = 0.060, reshoot_counts*normalization = 42.1
original average = 273.76 Ek [MeV/u], reshoot average = 277.12 Ek [
counts [u/MeV]
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_11___reshoot_key=EkinU_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 38.0, reshoot_counts = 631.0
normalization = 0.060, reshoot_counts*normalization = 38.1
original average = 280.05 Ek [MeV/u], reshoot average = 280.83 Ek [
counts [u/MeV]
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_12___reshoot_key=EkinU_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 41.0, reshoot_counts = 645.0
normalization = 0.060, reshoot_counts*normalization = 39.0
original average = 273.33 Ek [MeV/u], reshoot average = 277.14 Ek [
counts [u/MeV]
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_13___reshoot_key=EkinU_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 35.0, reshoot_counts = 587.0
normalization = 0.060, reshoot_counts*normalization = 35.5
original average = 277.24 Ek [MeV/u], reshoot average = 279.22 Ek [
counts [u/MeV]
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_14___reshoot_key=EkinU_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 50.0, reshoot_counts = 829.0
normalization = 0.060, reshoot_counts*normalization = 50.1
original average = 271.24 Ek [MeV/u], reshoot average = 275.50 Ek [
counts [u/MeV]
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_15___reshoot_key=EkinU_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 31.0, reshoot_counts = 542.0
normalization = 0.060, reshoot_counts*normalization = 32.7
original average = 292.89 Ek [MeV/u], reshoot average = 293.61 Ek [
counts [u/MeV]
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_16___reshoot_key=EkinU_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 31.0, reshoot_counts = 540.0
normalization = 0.060, reshoot_counts*normalization = 32.6
original average = 279.02 Ek [MeV/u], reshoot average = 285.10 Ek [
counts [u/MeV]
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_17___reshoot_key=EkinU_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13.0, reshoot_counts = 222.0
normalization = 0.060, reshoot_counts*normalization = 13.4
original average = 270.81 Ek [MeV/u], reshoot average = 274.53 Ek [
counts [u/MeV]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_18___reshoot_key=EkinU_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 20.0, reshoot_counts = 343.0
normalization = 0.060, reshoot_counts*normalization = 20.7
original average = 273.10 Ek [MeV/u], reshoot average = 276.36 Ek [
counts [u/MeV]
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_19___reshoot_key=EkinU_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 15.0, reshoot_counts = 227.0
normalization = 0.060, reshoot_counts*normalization = 13.7
original average = 255.50 Ek [MeV/u], reshoot average = 261.71 Ek [
counts [u/MeV]
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_20___reshoot_key=EkinU_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8.0, reshoot_counts = 151.0
normalization = 0.060, reshoot_counts*normalization = 9.1
original average = 270.00 Ek [MeV/u], reshoot average = 287.67 Ek [
counts [u/MeV]
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_21___reshoot_key=EkinU_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8.0, reshoot_counts = 149.0
normalization = 0.060, reshoot_counts*normalization = 9.0
original average = 297.88 Ek [MeV/u], reshoot average = 297.10 Ek [
counts [u/MeV]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_22___reshoot_key=EkinU_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8.0, reshoot_counts = 114.0
normalization = 0.060, reshoot_counts*normalization = 6.9
original average = 260.62 Ek [MeV/u], reshoot average = 276.36 Ek [
counts [u/MeV]
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_23___reshoot_key=EkinU_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10.0, reshoot_counts = 145.0
normalization = 0.060, reshoot_counts*normalization = 8.8
original average = 297.00 Ek [MeV/u], reshoot average = 304.83 Ek [
counts [u/MeV]
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_24___reshoot_key=EkinU_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8.0, reshoot_counts = 126.0
normalization = 0.060, reshoot_counts*normalization = 7.6
original average = 265.00 Ek [MeV/u], reshoot average = 293.89 Ek [
counts [u/MeV]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_25___reshoot_key=EkinU_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5.0, reshoot_counts = 83.0
normalization = 0.060, reshoot_counts*normalization = 5.0
original average = 257.70 Ek [MeV/u], reshoot average = 289.64 Ek [
counts [u/MeV]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_26___reshoot_key=EkinU_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.0, reshoot_counts = 0.0
normalization = 0.060, reshoot_counts*normalization = 0.0
original average = 299.50 Ek [MeV/u], reshoot average = nan Ek [MeV
counts [u/MeV]
Ek [MeV/u]
0.0
0.2
0.4
0.6
0.8
1.0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_2000_e-___reshoot_key=EkinU_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 37957.5, reshoot_counts = 7883470.5
normalization = 0.060, reshoot_counts*normalization = 476226.3
original average = 0.32 Ek [MeV/u], reshoot average = 0.58 Ek [MeV/u
counts [u/MeV]
Ek [MeV/u]
10^{7}
10^{6}
10^{5}
10^{4}
10^{3}
10^{2}
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_2000_e+___reshoot_key=EkinU_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 27.4, reshoot_counts = 4974.5
normalization = 0.060, reshoot_counts*normalization = 300.5
original average = 16.84 Ek [MeV/u], reshoot average = 16.49 Ek [Me
counts [u/MeV]
10^{2}
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_gamma___reshoot_key=EkinU_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 48397.3, reshoot_counts = 7550980.0
normalization = 0.060, reshoot_counts*normalization = 456141.2
original average = 2.74 Ek [MeV/u], reshoot average = 3.35 Ek [MeV/u
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_2000_mu-___reshoot_key=EkinU_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.3, reshoot_counts = 794.0
normalization = 0.060, reshoot_counts*normalization = 48.0
original average = 51.72 Ek [MeV/u], reshoot average = 52.11 Ek [Me
counts [u/MeV]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_mu+___reshoot_key=EkinU_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.8, reshoot_counts = 680.0
normalization = 0.060, reshoot_counts*normalization = 41.1
original average = 57.85 Ek [MeV/u], reshoot average = 59.45 Ek [Me
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_pi-___reshoot_key=EkinU_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 300.8, reshoot_counts = 2573.0
normalization = 0.060, reshoot_counts*normalization = 155.4
original average = 132.66 Ek [MeV/u], reshoot average = 129.90 Ek [
counts [u/MeV]
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_pi+___reshoot_key=EkinU_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 214.8, reshoot_counts = 1880.0
normalization = 0.060, reshoot_counts*normalization = 113.6
original average = 184.78 Ek [MeV/u], reshoot average = 181.77 Ek [
counts [u/MeV]
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=X_wide_2000_0___reshoot_key=X_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2226879.1, reshoot_counts = 36402810.2
normalization = 0.060, reshoot_counts*normalization = 2199028.6
original average = 0.01 x pos [mm], reshoot average = -0.12 x pos [m
10^6
10^5
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_1___reshoot_key=X_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 883153.4, reshoot_counts = 14435159.0
normalization = 0.060, reshoot_counts*normalization = 872002.1
original average = -0.02 x pos [mm], reshoot average = -0.15 x pos [
10^6
10^5
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_2___reshoot_key=X_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 230391.1, reshoot_counts = 3766470.0
normalization = 0.060, reshoot_counts*normalization = 227525.7
original average = 0.03 x pos [mm], reshoot average = -0.10 x pos [m
10^5
10^4
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_3___reshoot_key=X_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3735.1, reshoot_counts = 60915.2
normalization = 0.060, reshoot_counts*normalization = 3679.8
original average = -0.53 x pos [mm], reshoot average = -0.67 x pos [
counts [1/mm]
10^3
10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_4___reshoot_key=X_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 211.0, reshoot_counts = 3413.8
normalization = 0.060, reshoot_counts*normalization = 206.2
original average = -0.19 x pos [mm], reshoot average = -0.09 x pos [
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_5___reshoot_key=X_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 56.6, reshoot_counts = 941.8
normalization = 0.060, reshoot_counts*normalization = 56.9
original average = -2.12 x pos [mm], reshoot average = -2.24 x pos [
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_6___reshoot_key=X_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 51.5, reshoot_counts = 826.2
normalization = 0.060, reshoot_counts*normalization = 49.9
original average = -2.66 x pos [mm], reshoot average = -3.58 x pos [
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_7___reshoot_key=X_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 27.9, reshoot_counts = 456.2
normalization = 0.060, reshoot_counts*normalization = 27.6
original average = -1.78 x pos [mm], reshoot average = -2.10 x pos [
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_8___reshoot_key=X_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11.9, reshoot_counts = 203.0
normalization = 0.060, reshoot_counts*normalization = 12.3
original average = 2.81 x pos [mm], reshoot average = 1.77 x pos [m
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_9___reshoot_key=X_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4.0, reshoot_counts = 68.5
normalization = 0.060, reshoot_counts*normalization = 4.1
original average = -4.45 x pos [mm], reshoot average = -5.69 x pos [
counts [1/mm]
x pos [mm]
10^2
10^1
10^0
−400
−200
0
200
400



original_key=X_wide_2000_10___reshoot_key=X_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10.5, reshoot_counts = 174.2
normalization = 0.060, reshoot_counts*normalization = 10.5
original average = 4.39 x pos [mm], reshoot average = 6.41 x pos [m
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_11___reshoot_key=X_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9.2, reshoot_counts = 157.8
normalization = 0.060, reshoot_counts*normalization = 9.5
original average = -0.05 x pos [mm], reshoot average = -0.74 x pos [
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_12___reshoot_key=X_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10.2, reshoot_counts = 161.2
normalization = 0.060, reshoot_counts*normalization = 9.7
original average = -6.78 x pos [mm], reshoot average = -7.05 x pos [
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_13___reshoot_key=X_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8.5, reshoot_counts = 146.8
normalization = 0.060, reshoot_counts*normalization = 8.9
original average = 0.57 x pos [mm], reshoot average = -0.89 x pos [m
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_14___reshoot_key=X_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12.5, reshoot_counts = 207.2
normalization = 0.060, reshoot_counts*normalization = 12.5
original average = 2.58 x pos [mm], reshoot average = 2.98 x pos [m
counts [1/mm]
x pos [mm]
10^2
10^1
10^0
−400
−200
0
200
400



original_key=X_wide_2000_15___reshoot_key=X_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7.8, reshoot_counts = 135.5
normalization = 0.060, reshoot_counts*normalization = 8.2
original average = 3.10 x pos [mm], reshoot average = 3.77 x pos [m
counts [1/mm]
x pos [mm]
10^2
10^1
10^0
−400
−200
0
200
400



original_key=X_wide_2000_16___reshoot_key=X_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7.5, reshoot_counts = 135.0
normalization = 0.060, reshoot_counts*normalization = 8.2
original average = 11.77 x pos [mm], reshoot average = 11.64 x pos
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_17___reshoot_key=X_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.2, reshoot_counts = 55.5
normalization = 0.060, reshoot_counts*normalization = 3.4
original average = 6.45 x pos [mm], reshoot average = 9.20 x pos [m
counts [1/mm]
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_18___reshoot_key=X_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5.0, reshoot_counts = 85.8
normalization = 0.060, reshoot_counts*normalization = 5.2
original average = 6.54 x pos [mm], reshoot average = 5.50 x pos [m
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_19___reshoot_key=X_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.8, reshoot_counts = 56.8
normalization = 0.060, reshoot_counts*normalization = 3.4
original average = -4.14 x pos [mm], reshoot average = -7.93 x pos [
counts [1/mm]
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_20___reshoot_key=X_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.0, reshoot_counts = 37.8
normalization = 0.060, reshoot_counts*normalization = 2.3
original average = 16.81 x pos [mm], reshoot average = 15.11 x pos
counts [1/mm]
x pos [mm]
6 × 10^1
4 × 10^1
3 × 10^1
2 × 10^1
10^1
6 × 10^0
4 × 10^0
3 × 10^0
2 × 10^0
−400
−200
0
200
400



original_key=X_wide_2000_21___reshoot_key=X_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.0, reshoot_counts = 37.2
normalization = 0.060, reshoot_counts*normalization = 2.3
original average = 13.56 x pos [mm], reshoot average = 13.13 x pos
counts [1/mm]
x pos [mm]
6 × 10^1
4 × 10^1
3 × 10^1
2 × 10^1
10^1
6 × 10^0
4 × 10^0
3 × 10^0
2 × 10^0
−400
−200
0
200
400



original_key=X_wide_2000_22___reshoot_key=X_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.0, reshoot_counts = 28.5
normalization = 0.060, reshoot_counts*normalization = 1.7
original average = 5.62 x pos [mm], reshoot average = 0.89 x pos [m
counts [1/mm]
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_23___reshoot_key=X_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.5, reshoot_counts = 36.2
normalization = 0.060, reshoot_counts*normalization = 2.2
original average = 3.83 x pos [mm], reshoot average = 5.68 x pos [m
counts [1/mm]
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_24___reshoot_key=X_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.0, reshoot_counts = 31.5
normalization = 0.060, reshoot_counts*normalization = 1.9
original average = -8.22 x pos [mm], reshoot average = -10.74 x pos
counts [1/mm]
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_25___reshoot_key=X_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.2, reshoot_counts = 20.8
normalization = 0.060, reshoot_counts*normalization = 1.3
original average = -5.38 x pos [mm], reshoot average = -5.11 x pos [
counts [1/mm]
x pos [mm]
6 × 10^1
4 × 10^1
3 × 10^1
2 × 10^1
10^1
6 × 10^0
4 × 10^0
3 × 10^0
2 × 10^0
−400
−200
0
200
400



original_key=X_wide_2000_26___reshoot_key=X_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.5, reshoot_counts = 0.0
normalization = 0.060, reshoot_counts*normalization = 0.0
original average = -30.50 x pos [mm], reshoot average = nan x pos [r
counts [1/mm]
x pos [mm]
4.0
3.5
3.0
2.5
2.0
1.5
1.0
0.5
0.0
−400
−200
0
200
400



original_key=X_wide_2000_e-___reshoot_key=X_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 89636.2, reshoot_counts = 1972527.8
normalization = 0.060, reshoot_counts*normalization = 119156.9
original average = -0.02 x pos [mm], reshoot average = -0.15 x pos [
10^5
10^4
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_e+___reshoot_key=X_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 59.5, reshoot_counts = 1298.8
normalization = 0.060, reshoot_counts*normalization = 78.5
original average = -1.02 x pos [mm], reshoot average = -1.14 x pos [
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_gamma___reshoot_key=X_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 96709.0, reshoot_counts = 2101920.0
normalization = 0.060, reshoot_counts*normalization = 126973.2
original average = -0.01 x pos [mm], reshoot average = -0.13 x pos [
10^5
10^4
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_mu-___reshoot_key=X_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7.5, reshoot_counts = 198.5
normalization = 0.060, reshoot_counts*normalization = 12.0
original average = -0.62 x pos [mm], reshoot average = -1.63 x pos [
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_mu+___reshoot_key=X_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5.2, reshoot_counts = 170.0
normalization = 0.060, reshoot_counts*normalization = 10.3
original average = -4.43 x pos [mm], reshoot average = -4.12 x pos [
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_pi-___reshoot_key=X_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 30.6, reshoot_counts = 643.2
normalization = 0.060, reshoot_counts*normalization = 38.9
original average = 0.31 x pos [mm], reshoot average = 0.63 x pos [m
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_pi+___reshoot_key=X_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 18.5, reshoot_counts = 470.0
normalization = 0.060, reshoot_counts*normalization = 28.4
original average = -6.29 x pos [mm], reshoot average = -6.41 x pos [
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=Y_wide_2000_0___reshoot_key=Y_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2227016.9, reshoot_counts = 36402810.2
normalization = 0.060, reshoot_counts*normalization = 2199028.6
original average = 0.00 y pos [mm], reshoot average = -0.12 y pos [m
10^6
10^5
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_1___reshoot_key=Y_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 883006.9, reshoot_counts = 14435159.0
normalization = 0.060, reshoot_counts*normalization = 872002.1
original average = 0.01 y pos [mm], reshoot average = -0.11 y pos [m
10^6
10^5
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_2___reshoot_key=Y_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 230424.5, reshoot_counts = 3766470.0
normalization = 0.060, reshoot_counts*normalization = 227525.7
original average = 0.03 y pos [mm], reshoot average = -0.10 y pos [m
10^5
10^4
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_3___reshoot_key=Y_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3738.6, reshoot_counts = 60915.2
normalization = 0.060, reshoot_counts*normalization = 3679.8
original average = 0.08 y pos [mm], reshoot average = -0.03 y pos [m
10^3
10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_4___reshoot_key=Y_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 208.4, reshoot_counts = 3413.8
normalization = 0.060, reshoot_counts*normalization = 206.2
original average = 0.49 y pos [mm], reshoot average = 0.61 y pos [m
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_5___reshoot_key=Y_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 58.1, reshoot_counts = 941.8
normalization = 0.060, reshoot_counts*normalization = 56.9
original average = 0.65 y pos [mm], reshoot average = -0.44 y pos [m
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_6___reshoot_key=Y_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 50.5, reshoot_counts = 826.2
normalization = 0.060, reshoot_counts*normalization = 49.9
original average = 0.01 y pos [mm], reshoot average = -0.99 y pos [m
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_7___reshoot_key=Y_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 28.6, reshoot_counts = 456.2
normalization = 0.060, reshoot_counts*normalization = 27.6
original average = 1.99 y pos [mm], reshoot average = 1.25 y pos [m
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_8___reshoot_key=Y_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12.8, reshoot_counts = 203.0
normalization = 0.060, reshoot_counts*normalization = 12.3
original average = -2.09 y pos [mm], reshoot average = -2.43 y pos [
counts [1/mm]
y pos [mm]
10^2
10^1
10^0
−400
−200
0
200
400



original_key=Y_wide_2000_9___reshoot_key=Y_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4.0, reshoot_counts = 68.5
normalization = 0.060, reshoot_counts*normalization = 4.1
original average = 1.86 y pos [mm], reshoot average = 3.08 y pos [m
counts [1/mm]
y pos [mm]
6 × 10^1
4 × 10^1
3 × 10^1
2 × 10^1
10^1
6 × 10^0
4 × 10^0
3 × 10^0
2 × 10^0
−400
−200
0
200
400



original_key=Y_wide_2000_10___reshoot_key=Y_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11.1, reshoot_counts = 174.2
normalization = 0.060, reshoot_counts*normalization = 10.5
original average = 0.13 y pos [mm], reshoot average = 1.33 y pos [m
counts [1/mm]
y pos [mm]
10^2
10^1
10^0
−400
−200
0
200
400



original_key=Y_wide_2000_11___reshoot_key=Y_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9.5, reshoot_counts = 157.8
normalization = 0.060, reshoot_counts*normalization = 9.5
original average = 4.79 y pos [mm], reshoot average = 3.89 y pos [m
counts [1/mm]
y pos [mm]
10^2
10^1
10^0
−400
−200
0
200
400



original_key=Y_wide_2000_12___reshoot_key=Y_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10.1, reshoot_counts = 161.2
normalization = 0.060, reshoot_counts*normalization = 9.7
original average = -0.66 y pos [mm], reshoot average = -3.09 y pos [
10^2
10^1
10^0
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_13___reshoot_key=Y_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8.8, reshoot_counts = 146.8
normalization = 0.060, reshoot_counts*normalization = 8.9
original average = 0.33 y pos [mm], reshoot average = 0.15 y pos [m
counts [1/mm]
y pos [mm]
10^2
10^1
10^0
−400
−200
0
200
400



original_key=Y_wide_2000_14___reshoot_key=Y_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13.2, reshoot_counts = 207.2
normalization = 0.060, reshoot_counts*normalization = 12.5
original average = -1.50 y pos [mm], reshoot average = -2.45 y pos [
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_15___reshoot_key=Y_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7.8, reshoot_counts = 135.5
normalization = 0.060, reshoot_counts*normalization = 8.2
original average = -3.17 y pos [mm], reshoot average = -4.69 y pos [
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_16___reshoot_key=Y_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8.5, reshoot_counts = 135.0
normalization = 0.060, reshoot_counts*normalization = 8.2
original average = 4.98 y pos [mm], reshoot average = 5.76 y pos [m
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_17___reshoot_key=Y_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4.0, reshoot_counts = 55.5
normalization = 0.060, reshoot_counts*normalization = 3.4
original average = 0.60 y pos [mm], reshoot average = -0.37 y pos [m
counts [1/mm]
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_18___reshoot_key=Y_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5.0, reshoot_counts = 85.8
normalization = 0.060, reshoot_counts*normalization = 5.2
original average = 1.98 y pos [mm], reshoot average = 3.34 y pos [m
10^1
10^0
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_19___reshoot_key=Y_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.8, reshoot_counts = 56.8
normalization = 0.060, reshoot_counts*normalization = 3.4
original average = -5.16 y pos [mm], reshoot average = -3.66 y pos [
counts [1/mm]
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_20___reshoot_key=Y_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.9, reshoot_counts = 37.8
normalization = 0.060, reshoot_counts*normalization = 2.3
original average = 9.88 y pos [mm], reshoot average = 12.07 y pos [r
counts [1/mm]
y pos [mm]
6 × 10^1
4 × 10^1
3 × 10^1
2 × 10^1
10^1
6 × 10^0
4 × 10^0
3 × 10^0
2 × 10^0
−400
−200
0
200
400



original_key=Y_wide_2000_21___reshoot_key=Y_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.0, reshoot_counts = 37.2
normalization = 0.060, reshoot_counts*normalization = 2.3
original average = 6.47 y pos [mm], reshoot average = 8.46 y pos [m
counts [1/mm]
y pos [mm]
10^2
10^1
−400
−200
0
200
400



original_key=Y_wide_2000_22___reshoot_key=Y_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.0, reshoot_counts = 28.5
normalization = 0.060, reshoot_counts*normalization = 1.7
original average = 3.47 y pos [mm], reshoot average = 5.58 y pos [m
counts [1/mm]
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_23___reshoot_key=Y_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.5, reshoot_counts = 36.2
normalization = 0.060, reshoot_counts*normalization = 2.2
original average = -27.40 y pos [mm], reshoot average = -29.38 y pos
10^1
10^0
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_24___reshoot_key=Y_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.0, reshoot_counts = 31.5
normalization = 0.060, reshoot_counts*normalization = 1.9
original average = -5.53 y pos [mm], reshoot average = -8.72 y pos [
counts [1/mm]
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_25___reshoot_key=Y_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.2, reshoot_counts = 20.8
normalization = 0.060, reshoot_counts*normalization = 1.3
original average = -22.98 y pos [mm], reshoot average = -24.16 y pos
counts [1/mm]
y pos [mm]
6 × 10^1
4 × 10^1
3 × 10^1
2 × 10^1
10^1
6 × 10^0
4 × 10^0
3 × 10^0
2 × 10^0
−400
−200
0
200
400



original_key=Y_wide_2000_26___reshoot_key=Y_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.5, reshoot_counts = 0.0
normalization = 0.060, reshoot_counts*normalization = 0.0
original average = 9.00 y pos [mm], reshoot average = nan y pos [mm
counts [1/mm]
y pos [mm]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
3.5
4.0
−400
−200
0
200
400



original_key=Y_wide_2000_e-___reshoot_key=Y_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 122741.1, reshoot_counts = 1972527.8
normalization = 0.060, reshoot_counts*normalization = 119156.9
original average = -0.01 y pos [mm], reshoot average = -0.14 y pos [
10^5
10^4
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_e+___reshoot_key=Y_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 73.9, reshoot_counts = 1298.8
normalization = 0.060, reshoot_counts*normalization = 78.5
original average = -3.52 y pos [mm], reshoot average = -3.47 y pos [
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_2000_gamma___reshoot_key=Y_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 128531.5, reshoot_counts = 2101920.0
normalization = 0.060, reshoot_counts*normalization = 126973.2
original average = -0.04 y pos [mm], reshoot average = -0.17 y pos [
10^5
10^4
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_2000_mu-___reshoot_key=Y_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9.0, reshoot_counts = 198.5
normalization = 0.060, reshoot_counts*normalization = 12.0
original average = 0.03 y pos [mm], reshoot average = -0.75 y pos [m
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_2000_mu+___reshoot_key=Y_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5.8, reshoot_counts = 170.0
normalization = 0.060, reshoot_counts*normalization = 10.3
original average = -5.98 y pos [mm], reshoot average = -5.64 y pos [
counts [1/mm]
10^2
10^1
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_2000_pi-___reshoot_key=Y_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 39.9, reshoot_counts = 643.2
normalization = 0.060, reshoot_counts*normalization = 38.9
original average = -2.44 y pos [mm], reshoot average = -1.69 y pos [
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_2000_pi+___reshoot_key=Y_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 27.5, reshoot_counts = 470.0
normalization = 0.060, reshoot_counts*normalization = 28.4
original average = -0.65 y pos [mm], reshoot average = -1.20 y pos [
10^2
10^1
10^0
counts [1/mm]
−400
−200
0
200
400
y pos [mm]