






original_key=Theta_1500_0___reshoot_key=Theta_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 100156587.0, reshoot_counts = 105510176.0
normalization = 0.949, reshoot_counts*normalization = 100154084.5
original average = 0.01 Theta [rad], reshoot average = 0.01 Theta [ra
counts [1/rad]
Theta [rad]
6.05 × 10^9
6 × 10^9
5.95 × 10^9
5.9 × 10^9
5.85 × 10^9
5.8 × 10^9
5.75 × 10^9
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_1500_1___reshoot_key=Theta_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1198699.3, reshoot_counts = 72352672.0
normalization = 0.949, reshoot_counts*normalization = 68679779.5
original average = 1.00 Theta [rad], reshoot average = 0.01 Theta [ra
counts [1/rad]
4.15 × 10^9
4.1 × 10^9
4.05 × 10^9
4 × 10^9
3.95 × 10^9
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_2___reshoot_key=Theta_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 486696.9, reshoot_counts = 29381569.0
normalization = 0.949, reshoot_counts*normalization = 27890050.6
original average = 2.00 Theta [rad], reshoot average = 0.01 Theta [ra
counts [1/rad]
1.68 × 10^9
1.66 × 10^9
1.64 × 10^9
1.62 × 10^9
1.6 × 10^9
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_3___reshoot_key=Theta_1_3
original counts = 21244.7, reshoot_counts = 1281440.0
normalization = 0.949, reshoot_counts*normalization = 1216389.3
original average = 2.99 Theta [rad], reshoot average = 0.01 Theta [ra
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Theta [rad]
7.35 × 10^7
7.3 × 10^7
7.25 × 10^7
7.2 × 10^7
7.15 × 10^7
7.1 × 10^7
7.05 × 10^7
7 × 10^7
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_1500_4___reshoot_key=Theta_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 532354.0
normalization = 0.949, reshoot_counts*normalization = 505329.7
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
3.04 × 10^7
3.02 × 10^7
3 × 10^7
2.98 × 10^7
2.96 × 10^7
2.94 × 10^7
2.92 × 10^7
2.9 × 10^7
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_5___reshoot_key=Theta_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 890224.0
normalization = 0.949, reshoot_counts*normalization = 845032.9
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
5.1 × 10^7
5.05 × 10^7
5 × 10^7
4.95 × 10^7
4.9 × 10^7
4.85 × 10^7
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_6___reshoot_key=Theta_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 1658197.0
normalization = 0.949, reshoot_counts*normalization = 1574020.7
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
Theta [rad]
9.5 × 10^7
9.4 × 10^7
9.3 × 10^7
9.2 × 10^7
9.1 × 10^7
9 × 10^7
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_1500_7___reshoot_key=Theta_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 920069.0
normalization = 0.949, reshoot_counts*normalization = 873362.9
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
5.25 × 10^7
5.2 × 10^7
5.15 × 10^7
5.1 × 10^7
5.05 × 10^7
5 × 10^7
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_8___reshoot_key=Theta_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 447535.0
normalization = 0.949, reshoot_counts*normalization = 424816.4
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
2.56 × 10^7
2.54 × 10^7
2.52 × 10^7
2.5 × 10^7
2.48 × 10^7
2.46 × 10^7
2.44 × 10^7
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_9___reshoot_key=Theta_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 242167.0
normalization = 0.949, reshoot_counts*normalization = 229873.7
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
Theta [rad]
1.39 × 10^7
1.38 × 10^7
1.37 × 10^7
1.36 × 10^7
1.35 × 10^7
1.34 × 10^7
1.33 × 10^7
1.32 × 10^7
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_1500_10___reshoot_key=Theta_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 412118.0
normalization = 0.949, reshoot_counts*normalization = 391197.3
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
2.36 × 10^7
2.34 × 10^7
2.32 × 10^7
2.3 × 10^7
2.28 × 10^7
2.26 × 10^7
2.24 × 10^7
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_11___reshoot_key=Theta_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 339273.0
normalization = 0.949, reshoot_counts*normalization = 322050.2
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
1.94 × 10^7
1.92 × 10^7
1.9 × 10^7
1.88 × 10^7
1.86 × 10^7
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_12___reshoot_key=Theta_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 267247.0
normalization = 0.949, reshoot_counts*normalization = 253680.5
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
Theta [rad]
1.53 × 10^7
1.52 × 10^7
1.51 × 10^7
1.5 × 10^7
1.49 × 10^7
1.48 × 10^7
1.47 × 10^7
1.46 × 10^7
1.45 × 10^7
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_1500_13___reshoot_key=Theta_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 109410.0
normalization = 0.949, reshoot_counts*normalization = 103855.9
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
6.25 × 10^6
6.2 × 10^6
6.15 × 10^6
6.1 × 10^6
6.05 × 10^6
6 × 10^6
5.95 × 10^6
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_14___reshoot_key=Theta_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 28182.0
normalization = 0.949, reshoot_counts*normalization = 26751.4
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
1.6 × 10^6
1.58 × 10^6
1.56 × 10^6
1.54 × 10^6
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_15___reshoot_key=Theta_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 2799.0
normalization = 0.949, reshoot_counts*normalization = 2656.9
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
Theta [rad]
1.6 × 10^5
1.59 × 10^5
1.58 × 10^5
1.57 × 10^5
1.56 × 10^5
1.55 × 10^5
1.54 × 10^5
1.53 × 10^5
1.52 × 10^5
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_1500_16___reshoot_key=Theta_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 102.0
normalization = 0.949, reshoot_counts*normalization = 96.8
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
Theta [rad]
5.85 × 10^3
5.8 × 10^3
5.75 × 10^3
5.7 × 10^3
5.65 × 10^3
5.6 × 10^3
5.55 × 10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_1500_17___reshoot_key=Theta_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 8.0
normalization = 0.949, reshoot_counts*normalization = 7.6
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
4.55×10^2
4.5×10^2
4.45×10^2
4.4×10^2
4.35×10^2
counts [1/rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_18___reshoot_key=Theta_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.949, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_19___reshoot_key=Theta_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.949, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_20___reshoot_key=Theta_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.949, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_21___reshoot_key=Theta_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.949, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_22___reshoot_key=Theta_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.949, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_23___reshoot_key=Theta_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.949, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_24___reshoot_key=Theta_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.949, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_25___reshoot_key=Theta_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.949, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_26___reshoot_key=Theta_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.949, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_e-___reshoot_key=Theta_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 8589666.0
normalization = 0.949, reshoot_counts*normalization = 8153622.4
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
4.9×10^8
4.85×10^8
4.8×10^8
4.75×10^8
4.7×10^8
counts [1/rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_e+___reshoot_key=Theta_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 216716.0
normalization = 0.949, reshoot_counts*normalization = 205714.7
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
1.24 × 10^7
1.23 × 10^7
1.22 × 10^7
1.21 × 10^7
1.2 × 10^7
1.19 × 10^7
1.18 × 10^7
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_gamma___reshoot_key=Theta_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 11150470.0
normalization = 0.949, reshoot_counts*normalization = 10584430.4
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
Theta [rad]
6.4 × 10^8
6.35 × 10^8
6.3 × 10^8
6.25 × 10^8
6.2 × 10^8
6.15 × 10^8
6.1 × 10^8
6.05 × 10^8
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_1500_mu-___reshoot_key=Theta_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 54197.0
normalization = 0.949, reshoot_counts*normalization = 51445.8
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
3.1 × 10^6
3.08 × 10^6
3.06 × 10^6
3.04 × 10^6
3.02 × 10^6
3 × 10^6
2.98 × 10^6
2.96 × 10^6
2.94 × 10^6
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_mu+___reshoot_key=Theta_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 41315.0
normalization = 0.949, reshoot_counts*normalization = 39217.7
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
2.36 × 10^6
2.34 × 10^6
2.32 × 10^6
2.3 × 10^6
2.28 × 10^6
2.26 × 10^6
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_pi-___reshoot_key=Theta_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 317864.0
normalization = 0.949, reshoot_counts*normalization = 301728.0
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
1.82 × 10^7
1.8 × 10^7
1.78 × 10^7
1.76 × 10^7
1.74 × 10^7
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_pi+___reshoot_key=Theta_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 254230.0
normalization = 0.949, reshoot_counts*normalization = 241324.3
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
Theta [rad]
1.46 × 10^7
1.45 × 10^7
1.44 × 10^7
1.43 × 10^7
1.42 × 10^7
1.41 × 10^7
1.4 × 10^7
1.39 × 10^7
1.38 × 10^7
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Phi_1500_0___reshoot_key=Phi_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2299828.5, reshoot_counts = 105510176.0
normalization = 0.949, reshoot_counts*normalization = 100154084.5
original average = 3.14 Phi [rad], reshoot average = 0.01 Phi [rad]
10^9
10^8
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_1___reshoot_key=Phi_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1574999.3, reshoot_counts = 72352672.0
normalization = 0.949, reshoot_counts*normalization = 68679779.5
original average = 3.14 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^9
10^8
10^7
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_2___reshoot_key=Phi_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 641275.3, reshoot_counts = 29381569.0
normalization = 0.949, reshoot_counts*normalization = 27890050.6
original average = 3.14 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^9
10^8
10^7
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_3___reshoot_key=Phi_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 27809.8, reshoot_counts = 1281440.0
normalization = 0.949, reshoot_counts*normalization = 1216389.3
original average = 3.14 Phi [rad], reshoot average = 0.01 Phi [rad]
10^7
10^6
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_4___reshoot_key=Phi_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11554.2, reshoot_counts = 532354.0
normalization = 0.949, reshoot_counts*normalization = 505329.7
original average = 3.14 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^7
10^6
10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_5___reshoot_key=Phi_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 19324.3, reshoot_counts = 890224.0
normalization = 0.949, reshoot_counts*normalization = 845032.9
original average = 3.14 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^7
10^6
10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_6___reshoot_key=Phi_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 36110.4, reshoot_counts = 1658197.0
normalization = 0.949, reshoot_counts*normalization = 1574020.7
original average = 3.14 Phi [rad], reshoot average = 0.01 Phi [rad]
10^8
10^7
10^6
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_7___reshoot_key=Phi_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 19974.0, reshoot_counts = 920069.0
normalization = 0.949, reshoot_counts*normalization = 873362.9
original average = 3.14 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^7
10^6
10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_8___reshoot_key=Phi_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9788.4, reshoot_counts = 447535.0
normalization = 0.949, reshoot_counts*normalization = 424816.4
original average = 3.14 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^7
10^6
10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_9___reshoot_key=Phi_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5274.9, reshoot_counts = 242167.0
normalization = 0.949, reshoot_counts*normalization = 229873.7
original average = 3.14 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^7
10^6
10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_10___reshoot_key=Phi_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9025.3, reshoot_counts = 412118.0
normalization = 0.949, reshoot_counts*normalization = 391197.3
original average = 3.14 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^7
10^6
10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_11___reshoot_key=Phi_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7405.5, reshoot_counts = 339273.0
normalization = 0.949, reshoot_counts*normalization = 322050.2
original average = 3.14 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^7
10^6
10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_12___reshoot_key=Phi_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5829.5, reshoot_counts = 267247.0
normalization = 0.949, reshoot_counts*normalization = 253680.5
original average = 3.14 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^7
10^6
10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_13___reshoot_key=Phi_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2396.4, reshoot_counts = 109410.0
normalization = 0.949, reshoot_counts*normalization = 103855.9
original average = 3.13 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^6
10^5
10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_14___reshoot_key=Phi_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 615.9, reshoot_counts = 28182.0
normalization = 0.949, reshoot_counts*normalization = 26751.4
original average = 3.14 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^6
10^5
10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_15___reshoot_key=Phi_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 64.1, reshoot_counts = 2799.0
normalization = 0.949, reshoot_counts*normalization = 2656.9
original average = 3.15 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_1500_16___reshoot_key=Phi_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.6, reshoot_counts = 102.0
normalization = 0.949, reshoot_counts*normalization = 96.8
original average = 2.97 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^3
10^2
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_17___reshoot_key=Phi_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.1, reshoot_counts = 8.0
normalization = 0.949, reshoot_counts*normalization = 7.6
original average = 1.51 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_1500_18___reshoot_key=Phi_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.949, reshoot_counts*normalization = 0.0
original average = 3.60 Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
Phi [rad]
0
10
20
30
40
50
60
0
1
2
3
4
5
6



original_key=Phi_1500_19___reshoot_key=Phi_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.949, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_20___reshoot_key=Phi_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.949, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_21___reshoot_key=Phi_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.949, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_22___reshoot_key=Phi_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.949, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_23___reshoot_key=Phi_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.949, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_24___reshoot_key=Phi_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.949, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_25___reshoot_key=Phi_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.949, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_26___reshoot_key=Phi_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.949, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_e-___reshoot_key=Phi_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 185439.0, reshoot_counts = 8589666.0
normalization = 0.949, reshoot_counts*normalization = 8153622.4
original average = 3.14 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^8
10^7
10^6
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_e+___reshoot_key=Phi_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3933.5, reshoot_counts = 216716.0
normalization = 0.949, reshoot_counts*normalization = 205714.7
original average = 3.15 Phi [rad], reshoot average = 0.01 Phi [rad]
10^7
10^6
10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_gamma___reshoot_key=Phi_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 236468.8, reshoot_counts = 11150470.0
normalization = 0.949, reshoot_counts*normalization = 10584430.4
original average = 3.14 Phi [rad], reshoot average = 0.01 Phi [rad]
10^8
10^7
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_mu-___reshoot_key=Phi_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 683.5, reshoot_counts = 54197.0
normalization = 0.949, reshoot_counts*normalization = 51445.8
original average = 3.13 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^6
10^5
10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_mu+___reshoot_key=Phi_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 540.4, reshoot_counts = 41315.0
normalization = 0.949, reshoot_counts*normalization = 39217.7
original average = 3.15 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^6
10^5
10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_pi-___reshoot_key=Phi_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6886.9, reshoot_counts = 317864.0
normalization = 0.949, reshoot_counts*normalization = 301728.0
original average = 3.15 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^7
10^6
10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_pi+___reshoot_key=Phi_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5476.9, reshoot_counts = 254230.0
normalization = 0.949, reshoot_counts*normalization = 241324.3
original average = 3.15 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^7
10^6
10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Ekin_1500_0___reshoot_key=EkinU_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 99981035.5, reshoot_counts = 105437378.5
normalization = 0.949, reshoot_counts*normalization = 100084982.4
original average = 669.57 Ek [MeV/u], reshoot average = 671.42 Ek [
counts [u/MeV]
10^5
10^4
10^3
10^2
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_1___reshoot_key=EkinU_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 68674980.0, reshoot_counts = 72352152.5
normalization = 0.949, reshoot_counts*normalization = 68679286.4
original average = 629.18 Ek [MeV/u], reshoot average = 629.23 Ek [
counts [u/MeV]
Ek [MeV/u]
10^5
10^4
10^3
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_1500_2___reshoot_key=EkinU_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 27884233.5, reshoot_counts = 29380768.0
normalization = 0.949, reshoot_counts*normalization = 27889290.2
original average = 605.53 Ek [MeV/u], reshoot average = 605.58 Ek [
counts [u/MeV]
Ek [MeV/u]
10^5
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_1500_3___reshoot_key=EkinU_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1217163.5, reshoot_counts = 1281381.5
normalization = 0.949, reshoot_counts*normalization = 1216333.8
original average = 566.72 Ek [MeV/u], reshoot average = 566.68 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_1500_4___reshoot_key=EkinU_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 504643.0, reshoot_counts = 532329.0
normalization = 0.949, reshoot_counts*normalization = 505306.0
original average = 512.99 Ek [MeV/u], reshoot average = 512.80 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_1500_5___reshoot_key=EkinU_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 845754.0, reshoot_counts = 890159.5
normalization = 0.949, reshoot_counts*normalization = 844971.7
original average = 471.99 Ek [MeV/u], reshoot average = 471.95 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_1500_6___reshoot_key=EkinU_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1573308.0, reshoot_counts = 1658069.0
normalization = 0.949, reshoot_counts*normalization = 1573899.2
original average = 411.56 Ek [MeV/u], reshoot average = 411.46 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_7___reshoot_key=EkinU_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 873014.0, reshoot_counts = 920002.0
normalization = 0.949, reshoot_counts*normalization = 873299.3
original average = 365.09 Ek [MeV/u], reshoot average = 365.09 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_8___reshoot_key=EkinU_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 425114.5, reshoot_counts = 447510.5
normalization = 0.949, reshoot_counts*normalization = 424793.2
original average = 318.31 Ek [MeV/u], reshoot average = 318.20 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_1500_9___reshoot_key=EkinU_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 230252.5, reshoot_counts = 242155.0
normalization = 0.949, reshoot_counts*normalization = 229862.3
original average = 293.33 Ek [MeV/u], reshoot average = 293.38 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_1500_10___reshoot_key=EkinU_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 391581.0, reshoot_counts = 412094.5
normalization = 0.949, reshoot_counts*normalization = 391175.0
original average = 242.67 Ek [MeV/u], reshoot average = 242.38 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_11___reshoot_key=EkinU_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 321620.0, reshoot_counts = 339246.0
normalization = 0.949, reshoot_counts*normalization = 322024.6
original average = 202.78 Ek [MeV/u], reshoot average = 202.93 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_1500_12___reshoot_key=EkinU_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 252434.0, reshoot_counts = 267194.5
normalization = 0.949, reshoot_counts*normalization = 253630.7
original average = 158.21 Ek [MeV/u], reshoot average = 158.36 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_1500_13___reshoot_key=EkinU_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 103856.0, reshoot_counts = 109380.0
normalization = 0.949, reshoot_counts*normalization = 103827.5
original average = 124.57 Ek [MeV/u], reshoot average = 124.58 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_14___reshoot_key=EkinU_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26679.0, reshoot_counts = 28165.5
normalization = 0.949, reshoot_counts*normalization = 26735.7
original average = 93.65 Ek [MeV/u], reshoot average = 93.46 Ek [Me
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_15___reshoot_key=EkinU_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2663.5, reshoot_counts = 2797.5
normalization = 0.949, reshoot_counts*normalization = 2655.5
original average = 81.79 Ek [MeV/u], reshoot average = 81.31 Ek [Me
counts [u/MeV]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_16___reshoot_key=EkinU_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 94.0, reshoot_counts = 102.0
normalization = 0.949, reshoot_counts*normalization = 96.8
original average = 70.03 Ek [MeV/u], reshoot average = 73.12 Ek [Me
counts [u/MeV]
6×10^0
4×10^0
3×10^0
2×10^0
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_17___reshoot_key=EkinU_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5.0, reshoot_counts = 8.0
normalization = 0.949, reshoot_counts*normalization = 7.6
original average = 92.70 Ek [MeV/u], reshoot average = 60.00 Ek [Me
counts [u/MeV]
Ek [MeV/u]
3×10^0
2×10^0
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_1500_18___reshoot_key=EkinU_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.0, reshoot_counts = 0.0
normalization = 0.949, reshoot_counts*normalization = 0.0
original average = 0.50 Ek [MeV/u], reshoot average = nan Ek [MeV/u
counts [u/MeV]
Ek [MeV/u]
0.0
0.2
0.4
0.6
0.8
1.0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_1500_19___reshoot_key=EkinU_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.949, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_20___reshoot_key=EkinU_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.949, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_21___reshoot_key=EkinU_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.949, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_22___reshoot_key=EkinU_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.949, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_23___reshoot_key=EkinU_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.949, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_24___reshoot_key=EkinU_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.949, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_25___reshoot_key=EkinU_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.949, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_26___reshoot_key=EkinU_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.949, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_e-___reshoot_key=EkinU_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 629343.6, reshoot_counts = 8215287.0
normalization = 0.949, reshoot_counts*normalization = 7798248.3
original average = 1.15 Ek [MeV/u], reshoot average = 2.75 Ek [MeV/u
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_1500_e+___reshoot_key=EkinU_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13639.0, reshoot_counts = 215672.5
normalization = 0.949, reshoot_counts*normalization = 204724.2
original average = 35.84 Ek [MeV/u], reshoot average = 35.85 Ek [Me
10^3
10^2
counts [u/MeV]
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_gamma___reshoot_key=EkinU_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 970775.0, reshoot_counts = 10215111.0
normalization = 0.949, reshoot_counts*normalization = 9696553.7
original average = 5.67 Ek [MeV/u], reshoot average = 7.15 Ek [MeV/u
counts [u/MeV]
10^6
10^5
10^4
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_mu-___reshoot_key=EkinU_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 975.3, reshoot_counts = 54169.0
normalization = 0.949, reshoot_counts*normalization = 51419.2
original average = 54.39 Ek [MeV/u], reshoot average = 54.37 Ek [Me
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_1500_mu+___reshoot_key=EkinU_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 692.6, reshoot_counts = 41295.5
normalization = 0.949, reshoot_counts*normalization = 39199.2
original average = 52.95 Ek [MeV/u], reshoot average = 53.01 Ek [Me
counts [u/MeV]
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_pi-___reshoot_key=EkinU_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 590454.7, reshoot_counts = 317864.0
normalization = 0.949, reshoot_counts*normalization = 301728.0
original average = 297.88 Ek [MeV/u], reshoot average = 298.16 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_1500_pi+___reshoot_key=EkinU_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 469495.5, reshoot_counts = 254229.5
normalization = 0.949, reshoot_counts*normalization = 241323.9
original average = 323.97 Ek [MeV/u], reshoot average = 323.72 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=X_1500_0___reshoot_key=X_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 25452310.9, reshoot_counts = 26377544.0
normalization = 0.949, reshoot_counts*normalization = 25038521.1
original average = -0.01 x pos [mm], reshoot average = -0.13 x pos [
counts [1/mm]
10^6
10^5
10^4
10^3
10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_1___reshoot_key=X_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 17459121.9, reshoot_counts = 18088168.0
normalization = 0.949, reshoot_counts*normalization = 17169944.9
original average = 0.00 x pos [mm], reshoot average = -0.13 x pos [m
counts [1/mm]
x pos [mm]
10^6
10^5
10^4
10^3
10^2
−400
−200
0
200
400



original_key=X_1500_2___reshoot_key=X_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7087200.5, reshoot_counts = 7345392.2
normalization = 0.949, reshoot_counts*normalization = 6972512.6
original average = -0.01 x pos [mm], reshoot average = -0.13 x pos [
counts [1/mm]
10^5
10^4
10^3
10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_3___reshoot_key=X_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 309335.9, reshoot_counts = 320360.0
normalization = 0.949, reshoot_counts*normalization = 304097.3
original average = 0.05 x pos [mm], reshoot average = -0.07 x pos [m
counts [1/mm]
x pos [mm]
1.8 × 10^4
1.75 × 10^4
1.7 × 10^4
1.65 × 10^4
1.6 × 10^4
1.55 × 10^4
1.5 × 10^4
−400
−200
0
200
400



original_key=X_1500_4___reshoot_key=X_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 128301.1, reshoot_counts = 133088.5
normalization = 0.949, reshoot_counts*normalization = 126332.4
original average = -0.02 x pos [mm], reshoot average = -0.12 x pos [
counts [1/mm]
x pos [mm]
7.8 × 10^3
7.6 × 10^3
7.4 × 10^3
7.2 × 10^3
7 × 10^3
6.8 × 10^3
6.6 × 10^3
6.4 × 10^3
6.2 × 10^3
−400
−200
0
200
400



original_key=X_1500_5___reshoot_key=X_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 215085.6, reshoot_counts = 222556.0
normalization = 0.949, reshoot_counts*normalization = 211258.2
original average = 0.02 x pos [mm], reshoot average = -0.09 x pos [m
counts [1/mm]
x pos [mm]
1.25 × 10^4
1.225 × 10^4
1.2 × 10^4
1.175 × 10^4
1.15 × 10^4
1.125 × 10^4
1.1 × 10^4
1.075 × 10^4
−400
−200
0
200
400



original_key=X_1500_6___reshoot_key=X_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 400260.2, reshoot_counts = 414549.2
normalization = 0.949, reshoot_counts*normalization = 393505.2
original average = -0.04 x pos [mm], reshoot average = -0.19 x pos [
counts [1/mm]
x pos [mm]
2.35 × 10^4
2.3 × 10^4
2.25 × 10^4
2.2 × 10^4
2.15 × 10^4
2.1 × 10^4
2.05 × 10^4
2 × 10^4
−400
−200
0
200
400



original_key=X_1500_7___reshoot_key=X_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 222041.0, reshoot_counts = 230017.2
normalization = 0.949, reshoot_counts*normalization = 218340.7
original average = 0.02 x pos [mm], reshoot average = -0.13 x pos [m
counts [1/mm]
1.3 × 10^4
1.25 × 10^4
1.2 × 10^4
1.15 × 10^4
1.1 × 10^4
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_8___reshoot_key=X_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 108149.4, reshoot_counts = 111883.8
normalization = 0.949, reshoot_counts*normalization = 106204.1
original average = 0.09 x pos [mm], reshoot average = -0.02 x pos [m
6×10^3
5×10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_9___reshoot_key=X_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 58586.8, reshoot_counts = 60541.8
normalization = 0.949, reshoot_counts*normalization = 57468.4
original average = -0.02 x pos [mm], reshoot average = -0.20 x pos [
counts [1/mm]
3.6 × 10^3
3.4 × 10^3
3.2 × 10^3
3 × 10^3
2.8 × 10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_10___reshoot_key=X_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 99524.4, reshoot_counts = 103029.5
normalization = 0.949, reshoot_counts*normalization = 97799.3
original average = -0.02 x pos [mm], reshoot average = -0.15 x pos [
6 × 10^3
5 × 10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_11___reshoot_key=X_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 81777.2, reshoot_counts = 84818.2
normalization = 0.949, reshoot_counts*normalization = 80512.6
original average = 0.03 x pos [mm], reshoot average = -0.11 x pos [m
5×10^3
4×10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_12___reshoot_key=X_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 64222.6, reshoot_counts = 66811.8
normalization = 0.949, reshoot_counts*normalization = 63420.1
original average = 0.07 x pos [mm], reshoot average = -0.06 x pos [m
4×10^3
3×10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_13___reshoot_key=X_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26395.0, reshoot_counts = 27352.5
normalization = 0.949, reshoot_counts*normalization = 25964.0
original average = 0.02 x pos [mm], reshoot average = -0.09 x pos [m
counts [1/mm]
x pos [mm]
1.7 × 10^3
1.6 × 10^3
1.5 × 10^3
1.4 × 10^3
1.3 × 10^3
1.2 × 10^3
1.1 × 10^3
−400
−200
0
200
400



original_key=X_1500_14___reshoot_key=X_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6758.2, reshoot_counts = 7045.5
normalization = 0.949, reshoot_counts*normalization = 6687.8
original average = 0.13 x pos [mm], reshoot average = -0.03 x pos [m
counts [1/mm]
6 × 10^2
4 × 10^2
3 × 10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_15___reshoot_key=X_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 678.5, reshoot_counts = 699.8
normalization = 0.949, reshoot_counts*normalization = 664.2
original average = 0.40 x pos [mm], reshoot average = 0.20 x pos [m
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_16___reshoot_key=X_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 23.5, reshoot_counts = 25.5
normalization = 0.949, reshoot_counts*normalization = 24.2
original average = -0.07 x pos [mm], reshoot average = 1.23 x pos [m
10^1
6×10^0
4×10^0
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_17___reshoot_key=X_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.2, reshoot_counts = 2.0
normalization = 0.949, reshoot_counts*normalization = 1.9
original average = 9.93 x pos [mm], reshoot average = 9.44 x pos [m
8 × 10^0
7 × 10^0
6 × 10^0
5 × 10^0
4 × 10^0
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_18___reshoot_key=X_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.2, reshoot_counts = 0.0
normalization = 0.949, reshoot_counts*normalization = 0.0
original average = 25.38 x pos [mm], reshoot average = nan x pos [m
counts [1/mm]
x pos [mm]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
3.5
4.0
−400
−200
0
200
400



original_key=X_1500_19___reshoot_key=X_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.949, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
0.04
0.02
0.00
−0.02
−0.04
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_20___reshoot_key=X_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.949, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_21___reshoot_key=X_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.949, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_22___reshoot_key=X_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.949, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_23___reshoot_key=X_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.949, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
0.04
0.02
0.00
−0.02
−0.04
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_24___reshoot_key=X_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.949, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_25___reshoot_key=X_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.949, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_26___reshoot_key=X_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.949, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_e-___reshoot_key=X_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2098390.8, reshoot_counts = 2147416.5
normalization = 0.949, reshoot_counts*normalization = 2038405.6
original average = -0.00 x pos [mm], reshoot average = -0.14 x pos [
counts [1/mm]
10^5
10^4
10^3
10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_e+___reshoot_key=X_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 43889.1, reshoot_counts = 54179.0
normalization = 0.949, reshoot_counts*normalization = 51428.7
original average = -0.04 x pos [mm], reshoot average = -0.21 x pos [
counts [1/mm]
x pos [mm]
3.2 × 10^3
3 × 10^3
2.8 × 10^3
2.6 × 10^3
2.4 × 10^3
2.2 × 10^3
−400
−200
0
200
400



original_key=X_1500_gamma___reshoot_key=X_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2644548.9, reshoot_counts = 2787617.5
normalization = 0.949, reshoot_counts*normalization = 2646107.6
original average = 0.00 x pos [mm], reshoot average = -0.13 x pos [m
counts [1/mm]
10^5
10^4
10^3
10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_mu-___reshoot_key=X_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7849.4, reshoot_counts = 13549.2
normalization = 0.949, reshoot_counts*normalization = 12861.4
original average = -0.24 x pos [mm], reshoot average = -0.38 x pos [
counts [1/mm]
6×10^2
4×10^2
3×10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_mu+___reshoot_key=X_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5870.0, reshoot_counts = 10328.8
normalization = 0.949, reshoot_counts*normalization = 9804.4
original average = -0.18 x pos [mm], reshoot average = -0.37 x pos [
counts [1/mm]
6 × 10^2
4 × 10^2
3 × 10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_pi-___reshoot_key=X_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 76948.5, reshoot_counts = 79466.0
normalization = 0.949, reshoot_counts*normalization = 75432.0
original average = -0.04 x pos [mm], reshoot average = -0.16 x pos [
counts [1/mm]
x pos [mm]
4.8 × 10^3
4.6 × 10^3
4.4 × 10^3
4.2 × 10^3
4 × 10^3
3.8 × 10^3
3.6 × 10^3
−400
−200
0
200
400



original_key=X_1500_pi+___reshoot_key=X_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 61174.0, reshoot_counts = 63557.5
normalization = 0.949, reshoot_counts*normalization = 60331.1
original average = 0.00 x pos [mm], reshoot average = -0.20 x pos [m
counts [1/mm]
x pos [mm]
3.8 × 10^3
3.6 × 10^3
3.4 × 10^3
3.2 × 10^3
3 × 10^3
2.8 × 10^3
−400
−200
0
200
400



original_key=Y_1500_0___reshoot_key=Y_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 25451661.4, reshoot_counts = 26377544.0
normalization = 0.949, reshoot_counts*normalization = 25038521.1
original average = -0.00 y pos [mm], reshoot average = -0.13 y pos [
counts [1/mm]
10^6
10^5
10^4
10^3
10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_1___reshoot_key=Y_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 17459420.1, reshoot_counts = 18088168.0
normalization = 0.949, reshoot_counts*normalization = 17169944.9
original average = -0.01 y pos [mm], reshoot average = -0.13 y pos [
counts [1/mm]
y pos [mm]
10^6
10^5
10^4
10^3
10^2
−400
−200
0
200
400



original_key=Y_1500_2___reshoot_key=Y_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7086705.8, reshoot_counts = 7345392.2
normalization = 0.949, reshoot_counts*normalization = 6972512.6
original average = -0.01 y pos [mm], reshoot average = -0.13 y pos [
counts [1/mm]
10^5
10^4
10^3
10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_3___reshoot_key=Y_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 309335.6, reshoot_counts = 320360.0
normalization = 0.949, reshoot_counts*normalization = 304097.3
original average = -0.01 y pos [mm], reshoot average = -0.17 y pos [
1.85 × 10^4
1.8 × 10^4
1.75 × 10^4
1.7 × 10^4
1.65 × 10^4
1.6 × 10^4
1.55 × 10^4
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_4___reshoot_key=Y_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 128245.4, reshoot_counts = 133088.5
normalization = 0.949, reshoot_counts*normalization = 126332.4
original average = 0.01 y pos [mm], reshoot average = -0.10 y pos [m
counts [1/mm]
7×10^3
6×10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_5___reshoot_key=Y_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 215100.5, reshoot_counts = 222556.0
normalization = 0.949, reshoot_counts*normalization = 211258.2
original average = -0.01 y pos [mm], reshoot average = -0.11 y pos [
counts [1/mm]
y pos [mm]
10^4
10^3
10^2
10^1
−400
−200
0
200
400



original_key=Y_1500_6___reshoot_key=Y_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 400020.2, reshoot_counts = 414549.2
normalization = 0.949, reshoot_counts*normalization = 393505.2
original average = -0.02 y pos [mm], reshoot average = -0.16 y pos [
counts [1/mm]
10^4
10^3
10^2
10^1
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_7___reshoot_key=Y_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 222098.1, reshoot_counts = 230017.2
normalization = 0.949, reshoot_counts*normalization = 218340.7
original average = -0.01 y pos [mm], reshoot average = -0.14 y pos [
counts [1/mm]
y pos [mm]
10^4
10^3
10^2
10^1
−400
−200
0
200
400



original_key=Y_1500_8___reshoot_key=Y_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 108110.4, reshoot_counts = 111883.8
normalization = 0.949, reshoot_counts*normalization = 106204.1
original average = 0.03 y pos [mm], reshoot average = -0.11 y pos [m
counts [1/mm]
y pos [mm]
6.4 × 10^3
6.2 × 10^3
6 × 10^3
5.8 × 10^3
5.6 × 10^3
5.4 × 10^3
5.2 × 10^3
−400
−200
0
200
400



original_key=Y_1500_9___reshoot_key=Y_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 58573.2, reshoot_counts = 60541.8
normalization = 0.949, reshoot_counts*normalization = 57468.4
original average = -0.00 y pos [mm], reshoot average = -0.21 y pos [
counts [1/mm]
3.6 × 10^3
3.4 × 10^3
3.2 × 10^3
3 × 10^3
2.8 × 10^3
2.6 × 10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_10___reshoot_key=Y_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 99528.9, reshoot_counts = 103029.5
normalization = 0.949, reshoot_counts*normalization = 97799.3
original average = 0.02 y pos [mm], reshoot average = -0.10 y pos [m
6×10^3
5×10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_11___reshoot_key=Y_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 81769.4, reshoot_counts = 84818.2
normalization = 0.949, reshoot_counts*normalization = 80512.6
original average = 0.02 y pos [mm], reshoot average = -0.09 y pos [m
5×10^3
4×10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_12___reshoot_key=Y_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 64161.8, reshoot_counts = 66811.8
normalization = 0.949, reshoot_counts*normalization = 63420.1
original average = -0.05 y pos [mm], reshoot average = -0.13 y pos [
4×10^3
3×10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_13___reshoot_key=Y_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26380.9, reshoot_counts = 27352.5
normalization = 0.949, reshoot_counts*normalization = 25964.0
original average = 0.07 y pos [mm], reshoot average = -0.10 y pos [m
counts [1/mm]
y pos [mm]
1.7 × 10^3
1.6 × 10^3
1.5 × 10^3
1.4 × 10^3
1.3 × 10^3
1.2 × 10^3
1.1 × 10^3
−400
−200
0
200
400



original_key=Y_1500_14___reshoot_key=Y_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6774.1, reshoot_counts = 7045.5
normalization = 0.949, reshoot_counts*normalization = 6687.8
original average = -0.03 y pos [mm], reshoot average = -0.34 y pos [
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_15___reshoot_key=Y_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 674.5, reshoot_counts = 699.8
normalization = 0.949, reshoot_counts*normalization = 664.2
original average = -0.02 y pos [mm], reshoot average = 0.51 y pos [m
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_16___reshoot_key=Y_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24.1, reshoot_counts = 25.5
normalization = 0.949, reshoot_counts*normalization = 24.2
original average = 3.69 y pos [mm], reshoot average = 4.26 y pos [m
10^1
6×10^0
4×10^0
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_17___reshoot_key=Y_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.2, reshoot_counts = 2.0
normalization = 0.949, reshoot_counts*normalization = 1.9
original average = 19.18 y pos [mm], reshoot average = 22.41 y pos
counts [1/mm]
10^1
6×10^0
4×10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_18___reshoot_key=Y_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.2, reshoot_counts = 0.0
normalization = 0.949, reshoot_counts*normalization = 0.0
original average = 28.12 y pos [mm], reshoot average = nan y pos [m
counts [1/mm]
y pos [mm]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
3.5
4.0
−400
−200
0
200
400



original_key=Y_1500_19___reshoot_key=Y_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.949, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
0.04
0.02
0.00
−0.02
−0.04
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_20___reshoot_key=Y_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.949, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_21___reshoot_key=Y_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.949, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
0.04
0.02
0.00
−0.02
−0.04
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_22___reshoot_key=Y_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.949, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_23___reshoot_key=Y_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.949, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
0.04
0.02
0.00
−0.02
−0.04
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_24___reshoot_key=Y_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.949, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
0.04
0.02
0.00
−0.02
−0.04
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_25___reshoot_key=Y_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.949, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
0.04
0.02
0.00
−0.02
−0.04
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_26___reshoot_key=Y_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.949, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
0.04
0.02
0.00
−0.02
−0.04
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_e-___reshoot_key=Y_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2098078.8, reshoot_counts = 2147416.5
normalization = 0.949, reshoot_counts*normalization = 2038405.6
original average = -0.01 y pos [mm], reshoot average = -0.13 y pos [
counts [1/mm]
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_e+___reshoot_key=Y_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 43874.0, reshoot_counts = 54179.0
normalization = 0.949, reshoot_counts*normalization = 51428.7
original average = -0.08 y pos [mm], reshoot average = -0.22 y pos [
3×10^3
2×10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_1500_gamma___reshoot_key=Y_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2644582.2, reshoot_counts = 2787617.5
normalization = 0.949, reshoot_counts*normalization = 2646107.6
original average = 0.00 y pos [mm], reshoot average = -0.12 y pos [m
counts [1/mm]
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400
y pos [mm]


original_key=Y_1500_mu-___reshoot_key=Y_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7858.6, reshoot_counts = 13549.2
normalization = 0.949, reshoot_counts*normalization = 12861.4
original average = -0.08 y pos [mm], reshoot average = -0.16 y pos [
counts [1/mm]
6×10^2
4×10^2
3×10^2
−400
−200
0
200
400
y pos [mm]


original_key=Y_1500_mu+___reshoot_key=Y_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5879.9, reshoot_counts = 10328.8
normalization = 0.949, reshoot_counts*normalization = 9804.4
original average = -0.15 y pos [mm], reshoot average = -0.35 y pos [
counts [1/mm]
6×10^2
4×10^2
3×10^2
2×10^2
−400
−200
0
200
400
y pos [mm]


original_key=Y_1500_pi-___reshoot_key=Y_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 76884.4, reshoot_counts = 79466.0
normalization = 0.949, reshoot_counts*normalization = 75432.0
original average = -0.02 y pos [mm], reshoot average = -0.17 y pos [
counts [1/mm]
y pos [mm]
4.8 × 10^3
4.6 × 10^3
4.4 × 10^3
4.2 × 10^3
4 × 10^3
3.8 × 10^3
3.6 × 10^3
−400
−200
0
200
400


original_key=Y_1500_pi+___reshoot_key=Y_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 61117.0, reshoot_counts = 63557.5
normalization = 0.949, reshoot_counts*normalization = 60331.1
original average = -0.07 y pos [mm], reshoot average = -0.17 y pos [
3.8 × 10^3
3.6 × 10^3
3.4 × 10^3
3.2 × 10^3
3 × 10^3
2.8 × 10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]