






original_key=Theta_2000_0___reshoot_key=Theta_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34445069.5, reshoot_counts = 944698.0
normalization = 0.599, reshoot_counts*normalization = 566101.8
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^{10}
10^{9}
10^{8}
10^{7}
10^{6}
10^{5}
10^{4}
10^{3}
10^{2}
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_1___reshoot_key=Theta_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 22413740.5, reshoot_counts = 637372.5
normalization = 0.599, reshoot_counts*normalization = 381939.8
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^{10}
10^{9}
10^{8}
10^{7}
10^{6}
10^{5}
10^{4}
10^{3}
10^{2}
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_2___reshoot_key=Theta_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9470578.3, reshoot_counts = 261035.0
normalization = 0.599, reshoot_counts*normalization = 156422.9
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^9
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_3___reshoot_key=Theta_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 408144.8, reshoot_counts = 11315.5
normalization = 0.599, reshoot_counts*normalization = 6780.7
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_4___reshoot_key=Theta_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 166414.9, reshoot_counts = 4670.0
normalization = 0.599, reshoot_counts*normalization = 2798.4
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_5___reshoot_key=Theta_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 268871.4, reshoot_counts = 7726.5
normalization = 0.599, reshoot_counts*normalization = 4630.0
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_6___reshoot_key=Theta_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 486527.9, reshoot_counts = 14151.7
normalization = 0.599, reshoot_counts*normalization = 8480.3
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_7___reshoot_key=Theta_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 262991.6, reshoot_counts = 7735.4
normalization = 0.599, reshoot_counts*normalization = 4635.3
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_8___reshoot_key=Theta_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 126148.8, reshoot_counts = 3768.3
normalization = 0.599, reshoot_counts*normalization = 2258.1
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_9___reshoot_key=Theta_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 67658.0, reshoot_counts = 2025.0
normalization = 0.599, reshoot_counts*normalization = 1213.5
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_10___reshoot_key=Theta_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 118386.8, reshoot_counts = 3498.8
normalization = 0.599, reshoot_counts*normalization = 2096.6
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_11___reshoot_key=Theta_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 99036.4, reshoot_counts = 2884.0
normalization = 0.599, reshoot_counts*normalization = 1728.2
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_12___reshoot_key=Theta_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 81271.2, reshoot_counts = 2304.6
normalization = 0.599, reshoot_counts*normalization = 1381.0
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_13___reshoot_key=Theta_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34822.5, reshoot_counts = 955.1
normalization = 0.599, reshoot_counts*normalization = 572.3
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_14___reshoot_key=Theta_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9423.7, reshoot_counts = 249.4
normalization = 0.599, reshoot_counts*normalization = 149.4
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_15___reshoot_key=Theta_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1010.2, reshoot_counts = 24.6
normalization = 0.599, reshoot_counts*normalization = 14.8
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_16___reshoot_key=Theta_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 36.4, reshoot_counts = 1.2
normalization = 0.599, reshoot_counts*normalization = 0.7
original average = 0.08 Theta [rad], reshoot average = 0.11 Theta [ra
counts [1/rad]
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_17___reshoot_key=Theta_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.0, reshoot_counts = 0.1
normalization = 0.599, reshoot_counts*normalization = 0.1
original average = 0.46 Theta [rad], reshoot average = 0.20 Theta [ra
counts [1/rad]
Theta [rad]
3 × 10^2
2 × 10^2
10^2
6 × 10^1
4 × 10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_18___reshoot_key=Theta_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.599, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_19___reshoot_key=Theta_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.599, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_20___reshoot_key=Theta_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.599, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_21___reshoot_key=Theta_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.599, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_22___reshoot_key=Theta_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.599, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_23___reshoot_key=Theta_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.599, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_24___reshoot_key=Theta_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.599, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_25___reshoot_key=Theta_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.599, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_26___reshoot_key=Theta_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.599, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_e-___reshoot_key=Theta_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 123855.8, reshoot_counts = 146592.0
normalization = 0.599, reshoot_counts*normalization = 87843.9
original average = 0.64 Theta [rad], reshoot average = 0.63 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_e+___reshoot_key=Theta_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 27917.3, reshoot_counts = 2407.2
normalization = 0.599, reshoot_counts*normalization = 1442.5
original average = 0.05 Theta [rad], reshoot average = 0.05 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_gamma___reshoot_key=Theta_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3069350.1, reshoot_counts = 96683.3
normalization = 0.599, reshoot_counts*normalization = 57936.6
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^9
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_mu-___reshoot_key=Theta_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3656.0, reshoot_counts = 875.9
normalization = 0.599, reshoot_counts*normalization = 524.9
original average = 0.06 Theta [rad], reshoot average = 0.06 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_mu+___reshoot_key=Theta_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2804.5, reshoot_counts = 656.2
normalization = 0.599, reshoot_counts*normalization = 393.2
original average = 0.06 Theta [rad], reshoot average = 0.06 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_pi-___reshoot_key=Theta_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 86386.3, reshoot_counts = 2782.1
normalization = 0.599, reshoot_counts*normalization = 1667.2
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_pi+___reshoot_key=Theta_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 69003.1, reshoot_counts = 2205.9
normalization = 0.599, reshoot_counts*normalization = 1321.9
original average = 0.03 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Phi_2000_0___reshoot_key=Phi_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1467643.9, reshoot_counts = 2452493.3
normalization = 0.599, reshoot_counts*normalization = 1469634.6
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
3×10^7
2×10^7
10^7
0
1
2
3
4
5
6



original_key=Phi_2000_1___reshoot_key=Phi_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 985665.3, reshoot_counts = 1646600.7
normalization = 0.599, reshoot_counts*normalization = 986710.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
2×10^7
10^7
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_2___reshoot_key=Phi_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 406775.4, reshoot_counts = 677721.3
normalization = 0.599, reshoot_counts*normalization = 406118.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
10^7
6×10^6
4×10^6
3×10^6
0
1
2
3
4
5
6



original_key=Phi_2000_3___reshoot_key=Phi_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 17558.3, reshoot_counts = 29226.0
normalization = 0.599, reshoot_counts*normalization = 17513.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_2000_4___reshoot_key=Phi_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7273.9, reshoot_counts = 12247.5
normalization = 0.599, reshoot_counts*normalization = 7339.2
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
10^5
6×10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_5___reshoot_key=Phi_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11895.2, reshoot_counts = 20084.3
normalization = 0.599, reshoot_counts*normalization = 12035.3
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
3×10^5
2×10^5
10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_6___reshoot_key=Phi_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 22006.9, reshoot_counts = 36741.3
normalization = 0.599, reshoot_counts*normalization = 22016.9
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_2000_7___reshoot_key=Phi_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12033.1, reshoot_counts = 19967.1
normalization = 0.599, reshoot_counts*normalization = 11965.1
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
2×10^5
10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_8___reshoot_key=Phi_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5772.2, reshoot_counts = 9747.5
normalization = 0.599, reshoot_counts*normalization = 5841.1
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
10^5
6×10^4
4×10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_9___reshoot_key=Phi_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3105.1, reshoot_counts = 5294.0
normalization = 0.599, reshoot_counts*normalization = 3172.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
6×10^4
4×10^4
3×10^4
2×10^4
0
1
2
3
4
5
6



original_key=Phi_2000_10___reshoot_key=Phi_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5444.9, reshoot_counts = 8975.9
normalization = 0.599, reshoot_counts*normalization = 5378.7
original average = 3.15 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
10^5
6×10^4
4×10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_11___reshoot_key=Phi_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4468.5, reshoot_counts = 7432.8
normalization = 0.599, reshoot_counts*normalization = 4454.1
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]
10^5
6×10^4
4×10^4
3×10^4
0
1
2
3
4
5
6



original_key=Phi_2000_12___reshoot_key=Phi_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3576.3, reshoot_counts = 5950.4
normalization = 0.599, reshoot_counts*normalization = 3565.7
original average = 3.14 Phi [rad], reshoot average = 3.13 Phi [rad]
counts [1/rad]
Phi [rad]
6×10^4
4×10^4
3×10^4
2×10^4
0
1
2
3
4
5
6



original_key=Phi_2000_13___reshoot_key=Phi_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1486.9, reshoot_counts = 2459.7
normalization = 0.599, reshoot_counts*normalization = 1473.9
original average = 3.13 Phi [rad], reshoot average = 3.14 Phi [rad]
3×10^4
2×10^4
10^4
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_14___reshoot_key=Phi_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 387.6, reshoot_counts = 640.4
normalization = 0.599, reshoot_counts*normalization = 383.8
original average = 3.15 Phi [rad], reshoot average = 3.12 Phi [rad]
counts [1/rad]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_15___reshoot_key=Phi_1_15
original counts = 38.3, reshoot_counts = 66.2
normalization = 0.599, reshoot_counts*normalization = 39.7
original average = 3.13 Phi [rad], reshoot average = 3.10 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
10^3
10^2
0
1
2
3
4
5
6



original_key=Phi_2000_16___reshoot_key=Phi_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.2, reshoot_counts = 2.2
normalization = 0.599, reshoot_counts*normalization = 1.3
original average = 3.00 Phi [rad], reshoot average = 3.31 Phi [rad]
counts [1/rad]
Phi [rad]
3 × 10^2
2 × 10^2
10^2
6 × 10^1
4 × 10^1
0
1
2
3
4
5
6



original_key=Phi_2000_17___reshoot_key=Phi_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.1, reshoot_counts = 0.2
normalization = 0.599, reshoot_counts*normalization = 0.1
original average = 2.93 Phi [rad], reshoot average = 3.80 Phi [rad]
counts [1/rad]
10^2
6×10^1
4×10^1
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_18___reshoot_key=Phi_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.599, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_19___reshoot_key=Phi_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.599, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_20___reshoot_key=Phi_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.599, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_21___reshoot_key=Phi_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.599, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_22___reshoot_key=Phi_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.599, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_23___reshoot_key=Phi_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.599, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_24___reshoot_key=Phi_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.599, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_25___reshoot_key=Phi_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.599, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_26___reshoot_key=Phi_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.599, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_e-___reshoot_key=Phi_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 115670.2, reshoot_counts = 193105.0
normalization = 0.599, reshoot_counts*normalization = 115716.5
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
2×10^6
10^6
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_e+___reshoot_key=Phi_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2350.8, reshoot_counts = 4657.7
normalization = 0.599, reshoot_counts*normalization = 2791.1
original average = 3.15 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
0
1
2
3
4
5
6



original_key=Phi_2000_gamma___reshoot_key=Phi_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 143824.6, reshoot_counts = 244673.3
normalization = 0.599, reshoot_counts*normalization = 146618.3
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
3×10^6
2×10^6
10^6
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_mu-___reshoot_key=Phi_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 522.6, reshoot_counts = 1413.5
normalization = 0.599, reshoot_counts*normalization = 847.0
original average = 3.13 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
0
1
2
3
4
5
6



original_key=Phi_2000_mu+___reshoot_key=Phi_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 393.3, reshoot_counts = 1153.9
normalization = 0.599, reshoot_counts*normalization = 691.5
original average = 3.16 Phi [rad], reshoot average = 3.16 Phi [rad]
counts [1/rad]
Phi [rad]
10^4
6×10^3
4×10^3
3×10^3
2×10^3
0
1
2
3
4
5
6



original_key=Phi_2000_pi-___reshoot_key=Phi_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4112.8, reshoot_counts = 6903.7
normalization = 0.599, reshoot_counts*normalization = 4137.0
original average = 3.15 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_2000_pi+___reshoot_key=Phi_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3326.1, reshoot_counts = 5417.6
normalization = 0.599, reshoot_counts*normalization = 3246.4
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Ekin_2000_0___reshoot_key=EkinU_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 63830686.5, reshoot_counts = 106624743.5
normalization = 0.599, reshoot_counts*normalization = 63893922.3
original average = 675.49 Ek [MeV/u], reshoot average = 677.23 Ek [
counts [u/MeV]
Ek [MeV/u]
10^5
10^4
10^3
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_1___reshoot_key=EkinU_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 42983622.0, reshoot_counts = 71734664.0
normalization = 0.599, reshoot_counts*normalization = 42986354.8
original average = 632.33 Ek [MeV/u], reshoot average = 632.37 Ek [
counts [u/MeV]
Ek [MeV/u]
10^5
10^4
10^3
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_2___reshoot_key=EkinU_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 17706543.5, reshoot_counts = 29552299.5
normalization = 0.599, reshoot_counts*normalization = 17708950.7
original average = 608.99 Ek [MeV/u], reshoot average = 609.07 Ek [
counts [u/MeV]
Ek [MeV/u]
10^5
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_3___reshoot_key=EkinU_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 768326.5, reshoot_counts = 1280803.5
normalization = 0.599, reshoot_counts*normalization = 767510.0
original average = 570.08 Ek [MeV/u], reshoot average = 570.25 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_4___reshoot_key=EkinU_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 316340.0, reshoot_counts = 527925.0
normalization = 0.599, reshoot_counts*normalization = 316354.3
original average = 515.63 Ek [MeV/u], reshoot average = 515.79 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_5___reshoot_key=EkinU_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 522063.5, reshoot_counts = 872735.5
normalization = 0.599, reshoot_counts*normalization = 522978.9
original average = 473.63 Ek [MeV/u], reshoot average = 473.52 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_6___reshoot_key=EkinU_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 957686.5, reshoot_counts = 1598066.5
normalization = 0.599, reshoot_counts*normalization = 957627.0
original average = 411.89 Ek [MeV/u], reshoot average = 411.95 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_7___reshoot_key=EkinU_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 524712.5, reshoot_counts = 873719.5
normalization = 0.599, reshoot_counts*normalization = 523568.6
original average = 364.73 Ek [MeV/u], reshoot average = 365.01 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_8___reshoot_key=EkinU_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 254636.0, reshoot_counts = 424927.0
normalization = 0.599, reshoot_counts*normalization = 254633.7
original average = 316.72 Ek [MeV/u], reshoot average = 316.85 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_9___reshoot_key=EkinU_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 137242.0, reshoot_counts = 228657.5
normalization = 0.599, reshoot_counts*normalization = 137021.0
original average = 291.04 Ek [MeV/u], reshoot average = 290.97 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_10___reshoot_key=EkinU_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 236580.5, reshoot_counts = 395336.5
normalization = 0.599, reshoot_counts*normalization = 236901.9
original average = 241.21 Ek [MeV/u], reshoot average = 241.70 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_11___reshoot_key=EkinU_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 195525.5, reshoot_counts = 326313.5
normalization = 0.599, reshoot_counts*normalization = 195540.4
original average = 201.52 Ek [MeV/u], reshoot average = 201.76 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_12___reshoot_key=EkinU_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 156148.0, reshoot_counts = 260863.0
normalization = 0.599, reshoot_counts*normalization = 156319.8
original average = 157.22 Ek [MeV/u], reshoot average = 156.84 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_13___reshoot_key=EkinU_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 64949.0, reshoot_counts = 108193.5
normalization = 0.599, reshoot_counts*normalization = 64834.0
original average = 123.88 Ek [MeV/u], reshoot average = 123.93 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_14___reshoot_key=EkinU_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16846.5, reshoot_counts = 28210.0
normalization = 0.599, reshoot_counts*normalization = 16904.6
original average = 93.56 Ek [MeV/u], reshoot average = 94.01 Ek [Me
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_15___reshoot_key=EkinU_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1690.0, reshoot_counts = 2782.5
normalization = 0.599, reshoot_counts*normalization = 1667.4
original average = 83.26 Ek [MeV/u], reshoot average = 82.78 Ek [Me
10^1
10^0
counts [u/MeV]
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_16___reshoot_key=EkinU_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 69.5, reshoot_counts = 123.0
normalization = 0.599, reshoot_counts*normalization = 73.7
original average = 65.95 Ek [MeV/u], reshoot average = 68.77 Ek [Me
counts [u/MeV]
Ek [MeV/u]
6×10^{0}
4×10^{0}
3×10^{0}
2×10^{0}
10^{0}
6×10^{-1}
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_17___reshoot_key=EkinU_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4.0, reshoot_counts = 11.0
normalization = 0.599, reshoot_counts*normalization = 6.6
original average = 95.93 Ek [MeV/u], reshoot average = 120.95 Ek [M
counts [u/MeV]
Ek [MeV/u]
4×10^0
3×10^0
2×10^0
10^0
6×10^{-1}
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_18___reshoot_key=EkinU_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.599, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_19___reshoot_key=EkinU_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.599, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_20___reshoot_key=EkinU_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.599, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_21___reshoot_key=EkinU_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.599, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_22___reshoot_key=EkinU_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.599, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_23___reshoot_key=EkinU_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.599, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_24___reshoot_key=EkinU_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.599, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_25___reshoot_key=EkinU_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.599, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_26___reshoot_key=EkinU_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.599, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_e-___reshoot_key=EkinU_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 393499.2, reshoot_counts = 8160954.0
normalization = 0.599, reshoot_counts*normalization = 4890378.6
original average = 1.10 Ek [MeV/u], reshoot average = 2.67 Ek [MeV/u
counts [u/MeV]
Ek [MeV/u]
10^7
10^6
10^5
10^4
10^3
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_e+___reshoot_key=EkinU_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8081.3, reshoot_counts = 205279.5
normalization = 0.599, reshoot_counts*normalization = 123011.9
original average = 36.34 Ek [MeV/u], reshoot average = 36.42 Ek [Me
counts [u/MeV]
10^3
10^2
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_gamma___reshoot_key=EkinU_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 590764.7, reshoot_counts = 9847551.5
normalization = 0.599, reshoot_counts*normalization = 5901057.0
original average = 5.72 Ek [MeV/u], reshoot average = 7.18 Ek [MeV/u]
counts [u/MeV]
Ek [MeV/u]
10^6
10^5
10^4
10^3
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_mu-___reshoot_key=EkinU_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 662.9, reshoot_counts = 64774.0
normalization = 0.599, reshoot_counts*normalization = 38815.2
original average = 57.21 Ek [MeV/u], reshoot average = 57.27 Ek [Me
counts [u/MeV]
10^3
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_mu+___reshoot_key=EkinU_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 463.1, reshoot_counts = 49110.5
normalization = 0.599, reshoot_counts*normalization = 29429.0
original average = 55.68 Ek [MeV/u], reshoot average = 55.86 Ek [Me
counts [u/MeV]
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_pi-___reshoot_key=EkinU_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 352024.7, reshoot_counts = 300772.0
normalization = 0.599, reshoot_counts*normalization = 180234.9
original average = 301.49 Ek [MeV/u], reshoot average = 301.78 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_pi+___reshoot_key=EkinU_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 280440.6, reshoot_counts = 239375.0
normalization = 0.599, reshoot_counts*normalization = 143443.3
original average = 327.96 Ek [MeV/u], reshoot average = 328.23 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=X_2000_0___reshoot_key=X_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16251447.4, reshoot_counts = 26673786.8
normalization = 0.599, reshoot_counts*normalization = 15984027.7
original average = -0.00 x pos [mm], reshoot average = -0.13 x pos [
counts [1/mm]
10^6
10^5
10^4
10^3
10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_1___reshoot_key=X_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10929296.5, reshoot_counts = 17933782.5
normalization = 0.599, reshoot_counts*normalization = 10746658.5
original average = 0.00 x pos [mm], reshoot average = -0.12 x pos [m
counts [1/mm]
10^6
10^5
10^4
10^3
10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_2___reshoot_key=X_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4500624.9, reshoot_counts = 7388261.0
normalization = 0.599, reshoot_counts*normalization = 4427349.2
original average = -0.01 x pos [mm], reshoot average = -0.14 x pos [
counts [1/mm]
10^5
10^4
10^3
10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_3___reshoot_key=X_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 195319.0, reshoot_counts = 320213.2
normalization = 0.599, reshoot_counts*normalization = 191884.9
original average = 0.04 x pos [mm], reshoot average = -0.08 x pos [m
counts [1/mm]
10^4
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_4___reshoot_key=X_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 80410.4, reshoot_counts = 131987.5
normalization = 0.599, reshoot_counts*normalization = 79092.3
original average = 0.03 x pos [mm], reshoot average = -0.10 x pos [m
counts [1/mm]
7 × 10^3
6 × 10^3
5 × 10^3
4 × 10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_5___reshoot_key=X_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 132757.1, reshoot_counts = 218199.5
normalization = 0.599, reshoot_counts*normalization = 130754.1
original average = 0.00 x pos [mm], reshoot average = -0.11 x pos [m
10^4
9×10^3
8×10^3
7×10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_6___reshoot_key=X_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 243482.0, reshoot_counts = 399546.5
normalization = 0.599, reshoot_counts*normalization = 239424.7
original average = -0.03 x pos [mm], reshoot average = -0.15 x pos [
counts [1/mm]
x pos [mm]
2.2 × 10^4
2 × 10^4
1.8 × 10^4
1.6 × 10^4
1.4 × 10^4
1.2 × 10^4
−400
−200
0
200
400



original_key=X_2000_7___reshoot_key=X_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 133413.0, reshoot_counts = 218444.2
normalization = 0.599, reshoot_counts*normalization = 130900.8
original average = 0.00 x pos [mm], reshoot average = -0.12 x pos [m
counts [1/mm]
10^4
9×10^3
8×10^3
7×10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_8___reshoot_key=X_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 64768.2, reshoot_counts = 106239.5
normalization = 0.599, reshoot_counts*normalization = 63663.1
original average = 0.06 x pos [mm], reshoot average = -0.01 x pos [m
counts [1/mm]
6 × 10^3
5 × 10^3
4 × 10^3
3 × 10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_9___reshoot_key=X_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34928.1, reshoot_counts = 57165.8
normalization = 0.599, reshoot_counts*normalization = 34256.1
original average = -0.01 x pos [mm], reshoot average = -0.16 x pos [
3 × 10^3
2 × 10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_10___reshoot_key=X_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 60172.9, reshoot_counts = 98839.2
normalization = 0.599, reshoot_counts*normalization = 59228.5
original average = -0.01 x pos [mm], reshoot average = -0.14 x pos [
6 × 10^3
5 × 10^3
4 × 10^3
3 × 10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_11___reshoot_key=X_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 49694.5, reshoot_counts = 81585.5
normalization = 0.599, reshoot_counts*normalization = 48889.4
original average = -0.01 x pos [mm], reshoot average = -0.08 x pos [
4 × 10^3
3 × 10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_12___reshoot_key=X_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 39682.1, reshoot_counts = 65228.2
normalization = 0.599, reshoot_counts*normalization = 39087.4
original average = 0.07 x pos [mm], reshoot average = -0.10 x pos [m
counts [1/mm]
x pos [mm]
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400



original_key=X_2000_13___reshoot_key=X_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16503.0, reshoot_counts = 27057.8
normalization = 0.599, reshoot_counts*normalization = 16214.1
original average = -0.06 x pos [mm], reshoot average = -0.14 x pos [
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_14___reshoot_key=X_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4278.6, reshoot_counts = 7054.8
normalization = 0.599, reshoot_counts*normalization = 4227.5
original average = 0.24 x pos [mm], reshoot average = -0.06 x pos [m
counts [1/mm]
x pos [mm]
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
−400
−200
0
200
400



original_key=X_2000_15___reshoot_key=X_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 429.1, reshoot_counts = 697.0
normalization = 0.599, reshoot_counts*normalization = 417.7
original average = 0.63 x pos [mm], reshoot average = 0.45 x pos [m
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_16___reshoot_key=X_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 17.5, reshoot_counts = 31.0
normalization = 0.599, reshoot_counts*normalization = 18.6
original average = 3.06 x pos [mm], reshoot average = 2.66 x pos [m
counts [1/mm]
x pos [mm]
2 × 10^1
10^1
6 × 10^0
4 × 10^0
3 × 10^0
−400
−200
0
200
400



original_key=X_2000_17___reshoot_key=X_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.0, reshoot_counts = 2.8
normalization = 0.599, reshoot_counts*normalization = 1.6
original average = -3.62 x pos [mm], reshoot average = -4.03 x pos [
10^1
6×10^0
4×10^0
3×10^0
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_18___reshoot_key=X_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.599, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_19___reshoot_key=X_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.599, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_20___reshoot_key=X_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.599, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_21___reshoot_key=X_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.599, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_22___reshoot_key=X_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.599, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_23___reshoot_key=X_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.599, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_24___reshoot_key=X_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.599, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_25___reshoot_key=X_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.599, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_26___reshoot_key=X_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.599, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_e-___reshoot_key=X_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1308765.4, reshoot_counts = 2119711.8
normalization = 0.599, reshoot_counts*normalization = 1270218.3
original average = -0.01 x pos [mm], reshoot average = -0.13 x pos [
counts [1/mm]
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_e+___reshoot_key=X_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26246.5, reshoot_counts = 51463.5
normalization = 0.599, reshoot_counts*normalization = 30839.0
original average = -0.13 x pos [mm], reshoot average = -0.19 x pos [
3×10^3
2×10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_gamma___reshoot_key=X_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1608433.8, reshoot_counts = 2687177.2
normalization = 0.599, reshoot_counts*normalization = 1610266.9
original average = -0.00 x pos [mm], reshoot average = -0.13 x pos [
counts [1/mm]
x pos [mm]
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400



original_key=X_2000_mu-___reshoot_key=X_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5799.4, reshoot_counts = 16205.2
normalization = 0.599, reshoot_counts*normalization = 9710.9
original average = 0.05 x pos [mm], reshoot average = -0.14 x pos [m
10^3
6×10^2
4×10^2
3×10^2
2×10^2
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_mu+___reshoot_key=X_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4358.1, reshoot_counts = 12282.8
normalization = 0.599, reshoot_counts*normalization = 7360.3
original average = -0.12 x pos [mm], reshoot average = -0.37 x pos [
counts [1/mm]
6 × 10²
4 × 10²
3 × 10²
2 × 10²
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_pi-___reshoot_key=X_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 45796.5, reshoot_counts = 75193.0
normalization = 0.599, reshoot_counts*normalization = 45058.7
original average = 0.02 x pos [mm], reshoot average = -0.09 x pos [m
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_pi+___reshoot_key=X_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 36500.8, reshoot_counts = 59843.8
normalization = 0.599, reshoot_counts*normalization = 35860.8
original average = 0.04 x pos [mm], reshoot average = -0.02 x pos [m
3×10^3
2×10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=Y_2000_0___reshoot_key=Y_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16249369.0, reshoot_counts = 26673786.8
normalization = 0.599, reshoot_counts*normalization = 15984027.7
original average = -0.00 y pos [mm], reshoot average = -0.12 y pos [
counts [1/mm]
10^6
10^5
10^4
10^3
10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_1___reshoot_key=Y_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10928380.1, reshoot_counts = 17933782.5
normalization = 0.599, reshoot_counts*normalization = 10746658.5
original average = -0.01 y pos [mm], reshoot average = -0.13 y pos [
counts [1/mm]
y pos [mm]
10^6
10^5
10^4
10^3
10^2
−400
−200
0
200
400



original_key=Y_2000_2___reshoot_key=Y_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4500829.9, reshoot_counts = 7388261.0
normalization = 0.599, reshoot_counts*normalization = 4427349.2
original average = -0.01 y pos [mm], reshoot average = -0.14 y pos [
counts [1/mm]
10^5
10^4
10^3
10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_3___reshoot_key=Y_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 195326.5, reshoot_counts = 320213.2
normalization = 0.599, reshoot_counts*normalization = 191884.9
original average = 0.04 y pos [mm], reshoot average = -0.10 y pos [m
counts [1/mm]
y pos [mm]
1.8 × 10^4
1.6 × 10^4
1.4 × 10^4
1.2 × 10^4
10^4
−400
−200
0
200
400



original_key=Y_2000_4___reshoot_key=Y_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 80434.2, reshoot_counts = 131987.5
normalization = 0.599, reshoot_counts*normalization = 79092.3
original average = -0.02 y pos [mm], reshoot average = -0.16 y pos [
counts [1/mm]
y pos [mm]
10^4
10^3
10^2
10^1
−400
−200
0
200
400



original_key=Y_2000_5___reshoot_key=Y_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 132748.4, reshoot_counts = 218199.5
normalization = 0.599, reshoot_counts*normalization = 130754.1
original average = -0.04 y pos [mm], reshoot average = -0.18 y pos [
counts [1/mm]
10^4
9×10^3
8×10^3
7×10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_6___reshoot_key=Y_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 243495.9, reshoot_counts = 399546.5
normalization = 0.599, reshoot_counts*normalization = 239424.7
original average = -0.03 y pos [mm], reshoot average = -0.16 y pos [
counts [1/mm]
10^4
10^3
10^2
10^1
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_7___reshoot_key=Y_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 133456.2, reshoot_counts = 218444.2
normalization = 0.599, reshoot_counts*normalization = 130900.8
original average = -0.01 y pos [mm], reshoot average = -0.11 y pos [
counts [1/mm]
y pos [mm]
10^4
10^3
10^2
10^1
−400
−200
0
200
400



original_key=Y_2000_8___reshoot_key=Y_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 64773.2, reshoot_counts = 106239.5
normalization = 0.599, reshoot_counts*normalization = 63663.1
original average = 0.03 y pos [mm], reshoot average = -0.02 y pos [m
counts [1/mm]
y pos [mm]
6 × 10^3
5 × 10^3
4 × 10^3
3 × 10^3
−400
−200
0
200
400



original_key=Y_2000_9___reshoot_key=Y_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34901.2, reshoot_counts = 57165.8
normalization = 0.599, reshoot_counts*normalization = 34256.1
original average = 0.05 y pos [mm], reshoot average = -0.04 y pos [m
3×10^3
2×10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_10___reshoot_key=Y_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 60185.9, reshoot_counts = 98839.2
normalization = 0.599, reshoot_counts*normalization = 59228.5
original average = -0.01 y pos [mm], reshoot average = -0.19 y pos [
counts [1/mm]
y pos [mm]
6 × 10^3
5 × 10^3
4 × 10^3
3 × 10^3
−400
−200
0
200
400



original_key=Y_2000_11___reshoot_key=Y_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 49756.6, reshoot_counts = 81585.5
normalization = 0.599, reshoot_counts*normalization = 48889.4
original average = 0.02 y pos [mm], reshoot average = -0.09 y pos [m
counts [1/mm]
y pos [mm]
5 × 10^3
4 × 10^3
3 × 10^3
−400
−200
0
200
400



original_key=Y_2000_12___reshoot_key=Y_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 39717.6, reshoot_counts = 65228.2
normalization = 0.599, reshoot_counts*normalization = 39087.4
original average = 0.01 y pos [mm], reshoot average = -0.20 y pos [m
4×10^3
3×10^3
2×10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_13___reshoot_key=Y_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16493.6, reshoot_counts = 27057.8
normalization = 0.599, reshoot_counts*normalization = 16214.1
original average = 0.07 y pos [mm], reshoot average = -0.14 y pos [m
counts [1/mm]
10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_14___reshoot_key=Y_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4276.0, reshoot_counts = 7054.8
normalization = 0.599, reshoot_counts*normalization = 4227.5
original average = 0.06 y pos [mm], reshoot average = -0.21 y pos [m
counts [1/mm]
4×10^2
3×10^2
2×10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_15___reshoot_key=Y_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 429.5, reshoot_counts = 697.0
normalization = 0.599, reshoot_counts*normalization = 417.7
original average = 0.15 y pos [mm], reshoot average = -0.47 y pos [m
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_16___reshoot_key=Y_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 18.2, reshoot_counts = 31.0
normalization = 0.599, reshoot_counts*normalization = 18.6
original average = 2.61 y pos [mm], reshoot average = 1.07 y pos [m
counts [1/mm]
y pos [mm]
2×10^1
10^1
6×10^0
4×10^0
3×10^0
−400
−200
0
200
400



original_key=Y_2000_17___reshoot_key=Y_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.0, reshoot_counts = 2.8
normalization = 0.599, reshoot_counts*normalization = 1.6
original average = 14.56 y pos [mm], reshoot average = 19.19 y pos
counts [1/mm]
10^1
6×10^0
4×10^0
3×10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_18___reshoot_key=Y_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.599, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
0.04
0.02
0.00
−0.02
−0.04
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_19___reshoot_key=Y_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.599, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_20___reshoot_key=Y_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.599, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_21___reshoot_key=Y_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.599, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_22___reshoot_key=Y_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.599, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_23___reshoot_key=Y_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.599, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
0.04
0.02
0.00
−0.02
−0.04
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_24___reshoot_key=Y_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.599, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_25___reshoot_key=Y_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.599, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_26___reshoot_key=Y_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.599, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
0.04
0.02
0.00
−0.02
−0.04
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_e-___reshoot_key=Y_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1308775.6, reshoot_counts = 2119711.8
normalization = 0.599, reshoot_counts*normalization = 1270218.3
original average = -0.02 y pos [mm], reshoot average = -0.14 y pos [
counts [1/mm]
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_e+___reshoot_key=Y_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26221.4, reshoot_counts = 51463.5
normalization = 0.599, reshoot_counts*normalization = 30839.0
original average = -0.05 y pos [mm], reshoot average = -0.23 y pos [
3×10^3
2×10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_2000_gamma___reshoot_key=Y_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1608744.0, reshoot_counts = 2687177.2
normalization = 0.599, reshoot_counts*normalization = 1610266.9
original average = -0.00 y pos [mm], reshoot average = -0.13 y pos [
counts [1/mm]
10^5
9×10^4
8×10^4
−400
−200
0
200
400
y pos [mm]


original_key=Y_2000_mu-___reshoot_key=Y_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5822.8, reshoot_counts = 16205.2
normalization = 0.599, reshoot_counts*normalization = 9710.9
original average = 0.16 y pos [mm], reshoot average = 0.04 y pos [m
10^3
6×10^2
4×10^2
3×10^2
2×10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_2000_mu+___reshoot_key=Y_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4359.8, reshoot_counts = 12282.8
normalization = 0.599, reshoot_counts*normalization = 7360.3
original average = -0.08 y pos [mm], reshoot average = -0.45 y pos [
counts [1/mm]
6×10^2
4×10^2
3×10^2
2×10^2
−400
−200
0
200
400
y pos [mm]


original_key=Y_2000_pi-___reshoot_key=Y_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 45820.4, reshoot_counts = 75193.0
normalization = 0.599, reshoot_counts*normalization = 45058.7
original average = -0.07 y pos [mm], reshoot average = -0.26 y pos [
4×10^3
3×10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_2000_pi+___reshoot_key=Y_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 36523.2, reshoot_counts = 59843.8
normalization = 0.599, reshoot_counts*normalization = 35860.8
original average = -0.04 y pos [mm], reshoot average = -0.06 y pos [
3×10^3
2×10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]