






original_key=Theta_wide_1500_0___reshoot_key=Theta_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 54027319.4, reshoot_counts = 1039965.6
normalization = 1.646, reshoot_counts*normalization = 1711819.6
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^{10}
10^{9}
10^{8}
10^{7}
10^{6}
10^{5}
10^{4}
10^{3}
10^{2}
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_1___reshoot_key=Theta_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 35350164.6, reshoot_counts = 732483.9
normalization = 1.646, reshoot_counts*normalization = 1205694.0
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^{10}
10^{9}
10^{8}
10^{7}
10^{6}
10^{5}
10^{4}
10^{3}
10^{2}
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_2___reshoot_key=Theta_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 14905293.9, reshoot_counts = 290097.9
normalization = 1.646, reshoot_counts*normalization = 477511.2
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^9
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_3___reshoot_key=Theta_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 643683.2, reshoot_counts = 12727.8
normalization = 1.646, reshoot_counts*normalization = 20950.4
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_4___reshoot_key=Theta_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 262615.4, reshoot_counts = 5332.7
normalization = 1.646, reshoot_counts*normalization = 8777.9
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_5___reshoot_key=Theta_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 424945.3, reshoot_counts = 9081.6
normalization = 1.646, reshoot_counts*normalization = 14948.6
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_6___reshoot_key=Theta_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 772813.6, reshoot_counts = 17186.1
normalization = 1.646, reshoot_counts*normalization = 28288.9
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_7___reshoot_key=Theta_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 419099.8, reshoot_counts = 9612.3
normalization = 1.646, reshoot_counts*normalization = 15822.3
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_8___reshoot_key=Theta_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 201114.0, reshoot_counts = 4697.4
normalization = 1.646, reshoot_counts*normalization = 7732.1
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_9___reshoot_key=Theta_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 108209.3, reshoot_counts = 2554.1
normalization = 1.646, reshoot_counts*normalization = 4204.2
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_10___reshoot_key=Theta_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 189157.1, reshoot_counts = 4250.0
normalization = 1.646, reshoot_counts*normalization = 6995.6
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_11___reshoot_key=Theta_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 158859.4, reshoot_counts = 3441.4
normalization = 1.646, reshoot_counts*normalization = 5664.7
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_12___reshoot_key=Theta_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 130947.0, reshoot_counts = 2648.0
normalization = 1.646, reshoot_counts*normalization = 4358.7
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_13___reshoot_key=Theta_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 56474.1, reshoot_counts = 1061.4
normalization = 1.646, reshoot_counts*normalization = 1747.0
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_14___reshoot_key=Theta_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 15542.6, reshoot_counts = 263.8
normalization = 1.646, reshoot_counts*normalization = 434.3
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_15___reshoot_key=Theta_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1659.7, reshoot_counts = 24.9
normalization = 1.646, reshoot_counts*normalization = 40.9
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_16___reshoot_key=Theta_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 53.1, reshoot_counts = 1.0
normalization = 1.646, reshoot_counts*normalization = 1.7
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_17___reshoot_key=Theta_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.1, reshoot_counts = 0.1
normalization = 1.646, reshoot_counts*normalization = 0.1
original average = 0.20 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
10^2
6 × 10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_18___reshoot_key=Theta_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.0, reshoot_counts = 0.0
normalization = 1.646, reshoot_counts*normalization = 0.0
original average = 0.80 Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
Theta [rad]
0
20
40
60
80
100
120
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_19___reshoot_key=Theta_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.646, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_20___reshoot_key=Theta_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.646, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_21___reshoot_key=Theta_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.646, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
0.04
0.02
0.00
−0.02
−0.04
counts [1/rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_22___reshoot_key=Theta_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.646, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_23___reshoot_key=Theta_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.646, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_24___reshoot_key=Theta_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.646, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_25___reshoot_key=Theta_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.646, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_26___reshoot_key=Theta_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.646, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_e-___reshoot_key=Theta_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 316966.8, reshoot_counts = 148422.7
normalization = 1.646, reshoot_counts*normalization = 244308.9
original average = 0.66 Theta [rad], reshoot average = 0.65 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_e+___reshoot_key=Theta_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 53964.9, reshoot_counts = 2748.8
normalization = 1.646, reshoot_counts*normalization = 4524.6
original average = 0.05 Theta [rad], reshoot average = 0.05 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_gamma___reshoot_key=Theta_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4865697.5, reshoot_counts = 118073.7
normalization = 1.646, reshoot_counts*normalization = 194353.5
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^9
10^8
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_mu-___reshoot_key=Theta_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6197.6, reshoot_counts = 793.8
normalization = 1.646, reshoot_counts*normalization = 1306.6
original average = 0.07 Theta [rad], reshoot average = 0.07 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_mu+___reshoot_key=Theta_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4689.2, reshoot_counts = 580.3
normalization = 1.646, reshoot_counts*normalization = 955.2
original average = 0.07 Theta [rad], reshoot average = 0.07 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_pi-___reshoot_key=Theta_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 142003.9, reshoot_counts = 3411.1
normalization = 1.646, reshoot_counts*normalization = 5614.7
original average = 0.05 Theta [rad], reshoot average = 0.05 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_pi+___reshoot_key=Theta_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 113032.5, reshoot_counts = 2704.7
normalization = 1.646, reshoot_counts*normalization = 4452.1
original average = 0.05 Theta [rad], reshoot average = 0.05 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Phi_wide_1500_0___reshoot_key=Phi_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3906846.2, reshoot_counts = 2377311.9
normalization = 1.646, reshoot_counts*normalization = 3913138.1
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
4×10^7
3×10^7
2×10^7
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_1___reshoot_key=Phi_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2719468.2, reshoot_counts = 1652187.1
normalization = 1.646, reshoot_counts*normalization = 2719557.5
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
3×10^7
2×10^7
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_2___reshoot_key=Phi_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1092241.2, reshoot_counts = 663477.6
normalization = 1.646, reshoot_counts*normalization = 1092107.3
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^7
6×10^6
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_3___reshoot_key=Phi_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 47658.2, reshoot_counts = 28948.3
normalization = 1.646, reshoot_counts*normalization = 47650.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
6 × 10^5
4 × 10^5
3 × 10^5
2 × 10^5
0
1
2
3
4
5
6



original_key=Phi_wide_1500_4___reshoot_key=Phi_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 19966.0, reshoot_counts = 12153.2
normalization = 1.646, reshoot_counts*normalization = 20004.5
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
2×10^5
10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_5___reshoot_key=Phi_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 33612.5, reshoot_counts = 20602.0
normalization = 1.646, reshoot_counts*normalization = 33911.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
4×10^5
3×10^5
2×10^5
0
1
2
3
4
5
6



original_key=Phi_wide_1500_6___reshoot_key=Phi_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 63531.7, reshoot_counts = 38562.1
normalization = 1.646, reshoot_counts*normalization = 63474.5
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
6×10^5
4×10^5
3×10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_7___reshoot_key=Phi_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 35377.9, reshoot_counts = 21392.7
normalization = 1.646, reshoot_counts*normalization = 35213.1
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
4 × 10^5
3 × 10^5
2 × 10^5
0
1
2
3
4
5
6



original_key=Phi_wide_1500_8___reshoot_key=Phi_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 17379.4, reshoot_counts = 10443.2
normalization = 1.646, reshoot_counts*normalization = 17189.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
2×10^5
10^5
6×10^4
0
1
2
3
4
5
6



original_key=Phi_wide_1500_9___reshoot_key=Phi_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9437.7, reshoot_counts = 5795.6
normalization = 1.646, reshoot_counts*normalization = 9539.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_wide_1500_10___reshoot_key=Phi_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 15875.3, reshoot_counts = 9578.5
normalization = 1.646, reshoot_counts*normalization = 15766.6
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
2×10^5
10^5
6×10^4
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_11___reshoot_key=Phi_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12958.4, reshoot_counts = 7912.7
normalization = 1.646, reshoot_counts*normalization = 13024.5
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
10^5
6×10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_12___reshoot_key=Phi_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10068.3, reshoot_counts = 6097.1
normalization = 1.646, reshoot_counts*normalization = 10036.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^5
6×10^4
4×10^4
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_13___reshoot_key=Phi_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4052.6, reshoot_counts = 2491.2
normalization = 1.646, reshoot_counts*normalization = 4100.5
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_wide_1500_14___reshoot_key=Phi_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1035.8, reshoot_counts = 623.7
normalization = 1.646, reshoot_counts*normalization = 1026.6
original average = 3.14 Phi [rad], reshoot average = 3.13 Phi [rad]
counts [1/rad]
Phi [rad]
10^4
6×10^3
4×10^3
3×10^3
0
1
2
3
4
5
6



original_key=Phi_wide_1500_15___reshoot_key=Phi_1_15
original counts = 199.1, reshoot_counts = 54.3
normalization = 1.646, reshoot_counts*normalization = 89.5
original average = 3.13 Phi [rad], reshoot average = 3.08 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
10^3
10^2
0
1
2
3
4
5
6



original_key=Phi_wide_1500_16___reshoot_key=Phi_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.7, reshoot_counts = 1.8
normalization = 1.646, reshoot_counts*normalization = 3.0
original average = 2.98 Phi [rad], reshoot average = 3.04 Phi [rad]
counts [1/rad]
Phi [rad]
4 × 10^2
3 × 10^2
2 × 10^2
10^2
6 × 10^1
0
1
2
3
4
5
6



original_key=Phi_wide_1500_17___reshoot_key=Phi_1_17
original counts = 0.2, reshoot_counts = 0.1
normalization = 1.646, reshoot_counts*normalization = 0.2
original average = 2.62 Phi [rad], reshoot average = 2.81 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
9 × 10^1
8 × 10^1
7 × 10^1
6 × 10^1
0
1
2
3
4
5
6



original_key=Phi_wide_1500_18___reshoot_key=Phi_1_18
original counts = 0.1, reshoot_counts = 0.0
normalization = 1.646, reshoot_counts*normalization = 0.0
original average = 3.62 Phi [rad], reshoot average = nan Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
0
10
20
30
40
50
60
0
1
2
3
4
5
6



original_key=Phi_wide_1500_19___reshoot_key=Phi_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.646, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_20___reshoot_key=Phi_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.646, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_21___reshoot_key=Phi_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.646, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_22___reshoot_key=Phi_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.646, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_23___reshoot_key=Phi_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.646, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_24___reshoot_key=Phi_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.646, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_25___reshoot_key=Phi_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.646, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_26___reshoot_key=Phi_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.646, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_e-___reshoot_key=Phi_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 321331.6, reshoot_counts = 196377.7
normalization = 1.646, reshoot_counts*normalization = 323244.6
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_wide_1500_e+___reshoot_key=Phi_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6944.5, reshoot_counts = 5033.9
normalization = 1.646, reshoot_counts*normalization = 8286.0
original average = 3.14 Phi [rad], reshoot average = 3.13 Phi [rad]
counts [1/rad]
Phi [rad]
10^5
6×10^4
4×10^4
3×10^4
0
1
2
3
4
5
6



original_key=Phi_wide_1500_gamma___reshoot_key=Phi_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 419028.6, reshoot_counts = 258754.5
normalization = 1.646, reshoot_counts*normalization = 425919.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
6 × 10^6
4 × 10^6
3 × 10^6
2 × 10^6
0
1
2
3
4
5
6



original_key=Phi_wide_1500_mu-___reshoot_key=Phi_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1220.1, reshoot_counts = 1282.7
normalization = 1.646, reshoot_counts*normalization = 2111.3
original average = 3.13 Phi [rad], reshoot average = 3.15 Phi [rad]
3×10^4
2×10^4
10^4
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_mu+___reshoot_key=Phi_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 940.9, reshoot_counts = 922.4
normalization = 1.646, reshoot_counts*normalization = 1518.2
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]
2×10^4
10^4
6×10^3
4×10^3
0
1
2
3
4
5
6



original_key=Phi_wide_1500_pi-___reshoot_key=Phi_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12191.6, reshoot_counts = 7385.1
normalization = 1.646, reshoot_counts*normalization = 12156.2
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
10^5
6×10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_pi+___reshoot_key=Phi_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9632.5, reshoot_counts = 5837.3
normalization = 1.646, reshoot_counts*normalization = 9608.4
original average = 3.15 Phi [rad], reshoot average = 3.15 Phi [rad]
10^5
6×10^4
4×10^4
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Ekin_wide_1500_0___reshoot_key=EkinU_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 171991695.5, reshoot_counts = 104613733.0
normalization = 1.646, reshoot_counts*normalization = 172197849.3
original average = 665.76 Ek [MeV/u], reshoot average = 667.59 Ek [
counts [u/MeV]
10^5
10^4
10^3
10^2
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_1___reshoot_key=EkinU_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 120005008.5, reshoot_counts = 72910134.5
normalization = 1.646, reshoot_counts*normalization = 120012621.6
original average = 627.46 Ek [MeV/u], reshoot average = 627.49 Ek [
counts [u/MeV]
Ek [MeV/u]
10^5
10^4
10^3
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_1500_2___reshoot_key=EkinU_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 48118630.5, reshoot_counts = 29240032.0
normalization = 1.646, reshoot_counts*normalization = 48130111.4
original average = 603.42 Ek [MeV/u], reshoot average = 603.49 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
10^5
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_1500_3___reshoot_key=EkinU_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2108175.5, reshoot_counts = 1279987.5
normalization = 1.646, reshoot_counts*normalization = 2106904.0
original average = 564.42 Ek [MeV/u], reshoot average = 564.64 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_4___reshoot_key=EkinU_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 878968.0, reshoot_counts = 534257.5
normalization = 1.646, reshoot_counts*normalization = 879406.5
original average = 511.59 Ek [MeV/u], reshoot average = 511.66 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_1500_5___reshoot_key=EkinU_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1489195.5, reshoot_counts = 904595.5
normalization = 1.646, reshoot_counts*normalization = 1488995.7
original average = 471.11 Ek [MeV/u], reshoot average = 471.07 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_6___reshoot_key=EkinU_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2802576.5, reshoot_counts = 1703898.0
normalization = 1.646, reshoot_counts*normalization = 2804675.5
original average = 411.17 Ek [MeV/u], reshoot average = 411.38 Ek [
counts [u/MeV]
Ek [MeV/u]
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_1500_7___reshoot_key=EkinU_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1564977.0, reshoot_counts = 950570.0
normalization = 1.646, reshoot_counts*normalization = 1564671.3
original average = 365.18 Ek [MeV/u], reshoot average = 365.38 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_8___reshoot_key=EkinU_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 764406.0, reshoot_counts = 464482.5
normalization = 1.646, reshoot_counts*normalization = 764554.4
original average = 319.35 Ek [MeV/u], reshoot average = 319.32 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_9___reshoot_key=EkinU_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 416278.0, reshoot_counts = 252614.0
normalization = 1.646, reshoot_counts*normalization = 415811.4
original average = 294.29 Ek [MeV/u], reshoot average = 294.56 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_1500_10___reshoot_key=EkinU_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 697265.5, reshoot_counts = 423563.5
normalization = 1.646, reshoot_counts*normalization = 697200.3
original average = 243.69 Ek [MeV/u], reshoot average = 243.90 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_11___reshoot_key=EkinU_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 568147.5, reshoot_counts = 345322.5
normalization = 1.646, reshoot_counts*normalization = 568412.9
original average = 203.59 Ek [MeV/u], reshoot average = 203.58 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_12___reshoot_key=EkinU_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 440407.5, reshoot_counts = 268225.5
normalization = 1.646, reshoot_counts*normalization = 441508.5
original average = 158.90 Ek [MeV/u], reshoot average = 159.05 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_13___reshoot_key=EkinU_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 178839.0, reshoot_counts = 108646.0
normalization = 1.646, reshoot_counts*normalization = 178835.1
original average = 125.00 Ek [MeV/u], reshoot average = 125.09 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_1500_14___reshoot_key=EkinU_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 45205.5, reshoot_counts = 27351.0
normalization = 1.646, reshoot_counts*normalization = 45020.7
original average = 93.75 Ek [MeV/u], reshoot average = 93.07 Ek [Me
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_15___reshoot_key=EkinU_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4392.0, reshoot_counts = 2609.5
normalization = 1.646, reshoot_counts*normalization = 4295.3
original average = 81.01 Ek [MeV/u], reshoot average = 81.66 Ek [Me
counts [u/MeV]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_16___reshoot_key=EkinU_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 157.0, reshoot_counts = 103.5
normalization = 1.646, reshoot_counts*normalization = 170.4
original average = 78.82 Ek [MeV/u], reshoot average = 75.48 Ek [Me
counts [u/MeV]
6×10^0
4×10^0
3×10^0
2×10^0
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_17___reshoot_key=EkinU_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9.0, reshoot_counts = 5.5
normalization = 1.646, reshoot_counts*normalization = 9.1
original average = 65.79 Ek [MeV/u], reshoot average = 108.33 Ek [M
counts [u/MeV]
3×10^0
2×10^0
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_18___reshoot_key=EkinU_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.0, reshoot_counts = 0.0
normalization = 1.646, reshoot_counts*normalization = 0.0
original average = 504.50 Ek [MeV/u], reshoot average = nan Ek [MeV
counts [u/MeV]
Ek [MeV/u]
0.0
0.2
0.4
0.6
0.8
1.0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_1500_19___reshoot_key=EkinU_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.646, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_20___reshoot_key=EkinU_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.646, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_21___reshoot_key=EkinU_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.646, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_22___reshoot_key=EkinU_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.646, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_23___reshoot_key=EkinU_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.646, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_24___reshoot_key=EkinU_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.646, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_25___reshoot_key=EkinU_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.646, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_26___reshoot_key=EkinU_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.646, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_e-___reshoot_key=EkinU_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1092652.5, reshoot_counts = 8211375.5
normalization = 1.646, reshoot_counts*normalization = 13516210.2
original average = 1.17 Ek [MeV/u], reshoot average = 2.78 Ek [MeV/u
counts [u/MeV]
Ek [MeV/u]
10^8
10^7
10^6
10^5
10^4
10^3
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_1500_e+___reshoot_key=EkinU_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24105.9, reshoot_counts = 220642.5
normalization = 1.646, reshoot_counts*normalization = 363185.2
original average = 35.82 Ek [MeV/u], reshoot average = 35.79 Ek [Me
counts [u/MeV]
10^3
10^2
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_gamma___reshoot_key=EkinU_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1721679.0, reshoot_counts = 10444123.5
normalization = 1.646, reshoot_counts*normalization = 17191391.2
original average = 5.67 Ek [MeV/u], reshoot average = 7.13 Ek [MeV/u
counts [u/MeV]
10^7
10^6
10^5
10^4
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_mu-___reshoot_key=EkinU_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1727.9, reshoot_counts = 56272.0
normalization = 1.646, reshoot_counts*normalization = 92625.7
original average = 54.39 Ek [MeV/u], reshoot average = 54.49 Ek [Me
counts [u/MeV]
10^3
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_mu+___reshoot_key=EkinU_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1229.0, reshoot_counts = 41679.0
normalization = 1.646, reshoot_counts*normalization = 68605.1
original average = 53.25 Ek [MeV/u], reshoot average = 53.18 Ek [Me
counts [u/MeV]
10^3
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_pi-___reshoot_key=EkinU_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1045899.7, reshoot_counts = 325811.5
normalization = 1.646, reshoot_counts*normalization = 536297.1
original average = 297.66 Ek [MeV/u], reshoot average = 297.47 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_1500_pi+___reshoot_key=EkinU_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 831086.6, reshoot_counts = 259101.0
normalization = 1.646, reshoot_counts*normalization = 426489.3
original average = 324.11 Ek [MeV/u], reshoot average = 324.62 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=X_wide_1500_0___reshoot_key=X_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 43596443.6, reshoot_counts = 26172166.5
normalization = 1.646, reshoot_counts*normalization = 43080297.9
original average = -0.01 x pos [mm], reshoot average = -0.14 x pos [
3×10^6
2×10^6
10^6
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_1___reshoot_key=X_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 30379900.1, reshoot_counts = 18227668.2
normalization = 1.646, reshoot_counts*normalization = 30003377.0
original average = -0.00 x pos [mm], reshoot average = -0.13 x pos [
2×10^6
10^6
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_2___reshoot_key=X_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12177289.4, reshoot_counts = 7310208.2
normalization = 1.646, reshoot_counts*normalization = 12032857.5
original average = -0.00 x pos [mm], reshoot average = -0.13 x pos [
counts [1/mm]
6 × 10^5
4 × 10^5
3 × 10^5
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_3___reshoot_key=X_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 533559.9, reshoot_counts = 320010.5
normalization = 1.646, reshoot_counts*normalization = 526748.4
original average = 0.01 x pos [mm], reshoot average = -0.13 x pos [m
counts [1/mm]
4 × 10^4
3 × 10^4
2 × 10^4
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_4___reshoot_key=X_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 222514.2, reshoot_counts = 133570.8
normalization = 1.646, reshoot_counts*normalization = 219862.1
original average = -0.02 x pos [mm], reshoot average = -0.14 x pos [
counts [1/mm]
10^4
6×10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_5___reshoot_key=X_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 377057.5, reshoot_counts = 226163.8
normalization = 1.646, reshoot_counts*normalization = 372273.4
original average = -0.02 x pos [mm], reshoot average = -0.15 x pos [
3 × 10^4
2 × 10^4
10^4
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_6___reshoot_key=X_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 709841.8, reshoot_counts = 426005.5
normalization = 1.646, reshoot_counts*normalization = 701219.9
original average = -0.00 x pos [mm], reshoot average = -0.14 x pos [
counts [1/mm]
x pos [mm]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
−400
−200
0
200
400



original_key=X_wide_1500_7___reshoot_key=X_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 396279.4, reshoot_counts = 237659.5
normalization = 1.646, reshoot_counts*normalization = 391195.8
original average = -0.01 x pos [mm], reshoot average = -0.13 x pos [
3 × 10^4
2 × 10^4
10^4
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_8___reshoot_key=X_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 193530.6, reshoot_counts = 116126.5
normalization = 1.646, reshoot_counts*normalization = 191148.3
original average = 0.03 x pos [mm], reshoot average = -0.09 x pos [m
10^4
6×10^3
4×10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_9___reshoot_key=X_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 105503.0, reshoot_counts = 63155.8
normalization = 1.646, reshoot_counts*normalization = 103956.6
original average = -0.03 x pos [mm], reshoot average = -0.18 x pos [
counts [1/mm]
6 × 10^3
4 × 10^3
3 × 10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_10___reshoot_key=X_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 176496.9, reshoot_counts = 105897.0
normalization = 1.646, reshoot_counts*normalization = 174310.2
original average = -0.00 x pos [mm], reshoot average = -0.16 x pos [
10^4
6×10^3
4×10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_11___reshoot_key=X_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 143757.9, reshoot_counts = 86338.2
normalization = 1.646, reshoot_counts*normalization = 142115.8
original average = -0.02 x pos [mm], reshoot average = -0.15 x pos [
counts [1/mm]
10^4
6×10^3
4×10^3
3×10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_12___reshoot_key=X_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 111431.2, reshoot_counts = 67067.0
normalization = 1.646, reshoot_counts*normalization = 110394.6
original average = 0.12 x pos [mm], reshoot average = -0.00 x pos [m
6 × 10^3
4 × 10^3
3 × 10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_13___reshoot_key=X_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 45249.8, reshoot_counts = 27168.2
normalization = 1.646, reshoot_counts*normalization = 44719.9
original average = -0.02 x pos [mm], reshoot average = -0.07 x pos [
3×10^3
2×10^3
10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_14___reshoot_key=X_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11425.2, reshoot_counts = 6842.8
normalization = 1.646, reshoot_counts*normalization = 11263.4
original average = 0.25 x pos [mm], reshoot average = 0.25 x pos [m
counts [1/mm]
x pos [mm]
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
−400
−200
0
200
400



original_key=X_wide_1500_15___reshoot_key=X_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1113.2, reshoot_counts = 653.2
normalization = 1.646, reshoot_counts*normalization = 1075.3
original average = 0.04 x pos [mm], reshoot average = -0.33 x pos [m
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_16___reshoot_key=X_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 39.4, reshoot_counts = 26.0
normalization = 1.646, reshoot_counts*normalization = 42.8
original average = 0.14 x pos [mm], reshoot average = 1.88 x pos [m
counts [1/mm]
x pos [mm]
2 × 10^1
10^1
6 × 10^0
4 × 10^0
−400
−200
0
200
400



original_key=X_wide_1500_17___reshoot_key=X_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.2, reshoot_counts = 1.5
normalization = 1.646, reshoot_counts*normalization = 2.5
original average = 5.21 x pos [mm], reshoot average = 19.88 x pos [r
2×10^1
10^1
6×10^0
4×10^0
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_18___reshoot_key=X_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.8, reshoot_counts = 0.0
normalization = 1.646, reshoot_counts*normalization = 0.0
original average = -3.21 x pos [mm], reshoot average = nan x pos [m
counts [1/mm]
x pos [mm]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
3.5
4.0
−400
−200
0
200
400



original_key=X_wide_1500_19___reshoot_key=X_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.646, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
0.04
0.02
0.00
−0.02
−0.04
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_20___reshoot_key=X_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.646, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
0.04
0.02
0.00
−0.02
−0.04
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_21___reshoot_key=X_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.646, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
0.04
0.02
0.00
−0.02
−0.04
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_22___reshoot_key=X_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.646, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
0.04
0.02
0.00
−0.02
−0.04
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_23___reshoot_key=X_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.646, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
0.04
0.02
0.00
−0.02
−0.04
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_24___reshoot_key=X_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.646, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
0.04
0.02
0.00
−0.02
−0.04
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_25___reshoot_key=X_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.646, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
0.04
0.02
0.00
−0.02
−0.04
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_26___reshoot_key=X_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.646, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
0.04
0.02
0.00
−0.02
−0.04
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_e-___reshoot_key=X_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2693400.2, reshoot_counts = 2146759.5
normalization = 1.646, reshoot_counts*normalization = 3533640.9
original average = -0.00 x pos [mm], reshoot average = -0.13 x pos [
counts [1/mm]
3 × 10^5
2 × 10^5
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_e+___reshoot_key=X_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 58249.0, reshoot_counts = 55426.0
normalization = 1.646, reshoot_counts*normalization = 91233.1
original average = -0.04 x pos [mm], reshoot average = -0.24 x pos [
10^4
6×10^3
4×10^3
3×10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_gamma___reshoot_key=X_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3515546.0, reshoot_counts = 2850358.0
normalization = 1.646, reshoot_counts*normalization = 4691788.6
original average = 0.01 x pos [mm], reshoot average = -0.10 x pos [m
counts [1/mm]
4 × 10^5
3 × 10^5
2 × 10^5
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_mu-___reshoot_key=X_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10387.6, reshoot_counts = 14074.5
normalization = 1.646, reshoot_counts*normalization = 23167.1
original average = -0.24 x pos [mm], reshoot average = -0.30 x pos [
2×10^3
10^3
6×10^2
4×10^2
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_mu+___reshoot_key=X_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7763.5, reshoot_counts = 10424.5
normalization = 1.646, reshoot_counts*normalization = 17159.1
original average = -0.19 x pos [mm], reshoot average = -0.15 x pos [
2×10^3
10^3
6×10^2
4×10^2
3×10^2
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_pi-___reshoot_key=X_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 102052.5, reshoot_counts = 81453.0
normalization = 1.646, reshoot_counts*normalization = 134074.5
original average = -0.03 x pos [mm], reshoot average = -0.15 x pos [
10^4
6×10^3
4×10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_pi+___reshoot_key=X_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 81243.4, reshoot_counts = 64775.2
normalization = 1.646, reshoot_counts*normalization = 106622.3
original average = 0.03 x pos [mm], reshoot average = -0.15 x pos [m
counts [1/mm]
10^4
6×10^3
4×10^3
3×10^3
−400
−200
0
200
400
x pos [mm]



original_key=Y_wide_1500_0___reshoot_key=Y_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 43596936.4, reshoot_counts = 26172166.5
normalization = 1.646, reshoot_counts*normalization = 43080297.9
original average = -0.01 y pos [mm], reshoot average = -0.13 y pos [
3×10^6
2×10^6
10^6
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_1___reshoot_key=Y_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 30379278.1, reshoot_counts = 18227668.2
normalization = 1.646, reshoot_counts*normalization = 30003377.0
original average = -0.01 y pos [mm], reshoot average = -0.13 y pos [
2×10^6
10^6
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_2___reshoot_key=Y_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12177064.0, reshoot_counts = 7310208.2
normalization = 1.646, reshoot_counts*normalization = 12032857.5
original average = -0.01 y pos [mm], reshoot average = -0.13 y pos [
counts [1/mm]
6 × 10^5
4 × 10^5
3 × 10^5
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_3___reshoot_key=Y_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 533485.5, reshoot_counts = 320010.5
normalization = 1.646, reshoot_counts*normalization = 526748.4
original average = -0.01 y pos [mm], reshoot average = -0.11 y pos [
counts [1/mm]
4 × 10^4
3 × 10^4
2 × 10^4
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_4___reshoot_key=Y_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 222421.2, reshoot_counts = 133570.8
normalization = 1.646, reshoot_counts*normalization = 219862.1
original average = 0.01 y pos [mm], reshoot average = -0.07 y pos [m
counts [1/mm]
10^4
6×10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_5___reshoot_key=Y_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 377005.4, reshoot_counts = 226163.8
normalization = 1.646, reshoot_counts*normalization = 372273.4
original average = -0.05 y pos [mm], reshoot average = -0.18 y pos [
3×10^4
2×10^4
10^4
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_6___reshoot_key=Y_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 709564.5, reshoot_counts = 426005.5
normalization = 1.646, reshoot_counts*normalization = 701219.9
original average = -0.00 y pos [mm], reshoot average = -0.13 y pos [
counts [1/mm]
y pos [mm]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
−400
−200
0
200
400



original_key=Y_wide_1500_7___reshoot_key=Y_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 396295.1, reshoot_counts = 237659.5
normalization = 1.646, reshoot_counts*normalization = 391195.8
original average = 0.01 y pos [mm], reshoot average = -0.12 y pos [m
3×10^4
2×10^4
10^4
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_8___reshoot_key=Y_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 193560.6, reshoot_counts = 116126.5
normalization = 1.646, reshoot_counts*normalization = 191148.3
original average = 0.02 y pos [mm], reshoot average = -0.12 y pos [m
10^4
6×10^3
4×10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_9___reshoot_key=Y_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 105437.5, reshoot_counts = 63155.8
normalization = 1.646, reshoot_counts*normalization = 103956.6
original average = 0.01 y pos [mm], reshoot average = -0.14 y pos [m
counts [1/mm]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_10___reshoot_key=Y_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 176504.4, reshoot_counts = 105897.0
normalization = 1.646, reshoot_counts*normalization = 174310.2
original average = 0.05 y pos [mm], reshoot average = 0.03 y pos [m
10^4
6×10^3
4×10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_11___reshoot_key=Y_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 143855.8, reshoot_counts = 86338.2
normalization = 1.646, reshoot_counts*normalization = 142115.8
original average = 0.05 y pos [mm], reshoot average = -0.00 y pos [m
counts [1/mm]
10^4
6×10^3
4×10^3
3×10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_12___reshoot_key=Y_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 111375.0, reshoot_counts = 67067.0
normalization = 1.646, reshoot_counts*normalization = 110394.6
original average = -0.03 y pos [mm], reshoot average = -0.10 y pos [
counts [1/mm]
6 × 10^3
4 × 10^3
3 × 10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_13___reshoot_key=Y_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 45242.0, reshoot_counts = 27168.2
normalization = 1.646, reshoot_counts*normalization = 44719.9
original average = 0.08 y pos [mm], reshoot average = -0.06 y pos [m
3×10^3
2×10^3
10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_14___reshoot_key=Y_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11430.5, reshoot_counts = 6842.8
normalization = 1.646, reshoot_counts*normalization = 11263.4
original average = -0.01 y pos [mm], reshoot average = 0.06 y pos [m
counts [1/mm]
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_15___reshoot_key=Y_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1111.0, reshoot_counts = 653.2
normalization = 1.646, reshoot_counts*normalization = 1075.3
original average = 0.23 y pos [mm], reshoot average = -0.12 y pos [m
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_16___reshoot_key=Y_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 39.4, reshoot_counts = 26.0
normalization = 1.646, reshoot_counts*normalization = 42.8
original average = 1.98 y pos [mm], reshoot average = 1.53 y pos [m
counts [1/mm]
y pos [mm]
2 × 10^1
10^1
6 × 10^0
4 × 10^0
−400
−200
0
200
400



original_key=Y_wide_1500_17___reshoot_key=Y_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.2, reshoot_counts = 1.5
normalization = 1.646, reshoot_counts*normalization = 2.5
original average = 6.62 y pos [mm], reshoot average = 18.54 y pos [r
10^1
6×10^0
4×10^0
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_18___reshoot_key=Y_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.8, reshoot_counts = 0.0
normalization = 1.646, reshoot_counts*normalization = 0.0
original average = -1.54 y pos [mm], reshoot average = nan y pos [m
counts [1/mm]
y pos [mm]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
3.5
4.0
−400
−200
0
200
400



original_key=Y_wide_1500_19___reshoot_key=Y_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.646, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
0.04
0.02
0.00
−0.02
−0.04
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_20___reshoot_key=Y_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.646, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
0.04
0.02
0.00
−0.02
−0.04
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_21___reshoot_key=Y_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.646, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
0.04
0.02
0.00
−0.02
−0.04
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_22___reshoot_key=Y_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.646, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
0.04
0.02
0.00
−0.02
−0.04
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_23___reshoot_key=Y_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.646, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
0.04
0.02
0.00
−0.02
−0.04
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_24___reshoot_key=Y_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.646, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
0.04
0.02
0.00
−0.02
−0.04
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_25___reshoot_key=Y_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.646, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
0.04
0.02
0.00
−0.02
−0.04
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_26___reshoot_key=Y_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.646, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
0.04
0.02
0.00
−0.02
−0.04
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_e-___reshoot_key=Y_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3603789.6, reshoot_counts = 2146759.5
normalization = 1.646, reshoot_counts*normalization = 3533640.9
original average = -0.01 y pos [mm], reshoot average = -0.14 y pos [
3×10^5
2×10^5
10^5
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_e+___reshoot_key=Y_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 77285.0, reshoot_counts = 55426.0
normalization = 1.646, reshoot_counts*normalization = 91233.1
original average = 0.01 y pos [mm], reshoot average = -0.20 y pos [m
counts [1/mm]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_1500_gamma___reshoot_key=Y_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4670454.4, reshoot_counts = 2850358.0
normalization = 1.646, reshoot_counts*normalization = 4691788.6
original average = -0.00 y pos [mm], reshoot average = -0.12 y pos [
counts [1/mm]
y pos [mm]
4 × 10^5
3 × 10^5
2 × 10^5
−400
−200
0
200
400


original_key=Y_wide_1500_mu-___reshoot_key=Y_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13868.2, reshoot_counts = 14074.5
normalization = 1.646, reshoot_counts*normalization = 23167.1
original average = 0.18 y pos [mm], reshoot average = 0.08 y pos [m
counts [1/mm]
10^3
6×10^2
4×10^2
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_1500_mu+___reshoot_key=Y_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10346.9, reshoot_counts = 10424.5
normalization = 1.646, reshoot_counts*normalization = 17159.1
original average = -0.05 y pos [mm], reshoot average = -0.07 y pos [
counts [1/mm]
10^3
6×10^2
4×10^2
3×10^2
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_1500_pi-___reshoot_key=Y_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 135564.4, reshoot_counts = 81453.0
normalization = 1.646, reshoot_counts*normalization = 134074.5
original average = -0.01 y pos [mm], reshoot average = -0.11 y pos [
10^4
6×10^3
4×10^3
3×10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_1500_pi+___reshoot_key=Y_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 107779.2, reshoot_counts = 64775.2
normalization = 1.646, reshoot_counts*normalization = 106622.3
original average = -0.09 y pos [mm], reshoot average = -0.21 y pos [
counts [1/mm]
6×10^3
4×10^3
3×10^3
−400
−200
0
200
400
y pos [mm]