






original_key=Theta_wide_2000_0___reshoot_key=Theta_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 48640439.0, reshoot_counts = 967738.6
normalization = 1.047, reshoot_counts*normalization = 1013662.1
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^{10}
10^{9}
10^{8}
10^{7}
10^{6}
10^{5}
10^{4}
10^{3}
10^{2}
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_1___reshoot_key=Theta_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 31722725.4, reshoot_counts = 662006.7
normalization = 1.047, reshoot_counts*normalization = 693421.9
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^{10}
10^{9}
10^{8}
10^{7}
10^{6}
10^{5}
10^{4}
10^{3}
10^{2}
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_2___reshoot_key=Theta_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13394208.7, reshoot_counts = 268426.9
normalization = 1.047, reshoot_counts*normalization = 281165.0
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^9
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_3___reshoot_key=Theta_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 577893.1, reshoot_counts = 11707.3
normalization = 1.047, reshoot_counts*normalization = 12262.9
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_4___reshoot_key=Theta_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 235557.7, reshoot_counts = 4840.3
normalization = 1.047, reshoot_counts*normalization = 5070.0
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_5___reshoot_key=Theta_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 380668.5, reshoot_counts = 8079.3
normalization = 1.047, reshoot_counts*normalization = 8462.7
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_6___reshoot_key=Theta_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 691042.7, reshoot_counts = 15012.7
normalization = 1.047, reshoot_counts*normalization = 15725.1
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_7___reshoot_key=Theta_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 373598.0, reshoot_counts = 8281.4
normalization = 1.047, reshoot_counts*normalization = 8674.4
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_8___reshoot_key=Theta_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 179154.5, reshoot_counts = 4039.7
normalization = 1.047, reshoot_counts*normalization = 4231.4
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_9___reshoot_key=Theta_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 96099.8, reshoot_counts = 2184.7
normalization = 1.047, reshoot_counts*normalization = 2288.3
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_10___reshoot_key=Theta_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 168530.0, reshoot_counts = 3717.9
normalization = 1.047, reshoot_counts*normalization = 3894.3
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_11___reshoot_key=Theta_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 140832.5, reshoot_counts = 3058.2
normalization = 1.047, reshoot_counts*normalization = 3203.3
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_12___reshoot_key=Theta_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 115968.6, reshoot_counts = 2401.8
normalization = 1.047, reshoot_counts*normalization = 2515.7
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_13___reshoot_key=Theta_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 49770.3, reshoot_counts = 987.6
normalization = 1.047, reshoot_counts*normalization = 1034.5
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_14___reshoot_key=Theta_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13485.6, reshoot_counts = 252.6
normalization = 1.047, reshoot_counts*normalization = 264.6
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_15___reshoot_key=Theta_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1431.2, reshoot_counts = 24.7
normalization = 1.047, reshoot_counts*normalization = 25.8
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_16___reshoot_key=Theta_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 48.6, reshoot_counts = 1.0
normalization = 1.047, reshoot_counts*normalization = 1.1
original average = 0.05 Theta [rad], reshoot average = 0.05 Theta [ra
10^3
10^2
counts [1/rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_17___reshoot_key=Theta_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.0, reshoot_counts = 0.0
normalization = 1.047, reshoot_counts*normalization = 0.0
original average = 0.06 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
2×10^2
10^2
6×10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_18___reshoot_key=Theta_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.0, reshoot_counts = 0.0
normalization = 1.047, reshoot_counts*normalization = 0.0
original average = 0.01 Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
Theta [rad]
0
20
40
60
80
100
120
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_19___reshoot_key=Theta_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.047, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_20___reshoot_key=Theta_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.047, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_21___reshoot_key=Theta_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.047, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_22___reshoot_key=Theta_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.047, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_23___reshoot_key=Theta_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.047, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_24___reshoot_key=Theta_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.047, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_25___reshoot_key=Theta_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.047, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_26___reshoot_key=Theta_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.047, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_e-___reshoot_key=Theta_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 207411.6, reshoot_counts = 145799.8
normalization = 1.047, reshoot_counts*normalization = 152718.7
original average = 0.63 Theta [rad], reshoot average = 0.62 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_e+___reshoot_key=Theta_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 42107.4, reshoot_counts = 2493.0
normalization = 1.047, reshoot_counts*normalization = 2611.3
original average = 0.05 Theta [rad], reshoot average = 0.05 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_gamma___reshoot_key=Theta_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4366774.5, reshoot_counts = 101908.0
normalization = 1.047, reshoot_counts*normalization = 106744.0
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^9
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_mu-___reshoot_key=Theta_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5809.3, reshoot_counts = 901.6
normalization = 1.047, reshoot_counts*normalization = 944.4
original average = 0.07 Theta [rad], reshoot average = 0.06 Theta [ra
counts [1/rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_mu+___reshoot_key=Theta_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4450.9, reshoot_counts = 675.0
normalization = 1.047, reshoot_counts*normalization = 707.0
original average = 0.06 Theta [rad], reshoot average = 0.06 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_pi-___reshoot_key=Theta_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 123195.5, reshoot_counts = 2917.9
normalization = 1.047, reshoot_counts*normalization = 3056.3
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_2000_pi+___reshoot_key=Theta_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 98132.0, reshoot_counts = 2309.8
normalization = 1.047, reshoot_counts*normalization = 2419.4
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Phi_wide_2000_0___reshoot_key=Phi_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2517492.3, reshoot_counts = 2406797.4
normalization = 1.047, reshoot_counts*normalization = 2521010.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
3×10^7
2×10^7
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_1___reshoot_key=Phi_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1711823.6, reshoot_counts = 1634331.2
normalization = 1.047, reshoot_counts*normalization = 1711887.5
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
2.4 × 10^7
2.2 × 10^7
2 × 10^7
1.8 × 10^7
1.6 × 10^7
1.4 × 10^7
1.2 × 10^7
0
1
2
3
4
5
6



original_key=Phi_wide_2000_2___reshoot_key=Phi_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 700076.8, reshoot_counts = 668040.2
normalization = 1.047, reshoot_counts*normalization = 699741.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
9 × 10^6
8 × 10^6
7 × 10^6
6 × 10^6
5 × 10^6
0
1
2
3
4
5
6



original_key=Phi_wide_2000_3___reshoot_key=Phi_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 30378.2, reshoot_counts = 29002.2
normalization = 1.047, reshoot_counts*normalization = 30378.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
4 × 10^5
3 × 10^5
2 × 10^5
0
1
2
3
4
5
6



original_key=Phi_wide_2000_4___reshoot_key=Phi_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12543.6, reshoot_counts = 12047.2
normalization = 1.047, reshoot_counts*normalization = 12618.9
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_5___reshoot_key=Phi_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 20849.8, reshoot_counts = 20039.4
normalization = 1.047, reshoot_counts*normalization = 20990.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
2.8 × 10^5
2.6 × 10^5
2.4 × 10^5
2.2 × 10^5
2 × 10^5
1.8 × 10^5
1.6 × 10^5
1.4 × 10^5
0
1
2
3
4
5
6



original_key=Phi_wide_2000_6___reshoot_key=Phi_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 38781.7, reshoot_counts = 37056.9
normalization = 1.047, reshoot_counts*normalization = 38815.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
5×10^5
4×10^5
3×10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_7___reshoot_key=Phi_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 21407.3, reshoot_counts = 20446.3
normalization = 1.047, reshoot_counts*normalization = 21416.6
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_wide_2000_8___reshoot_key=Phi_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10408.5, reshoot_counts = 9888.6
normalization = 1.047, reshoot_counts*normalization = 10357.9
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
10^5
6×10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_9___reshoot_key=Phi_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5626.7, reshoot_counts = 5384.2
normalization = 1.047, reshoot_counts*normalization = 5639.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
6×10^4
4×10^4
3×10^4
0
1
2
3
4
5
6



original_key=Phi_wide_2000_10___reshoot_key=Phi_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9693.2, reshoot_counts = 9205.6
normalization = 1.047, reshoot_counts*normalization = 9642.5
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^5
6×10^4
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_11___reshoot_key=Phi_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7926.5, reshoot_counts = 7662.2
normalization = 1.047, reshoot_counts*normalization = 8025.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^5
6×10^4
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_12___reshoot_key=Phi_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6286.6, reshoot_counts = 5908.1
normalization = 1.047, reshoot_counts*normalization = 6188.5
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_wide_2000_13___reshoot_key=Phi_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2594.7, reshoot_counts = 2441.8
normalization = 1.047, reshoot_counts*normalization = 2557.7
original average = 3.13 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
3×10^4
2×10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_14___reshoot_key=Phi_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 678.0, reshoot_counts = 643.4
normalization = 1.047, reshoot_counts*normalization = 673.9
original average = 3.15 Phi [rad], reshoot average = 3.14 Phi [rad]
10^4
6×10^3
4×10^3
3×10^3
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_15___reshoot_key=Phi_1_15
original counts = 66.5, reshoot counts = 67.4
normalization = 1.047, reshoot counts*normalization = 70.6
original average = 3.14 Phi [rad], reshoot average = 3.12 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
10^3
10^2
0
1
2
3
4
5
6



original_key=Phi_wide_2000_16___reshoot_key=Phi_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.9, reshoot_counts = 1.8
normalization = 1.047, reshoot_counts*normalization = 1.8
original average = 2.92 Phi [rad], reshoot average = 3.00 Phi [rad]
counts [1/rad]
Phi [rad]
3 × 10^2
2 × 10^2
10^2
6 × 10^1
0
1
2
3
4
5
6



original_key=Phi_wide_2000_17___reshoot_key=Phi_1_17
original counts = 0.1, reshoot_counts = 0.1
normalization = 1.047, reshoot_counts*normalization = 0.1
original average = 1.83 Phi [rad], reshoot average = 2.63 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
6 × 10^1
5.95 × 10^1
5.9 × 10^1
5.85 × 10^1
5.8 × 10^1
5.75 × 10^1
0
1
2
3
4
5
6



original_key=Phi_wide_2000_18___reshoot_key=Phi_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.047, reshoot_counts*normalization = 0.0
original average = 5.02 Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
Phi [rad]
0
10
20
30
40
50
60
0
1
2
3
4
5
6



original_key=Phi_wide_2000_19___reshoot_key=Phi_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.047, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_20___reshoot_key=Phi_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.047, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_21___reshoot_key=Phi_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.047, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_22___reshoot_key=Phi_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.047, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_23___reshoot_key=Phi_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.047, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_24___reshoot_key=Phi_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.047, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_25___reshoot_key=Phi_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.047, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_26___reshoot_key=Phi_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.047, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_e-___reshoot_key=Phi_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 201262.4, reshoot_counts = 192520.2
normalization = 1.047, reshoot_counts*normalization = 201656.2
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
2.8 × 10^6
2.6 × 10^6
2.4 × 10^6
2.2 × 10^6
2 × 10^6
1.8 × 10^6
1.6 × 10^6
1.4 × 10^6
0
1
2
3
4
5
6



original_key=Phi_wide_2000_e+___reshoot_key=Phi_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4125.2, reshoot_counts = 4747.6
normalization = 1.047, reshoot_counts*normalization = 4972.9
original average = 3.15 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
6 × 10^4
4 × 10^4
3 × 10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_gamma___reshoot_key=Phi_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 255070.9, reshoot_counts = 248289.8
normalization = 1.047, reshoot_counts*normalization = 260072.3
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
3×10^6
2×10^6
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_mu-___reshoot_key=Phi_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 928.5, reshoot_counts = 1476.5
normalization = 1.047, reshoot_counts*normalization = 1546.6
original average = 3.13 Phi [rad], reshoot average = 3.13 Phi [rad]
2×10^4
10^4
6×10^3
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_mu+___reshoot_key=Phi_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 704.8, reshoot_counts = 1145.4
normalization = 1.047, reshoot_counts*normalization = 1199.8
original average = 3.15 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
0
1
2
3
4
5
6



original_key=Phi_wide_2000_pi-___reshoot_key=Phi_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7253.9, reshoot_counts = 7045.9
normalization = 1.047, reshoot_counts*normalization = 7380.2
original average = 3.15 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]
10^5
9×10^4
8×10^4
7×10^4
6×10^4
5×10^4
0
1
2
3
4
5
6



original_key=Phi_wide_2000_pi+___reshoot_key=Phi_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5787.8, reshoot_counts = 5513.8
normalization = 1.047, reshoot_counts*normalization = 5775.5
original average = 3.15 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
6×10^4
4×10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Ekin_wide_2000_0___reshoot_key=EkinU_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 110917890.0, reshoot_counts = 106015848.0
normalization = 1.047, reshoot_counts*normalization = 111046774.5
original average = 672.96 Ek [MeV/u], reshoot average = 674.70 Ek [
counts [u/MeV]
10^5
10^4
10^3
10^2
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_1___reshoot_key=EkinU_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 75566596.5, reshoot_counts = 72147695.5
normalization = 1.047, reshoot_counts*normalization = 75571426.6
original average = 631.21 Ek [MeV/u], reshoot average = 631.24 Ek [
counts [u/MeV]
Ek [MeV/u]
10^5
10^4
10^3
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_2000_2___reshoot_key=EkinU_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 30884326.0, reshoot_counts = 29484106.5
normalization = 1.047, reshoot_counts*normalization = 30883259.3
original average = 607.66 Ek [MeV/u], reshoot average = 607.73 Ek [
counts [u/MeV]
Ek [MeV/u]
10^5
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_2000_3___reshoot_key=EkinU_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1344540.5, reshoot_counts = 1284895.0
normalization = 1.047, reshoot_counts*normalization = 1345869.0
original average = 568.70 Ek [MeV/u], reshoot average = 569.02 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_4___reshoot_key=EkinU_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 555840.5, reshoot_counts = 530111.5
normalization = 1.047, reshoot_counts*normalization = 555267.7
original average = 514.74 Ek [MeV/u], reshoot average = 514.56 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_2000_5___reshoot_key=EkinU_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 925342.5, reshoot_counts = 882909.5
normalization = 1.047, reshoot_counts*normalization = 924807.5
original average = 473.31 Ek [MeV/u], reshoot average = 473.70 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_2000_6___reshoot_key=EkinU_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1715603.5, reshoot_counts = 1637866.0
normalization = 1.047, reshoot_counts*normalization = 1715590.1
original average = 412.20 Ek [MeV/u], reshoot average = 412.19 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_7___reshoot_key=EkinU_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 946993.5, reshoot_counts = 902878.0
normalization = 1.047, reshoot_counts*normalization = 945723.6
original average = 365.41 Ek [MeV/u], reshoot average = 365.25 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_8___reshoot_key=EkinU_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 460668.5, reshoot_counts = 439795.0
normalization = 1.047, reshoot_counts*normalization = 460665.2
original average = 318.24 Ek [MeV/u], reshoot average = 318.43 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_2000_9___reshoot_key=EkinU_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 249200.5, reshoot_counts = 237797.0
normalization = 1.047, reshoot_counts*normalization = 249081.5
original average = 292.82 Ek [MeV/u], reshoot average = 292.67 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_2000_10___reshoot_key=EkinU_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 425899.5, reshoot_counts = 406135.0
normalization = 1.047, reshoot_counts*normalization = 425407.9
original average = 242.32 Ek [MeV/u], reshoot average = 242.46 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_11___reshoot_key=EkinU_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 350602.5, reshoot_counts = 335056.0
normalization = 1.047, reshoot_counts*normalization = 350955.9
original average = 202.57 Ek [MeV/u], reshoot average = 202.77 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_2000_12___reshoot_key=EkinU_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 277569.5, reshoot_counts = 263904.0
normalization = 1.047, reshoot_counts*normalization = 276427.4
original average = 158.03 Ek [MeV/u], reshoot average = 157.94 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_2000_13___reshoot_key=EkinU_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 114467.0, reshoot_counts = 108902.0
normalization = 1.047, reshoot_counts*normalization = 114069.9
original average = 124.52 Ek [MeV/u], reshoot average = 124.47 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_14___reshoot_key=EkinU_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 29286.0, reshoot_counts = 27922.0
normalization = 1.047, reshoot_counts*normalization = 29247.0
original average = 93.81 Ek [MeV/u], reshoot average = 93.63 Ek [Me
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_15___reshoot_key=EkinU_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2912.5, reshoot_counts = 2743.5
normalization = 1.047, reshoot_counts*normalization = 2873.7
original average = 81.32 Ek [MeV/u], reshoot average = 81.73 Ek [Me
counts [u/MeV]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_16___reshoot_key=EkinU_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 107.0, reshoot_counts = 98.5
normalization = 1.047, reshoot_counts*normalization = 103.2
original average = 79.63 Ek [MeV/u], reshoot average = 72.98 Ek [Me
counts [u/MeV]
Ek [MeV/u]
6×10^0
4×10^0
3×10^0
2×10^0
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_2000_17___reshoot_key=EkinU_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5.0, reshoot_counts = 4.0
normalization = 1.047, reshoot_counts*normalization = 4.2
original average = 88.70 Ek [MeV/u], reshoot average = 41.50 Ek [Me
counts [u/MeV]
1.04 × 10^0
1.03 × 10^0
1.02 × 10^0
1.01 × 10^0
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_18___reshoot_key=EkinU_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.0, reshoot_counts = 0.0
normalization = 1.047, reshoot_counts*normalization = 0.0
original average = 629.50 Ek [MeV/u], reshoot average = nan Ek [MeV
counts [u/MeV]
Ek [MeV/u]
0.0
0.2
0.4
0.6
0.8
1.0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_2000_19___reshoot_key=EkinU_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.047, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_20___reshoot_key=EkinU_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.047, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_21___reshoot_key=EkinU_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.047, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_22___reshoot_key=EkinU_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.047, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_23___reshoot_key=EkinU_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.047, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_24___reshoot_key=EkinU_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.047, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_25___reshoot_key=EkinU_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.047, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_26___reshoot_key=EkinU_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.047, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_e-___reshoot_key=EkinU_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 685432.4, reshoot_counts = 8116350.5
normalization = 1.047, reshoot_counts*normalization = 8501507.7
original average = 1.11 Ek [MeV/u], reshoot average = 2.69 Ek [MeV/u
counts [u/MeV]
10^7
10^6
10^5
10^4
10^3
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_e+___reshoot_key=EkinU_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 14372.1, reshoot_counts = 208640.0
normalization = 1.047, reshoot_counts*normalization = 218540.9
original average = 36.36 Ek [MeV/u], reshoot average = 36.37 Ek [Me
10^3
10^2
counts [u/MeV]
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_gamma___reshoot_key=EkinU_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1048698.9, reshoot_counts = 9996337.5
normalization = 1.047, reshoot_counts*normalization = 10470708.5
original average = 5.72 Ek [MeV/u], reshoot average = 7.18 Ek [MeV/u
counts [u/MeV]
Ek [MeV/u]
10^7
10^6
10^5
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_2000_mu-___reshoot_key=EkinU_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1180.4, reshoot_counts = 66111.5
normalization = 1.047, reshoot_counts*normalization = 69248.8
original average = 57.10 Ek [MeV/u], reshoot average = 56.95 Ek [Me
counts [u/MeV]
10^3
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_mu+___reshoot_key=EkinU_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 818.5, reshoot_counts = 50086.5
normalization = 1.047, reshoot_counts*normalization = 52463.3
original average = 55.81 Ek [MeV/u], reshoot average = 55.88 Ek [Me
counts [u/MeV]
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_pi-___reshoot_key=EkinU_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 624595.1, reshoot_counts = 305764.0
normalization = 1.047, reshoot_counts*normalization = 320273.9
original average = 301.42 Ek [MeV/u], reshoot average = 301.31 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_2000_pi+___reshoot_key=EkinU_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 497023.7, reshoot_counts = 243010.5
normalization = 1.047, reshoot_counts*normalization = 254542.4
original average = 327.79 Ek [MeV/u], reshoot average = 327.70 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=X_wide_2000_0___reshoot_key=X_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 28118293.1, reshoot_counts = 26521701.2
normalization = 1.047, reshoot_counts*normalization = 27780274.7
original average = -0.01 x pos [mm], reshoot average = -0.13 x pos [
2×10^6
10^6
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_1___reshoot_key=X_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 19131037.5, reshoot_counts = 18037036.8
normalization = 1.047, reshoot_counts*normalization = 18892974.9
original average = -0.00 x pos [mm], reshoot average = -0.13 x pos [
counts [1/mm]
10^6
9×10^5
8×10^5
7×10^5
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_2___reshoot_key=X_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7816679.4, reshoot_counts = 7371189.8
normalization = 1.047, reshoot_counts*normalization = 7720985.7
original average = -0.00 x pos [mm], reshoot average = -0.13 x pos [
counts [1/mm]
6 × 10^5
5 × 10^5
4 × 10^5
3 × 10^5
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_3___reshoot_key=X_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 340386.8, reshoot_counts = 321237.0
normalization = 1.047, reshoot_counts*normalization = 336481.1
original average = 0.02 x pos [mm], reshoot average = -0.07 x pos [m
counts [1/mm]
x pos [mm]
2.6 × 10^4
2.4 × 10^4
2.2 × 10^4
2 × 10^4
1.8 × 10^4
1.6 × 10^4
1.4 × 10^4
1.2 × 10^4
−400
−200
0
200
400



original_key=X_wide_2000_4___reshoot_key=X_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 140798.4, reshoot_counts = 132534.5
normalization = 1.047, reshoot_counts*normalization = 138823.9
original average = 0.01 x pos [mm], reshoot average = -0.12 x pos [m
10^4
6×10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_5___reshoot_key=X_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 234310.5, reshoot_counts = 220744.0
normalization = 1.047, reshoot_counts*normalization = 231219.3
original average = 0.01 x pos [mm], reshoot average = -0.08 x pos [m
counts [1/mm]
10^4
9×10^3
8×10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_6___reshoot_key=X_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 434359.0, reshoot_counts = 409494.5
normalization = 1.047, reshoot_counts*normalization = 428926.8
original average = -0.01 x pos [mm], reshoot average = -0.12 x pos [
counts [1/mm]
3 × 10^4
2 × 10^4
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_7___reshoot_key=X_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 239896.0, reshoot_counts = 225734.5
normalization = 1.047, reshoot_counts*normalization = 236446.6
original average = 0.02 x pos [mm], reshoot average = -0.10 x pos [m
2×10^4
10^4
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_8___reshoot_key=X_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 116675.6, reshoot_counts = 109955.0
normalization = 1.047, reshoot_counts*normalization = 115172.9
original average = 0.09 x pos [mm], reshoot average = 0.00 x pos [m
counts [1/mm]
6×10^3
4×10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_9___reshoot_key=X_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 63111.9, reshoot_counts = 59451.0
normalization = 1.047, reshoot_counts*normalization = 62272.2
original average = -0.02 x pos [mm], reshoot average = -0.20 x pos [
counts [1/mm]
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_10___reshoot_key=X_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 107874.4, reshoot_counts = 101538.8
normalization = 1.047, reshoot_counts*normalization = 106357.2
original average = -0.02 x pos [mm], reshoot average = -0.15 x pos [
counts [1/mm]
6×10^3
4×10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_11___reshoot_key=X_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 88778.9, reshoot_counts = 83773.0
normalization = 1.047, reshoot_counts*normalization = 87748.4
original average = -0.06 x pos [mm], reshoot average = -0.17 x pos [
counts [1/mm]
6 × 10^3
4 × 10^3
3 × 10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_12___reshoot_key=X_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 70265.0, reshoot_counts = 65987.5
normalization = 1.047, reshoot_counts*normalization = 69118.9
original average = 0.05 x pos [mm], reshoot average = -0.13 x pos [m
6 × 10^3
4 × 10^3
3 × 10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_13___reshoot_key=X_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 28984.6, reshoot_counts = 27233.5
normalization = 1.047, reshoot_counts*normalization = 28525.9
original average = 0.04 x pos [mm], reshoot average = -0.13 x pos [m
2×10^3
10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_14___reshoot_key=X_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7414.6, reshoot_counts = 6985.2
normalization = 1.047, reshoot_counts*normalization = 7316.7
original average = 0.16 x pos [mm], reshoot average = -0.30 x pos [m
counts [1/mm]
x pos [mm]
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
−400
−200
0
200
400



original_key=X_wide_2000_15___reshoot_key=X_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 737.4, reshoot_counts = 686.2
normalization = 1.047, reshoot_counts*normalization = 718.8
original average = 0.59 x pos [mm], reshoot average = 0.23 x pos [m
counts [1/mm]
x pos [mm]
6×10^1
4×10^1
3×10^1
2×10^1
10^1
6×10^0
4×10^0
−400
−200
0
200
400



original_key=X_wide_2000_16___reshoot_key=X_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 27.0, reshoot_counts = 25.2
normalization = 1.047, reshoot_counts*normalization = 26.4
original average = 3.94 x pos [mm], reshoot average = 2.38 x pos [m
counts [1/mm]
10^1
6×10^0
4×10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_17___reshoot_key=X_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.2, reshoot_counts = 1.0
normalization = 1.047, reshoot_counts*normalization = 1.0
original average = 3.77 x pos [mm], reshoot average = 0.81 x pos [m
counts [1/mm]
x pos [mm]
8 × 10^0
7 × 10^0
6 × 10^0
5 × 10^0
4 × 10^0
−400
−200
0
200
400



original_key=X_wide_2000_18___reshoot_key=X_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.5, reshoot_counts = 0.0
normalization = 1.047, reshoot_counts*normalization = 0.0
original average = 0.62 x pos [mm], reshoot average = nan x pos [mm
counts [1/mm]
x pos [mm]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
3.5
4.0
−400
−200
0
200
400



original_key=X_wide_2000_19___reshoot_key=X_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.047, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_20___reshoot_key=X_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.047, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
0.04
0.02
0.00
−0.02
−0.04
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_21___reshoot_key=X_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.047, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
0.04
0.02
0.00
−0.02
−0.04
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_22___reshoot_key=X_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.047, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_23___reshoot_key=X_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.047, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_24___reshoot_key=X_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.047, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_25___reshoot_key=X_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.047, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_26___reshoot_key=X_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.047, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_e-___reshoot_key=X_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1679448.6, reshoot_counts = 2108387.8
normalization = 1.047, reshoot_counts*normalization = 2208440.2
original average = 0.00 x pos [mm], reshoot average = -0.12 x pos [m
2×10^5
10^5
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_e+___reshoot_key=X_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34955.8, reshoot_counts = 52316.0
normalization = 1.047, reshoot_counts*normalization = 54798.6
original average = -0.10 x pos [mm], reshoot average = -0.23 x pos [
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_gamma___reshoot_key=X_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2140319.6, reshoot_counts = 2727731.5
normalization = 1.047, reshoot_counts*normalization = 2857174.6
original average = 0.01 x pos [mm], reshoot average = -0.12 x pos [m
3×10^5
2×10^5
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_mu-___reshoot_key=X_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7734.0, reshoot_counts = 16537.0
normalization = 1.047, reshoot_counts*normalization = 17321.8
original average = 0.06 x pos [mm], reshoot average = -0.06 x pos [m
counts [1/mm]
10^3
6×10^2
4×10^2
3×10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_mu+___reshoot_key=X_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5796.1, reshoot_counts = 12525.2
normalization = 1.047, reshoot_counts*normalization = 13119.6
original average = -0.15 x pos [mm], reshoot average = -0.24 x pos [
counts [1/mm]
x pos [mm]
10^3
6×10^2
4×10^2
3×10^2
2×10^2
−400
−200
0
200
400



original_key=X_wide_2000_pi-___reshoot_key=X_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 60889.2, reshoot_counts = 76441.0
normalization = 1.047, reshoot_counts*normalization = 80068.5
original average = -0.01 x pos [mm], reshoot average = -0.13 x pos [
6 × 10^3
4 × 10^3
3 × 10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_pi+___reshoot_key=X_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 48513.2, reshoot_counts = 60752.8
normalization = 1.047, reshoot_counts*normalization = 63635.7
original average = 0.07 x pos [mm], reshoot average = -0.10 x pos [m
counts [1/mm]
6 × 10^3
4 × 10^3
3 × 10^3
−400
−200
0
200
400
x pos [mm]



original_key=Y_wide_2000_0___reshoot_key=Y_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 28118909.0, reshoot_counts = 26521701.2
normalization = 1.047, reshoot_counts*normalization = 27780274.7
original average = -0.01 y pos [mm], reshoot average = -0.13 y pos [
2×10^6
10^6
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_1___reshoot_key=Y_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 19130604.9, reshoot_counts = 18037036.8
normalization = 1.047, reshoot_counts*normalization = 18892974.9
original average = -0.00 y pos [mm], reshoot average = -0.13 y pos [
counts [1/mm]
10^6
9×10^5
8×10^5
7×10^5
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_2___reshoot_key=Y_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7816815.9, reshoot_counts = 7371189.8
normalization = 1.047, reshoot_counts*normalization = 7720985.7
original average = -0.01 y pos [mm], reshoot average = -0.13 y pos [
counts [1/mm]
6 × 10^5
5 × 10^5
4 × 10^5
3 × 10^5
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_3___reshoot_key=Y_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 340329.4, reshoot_counts = 321237.0
normalization = 1.047, reshoot_counts*normalization = 336481.1
original average = -0.00 y pos [mm], reshoot average = -0.12 y pos [
counts [1/mm]
y pos [mm]
2.6 × 10^4
2.4 × 10^4
2.2 × 10^4
2 × 10^4
1.8 × 10^4
1.6 × 10^4
1.4 × 10^4
1.2 × 10^4
−400
−200
0
200
400



original_key=Y_wide_2000_4___reshoot_key=Y_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 140703.0, reshoot_counts = 132534.5
normalization = 1.047, reshoot_counts*normalization = 138823.9
original average = 0.02 y pos [mm], reshoot average = -0.12 y pos [m
counts [1/mm]
y pos [mm]
10^4
9×10^3
8×10^3
7×10^3
6×10^3
5×10^3
−400
−200
0
200
400



original_key=Y_wide_2000_5___reshoot_key=Y_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 234303.6, reshoot_counts = 220744.0
normalization = 1.047, reshoot_counts*normalization = 231219.3
original average = -0.03 y pos [mm], reshoot average = -0.21 y pos [
counts [1/mm]
10^4
9×10^3
8×10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_6___reshoot_key=Y_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 434489.1, reshoot_counts = 409494.5
normalization = 1.047, reshoot_counts*normalization = 428926.8
original average = -0.01 y pos [mm], reshoot average = -0.10 y pos [
counts [1/mm]
3 × 10^4
2 × 10^4
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_7___reshoot_key=Y_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 239862.0, reshoot_counts = 225734.5
normalization = 1.047, reshoot_counts*normalization = 236446.6
original average = 0.01 y pos [mm], reshoot average = -0.13 y pos [m
2×10^4
10^4
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_8___reshoot_key=Y_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 116652.4, reshoot_counts = 109955.0
normalization = 1.047, reshoot_counts*normalization = 115172.9
original average = -0.00 y pos [mm], reshoot average = -0.08 y pos [
counts [1/mm]
6×10^3
4×10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_9___reshoot_key=Y_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 63112.9, reshoot_counts = 59451.0
normalization = 1.047, reshoot_counts*normalization = 62272.2
original average = -0.01 y pos [mm], reshoot average = -0.28 y pos [
counts [1/mm]
4×10^3
3×10^3
2×10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_10___reshoot_key=Y_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 107871.8, reshoot_counts = 101538.8
normalization = 1.047, reshoot_counts*normalization = 106357.2
original average = 0.01 y pos [mm], reshoot average = -0.16 y pos [m
counts [1/mm]
6×10^3
4×10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_11___reshoot_key=Y_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 88767.5, reshoot_counts = 83773.0
normalization = 1.047, reshoot_counts*normalization = 87748.4
original average = 0.03 y pos [mm], reshoot average = -0.10 y pos [m
counts [1/mm]
6×10^3
4×10^3
3×10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_12___reshoot_key=Y_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 70237.6, reshoot_counts = 65987.5
normalization = 1.047, reshoot_counts*normalization = 69118.9
original average = -0.04 y pos [mm], reshoot average = -0.26 y pos [
4×10^3
3×10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_13___reshoot_key=Y_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 29008.2, reshoot_counts = 27233.5
normalization = 1.047, reshoot_counts*normalization = 28525.9
original average = 0.08 y pos [mm], reshoot average = -0.14 y pos [m
2×10^3
10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_14___reshoot_key=Y_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7402.2, reshoot_counts = 6985.2
normalization = 1.047, reshoot_counts*normalization = 7316.7
original average = -0.06 y pos [mm], reshoot average = -0.18 y pos [
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_15___reshoot_key=Y_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 741.6, reshoot_counts = 686.2
normalization = 1.047, reshoot_counts*normalization = 718.8
original average = -0.06 y pos [mm], reshoot average = -0.16 y pos [
counts [1/mm]
y pos [mm]
6×10^1
4×10^1
3×10^1
2×10^1
10^1
6×10^0
4×10^0
−400
−200
0
200
400



original_key=Y_wide_2000_16___reshoot_key=Y_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 28.5, reshoot_counts = 25.2
normalization = 1.047, reshoot_counts*normalization = 26.4
original average = 2.24 y pos [mm], reshoot average = 4.30 y pos [m
10^1
6×10^0
4×10^0
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_17___reshoot_key=Y_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.2, reshoot_counts = 1.0
normalization = 1.047, reshoot_counts*normalization = 1.0
original average = 21.88 y pos [mm], reshoot average = 16.25 y pos
counts [1/mm]
y pos [mm]
4.175 × 10^0
4.15 × 10^0
4.125 × 10^0
4.1 × 10^0
4.075 × 10^0
4.05 × 10^0
4.025 × 10^0
4 × 10^0
−400
−200
0
200
400



original_key=Y_wide_2000_18___reshoot_key=Y_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.5, reshoot_counts = 0.0
normalization = 1.047, reshoot_counts*normalization = 0.0
original average = -1.88 y pos [mm], reshoot average = nan y pos [m
counts [1/mm]
y pos [mm]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
3.5
4.0
−400
−200
0
200
400



original_key=Y_wide_2000_19___reshoot_key=Y_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.047, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
0.04
0.02
0.00
−0.02
−0.04
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_20___reshoot_key=Y_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.047, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_21___reshoot_key=Y_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.047, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_22___reshoot_key=Y_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.047, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_23___reshoot_key=Y_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.047, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
0.04
0.02
0.00
−0.02
−0.04
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_24___reshoot_key=Y_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.047, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_25___reshoot_key=Y_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.047, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_26___reshoot_key=Y_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.047, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
0.04
0.02
0.00
−0.02
−0.04
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_e-___reshoot_key=Y_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2254866.6, reshoot_counts = 2108387.8
normalization = 1.047, reshoot_counts*normalization = 2208440.2
original average = -0.01 y pos [mm], reshoot average = -0.15 y pos [
2×10^5
10^5
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_e+___reshoot_key=Y_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 46342.0, reshoot_counts = 52316.0
normalization = 1.047, reshoot_counts*normalization = 54798.6
original average = -0.01 y pos [mm], reshoot average = -0.08 y pos [
4×10^3
3×10^3
2×10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_2000_gamma___reshoot_key=Y_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2843822.4, reshoot_counts = 2727731.5
normalization = 1.047, reshoot_counts*normalization = 2857174.6
original average = -0.00 y pos [mm], reshoot average = -0.12 y pos [
counts [1/mm]
y pos [mm]
2.4 × 10^5
2.2 × 10^5
2 × 10^5
1.8 × 10^5
1.6 × 10^5
1.4 × 10^5
1.2 × 10^5
−400
−200
0
200
400


original_key=Y_wide_2000_mu-___reshoot_key=Y_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10236.8, reshoot_counts = 16537.0
normalization = 1.047, reshoot_counts*normalization = 17321.8
original average = 0.19 y pos [mm], reshoot average = 0.00 y pos [m
10^3
6×10^2
4×10^2
3×10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_2000_mu+___reshoot_key=Y_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7688.6, reshoot_counts = 12525.2
normalization = 1.047, reshoot_counts*normalization = 13119.6
original average = -0.17 y pos [mm], reshoot average = -0.23 y pos [
10^3
6×10^2
4×10^2
3×10^2
2×10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_2000_pi-___reshoot_key=Y_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 80980.1, reshoot_counts = 76441.0
normalization = 1.047, reshoot_counts*normalization = 80068.5
original average = -0.03 y pos [mm], reshoot average = -0.15 y pos [
counts [1/mm]
6 × 10^3
4 × 10^3
3 × 10^3
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_2000_pi+___reshoot_key=Y_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 64461.0, reshoot_counts = 60752.8
normalization = 1.047, reshoot_counts*normalization = 63635.7
original average = -0.11 y pos [mm], reshoot average = -0.16 y pos [
4×10^3
3×10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]