






original_key=Theta_2000_0___reshoot_key=Theta_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 17164069.4, reshoot_counts = 698037.1
normalization = 0.403, reshoot_counts*normalization = 281599.9
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^{10}
10^{8}
10^{6}
10^{4}
10^{2}
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_1___reshoot_key=Theta_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11493278.5, reshoot_counts = 487123.8
normalization = 0.403, reshoot_counts*normalization = 196513.9
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^9
10^8
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_2___reshoot_key=Theta_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5186523.8, reshoot_counts = 213044.9
normalization = 0.403, reshoot_counts*normalization = 85945.9
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^9
10^8
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_3___reshoot_key=Theta_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 233401.5, reshoot_counts = 9637.6
normalization = 0.403, reshoot_counts*normalization = 3887.9
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_4___reshoot_key=Theta_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 94792.3, reshoot_counts = 3978.7
normalization = 0.403, reshoot_counts*normalization = 1605.1
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_5___reshoot_key=Theta_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 147522.1, reshoot_counts = 6381.5
normalization = 0.403, reshoot_counts*normalization = 2574.4
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_6___reshoot_key=Theta_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 287803.8, reshoot_counts = 12870.3
normalization = 0.403, reshoot_counts*normalization = 5192.1
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_7___reshoot_key=Theta_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 162597.8, reshoot_counts = 7459.9
normalization = 0.403, reshoot_counts*normalization = 3009.4
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_8___reshoot_key=Theta_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 78850.5, reshoot_counts = 3719.8
normalization = 0.403, reshoot_counts*normalization = 1500.6
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_9___reshoot_key=Theta_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 44392.5, reshoot_counts = 2122.3
normalization = 0.403, reshoot_counts*normalization = 856.2
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_10___reshoot_key=Theta_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 97000.4, reshoot_counts = 4547.9
normalization = 0.403, reshoot_counts*normalization = 1834.7
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_11___reshoot_key=Theta_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 104976.5, reshoot_counts = 4945.5
normalization = 0.403, reshoot_counts*normalization = 1995.1
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_12___reshoot_key=Theta_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 153070.7, reshoot_counts = 7074.0
normalization = 0.403, reshoot_counts*normalization = 2853.8
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_13___reshoot_key=Theta_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 149210.2, reshoot_counts = 6820.7
normalization = 0.403, reshoot_counts*normalization = 2751.6
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_14___reshoot_key=Theta_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 266155.0, reshoot_counts = 11886.7
normalization = 0.403, reshoot_counts*normalization = 4795.3
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_15___reshoot_key=Theta_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 228855.1, reshoot_counts = 9959.9
normalization = 0.403, reshoot_counts*normalization = 4018.0
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_16___reshoot_key=Theta_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 263509.1, reshoot_counts = 11086.9
normalization = 0.403, reshoot_counts*normalization = 4472.6
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_17___reshoot_key=Theta_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 270788.7, reshoot_counts = 11009.0
normalization = 0.403, reshoot_counts*normalization = 4441.2
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_18___reshoot_key=Theta_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 267670.5, reshoot_counts = 10403.5
normalization = 0.403, reshoot_counts*normalization = 4197.0
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_19___reshoot_key=Theta_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 257680.6, reshoot_counts = 9590.4
normalization = 0.403, reshoot_counts*normalization = 3868.9
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_20___reshoot_key=Theta_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 256519.8, reshoot_counts = 9116.1
normalization = 0.403, reshoot_counts*normalization = 3677.6
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_21___reshoot_key=Theta_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 178808.4, reshoot_counts = 6030.3
normalization = 0.403, reshoot_counts*normalization = 2432.7
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_22___reshoot_key=Theta_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 91933.2, reshoot_counts = 2955.7
normalization = 0.403, reshoot_counts*normalization = 1192.4
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_23___reshoot_key=Theta_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 23069.5, reshoot_counts = 711.3
normalization = 0.403, reshoot_counts*normalization = 286.9
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_24___reshoot_key=Theta_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 317.0, reshoot_counts = 11.9
normalization = 0.403, reshoot_counts*normalization = 4.8
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_25___reshoot_key=Theta_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4.2, reshoot_counts = 0.5
normalization = 0.403, reshoot_counts*normalization = 0.2
original average = 0.05 Theta [rad], reshoot average = 0.05 Theta [ra
10^3
10^2
counts [1/rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_26___reshoot_key=Theta_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.403, reshoot_counts*normalization = 0.0
original average = 0.08 Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
Theta [rad]
0
10
20
30
40
50
60
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_e-___reshoot_key=Theta_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 400521.8, reshoot_counts = 910264.9
normalization = 0.403, reshoot_counts*normalization = 367216.1
original average = 0.64 Theta [rad], reshoot average = 0.63 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_e+___reshoot_key=Theta_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 18838.9, reshoot_counts = 2208.1
normalization = 0.403, reshoot_counts*normalization = 890.8
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_gamma___reshoot_key=Theta_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1476992.5, reshoot_counts = 67908.0
normalization = 0.403, reshoot_counts*normalization = 27395.2
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_mu-___reshoot_key=Theta_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1779.1, reshoot_counts = 624.7
normalization = 0.403, reshoot_counts*normalization = 252.0
original average = 0.06 Theta [rad], reshoot average = 0.06 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_mu+___reshoot_key=Theta_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1381.5, reshoot_counts = 455.1
normalization = 0.403, reshoot_counts*normalization = 183.6
original average = 0.06 Theta [rad], reshoot average = 0.06 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_pi-___reshoot_key=Theta_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 44764.4, reshoot_counts = 2138.6
normalization = 0.403, reshoot_counts*normalization = 862.7
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_pi+___reshoot_key=Theta_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34767.2, reshoot_counts = 1652.1
normalization = 0.403, reshoot_counts*normalization = 666.5
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Phi_2000_0___reshoot_key=Phi_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 727991.5, reshoot_counts = 1807917.3
normalization = 0.403, reshoot_counts*normalization = 729344.1
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
2×10^7
10^7
6×10^6
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_1___reshoot_key=Phi_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 505604.8, reshoot_counts = 1254410.0
normalization = 0.403, reshoot_counts*normalization = 506050.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
10^7
6×10^6
4×10^6
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_2___reshoot_key=Phi_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 222348.5, reshoot_counts = 551770.4
normalization = 0.403, reshoot_counts*normalization = 222593.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
6 × 10^6
4 × 10^6
3 × 10^6
2 × 10^6
0
1
2
3
4
5
6



original_key=Phi_2000_3___reshoot_key=Phi_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10078.7, reshoot_counts = 25246.5
normalization = 0.403, reshoot_counts*normalization = 10184.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
3 × 10^5
2 × 10^5
10^5
6 × 10^4
0
1
2
3
4
5
6



original_key=Phi_2000_4___reshoot_key=Phi_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4189.2, reshoot_counts = 10296.2
normalization = 0.403, reshoot_counts*normalization = 4153.7
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]
10^5
6×10^4
4×10^4
3×10^4
0
1
2
3
4
5
6



original_key=Phi_2000_5___reshoot_key=Phi_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6640.9, reshoot_counts = 16720.7
normalization = 0.403, reshoot_counts*normalization = 6745.4
original average = 3.15 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]
2×10^5
10^5
6×10^4
4×10^4
0
1
2
3
4
5
6



original_key=Phi_2000_6___reshoot_key=Phi_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13420.5, reshoot_counts = 32977.9
normalization = 0.403, reshoot_counts*normalization = 13303.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_2000_7___reshoot_key=Phi_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7710.4, reshoot_counts = 19198.2
normalization = 0.403, reshoot_counts*normalization = 7744.9
original average = 3.15 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
2×10^5
10^5
6×10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_8___reshoot_key=Phi_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3775.7, reshoot_counts = 9396.8
normalization = 0.403, reshoot_counts*normalization = 3790.8
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]
10^5
6×10^4
4×10^4
3×10^4
0
1
2
3
4
5
6



original_key=Phi_2000_9___reshoot_key=Phi_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2170.2, reshoot_counts = 5458.9
normalization = 0.403, reshoot_counts*normalization = 2202.2
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_2000_10___reshoot_key=Phi_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4649.8, reshoot_counts = 11568.9
normalization = 0.403, reshoot_counts*normalization = 4667.1
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
10^5
6×10^4
4×10^4
3×10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_11___reshoot_key=Phi_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5124.6, reshoot_counts = 12679.5
normalization = 0.403, reshoot_counts*normalization = 5115.1
original average = 3.14 Phi [rad], reshoot average = 3.13 Phi [rad]
counts [1/rad]
Phi [rad]
10^5
6×10^4
4×10^4
3×10^4
0
1
2
3
4
5
6



original_key=Phi_2000_12___reshoot_key=Phi_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7305.6, reshoot_counts = 18220.5
normalization = 0.403, reshoot_counts*normalization = 7350.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
2×10^5
10^5
6×10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_13___reshoot_key=Phi_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7113.0, reshoot_counts = 17517.2
normalization = 0.403, reshoot_counts*normalization = 7066.7
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]
2×10^5
10^5
6×10^4
4×10^4
0
1
2
3
4
5
6



original_key=Phi_2000_14___reshoot_key=Phi_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12349.9, reshoot_counts = 30703.2
normalization = 0.403, reshoot_counts*normalization = 12386.2
original average = 3.15 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]
4×10^5
3×10^5
2×10^5
10^5
0
1
2
3
4
5
6



original_key=Phi_2000_15___reshoot_key=Phi_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10389.9, reshoot_counts = 25973.7
normalization = 0.403, reshoot_counts*normalization = 10478.2
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
4 × 10^5
3 × 10^5
2 × 10^5
10^5
6 × 10^4
0
1
2
3
4
5
6



original_key=Phi_2000_16___reshoot_key=Phi_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11612.2, reshoot_counts = 29000.3
normalization = 0.403, reshoot_counts*normalization = 11699.2
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_2000_17___reshoot_key=Phi_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11595.8, reshoot_counts = 28711.2
normalization = 0.403, reshoot_counts*normalization = 11582.6
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_2000_18___reshoot_key=Phi_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10999.1, reshoot_counts = 27092.0
normalization = 0.403, reshoot_counts*normalization = 10929.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
4×10^5
3×10^5
2×10^5
10^5
0
1
2
3
4
5
6



original_key=Phi_2000_19___reshoot_key=Phi_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10084.0, reshoot_counts = 24885.9
normalization = 0.403, reshoot_counts*normalization = 10039.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
3 × 10^5
2 × 10^5
10^5
6 × 10^4
0
1
2
3
4
5
6



original_key=Phi_2000_20___reshoot_key=Phi_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9739.7, reshoot_counts = 23865.3
normalization = 0.403, reshoot_counts*normalization = 9627.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
3 × 10^5
2 × 10^5
10^5
6 × 10^4
0
1
2
3
4
5
6



original_key=Phi_2000_21___reshoot_key=Phi_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6425.6, reshoot_counts = 15591.4
normalization = 0.403, reshoot_counts*normalization = 6289.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
2×10^5
10^5
6×10^4
4×10^4
0
1
2
3
4
5
6



original_key=Phi_2000_22___reshoot_key=Phi_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3148.7, reshoot_counts = 7676.8
normalization = 0.403, reshoot_counts*normalization = 3096.9
original average = 3.15 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
10^5
6×10^4
4×10^4
3×10^4
2×10^4
0
1
2
3
4
5
6



original_key=Phi_2000_23___reshoot_key=Phi_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 765.0, reshoot_counts = 1912.2
normalization = 0.403, reshoot_counts*normalization = 771.4
original average = 3.14 Phi [rad], reshoot average = 3.12 Phi [rad]
counts [1/rad]
Phi [rad]
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
0
1
2
3
4
5
6



original_key=Phi_2000_24___reshoot_key=Phi_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12.7, reshoot_counts = 23.5
normalization = 0.403, reshoot_counts*normalization = 9.5
original average = 3.03 Phi [rad], reshoot average = 3.05 Phi [rad]
counts [1/rad]
Phi [rad]
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
10^2
6 × 10^1
4 × 10^1
3 × 10^1
2 × 10^1
0
1
2
3
4
5
6



original_key=Phi_2000_25___reshoot_key=Phi_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.3, reshoot_counts = 1.6
normalization = 0.403, reshoot_counts*normalization = 0.6
original average = 3.26 Phi [rad], reshoot average = 2.76 Phi [rad]
counts [1/rad]
Phi [rad]
2×10^2
10^2
6×10^1
4×10^1
3×10^1
0
1
2
3
4
5
6



original_key=Phi_2000_26___reshoot_key=Phi_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.403, reshoot_counts*normalization = 0.0
original average = 4.01 Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
Phi [rad]
0
10
20
30
40
50
60
0
1
2
3
4
5
6



original_key=Phi_2000_e-___reshoot_key=Phi_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 481337.6, reshoot_counts = 1195952.3
normalization = 0.403, reshoot_counts*normalization = 482467.2
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
10^7
6×10^6
4×10^6
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_e+___reshoot_key=Phi_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1402.9, reshoot_counts = 4490.6
normalization = 0.403, reshoot_counts*normalization = 1811.6
original average = 3.15 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
6×10^4
4×10^4
3×10^4
2×10^4
10^4
0
1
2
3
4
5
6



original_key=Phi_2000_gamma___reshoot_key=Phi_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 67810.7, reshoot_counts = 172415.4
normalization = 0.403, reshoot_counts*normalization = 69555.2
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
2×10^6
10^6
6×10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_mu-___reshoot_key=Phi_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 242.0, reshoot_counts = 1020.3
normalization = 0.403, reshoot_counts*normalization = 411.6
original average = 3.12 Phi [rad], reshoot average = 3.13 Phi [rad]
10^4
10^3
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_mu+___reshoot_key=Phi_1_mu+
original counts = 167.6, reshoot_counts = 774.9
normalization = 0.403, reshoot_counts*normalization = 312.6
original average = 3.12 Phi [rad], reshoot average = 3.11 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
10^4
10^3
0
1
2
3
4
5
6



original_key=Phi_2000_pi-___reshoot_key=Phi_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2094.5, reshoot_counts = 5336.3
normalization = 0.403, reshoot_counts*normalization = 2152.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_2000_pi+___reshoot_key=Phi_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1665.4, reshoot_counts = 4105.5
normalization = 0.403, reshoot_counts*normalization = 1656.2
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
6×10^4
4×10^4
3×10^4
2×10^4
10^4
0
1
2
3
4
5
6



original_key=Ekin_2000_0___reshoot_key=EkinU_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 31673437.5, reshoot_counts = 78578808.0
normalization = 0.403, reshoot_counts*normalization = 31700007.2
original average = 688.91 Ek [MeV/u], reshoot average = 690.20 Ek [
counts [u/MeV]
Ek [MeV/u]
10^5
10^4
10^3
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_1___reshoot_key=EkinU_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 22026710.0, reshoot_counts = 54604396.5
normalization = 0.403, reshoot_counts*normalization = 22028328.1
original average = 660.21 Ek [MeV/u], reshoot average = 660.27 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
10^5
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_2___reshoot_key=EkinU_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9701733.0, reshoot_counts = 24049611.5
normalization = 0.403, reshoot_counts*normalization = 9702016.1
original average = 654.96 Ek [MeV/u], reshoot average = 654.96 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_3___reshoot_key=EkinU_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 439326.5, reshoot_counts = 1087553.0
normalization = 0.403, reshoot_counts*normalization = 438737.1
original average = 635.23 Ek [MeV/u], reshoot average = 635.30 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_4___reshoot_key=EkinU_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 181197.0, reshoot_counts = 448092.0
normalization = 0.403, reshoot_counts*normalization = 180767.8
original average = 602.40 Ek [MeV/u], reshoot average = 602.54 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_5___reshoot_key=EkinU_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 289700.5, reshoot_counts = 717459.0
normalization = 0.403, reshoot_counts*normalization = 289435.0
original average = 574.33 Ek [MeV/u], reshoot average = 574.54 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_6___reshoot_key=EkinU_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 581708.0, reshoot_counts = 1443159.5
normalization = 0.403, reshoot_counts*normalization = 582194.7
original average = 531.37 Ek [MeV/u], reshoot average = 531.38 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_7___reshoot_key=EkinU_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 337423.5, reshoot_counts = 835906.0
normalization = 0.403, reshoot_counts*normalization = 337218.5
original average = 504.31 Ek [MeV/u], reshoot average = 504.75 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_8___reshoot_key=EkinU_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 167471.5, reshoot_counts = 415802.5
normalization = 0.403, reshoot_counts*normalization = 167741.7
original average = 479.09 Ek [MeV/u], reshoot average = 479.27 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_9___reshoot_key=EkinU_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 95845.0, reshoot_counts = 237456.0
normalization = 0.403, reshoot_counts*normalization = 95793.7
original average = 465.59 Ek [MeV/u], reshoot average = 465.73 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_10___reshoot_key=EkinU_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 205225.5, reshoot_counts = 509634.5
normalization = 0.403, reshoot_counts*normalization = 205595.1
original average = 433.53 Ek [MeV/u], reshoot average = 433.67 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_11___reshoot_key=EkinU_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 223953.0, reshoot_counts = 554964.5
normalization = 0.403, reshoot_counts*normalization = 223882.0
original average = 408.29 Ek [MeV/u], reshoot average = 408.04 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_12___reshoot_key=EkinU_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 321121.5, reshoot_counts = 794991.0
normalization = 0.403, reshoot_counts*normalization = 320712.7
original average = 376.26 Ek [MeV/u], reshoot average = 376.27 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_13___reshoot_key=EkinU_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 309980.0, reshoot_counts = 768092.0
normalization = 0.403, reshoot_counts*normalization = 309861.2
original average = 350.24 Ek [MeV/u], reshoot average = 350.16 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_14___reshoot_key=EkinU_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 540332.0, reshoot_counts = 1341228.5
normalization = 0.403, reshoot_counts*normalization = 541074.0
original average = 314.89 Ek [MeV/u], reshoot average = 315.07 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_15___reshoot_key=EkinU_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 453818.0, reshoot_counts = 1125655.0
normalization = 0.403, reshoot_counts*normalization = 454108.1
original average = 290.15 Ek [MeV/u], reshoot average = 290.05 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_16___reshoot_key=EkinU_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 506328.0, reshoot_counts = 1255093.0
normalization = 0.403, reshoot_counts*normalization = 506325.5
original average = 255.65 Ek [MeV/u], reshoot average = 255.50 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_17___reshoot_key=EkinU_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 503338.5, reshoot_counts = 1248418.5
normalization = 0.403, reshoot_counts*normalization = 503632.9
original average = 226.84 Ek [MeV/u], reshoot average = 226.87 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_18___reshoot_key=EkinU_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 476230.0, reshoot_counts = 1180673.5
normalization = 0.403, reshoot_counts*normalization = 476303.5
original average = 192.83 Ek [MeV/u], reshoot average = 192.70 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_19___reshoot_key=EkinU_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 439740.0, reshoot_counts = 1089852.0
normalization = 0.403, reshoot_counts*normalization = 439664.6
original average = 166.77 Ek [MeV/u], reshoot average = 166.77 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_20___reshoot_key=EkinU_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 418352.0, reshoot_counts = 1037346.5
normalization = 0.403, reshoot_counts*normalization = 418483.0
original average = 139.38 Ek [MeV/u], reshoot average = 139.40 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_21___reshoot_key=EkinU_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 276634.5, reshoot_counts = 686773.5
normalization = 0.403, reshoot_counts*normalization = 277055.9
original average = 115.19 Ek [MeV/u], reshoot average = 115.16 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_22___reshoot_key=EkinU_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 135930.5, reshoot_counts = 336356.0
normalization = 0.403, reshoot_counts*normalization = 135691.6
original average = 86.96 Ek [MeV/u], reshoot average = 87.05 Ek [Me
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_23___reshoot_key=EkinU_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 32732.0, reshoot_counts = 80814.0
normalization = 0.403, reshoot_counts*normalization = 32601.7
original average = 63.14 Ek [MeV/u], reshoot average = 63.28 Ek [Me
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_24___reshoot_key=EkinU_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 502.0, reshoot_counts = 1230.5
normalization = 0.403, reshoot_counts*normalization = 496.4
original average = 32.96 Ek [MeV/u], reshoot average = 33.38 Ek [Me
10^1
10^0
counts [u/MeV]
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_25___reshoot_key=EkinU_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 15.0, reshoot_counts = 38.0
normalization = 0.403, reshoot_counts*normalization = 15.3
original average = 14.77 Ek [MeV/u], reshoot average = 14.95 Ek [Me
counts [u/MeV]
Ek [MeV/u]
6×10^{0}
4×10^{0}
3×10^{0}
2×10^{0}
10^{0}
6×10^{-1}
4×10^{-1}
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_26___reshoot_key=EkinU_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.0, reshoot_counts = 0.0
normalization = 0.403, reshoot_counts*normalization = 0.0
original average = 1.83 Ek [MeV/u], reshoot average = nan Ek [MeV/u
counts [u/MeV]
Ek [MeV/u]
0.0
0.2
0.4
0.6
0.8
1.0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_e-___reshoot_key=EkinU_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1537930.7, reshoot_counts = 51742355.0
normalization = 0.403, reshoot_counts*normalization = 20873732.6
original average = 0.37 Ek [MeV/u], reshoot average = 0.90 Ek [MeV/u
counts [u/MeV]
Ek [MeV/u]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_e+___reshoot_key=EkinU_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4534.4, reshoot_counts = 195012.5
normalization = 0.403, reshoot_counts*normalization = 78671.3
original average = 38.98 Ek [MeV/u], reshoot average = 38.92 Ek [Me
counts [u/MeV]
10^3
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_gamma___reshoot_key=EkinU_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 271789.0, reshoot_counts = 6975954.0
normalization = 0.403, reshoot_counts*normalization = 2814216.7
original average = 5.18 Ek [MeV/u], reshoot average = 7.01 Ek [MeV/u
counts [u/MeV]
10^6
10^5
10^4
10^3
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_mu-___reshoot_key=EkinU_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 331.9, reshoot_counts = 46550.5
normalization = 0.403, reshoot_counts*normalization = 18779.3
original average = 56.48 Ek [MeV/u], reshoot average = 56.30 Ek [Me
counts [u/MeV]
Ek [MeV/u]



original_key=Ekin_2000_mu+___reshoot_key=EkinU_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 223.7, reshoot_counts = 34475.5
normalization = 0.403, reshoot_counts*normalization = 13908.0
original average = 54.63 Ek [MeV/u], reshoot average = 54.70 Ek [Me
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_pi-___reshoot_key=EkinU_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 180931.8, reshoot_counts = 230169.0
normalization = 0.403, reshoot_counts*normalization = 92854.0
original average = 317.15 Ek [MeV/u], reshoot average = 316.67 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_pi+___reshoot_key=EkinU_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 140559.7, reshoot_counts = 178374.0
normalization = 0.403, reshoot_counts*normalization = 71959.1
original average = 350.86 Ek [MeV/u], reshoot average = 350.66 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=X_2000_0___reshoot_key=X_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8059137.2, reshoot_counts = 19654074.8
normalization = 0.403, reshoot_counts*normalization = 7928782.9
original average = 0.00 x pos [mm], reshoot average = -0.12 x pos [m
counts [1/mm]
10^6
10^5
10^4
10^3
10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_1___reshoot_key=X_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5600088.6, reshoot_counts = 13651186.8
normalization = 0.403, reshoot_counts*normalization = 5507117.4
original average = -0.00 x pos [mm], reshoot average = -0.13 x pos [
counts [1/mm]
x pos [mm]
10^6
10^5
10^4
10^3
10^2
−400
−200
0
200
400



original_key=X_2000_2___reshoot_key=X_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2465760.8, reshoot_counts = 6012568.8
normalization = 0.403, reshoot_counts*normalization = 2425570.9
original average = 0.00 x pos [mm], reshoot average = -0.12 x pos [m
counts [1/mm]
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_3___reshoot_key=X_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 111644.9, reshoot_counts = 271901.5
normalization = 0.403, reshoot_counts*normalization = 109689.6
original average = -0.04 x pos [mm], reshoot average = -0.18 x pos [
10^4
6×10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_4___reshoot_key=X_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 46117.0, reshoot_counts = 112028.2
normalization = 0.403, reshoot_counts*normalization = 45194.1
original average = 0.05 x pos [mm], reshoot average = -0.03 x pos [m
counts [1/mm]
6 × 10^3
4 × 10^3
3 × 10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_5___reshoot_key=X_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 73658.1, reshoot_counts = 179377.8
normalization = 0.403, reshoot_counts*normalization = 72364.0
original average = -0.01 x pos [mm], reshoot average = -0.13 x pos [
10^4
6×10^3
4×10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_6___reshoot_key=X_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 147891.2, reshoot_counts = 360813.5
normalization = 0.403, reshoot_counts*normalization = 145558.2
original average = -0.02 x pos [mm], reshoot average = -0.12 x pos [
2×10^4
10^4
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_7___reshoot_key=X_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 85876.6, reshoot_counts = 208988.2
normalization = 0.403, reshoot_counts*normalization = 84309.4
original average = 0.01 x pos [mm], reshoot average = -0.11 x pos [m
counts [1/mm]
10^4
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_8___reshoot_key=X_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 42660.9, reshoot_counts = 103953.8
normalization = 0.403, reshoot_counts*normalization = 41936.7
original average = -0.03 x pos [mm], reshoot average = -0.17 x pos [
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_9___reshoot_key=X_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24367.9, reshoot_counts = 59364.0
normalization = 0.403, reshoot_counts*normalization = 23948.4
original average = -0.01 x pos [mm], reshoot average = -0.12 x pos [
3×10^3
2×10^3
10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_10___reshoot_key=X_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 52198.9, reshoot_counts = 127409.0
normalization = 0.403, reshoot_counts*normalization = 51398.9
original average = -0.02 x pos [mm], reshoot average = -0.14 x pos [
counts [1/mm]
6 × 10^3
4 × 10^3
3 × 10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_11___reshoot_key=X_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 56961.8, reshoot_counts = 138742.5
normalization = 0.403, reshoot_counts*normalization = 55971.0
original average = 0.08 x pos [mm], reshoot average = -0.03 x pos [m
counts [1/mm]
6 × 10^3
4 × 10^3
3 × 10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_12___reshoot_key=X_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 81656.4, reshoot_counts = 198749.8
normalization = 0.403, reshoot_counts*normalization = 80179.0
original average = 0.01 x pos [mm], reshoot average = -0.08 x pos [m
counts [1/mm]
10^4
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_13___reshoot_key=X_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 78812.9, reshoot_counts = 192028.5
normalization = 0.403, reshoot_counts*normalization = 77467.5
original average = -0.01 x pos [mm], reshoot average = -0.14 x pos [
counts [1/mm]
10^4
6×10^3
4×10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_14___reshoot_key=X_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 137397.9, reshoot_counts = 335315.8
normalization = 0.403, reshoot_counts*normalization = 135272.0
original average = 0.03 x pos [mm], reshoot average = -0.07 x pos [m
counts [1/mm]
10^4
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_15___reshoot_key=X_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 115377.0, reshoot_counts = 281422.5
normalization = 0.403, reshoot_counts*normalization = 113530.5
original average = 0.05 x pos [mm], reshoot average = -0.07 x pos [m
counts [1/mm]
10^4
6×10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_16___reshoot_key=X_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 128654.6, reshoot_counts = 313786.8
normalization = 0.403, reshoot_counts*normalization = 126586.8
original average = 0.01 x pos [mm], reshoot average = -0.11 x pos [m
counts [1/mm]
10^4
6×10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_17___reshoot_key=X_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 127913.6, reshoot_counts = 312126.0
normalization = 0.403, reshoot_counts*normalization = 125916.9
original average = -0.03 x pos [mm], reshoot average = -0.19 x pos [
counts [1/mm]
10^4
6×10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_18___reshoot_key=X_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 120945.2, reshoot_counts = 295201.8
normalization = 0.403, reshoot_counts*normalization = 119089.3
original average = 0.00 x pos [mm], reshoot average = -0.13 x pos [m
counts [1/mm]
10^4
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_19___reshoot_key=X_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 111599.9, reshoot_counts = 272500.0
normalization = 0.403, reshoot_counts*normalization = 109931.1
original average = -0.02 x pos [mm], reshoot average = -0.16 x pos [
10^4
6×10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_20___reshoot_key=X_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 106132.9, reshoot_counts = 259405.5
normalization = 0.403, reshoot_counts*normalization = 104648.5
original average = 0.03 x pos [mm], reshoot average = -0.10 x pos [m
10^4
6×10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_21___reshoot_key=X_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 70194.2, reshoot_counts = 171764.0
normalization = 0.403, reshoot_counts*normalization = 69292.5
original average = -0.03 x pos [mm], reshoot average = -0.17 x pos [
counts [1/mm]
x pos [mm]
10^4
10^3
10^2
10^1
−400
−200
0
200
400



original_key=X_2000_22___reshoot_key=X_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34488.6, reshoot_counts = 84156.2
normalization = 0.403, reshoot_counts*normalization = 33950.0
original average = -0.01 x pos [mm], reshoot average = -0.13 x pos [
counts [1/mm]
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_23___reshoot_key=X_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8315.1, reshoot_counts = 20228.8
normalization = 0.403, reshoot_counts*normalization = 8160.6
original average = -0.00 x pos [mm], reshoot average = -0.14 x pos [
counts [1/mm]
10^3
6×10^2
4×10^2
3×10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_24___reshoot_key=X_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 127.8, reshoot_counts = 309.0
normalization = 0.403, reshoot_counts*normalization = 124.7
original average = 0.68 x pos [mm], reshoot average = 1.00 x pos [m
counts [1/mm]
x pos [mm]
6 × 10^1
4 × 10^1
3 × 10^1
2 × 10^1
10^1
6 × 10^0
4 × 10^0
3 × 10^0
2 × 10^0
−400
−200
0
200
400



original_key=X_2000_25___reshoot_key=X_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.8, reshoot_counts = 9.5
normalization = 0.403, reshoot_counts*normalization = 3.8
original average = -4.08 x pos [mm], reshoot average = -7.53 x pos [
10^1
6×10^0
4×10^0
3×10^0
2×10^0
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_26___reshoot_key=X_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.5, reshoot_counts = 0.0
normalization = 0.403, reshoot_counts*normalization = 0.0
original average = 3.88 x pos [mm], reshoot average = nan x pos [mm
counts [1/mm]
x pos [mm]
4.0
3.5
3.0
2.5
2.0
1.5
1.0
0.5
0.0
−400
−200
0
200
400



original_key=X_2000_e-___reshoot_key=X_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5439670.8, reshoot_counts = 13075234.0
normalization = 0.403, reshoot_counts*normalization = 5274768.4
original average = -0.01 x pos [mm], reshoot average = -0.14 x pos [
counts [1/mm]
x pos [mm]
10^6
10^5
10^4
10^3
10^2
−400
−200
0
200
400



original_key=X_2000_e+___reshoot_key=X_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 15902.9, reshoot_counts = 48858.8
normalization = 0.403, reshoot_counts*normalization = 19710.4
original average = -0.06 x pos [mm], reshoot average = -0.13 x pos [
3×10^3
2×10^3
10^3
6×10^2
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_gamma___reshoot_key=X_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 755088.8, reshoot_counts = 1886099.8
normalization = 0.403, reshoot_counts*normalization = 760884.2
original average = -0.00 x pos [mm], reshoot average = -0.12 x pos [
counts [1/mm]
x pos [mm]
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400



original_key=X_2000_mu-___reshoot_key=X_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2801.6, reshoot_counts = 11639.8
normalization = 0.403, reshoot_counts*normalization = 4695.7
original average = 0.27 x pos [mm], reshoot average = 0.21 x pos [m
counts [1/mm]
x pos [mm]
6×10^2
4×10^2
3×10^2
2×10^2
10^2
−400
−200
0
200
400



original_key=X_2000_mu+___reshoot_key=X_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2059.9, reshoot_counts = 8619.2
normalization = 0.403, reshoot_counts*normalization = 3477.1
original average = -0.26 x pos [mm], reshoot average = -0.43 x pos [
counts [1/mm]
x pos [mm]
6×10^2
4×10^2
3×10^2
2×10^2
10^2
6×10^1
−400
−200
0
200
400



original_key=X_2000_pi-___reshoot_key=X_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 23553.8, reshoot_counts = 57542.2
normalization = 0.403, reshoot_counts*normalization = 23213.5
original average = 0.05 x pos [mm], reshoot average = -0.11 x pos [m
counts [1/mm]
3×10^3
2×10^3
10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_pi+___reshoot_key=X_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 18335.1, reshoot_counts = 44593.5
normalization = 0.403, reshoot_counts*normalization = 17989.8
original average = -0.05 x pos [mm], reshoot average = -0.21 x pos [
2×10^3
10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=Y_2000_0___reshoot_key=Y_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8060148.5, reshoot_counts = 19654074.8
normalization = 0.403, reshoot_counts*normalization = 7928782.9
original average = -0.00 y pos [mm], reshoot average = -0.13 y pos [
counts [1/mm]
10^6
10^5
10^4
10^3
10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_1___reshoot_key=Y_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5599862.2, reshoot_counts = 13651186.8
normalization = 0.403, reshoot_counts*normalization = 5507117.4
original average = -0.01 y pos [mm], reshoot average = -0.13 y pos [
counts [1/mm]
y pos [mm]
10^6
10^5
10^4
10^3
10^2
−400
−200
0
200
400



original_key=Y_2000_2___reshoot_key=Y_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2465939.9, reshoot_counts = 6012568.8
normalization = 0.403, reshoot_counts*normalization = 2425570.9
original average = -0.02 y pos [mm], reshoot average = -0.13 y pos [
counts [1/mm]
10^5
10^4
10^3
10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_3___reshoot_key=Y_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 111702.9, reshoot_counts = 271901.5
normalization = 0.403, reshoot_counts*normalization = 109689.6
original average = 0.01 y pos [mm], reshoot average = -0.09 y pos [m
counts [1/mm]
10^4
10^3
10^2
10^1
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_4___reshoot_key=Y_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 46055.5, reshoot_counts = 112028.2
normalization = 0.403, reshoot_counts*normalization = 45194.1
original average = -0.00 y pos [mm], reshoot average = -0.13 y pos [
counts [1/mm]
6×10^3
4×10^3
3×10^3
2×10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_5___reshoot_key=Y_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 73686.2, reshoot_counts = 179377.8
normalization = 0.403, reshoot_counts*normalization = 72364.0
original average = -0.06 y pos [mm], reshoot average = -0.18 y pos [
10^4
6×10^3
4×10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_6___reshoot_key=Y_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 147933.0, reshoot_counts = 360813.5
normalization = 0.403, reshoot_counts*normalization = 145558.2
original average = 0.05 y pos [mm], reshoot average = -0.10 y pos [m
2×10^4
10^4
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_7___reshoot_key=Y_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 85830.2, reshoot_counts = 208988.2
normalization = 0.403, reshoot_counts*normalization = 84309.4
original average = -0.01 y pos [mm], reshoot average = -0.15 y pos [
counts [1/mm]
10^4
6×10^3
4×10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_8___reshoot_key=Y_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 42615.4, reshoot_counts = 103953.8
normalization = 0.403, reshoot_counts*normalization = 41936.7
original average = -0.02 y pos [mm], reshoot average = -0.21 y pos [
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_9___reshoot_key=Y_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24366.2, reshoot_counts = 59364.0
normalization = 0.403, reshoot_counts*normalization = 23948.4
original average = 0.01 y pos [mm], reshoot average = -0.15 y pos [m
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_10___reshoot_key=Y_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 52270.0, reshoot_counts = 127409.0
normalization = 0.403, reshoot_counts*normalization = 51398.9
original average = 0.00 y pos [mm], reshoot average = -0.16 y pos [m
counts [1/mm]
y pos [mm]
10^4
10^3
10^2
10^1
−400
−200
0
200
400



original_key=Y_2000_11___reshoot_key=Y_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 57049.9, reshoot_counts = 138742.5
normalization = 0.403, reshoot_counts*normalization = 55971.0
original average = 0.05 y pos [mm], reshoot average = -0.08 y pos [m
6×10^3
4×10^3
3×10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_12___reshoot_key=Y_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 81732.6, reshoot_counts = 198749.8
normalization = 0.403, reshoot_counts*normalization = 80179.0
original average = 0.01 y pos [mm], reshoot average = -0.06 y pos [m
counts [1/mm]
y pos [mm]
10^4
10^3
10^2
10^1
−400
−200
0
200
400



original_key=Y_2000_13___reshoot_key=Y_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 78743.0, reshoot_counts = 192028.5
normalization = 0.403, reshoot_counts*normalization = 77467.5
original average = -0.05 y pos [mm], reshoot average = -0.21 y pos [
counts [1/mm]
10^4
6×10^3
4×10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_14___reshoot_key=Y_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 137367.5, reshoot_counts = 335315.8
normalization = 0.403, reshoot_counts*normalization = 135272.0
original average = -0.02 y pos [mm], reshoot average = -0.18 y pos [
2×10^4
10^4
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_15___reshoot_key=Y_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 115290.4, reshoot_counts = 281422.5
normalization = 0.403, reshoot_counts*normalization = 113530.5
original average = 0.03 y pos [mm], reshoot average = -0.07 y pos [m
counts [1/mm]
10^4
6×10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_16___reshoot_key=Y_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 128599.0, reshoot_counts = 313786.8
normalization = 0.403, reshoot_counts*normalization = 126586.8
original average = 0.01 y pos [mm], reshoot average = -0.10 y pos [m
counts [1/mm]
10^4
6×10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_17___reshoot_key=Y_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 127878.5, reshoot_counts = 312126.0
normalization = 0.403, reshoot_counts*normalization = 125916.9
original average = -0.01 y pos [mm], reshoot average = -0.13 y pos [
counts [1/mm]
10^4
6×10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_18___reshoot_key=Y_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 120982.2, reshoot_counts = 295201.8
normalization = 0.403, reshoot_counts*normalization = 119089.3
original average = -0.04 y pos [mm], reshoot average = -0.15 y pos [
counts [1/mm]
y pos [mm]
10^4
10^3
10^2
10^1
−400
−200
0
200
400



original_key=Y_2000_19___reshoot_key=Y_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 111585.4, reshoot_counts = 272500.0
normalization = 0.403, reshoot_counts*normalization = 109931.1
original average = 0.01 y pos [mm], reshoot average = -0.07 y pos [m
counts [1/mm]
y pos [mm]
10^4
10^3
10^2
10^1
−400
−200
0
200
400



original_key=Y_2000_20___reshoot_key=Y_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 106236.6, reshoot_counts = 259405.5
normalization = 0.403, reshoot_counts*normalization = 104648.5
original average = 0.01 y pos [mm], reshoot average = -0.10 y pos [m
10^4
6×10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_21___reshoot_key=Y_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 70190.1, reshoot_counts = 171764.0
normalization = 0.403, reshoot_counts*normalization = 69292.5
original average = 0.03 y pos [mm], reshoot average = -0.12 y pos [m
counts [1/mm]
10^4
6×10^3
4×10^3
3×10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_22___reshoot_key=Y_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34459.8, reshoot_counts = 84156.2
normalization = 0.403, reshoot_counts*normalization = 33950.0
original average = -0.06 y pos [mm], reshoot average = -0.21 y pos [
counts [1/mm]
4×10^3
3×10^3
2×10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_23___reshoot_key=Y_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8296.8, reshoot_counts = 20228.8
normalization = 0.403, reshoot_counts*normalization = 8160.6
original average = -0.01 y pos [mm], reshoot average = -0.11 y pos [
10^3
6×10^2
4×10^2
3×10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_24___reshoot_key=Y_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 127.6, reshoot_counts = 309.0
normalization = 0.403, reshoot_counts*normalization = 124.7
original average = 0.25 y pos [mm], reshoot average = 0.72 y pos [m
counts [1/mm]
10^2
10^1
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_25___reshoot_key=Y_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.8, reshoot_counts = 9.5
normalization = 0.403, reshoot_counts*normalization = 3.8
original average = 0.04 y pos [mm], reshoot average = -6.05 y pos [m
10^1
6×10^0
4×10^0
3×10^0
2×10^0
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_26___reshoot_key=Y_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.5, reshoot_counts = 0.0
normalization = 0.403, reshoot_counts*normalization = 0.0
original average = -15.12 y pos [mm], reshoot average = nan y pos [r
counts [1/mm]
y pos [mm]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
3.5
4.0
−400
−200
0
200
400



original_key=Y_2000_e-___reshoot_key=Y_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5439183.9, reshoot_counts = 13075234.0
normalization = 0.403, reshoot_counts*normalization = 5274768.4
original average = -0.00 y pos [mm], reshoot average = -0.13 y pos [
counts [1/mm]
y pos [mm]
10^6
10^5
10^4
10^3
10^2
−400
−200
0
200
400



original_key=Y_2000_e+___reshoot_key=Y_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 15916.2, reshoot_counts = 48858.8
normalization = 0.403, reshoot_counts*normalization = 19710.4
original average = -0.05 y pos [mm], reshoot average = -0.08 y pos [
3×10^3
2×10^3
10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_2000_gamma___reshoot_key=Y_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 755314.0, reshoot_counts = 1886099.8
normalization = 0.403, reshoot_counts*normalization = 760884.2
original average = -0.02 y pos [mm], reshoot average = -0.15 y pos [
counts [1/mm]
y pos [mm]
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400


original_key=Y_2000_mu-___reshoot_key=Y_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2803.4, reshoot_counts = 11639.8
normalization = 0.403, reshoot_counts*normalization = 4695.7
original average = 0.14 y pos [mm], reshoot average = 0.05 y pos [m
counts [1/mm]
y pos [mm]
6×10^2
4×10^2
3×10^2
2×10^2
10^2
−400
−200
0
200
400


original_key=Y_2000_mu+___reshoot_key=Y_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2061.6, reshoot_counts = 8619.2
normalization = 0.403, reshoot_counts*normalization = 3477.1
original average = -0.25 y pos [mm], reshoot average = -0.61 y pos [
counts [1/mm]
y pos [mm]
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
10^2
6 × 10^1
−400
−200
0
200
400


original_key=Y_2000_pi-___reshoot_key=Y_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 23545.8, reshoot_counts = 57542.2
normalization = 0.403, reshoot_counts*normalization = 23213.5
original average = -0.07 y pos [mm], reshoot average = -0.18 y pos [
3×10^3
2×10^3
10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_2000_pi+___reshoot_key=Y_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 18318.8, reshoot_counts = 44593.5
normalization = 0.403, reshoot_counts*normalization = 17989.8
original average = 0.11 y pos [mm], reshoot average = 0.04 y pos [m
counts [1/mm]
y pos [mm]
3×10^3
2×10^3
10^3
−400
−200
0
200
400