






original_key=Theta_wide_100_0___reshoot_key=Theta_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 41353798.8, reshoot_counts = 1318842.6
normalization = 8.242, reshoot_counts*normalization = 10869967.9
original average = 0.10 Theta [rad], reshoot average = 0.09 Theta [ra
counts [1/rad]
Theta [rad]
10^{10}
10^{9}
10^{8}
10^{7}
10^{6}
10^{5}
10^{4}
10^{3}
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_1___reshoot_key=Theta_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 30102213.6, reshoot_counts = 1156212.5
normalization = 8.242, reshoot_counts*normalization = 9529563.0
original average = 0.10 Theta [rad], reshoot average = 0.09 Theta [ra
counts [1/rad]
Theta [rad]
10^{10}
10^{9}
10^{8}
10^{7}
10^{6}
10^{5}
10^{4}
10^{3}
10^{2}
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_2___reshoot_key=Theta_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11744889.2, reshoot_counts = 300791.7
normalization = 8.242, reshoot_counts*normalization = 2479140.7
original average = 0.07 Theta [rad], reshoot average = 0.07 Theta [ra
counts [1/rad]
Theta [rad]
10^9
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_3___reshoot_key=Theta_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 532646.3, reshoot_counts = 13825.9
normalization = 8.242, reshoot_counts*normalization = 113953.9
original average = 0.07 Theta [rad], reshoot average = 0.06 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_4___reshoot_key=Theta_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 219704.6, reshoot_counts = 5988.2
normalization = 8.242, reshoot_counts*normalization = 49354.8
original average = 0.07 Theta [rad], reshoot average = 0.06 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_5___reshoot_key=Theta_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 360033.6, reshoot_counts = 11542.5
normalization = 8.242, reshoot_counts*normalization = 95133.9
original average = 0.07 Theta [rad], reshoot average = 0.07 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_6___reshoot_key=Theta_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 731638.2, reshoot_counts = 25662.8
normalization = 8.242, reshoot_counts*normalization = 211513.8
original average = 0.07 Theta [rad], reshoot average = 0.07 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_7___reshoot_key=Theta_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 423668.9, reshoot_counts = 15429.8
normalization = 8.242, reshoot_counts*normalization = 127173.1
original average = 0.07 Theta [rad], reshoot average = 0.06 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_8___reshoot_key=Theta_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 203308.2, reshoot_counts = 7239.7
normalization = 8.242, reshoot_counts*normalization = 59669.8
original average = 0.07 Theta [rad], reshoot average = 0.06 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_9___reshoot_key=Theta_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 115367.6, reshoot_counts = 4104.3
normalization = 8.242, reshoot_counts*normalization = 33828.0
original average = 0.07 Theta [rad], reshoot average = 0.06 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_10___reshoot_key=Theta_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 241569.9, reshoot_counts = 7867.6
normalization = 8.242, reshoot_counts*normalization = 64845.1
original average = 0.06 Theta [rad], reshoot average = 0.06 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_11___reshoot_key=Theta_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 257652.4, reshoot_counts = 7904.9
normalization = 8.242, reshoot_counts*normalization = 65152.3
original average = 0.06 Theta [rad], reshoot average = 0.05 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_12___reshoot_key=Theta_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 359281.2, reshoot_counts = 9631.3
normalization = 8.242, reshoot_counts*normalization = 79382.1
original average = 0.06 Theta [rad], reshoot average = 0.05 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_13___reshoot_key=Theta_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 339225.4, reshoot_counts = 7935.2
normalization = 8.242, reshoot_counts*normalization = 65402.6
original average = 0.05 Theta [rad], reshoot average = 0.05 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_14___reshoot_key=Theta_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 578948.9, reshoot_counts = 11199.3
normalization = 8.242, reshoot_counts*normalization = 92305.0
original average = 0.05 Theta [rad], reshoot average = 0.05 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_15___reshoot_key=Theta_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 480904.3, reshoot_counts = 7563.4
normalization = 8.242, reshoot_counts*normalization = 62338.1
original average = 0.05 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_16___reshoot_key=Theta_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 538682.1, reshoot_counts = 6805.9
normalization = 8.242, reshoot_counts*normalization = 56094.2
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_17___reshoot_key=Theta_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 541282.9, reshoot_counts = 5439.7
normalization = 8.242, reshoot_counts*normalization = 44834.7
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_18___reshoot_key=Theta_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 528633.6, reshoot_counts = 4228.8
normalization = 8.242, reshoot_counts*normalization = 34853.8
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_19___reshoot_key=Theta_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 507007.6, reshoot_counts = 3234.3
normalization = 8.242, reshoot_counts*normalization = 26657.4
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_20___reshoot_key=Theta_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 508140.9, reshoot_counts = 2578.0
normalization = 8.242, reshoot_counts*normalization = 21248.3
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_21___reshoot_key=Theta_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 362188.8, reshoot_counts = 1454.1
normalization = 8.242, reshoot_counts*normalization = 11984.8
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_22___reshoot_key=Theta_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 201347.2, reshoot_counts = 671.3
normalization = 8.242, reshoot_counts*normalization = 5532.9
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_23___reshoot_key=Theta_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 58366.8, reshoot_counts = 167.6
normalization = 8.242, reshoot_counts*normalization = 1381.7
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_24___reshoot_key=Theta_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1790.4, reshoot_counts = 5.5
normalization = 8.242, reshoot_counts*normalization = 45.4
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_25___reshoot_key=Theta_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6.9, reshoot_counts = 0.2
normalization = 8.242, reshoot_counts*normalization = 1.4
original average = 0.06 Theta [rad], reshoot average = 0.05 Theta [ra
10^3
10^2
counts [1/rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_26___reshoot_key=Theta_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.2, reshoot_counts = 0.0
normalization = 8.242, reshoot_counts*normalization = 0.1
original average = 0.07 Theta [rad], reshoot average = 0.06 Theta [ra
counts [1/rad]
Theta [rad]
4×10^2
3×10^2
2×10^2
10^2
6×10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_e-___reshoot_key=Theta_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3549306.6, reshoot_counts = 406348.5
normalization = 8.242, reshoot_counts*normalization = 3349145.3
original average = 0.57 Theta [rad], reshoot average = 0.57 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_e+___reshoot_key=Theta_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 118732.9, reshoot_counts = 9910.3
normalization = 8.242, reshoot_counts*normalization = 81680.8
original average = 0.16 Theta [rad], reshoot average = 0.15 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_gamma___reshoot_key=Theta_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5495541.3, reshoot_counts = 349931.1
normalization = 8.242, reshoot_counts*normalization = 2884150.5
original average = 0.14 Theta [rad], reshoot average = 0.13 Theta [ra
counts [1/rad]
Theta [rad]
10^9
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_mu-___reshoot_key=Theta_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3890.7, reshoot_counts = 421.5
normalization = 8.242, reshoot_counts*normalization = 3473.9
original average = 0.16 Theta [rad], reshoot average = 0.15 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_mu+___reshoot_key=Theta_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2864.9, reshoot_counts = 317.7
normalization = 8.242, reshoot_counts*normalization = 2618.4
original average = 0.16 Theta [rad], reshoot average = 0.15 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_pi-___reshoot_key=Theta_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 185788.0, reshoot_counts = 11491.2
normalization = 8.242, reshoot_counts*normalization = 94710.8
original average = 0.15 Theta [rad], reshoot average = 0.14 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_pi+___reshoot_key=Theta_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 146942.7, reshoot_counts = 9320.2
normalization = 8.242, reshoot_counts*normalization = 76817.3
original average = 0.16 Theta [rad], reshoot average = 0.15 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Phi_wide_100_0___reshoot_key=Phi_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 15881274.9, reshoot_counts = 1927428.2
normalization = 8.242, reshoot_counts*normalization = 15885962.2
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
2 × 10^8
10^8
6 × 10^7
4 × 10^7
3 × 10^7
2 × 10^7
0
1
2
3
4
5
6



original_key=Phi_wide_100_1___reshoot_key=Phi_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13709598.0, reshoot_counts = 1664886.7
normalization = 8.242, reshoot_counts*normalization = 13722081.6
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^8
10^7
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_2___reshoot_key=Phi_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3774897.9, reshoot_counts = 458320.4
normalization = 8.242, reshoot_counts*normalization = 3777500.6
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
6 × 10^7
4 × 10^7
3 × 10^7
2 × 10^7
10^7
6 × 10^6
4 × 10^6
3 × 10^6
0
1
2
3
4
5
6



original_key=Phi_wide_100_3___reshoot_key=Phi_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 174088.0, reshoot_counts = 21089.8
normalization = 8.242, reshoot_counts*normalization = 173823.5
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
2 × 10^6
10^6
6 × 10^5
4 × 10^5
3 × 10^5
2 × 10^5
0
1
2
3
4
5
6



original_key=Phi_wide_100_4___reshoot_key=Phi_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 75087.5, reshoot_counts = 9056.1
normalization = 8.242, reshoot_counts*normalization = 74640.6
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^6
10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_5___reshoot_key=Phi_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 141930.7, reshoot_counts = 17248.7
normalization = 8.242, reshoot_counts*normalization = 142164.9
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^6
10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_6___reshoot_key=Phi_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 314165.9, reshoot_counts = 38115.8
normalization = 8.242, reshoot_counts*normalization = 314152.5
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
4 × 10^6
3 × 10^6
2 × 10^6
10^6
6 × 10^5
4 × 10^5
3 × 10^5
0
1
2
3
4
5
6



original_key=Phi_wide_100_7___reshoot_key=Phi_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 189280.5, reshoot_counts = 23041.7
normalization = 8.242, reshoot_counts*normalization = 189910.6
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
3 × 10^6
2 × 10^6
10^6
6 × 10^5
4 × 10^5
3 × 10^5
2 × 10^5
0
1
2
3
4
5
6



original_key=Phi_wide_100_8___reshoot_key=Phi_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 90255.3, reshoot_counts = 10887.3
normalization = 8.242, reshoot_counts*normalization = 89733.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^6
10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_9___reshoot_key=Phi_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 51219.6, reshoot_counts = 6202.5
normalization = 8.242, reshoot_counts*normalization = 51121.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
6×10^5
4×10^5
3×10^5
2×10^5
10^5
6×10^4
4×10^4
0
1
2
3
4
5
6



original_key=Phi_wide_100_10___reshoot_key=Phi_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 99395.9, reshoot_counts = 12081.1
normalization = 8.242, reshoot_counts*normalization = 99573.3
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^6
10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_11___reshoot_key=Phi_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 101113.2, reshoot_counts = 12432.9
normalization = 8.242, reshoot_counts*normalization = 102473.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^6
10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_12___reshoot_key=Phi_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 125517.1, reshoot_counts = 15364.0
normalization = 8.242, reshoot_counts*normalization = 126630.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^6
10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_13___reshoot_key=Phi_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 105585.1, reshoot_counts = 12797.7
normalization = 8.242, reshoot_counts*normalization = 105479.3
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^6
10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_14___reshoot_key=Phi_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 154261.0, reshoot_counts = 18546.8
normalization = 8.242, reshoot_counts*normalization = 152863.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
2 × 10^6
10^6
6 × 10^5
4 × 10^5
3 × 10^5
2 × 10^5
0
1
2
3
4
5
6



original_key=Phi_wide_100_15___reshoot_key=Phi_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 108268.9, reshoot_counts = 13073.2
normalization = 8.242, reshoot_counts*normalization = 107749.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^6
10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_16___reshoot_key=Phi_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 100870.2, reshoot_counts = 12327.1
normalization = 8.242, reshoot_counts*normalization = 101601.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^6
10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_17___reshoot_key=Phi_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 84259.6, reshoot_counts = 10245.1
normalization = 8.242, reshoot_counts*normalization = 84440.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^6
10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_18___reshoot_key=Phi_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 68514.3, reshoot_counts = 8291.4
normalization = 8.242, reshoot counts*normalization = 68338.2
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^6
10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_19___reshoot_key=Phi_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 54459.5, reshoot_counts = 6642.7
normalization = 8.242, reshoot_counts*normalization = 54749.1
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
6 × 10^5
4 × 10^5
3 × 10^5
2 × 10^5
10^5
6 × 10^4
4 × 10^4
0
1
2
3
4
5
6



original_key=Phi_wide_100_20___reshoot_key=Phi_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 45555.4, reshoot_counts = 5459.3
normalization = 8.242, reshoot_counts*normalization = 44995.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
6×10^5
4×10^5
3×10^5
2×10^5
10^5
6×10^4
4×10^4
3×10^4
0
1
2
3
4
5
6



original_key=Phi_wide_100_21___reshoot_key=Phi_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26713.9, reshoot_counts = 3213.5
normalization = 8.242, reshoot_counts*normalization = 26486.2
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
4 × 10^5
3 × 10^5
2 × 10^5
10^5
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
0
1
2
3
4
5
6



original_key=Phi_wide_100_22___reshoot_key=Phi_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12690.0, reshoot_counts = 1561.8
normalization = 8.242, reshoot_counts*normalization = 12872.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^5
10^4
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_23___reshoot_key=Phi_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3271.7, reshoot_counts = 391.6
normalization = 8.242, reshoot_counts*normalization = 3227.2
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
0
1
2
3
4
5
6



original_key=Phi_wide_100_24___reshoot_key=Phi_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 100.0, reshoot_counts = 15.3
normalization = 8.242, reshoot_counts*normalization = 126.1
original average = 3.14 Phi [rad], reshoot average = 3.06 Phi [rad]
counts [1/rad]
10^3
10^2
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_25___reshoot_key=Phi_1_25
original counts = 1.1, reshoot_counts = 0.2
normalization = 8.242, reshoot_counts*normalization = 1.9
original average = 3.14 Phi [rad], reshoot average = 3.31 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
4×10^2
3×10^2
2×10^2
10^2
6×10^1
0
1
2
3
4
5
6



original_key=Phi_wide_100_26___reshoot_key=Phi_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.2, reshoot_counts = 0.0
normalization = 8.242, reshoot_counts*normalization = 0.1
original average = 3.99 Phi [rad], reshoot average = 4.90 Phi [rad]
counts [1/rad]
Phi [rad]
4×10^2
3×10^2
2×10^2
10^2
6×10^1
0
1
2
3
4
5
6



original_key=Phi_wide_100_e-___reshoot_key=Phi_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4378697.2, reshoot_counts = 533719.0
normalization = 8.242, reshoot_counts*normalization = 4398939.5
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
6 × 10^7
4 × 10^7
3 × 10^7
2 × 10^7
10^7
6 × 10^6
4 × 10^6
0
1
2
3
4
5
6



original_key=Phi_wide_100_e+___reshoot_key=Phi_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 92610.0, reshoot_counts = 13566.4
normalization = 8.242, reshoot_counts*normalization = 111815.0
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
10^6
10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_gamma___reshoot_key=Phi_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3833444.0, reshoot_counts = 477665.2
normalization = 8.242, reshoot_counts*normalization = 3936940.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
6 × 10^7
4 × 10^7
3 × 10^7
2 × 10^7
10^7
6 × 10^6
4 × 10^6
3 × 10^6
0
1
2
3
4
5
6



original_key=Phi_wide_100_mu-___reshoot_key=Phi_1_mu-
original counts = 2872.7, reshoot_counts = 559.0
normalization = 8.242, reshoot_counts*normalization = 4607.6
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
0
1
2
3
4
5
6



original_key=Phi_wide_100_mu+___reshoot_key=Phi_1_mu+
original counts = 2160.1, reshoot_counts = 429.9
normalization = 8.242, reshoot_counts*normalization = 3543.0
original average = 3.13 Phi [rad], reshoot average = 3.14 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
4×10^4
3×10^4
2×10^4
10^4
6×10^3
4×10^3
3×10^3
2×10^3
0
1
2
3
4
5
6



original_key=Phi_wide_100_pi-___reshoot_key=Phi_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 128928.7, reshoot_counts = 15706.7
normalization = 8.242, reshoot_counts*normalization = 129455.6
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^6
10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_pi+___reshoot_key=Phi_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 104751.7, reshoot_counts = 12718.7
normalization = 8.242, reshoot_counts*normalization = 104828.1
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^6
10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Ekin_wide_100_0___reshoot_key=EkinU_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 694292743.0, reshoot_counts = 84401052.0
normalization = 8.242, reshoot_counts*normalization = 695637794.8
original average = 561.05 Ek [MeV/u], reshoot average = 564.23 Ek [
counts [u/MeV]
Ek [MeV/u]
10^6
10^5
10^4
10^3
10^2
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_1___reshoot_key=EkinU_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 600720979.0, reshoot_counts = 72890230.0
normalization = 8.242, reshoot_counts*normalization = 600765010.2
original average = 569.04 Ek [MeV/u], reshoot average = 569.04 Ek [
counts [u/MeV]
Ek [MeV/u]
10^6
10^5
10^4
10^3
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_2___reshoot_key=EkinU_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 165310655.5, reshoot_counts = 20059067.5
normalization = 8.242, reshoot_counts*normalization = 165327862.1
original average = 577.34 Ek [MeV/u], reshoot average = 577.33 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
10^5
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_3___reshoot_key=EkinU_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7618757.5, reshoot_counts = 922736.5
normalization = 8.242, reshoot_counts*normalization = 7605241.5
original average = 554.07 Ek [MeV/u], reshoot average = 554.24 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_4___reshoot_key=EkinU_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3281323.5, reshoot_counts = 397766.5
normalization = 8.242, reshoot_counts*normalization = 3278411.9
original average = 525.20 Ek [MeV/u], reshoot average = 525.43 Ek [
counts [u/MeV]
Ek [MeV/u]
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_5___reshoot_key=EkinU_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6207169.0, reshoot_counts = 754171.0
normalization = 8.242, reshoot_counts*normalization = 6215916.0
original average = 499.82 Ek [MeV/u], reshoot average = 499.73 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_6___reshoot_key=EkinU_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13752296.0, reshoot_counts = 1667035.0
normalization = 8.242, reshoot_counts*normalization = 13739787.9
original average = 460.83 Ek [MeV/u], reshoot average = 460.95 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_7___reshoot_key=EkinU_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8277627.5, reshoot_counts = 1005331.0
normalization = 8.242, reshoot_counts*normalization = 8285989.6
original average = 436.37 Ek [MeV/u], reshoot average = 436.32 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_8___reshoot_key=EkinU_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3948156.0, reshoot_counts = 477276.5
normalization = 8.242, reshoot_counts*normalization = 3933737.4
original average = 418.53 Ek [MeV/u], reshoot average = 418.82 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_9___reshoot_key=EkinU_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2244847.5, reshoot_counts = 272028.0
normalization = 8.242, reshoot_counts*normalization = 2242068.7
original average = 406.61 Ek [MeV/u], reshoot average = 406.97 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_10___reshoot_key=EkinU_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4360435.5, reshoot_counts = 527979.5
normalization = 8.242, reshoot_counts*normalization = 4351634.1
original average = 377.35 Ek [MeV/u], reshoot average = 377.48 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_11___reshoot_key=EkinU_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4430457.0, reshoot_counts = 536793.0
normalization = 8.242, reshoot_counts*normalization = 4424275.4
original average = 354.69 Ek [MeV/u], reshoot average = 354.77 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_12___reshoot_key=EkinU_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5496097.0, reshoot_counts = 667452.0
normalization = 8.242, reshoot_counts*normalization = 5501173.6
original average = 327.51 Ek [MeV/u], reshoot average = 327.40 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_13___reshoot_key=EkinU_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4636777.0, reshoot_counts = 563019.0
normalization = 8.242, reshoot_counts*normalization = 4640431.4
original average = 305.62 Ek [MeV/u], reshoot average = 305.57 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_14___reshoot_key=EkinU_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6754982.5, reshoot_counts = 819856.5
normalization = 8.242, reshoot_counts*normalization = 6757299.3
original average = 276.90 Ek [MeV/u], reshoot average = 276.78 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_15___reshoot_key=EkinU_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4732517.5, reshoot_counts = 574722.5
normalization = 8.242, reshoot_counts*normalization = 4736892.3
original average = 257.11 Ek [MeV/u], reshoot average = 257.32 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_16___reshoot_key=EkinU_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4421955.5, reshoot_counts = 537099.0
normalization = 8.242, reshoot_counts*normalization = 4426797.5
original average = 230.38 Ek [MeV/u], reshoot average = 230.42 Ek [
counts [u/MeV]
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_17___reshoot_key=EkinU_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3692312.0, reshoot_counts = 448243.5
normalization = 8.242, reshoot_counts*normalization = 3694445.9
original average = 207.63 Ek [MeV/u], reshoot average = 207.63 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_18___reshoot_key=EkinU_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3000576.0, reshoot_counts = 362544.5
normalization = 8.242, reshoot_counts*normalization = 2988110.3
original average = 179.98 Ek [MeV/u], reshoot average = 179.90 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_19___reshoot_key=EkinU_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2390253.5, reshoot_counts = 290240.5
normalization = 8.242, reshoot_counts*normalization = 2392177.1
original average = 158.03 Ek [MeV/u], reshoot average = 158.03 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_20___reshoot_key=EkinU_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1988613.5, reshoot_counts = 241374.0
normalization = 8.242, reshoot_counts*normalization = 1989416.9
original average = 134.02 Ek [MeV/u], reshoot average = 133.99 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_21___reshoot_key=EkinU_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1172475.5, reshoot_counts = 142350.5
normalization = 8.242, reshoot_counts*normalization = 1173260.1
original average = 112.62 Ek [MeV/u], reshoot average = 112.54 Ek [
counts [u/MeV]
Ek [MeV/u]
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_22___reshoot_key=EkinU_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 558719.5, reshoot_counts = 67846.5
normalization = 8.242, reshoot_counts*normalization = 559194.3
original average = 86.28 Ek [MeV/u], reshoot average = 86.30 Ek [Me
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_23___reshoot_key=EkinU_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 142168.0, reshoot_counts = 17399.0
normalization = 8.242, reshoot_counts*normalization = 143403.4
original average = 64.61 Ek [MeV/u], reshoot average = 64.39 Ek [Me
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_24___reshoot_key=EkinU_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4428.5, reshoot_counts = 541.0
normalization = 8.242, reshoot_counts*normalization = 4458.9
original average = 36.91 Ek [MeV/u], reshoot average = 35.75 Ek [Me
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_25___reshoot_key=EkinU_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 61.5, reshoot_counts = 12.5
normalization = 8.242, reshoot_counts*normalization = 103.0
original average = 22.91 Ek [MeV/u], reshoot average = 19.50 Ek [Me
10^1
10^0
counts [u/MeV]
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_26___reshoot_key=EkinU_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9.5, reshoot_counts = 0.5
normalization = 8.242, reshoot_counts*normalization = 4.1
original average = 6.61 Ek [MeV/u], reshoot average = 1.50 Ek [MeV/u
counts [u/MeV]
Ek [MeV/u]
6×10^0
4×10^0
3×10^0
2×10^0
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_e-___reshoot_key=EkinU_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 15374092.6, reshoot_counts = 22683169.0
normalization = 8.242, reshoot_counts*normalization = 186955841.1
original average = 1.01 Ek [MeV/u], reshoot average = 2.34 Ek [MeV/u
counts [u/MeV]
Ek [MeV/u]
10^9
10^8
10^7
10^6
10^5
10^4
10^3
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_e+___reshoot_key=EkinU_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 319788.7, reshoot_counts = 583903.5
normalization = 8.242, reshoot_counts*normalization = 4812562.6
original average = 32.88 Ek [MeV/u], reshoot average = 32.96 Ek [Me
10^5
10^4
counts [u/MeV]
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_gamma___reshoot_key=EkinU_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 15310407.1, reshoot_counts = 19401439.0
normalization = 8.242, reshoot_counts*normalization = 159907654.3
original average = 4.76 Ek [MeV/u], reshoot average = 6.58 Ek [MeV/u
counts [u/MeV]
Ek [MeV/u]
10^8
10^7
10^6
10^5
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_mu-___reshoot_key=EkinU_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4855.1, reshoot_counts = 25014.0
normalization = 8.242, reshoot_counts*normalization = 206166.7
original average = 48.52 Ek [MeV/u], reshoot average = 48.19 Ek [Me
counts [u/MeV]
10^3
10^2
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_mu+___reshoot_key=EkinU_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3534.3, reshoot_counts = 18797.5
normalization = 8.242, reshoot_counts*normalization = 154930.0
original average = 46.52 Ek [MeV/u], reshoot average = 46.34 Ek [Me
counts [u/MeV]
10^3
10^2
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_pi-___reshoot_key=EkinU_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11099299.9, reshoot_counts = 689520.5
normalization = 8.242, reshoot_counts*normalization = 5683063.3
original average = 287.61 Ek [MeV/u], reshoot average = 287.57 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_pi+___reshoot_key=EkinU_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8975741.8, reshoot_counts = 558119.5
normalization = 8.242, reshoot_counts*normalization = 4600049.5
original average = 311.53 Ek [MeV/u], reshoot average = 311.94 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=X_wide_100_0___reshoot_key=X_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 175909745.0, reshoot_counts = 21130920.8
normalization = 8.242, reshoot_counts*normalization = 174162131.5
original average = -0.02 x pos [mm], reshoot average = -0.14 x pos [
10^7
10^6
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_1___reshoot_key=X_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 151692068.8, reshoot_counts = 18222822.2
normalization = 8.242, reshoot_counts*normalization = 150193434.6
original average = -0.02 x pos [mm], reshoot average = -0.14 x pos [
10^7
10^6
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_2___reshoot_key=X_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 41637364.2, reshoot_counts = 5014939.2
normalization = 8.242, reshoot_counts*normalization = 41333386.2
original average = -0.01 x pos [mm], reshoot average = -0.14 x pos [
10^6
10^5
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_3___reshoot_key=X_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1918597.6, reshoot_counts = 230694.0
normalization = 8.242, reshoot_counts*normalization = 1901391.8
original average = -0.01 x pos [mm], reshoot average = -0.16 x pos [
10^5
10^4
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_4___reshoot_key=X_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 826296.6, reshoot_counts = 99447.0
normalization = 8.242, reshoot_counts*normalization = 819647.3
original average = 0.00 x pos [mm], reshoot average = -0.10 x pos [m
counts [1/mm]
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_5___reshoot_key=X_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1563589.9, reshoot_counts = 188554.8
normalization = 8.242, reshoot_counts*normalization = 1554077.9
original average = -0.02 x pos [mm], reshoot average = -0.14 x pos [
counts [1/mm]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_6___reshoot_key=X_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3464109.9, reshoot_counts = 416784.0
normalization = 8.242, reshoot_counts*normalization = 3435155.1
original average = -0.00 x pos [mm], reshoot average = -0.14 x pos [
10^5
10^4
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_7___reshoot_key=X_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2084553.5, reshoot_counts = 251345.0
normalization = 8.242, reshoot_counts*normalization = 2071598.4
original average = -0.00 x pos [mm], reshoot average = -0.12 x pos [
10^5
10^4
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_8___reshoot_key=X_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 993630.5, reshoot_counts = 119324.2
normalization = 8.242, reshoot_counts*normalization = 983476.6
original average = 0.02 x pos [mm], reshoot average = -0.18 x pos [m
counts [1/mm]
x pos [mm]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
−400
−200
0
200
400



original_key=X_wide_100_9___reshoot_key=X_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 565051.4, reshoot_counts = 68008.0
normalization = 8.242, reshoot_counts*normalization = 560525.4
original average = -0.03 x pos [mm], reshoot average = -0.13 x pos [
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_10___reshoot_key=X_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1097042.5, reshoot_counts = 131996.2
normalization = 8.242, reshoot_counts*normalization = 1087919.9
original average = -0.01 x pos [mm], reshoot average = -0.09 x pos [
counts [1/mm]
x pos [mm]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
−400
−200
0
200
400



original_key=X_wide_100_11___reshoot_key=X_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1114458.4, reshoot_counts = 134203.2
normalization = 8.242, reshoot_counts*normalization = 1106110.1
original average = 0.02 x pos [mm], reshoot average = -0.08 x pos [m
counts [1/mm]
x pos [mm]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
−400
−200
0
200
400



original_key=X_wide_100_12___reshoot_key=X_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1382122.8, reshoot_counts = 166867.2
normalization = 8.242, reshoot_counts*normalization = 1375328.4
original average = -0.02 x pos [mm], reshoot average = -0.16 x pos [
counts [1/mm]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_13___reshoot_key=X_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1165658.4, reshoot_counts = 140760.2
normalization = 8.242, reshoot_counts*normalization = 1160153.2
original average = 0.00 x pos [mm], reshoot average = -0.14 x pos [m
counts [1/mm]
x pos [mm]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400



original_key=X_wide_100_14___reshoot_key=X_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1697553.9, reshoot_counts = 204976.0
normalization = 8.242, reshoot_counts*normalization = 1689422.7
original average = 0.00 x pos [mm], reshoot average = -0.04 x pos [m
10^5
10^4
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_15___reshoot_key=X_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1188917.5, reshoot_counts = 143689.2
normalization = 8.242, reshoot_counts*normalization = 1184294.2
original average = 0.01 x pos [mm], reshoot average = -0.09 x pos [m
counts [1/mm]
x pos [mm]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400



original_key=X_wide_100_16___reshoot_key=X_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1110479.8, reshoot_counts = 134288.8
normalization = 8.242, reshoot_counts*normalization = 1106814.8
original average = -0.02 x pos [mm], reshoot average = -0.08 x pos [
counts [1/mm]
x pos [mm]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400



original_key=X_wide_100_17___reshoot_key=X_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 926880.1, reshoot_counts = 112073.8
normalization = 8.242, reshoot_counts*normalization = 923717.6
original average = 0.02 x pos [mm], reshoot average = -0.07 x pos [m
counts [1/mm]
x pos [mm]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400



original_key=X_wide_100_18___reshoot_key=X_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 753057.6, reshoot_counts = 90649.5
normalization = 8.242, reshoot_counts*normalization = 747137.8
original average = 0.01 x pos [mm], reshoot average = -0.09 x pos [m
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_19___reshoot_key=X_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 599635.0, reshoot_counts = 72576.0
normalization = 8.242, reshoot_counts*normalization = 598175.1
original average = 0.01 x pos [mm], reshoot average = -0.01 x pos [m
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_20___reshoot_key=X_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 498784.8, reshoot_counts = 60364.2
normalization = 8.242, reshoot_counts*normalization = 497525.2
original average = -0.02 x pos [mm], reshoot average = -0.06 x pos [
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_21___reshoot_key=X_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 293966.4, reshoot_counts = 35601.8
normalization = 8.242, reshoot_counts*normalization = 293431.4
original average = 0.01 x pos [mm], reshoot average = -0.12 x pos [m
counts [1/mm]
10^4
10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_22___reshoot_key=X_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 140070.1, reshoot_counts = 16975.0
normalization = 8.242, reshoot_counts*normalization = 139908.8
original average = 0.04 x pos [mm], reshoot average = -0.02 x pos [m
counts [1/mm]
10^4
10^3
10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_23___reshoot_key=X_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 35638.4, reshoot_counts = 4355.2
normalization = 8.242, reshoot_counts*normalization = 35896.2
original average = -0.14 x pos [mm], reshoot average = -0.38 x pos [
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_24___reshoot_key=X_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1111.8, reshoot_counts = 135.5
normalization = 8.242, reshoot_counts*normalization = 1116.8
original average = -0.34 x pos [mm], reshoot average = -2.20 x pos [
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_25___reshoot_key=X_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 15.5, reshoot_counts = 3.2
normalization = 8.242, reshoot_counts*normalization = 26.8
original average = 3.75 x pos [mm], reshoot average = -7.91 x pos [m
counts [1/mm]
x pos [mm]
3×10^1
2×10^1
10^1
6×10^0
4×10^0
−400
−200
0
200
400



original_key=X_wide_100_26___reshoot_key=X_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.5, reshoot_counts = 0.2
normalization = 8.242, reshoot_counts*normalization = 2.1
original average = 5.20 x pos [mm], reshoot average = -33.12 x pos [
counts [1/mm]
x pos [mm]



original_key=X_wide_100_e-___reshoot_key=X_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 39015386.9, reshoot_counts = 5839619.8
normalization = 8.242, reshoot_counts*normalization = 48130445.2
original average = 0.00 x pos [mm], reshoot average = -0.13 x pos [m
counts [1/mm]
x pos [mm]
4 × 10^6
3 × 10^6
2 × 10^6
10^6
6 × 10^5
4 × 10^5
3 × 10^5
−400
−200
0
200
400



original_key=X_wide_100_e+___reshoot_key=X_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 788604.6, reshoot_counts = 147115.2
normalization = 8.242, reshoot_counts*normalization = 1212531.4
original average = 0.01 x pos [mm], reshoot average = -0.12 x pos [m
10^5
10^4
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_gamma___reshoot_key=X_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 32340022.9, reshoot_counts = 5248016.2
normalization = 8.242, reshoot_counts*normalization = 43254418.8
original average = 0.00 x pos [mm], reshoot average = -0.12 x pos [m
counts [1/mm]
x pos [mm]
4 × 10^6
3 × 10^6
2 × 10^6
10^6
6 × 10^5
4 × 10^5
3 × 10^5
−400
−200
0
200
400



original_key=X_wide_100_mu-___reshoot_key=X_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24400.5, reshoot_counts = 6264.0
normalization = 8.242, reshoot_counts*normalization = 51628.2
original average = -0.02 x pos [mm], reshoot average = -0.38 x pos [
counts [1/mm]
x pos [mm]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
4 × 10^2
3 × 10^2
−400
−200
0
200
400



original_key=X_wide_100_mu+___reshoot_key=X_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 18418.9, reshoot_counts = 4719.0
normalization = 8.242, reshoot_counts*normalization = 38894.2
original average = 0.03 x pos [mm], reshoot average = -0.23 x pos [m
counts [1/mm]
x pos [mm]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
−400
−200
0
200
400



original_key=X_wide_100_pi-___reshoot_key=X_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1096772.2, reshoot_counts = 172380.8
normalization = 8.242, reshoot_counts*normalization = 1420771.0
original average = 0.01 x pos [mm], reshoot average = -0.10 x pos [m
10^5
10^4
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_pi+___reshoot_key=X_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 887098.1, reshoot_counts = 139530.2
normalization = 8.242, reshoot_counts*normalization = 1150015.5
original average = 0.01 x pos [mm], reshoot average = -0.16 x pos [m
10^5
10^4
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=Y_wide_100_0___reshoot_key=Y_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 175908752.1, reshoot_counts = 21130920.8
normalization = 8.242, reshoot_counts*normalization = 174162131.5
original average = -0.02 y pos [mm], reshoot average = -0.14 y pos [
10^7
10^6
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_1___reshoot_key=Y_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 151691487.1, reshoot_counts = 18222822.2
normalization = 8.242, reshoot_counts*normalization = 150193434.6
original average = -0.02 y pos [mm], reshoot average = -0.14 y pos [
10^7
10^6
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_2___reshoot_key=Y_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 41636423.1, reshoot_counts = 5014939.2
normalization = 8.242, reshoot_counts*normalization = 41333386.2
original average = -0.01 y pos [mm], reshoot average = -0.14 y pos [
10^6
10^5
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_3___reshoot_key=Y_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1918680.8, reshoot_counts = 230694.0
normalization = 8.242, reshoot_counts*normalization = 1901391.8
original average = -0.00 y pos [mm], reshoot average = -0.12 y pos [
10^5
10^4
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_4___reshoot_key=Y_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 826306.4, reshoot_counts = 99447.0
normalization = 8.242, reshoot_counts*normalization = 819647.3
original average = -0.00 y pos [mm], reshoot average = -0.07 y pos [
counts [1/mm]
y pos [mm]
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400



original_key=Y_wide_100_5___reshoot_key=Y_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1563542.6, reshoot_counts = 188554.8
normalization = 8.242, reshoot_counts*normalization = 1554077.9
original average = -0.01 y pos [mm], reshoot average = -0.09 y pos [
counts [1/mm]
y pos [mm]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
−400
−200
0
200
400



original_key=Y_wide_100_6___reshoot_key=Y_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3463902.1, reshoot_counts = 416784.0
normalization = 8.242, reshoot_counts*normalization = 3435155.1
original average = 0.01 y pos [mm], reshoot average = -0.13 y pos [m
10^5
10^4
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_7___reshoot_key=Y_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2084629.6, reshoot_counts = 251345.0
normalization = 8.242, reshoot_counts*normalization = 2071598.4
original average = -0.01 y pos [mm], reshoot average = -0.12 y pos [
10^5
10^4
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_8___reshoot_key=Y_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 993818.0, reshoot_counts = 119324.2
normalization = 8.242, reshoot_counts*normalization = 983476.6
original average = 0.00 y pos [mm], reshoot average = -0.06 y pos [m
counts [1/mm]
y pos [mm]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
−400
−200
0
200
400



original_key=Y_wide_100_9___reshoot_key=Y_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 564949.4, reshoot_counts = 68008.0
normalization = 8.242, reshoot_counts*normalization = 560525.4
original average = -0.01 y pos [mm], reshoot average = -0.13 y pos [
counts [1/mm]
y pos [mm]
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400



original_key=Y_wide_100_10___reshoot_key=Y_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1097060.4, reshoot_counts = 131996.2
normalization = 8.242, reshoot_counts*normalization = 1087919.9
original average = 0.01 y pos [mm], reshoot average = -0.11 y pos [m
counts [1/mm]
y pos [mm]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
−400
−200
0
200
400



original_key=Y_wide_100_11___reshoot_key=Y_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1114619.0, reshoot_counts = 134203.2
normalization = 8.242, reshoot_counts*normalization = 1106110.1
original average = 0.00 y pos [mm], reshoot average = -0.14 y pos [m
counts [1/mm]
y pos [mm]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
−400
−200
0
200
400



original_key=Y_wide_100_12___reshoot_key=Y_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1382045.4, reshoot_counts = 166867.2
normalization = 8.242, reshoot_counts*normalization = 1375328.4
original average = -0.01 y pos [mm], reshoot average = -0.14 y pos [
counts [1/mm]
y pos [mm]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
−400
−200
0
200
400



original_key=Y_wide_100_13___reshoot_key=Y_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1165693.5, reshoot_counts = 140760.2
normalization = 8.242, reshoot_counts*normalization = 1160153.2
original average = -0.01 y pos [mm], reshoot average = -0.16 y pos [
counts [1/mm]
y pos [mm]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
−400
−200
0
200
400



original_key=Y_wide_100_14___reshoot_key=Y_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1697613.9, reshoot_counts = 204976.0
normalization = 8.242, reshoot_counts*normalization = 1689422.7
original average = -0.00 y pos [mm], reshoot average = -0.09 y pos [
10^5
10^4
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_15___reshoot_key=Y_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1188957.6, reshoot_counts = 143689.2
normalization = 8.242, reshoot_counts*normalization = 1184294.2
original average = 0.00 y pos [mm], reshoot average = -0.17 y pos [m
counts [1/mm]
y pos [mm]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400



original_key=Y_wide_100_16___reshoot_key=Y_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1110509.8, reshoot_counts = 134288.8
normalization = 8.242, reshoot_counts*normalization = 1106814.8
original average = 0.00 y pos [mm], reshoot average = -0.07 y pos [m
counts [1/mm]
y pos [mm]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400



original_key=Y_wide_100_17___reshoot_key=Y_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 926856.2, reshoot_counts = 112073.8
normalization = 8.242, reshoot_counts*normalization = 923717.6
original average = -0.01 y pos [mm], reshoot average = -0.18 y pos [
counts [1/mm]
y pos [mm]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400



original_key=Y_wide_100_18___reshoot_key=Y_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 752924.1, reshoot_counts = 90649.5
normalization = 8.242, reshoot_counts*normalization = 747137.8
original average = 0.00 y pos [mm], reshoot average = -0.08 y pos [m
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_19___reshoot_key=Y_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 599653.0, reshoot_counts = 72576.0
normalization = 8.242, reshoot_counts*normalization = 598175.1
original average = -0.02 y pos [mm], reshoot average = -0.17 y pos [
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_20___reshoot_key=Y_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 498740.6, reshoot_counts = 60364.2
normalization = 8.242, reshoot_counts*normalization = 497525.2
original average = -0.01 y pos [mm], reshoot average = -0.08 y pos [
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_21___reshoot_key=Y_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 293981.6, reshoot_counts = 35601.8
normalization = 8.242, reshoot_counts*normalization = 293431.4
original average = 0.02 y pos [mm], reshoot average = -0.10 y pos [m
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_22___reshoot_key=Y_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 140084.0, reshoot_counts = 16975.0
normalization = 8.242, reshoot_counts*normalization = 139908.8
original average = -0.01 y pos [mm], reshoot average = -0.25 y pos [
counts [1/mm]
y pos [mm]
10^4
10^3
10^2
−400
−200
0
200
400



original_key=Y_wide_100_23___reshoot_key=Y_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 35660.8, reshoot_counts = 4355.2
normalization = 8.242, reshoot_counts*normalization = 35896.2
original average = -0.01 y pos [mm], reshoot average = -0.40 y pos [
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_24___reshoot_key=Y_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1113.6, reshoot_counts = 135.5
normalization = 8.242, reshoot_counts*normalization = 1116.8
original average = 0.44 y pos [mm], reshoot average = -0.45 y pos [m
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_25___reshoot_key=Y_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 15.5, reshoot_counts = 3.2
normalization = 8.242, reshoot_counts*normalization = 26.8
original average = -4.14 y pos [mm], reshoot average = -10.80 y pos
counts [1/mm]
y pos [mm]
3×10^1
2×10^1
10^1
6×10^0
4×10^0
−400
−200
0
200
400



original_key=Y_wide_100_26___reshoot_key=Y_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.5, reshoot_counts = 0.2
normalization = 8.242, reshoot_counts*normalization = 2.1
original average = -8.85 y pos [mm], reshoot average = -9.88 y pos [
counts [1/mm]
y pos [mm]



original_key=Y_wide_100_e-___reshoot_key=Y_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 48479739.6, reshoot_counts = 5839619.8
normalization = 8.242, reshoot_counts*normalization = 48130445.2
original average = -0.01 y pos [mm], reshoot average = -0.14 y pos [
counts [1/mm]
y pos [mm]
3 × 10^6
2 × 10^6
10^6
6 × 10^5
4 × 10^5
3 × 10^5
2 × 10^5
−400
−200
0
200
400



original_key=Y_wide_100_e+___reshoot_key=Y_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1027380.9, reshoot_counts = 147115.2
normalization = 8.242, reshoot_counts*normalization = 1212531.4
original average = -0.00 y pos [mm], reshoot average = -0.11 y pos [
10^5
10^4
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_100_gamma___reshoot_key=Y_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 42751057.5, reshoot_counts = 5248016.2
normalization = 8.242, reshoot_counts*normalization = 43254418.8
original average = -0.03 y pos [mm], reshoot average = -0.16 y pos [
counts [1/mm]
y pos [mm]
4 × 10^6
3 × 10^6
2 × 10^6
10^6
6 × 10^5
4 × 10^5
3 × 10^5
2 × 10^5
−400
−200
0
200
400


original_key=Y_wide_100_mu-___reshoot_key=Y_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 32404.2, reshoot_counts = 6264.0
normalization = 8.242, reshoot_counts*normalization = 51628.2
original average = -0.02 y pos [mm], reshoot average = -0.06 y pos [
counts [1/mm]
y pos [mm]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
−400
−200
0
200
400


original_key=Y_wide_100_mu+___reshoot_key=Y_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24342.2, reshoot_counts = 4719.0
normalization = 8.242, reshoot_counts*normalization = 38894.2
original average = 0.19 y pos [mm], reshoot average = -0.30 y pos [m
10^3
10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_100_pi-___reshoot_key=Y_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1441351.2, reshoot_counts = 172380.8
normalization = 8.242, reshoot_counts*normalization = 1420771.0
original average = -0.03 y pos [mm], reshoot average = -0.11 y pos [
10^5
10^4
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_100_pi+___reshoot_key=Y_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1165828.1, reshoot_counts = 139530.2
normalization = 8.242, reshoot_counts*normalization = 1150015.5
original average = -0.03 y pos [mm], reshoot average = -0.16 y pos [
10^5
10^4
counts [1/mm]
−400
−200
0
200
400
y pos [mm]