






original_key=Theta_wide_1500_0___reshoot_key=Theta_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26909135.4, reshoot_counts = 786946.2
normalization = 1.070, reshoot_counts*normalization = 842164.0
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^{10}
10^{9}
10^{8}
10^{7}
10^{6}
10^{5}
10^{4}
10^{3}
10^{2}
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_1___reshoot_key=Theta_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 18123913.3, reshoot_counts = 576933.8
normalization = 1.070, reshoot_counts*normalization = 617415.7
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_2___reshoot_key=Theta_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8157375.0, reshoot_counts = 243787.6
normalization = 1.070, reshoot_counts*normalization = 260893.5
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^9
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_3___reshoot_key=Theta_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 367675.4, reshoot_counts = 11231.7
normalization = 1.070, reshoot_counts*normalization = 12019.8
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_4___reshoot_key=Theta_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 149733.8, reshoot_counts = 4701.5
normalization = 1.070, reshoot_counts*normalization = 5031.4
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_5___reshoot_key=Theta_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 233129.1, reshoot_counts = 7856.6
normalization = 1.070, reshoot_counts*normalization = 8407.9
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_6___reshoot_key=Theta_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 456798.6, reshoot_counts = 16482.8
normalization = 1.070, reshoot_counts*normalization = 17639.3
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_7___reshoot_key=Theta_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 260297.0, reshoot_counts = 9951.9
normalization = 1.070, reshoot_counts*normalization = 10650.2
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_8___reshoot_key=Theta_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 125795.7, reshoot_counts = 5101.6
normalization = 1.070, reshoot_counts*normalization = 5459.6
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_9___reshoot_key=Theta_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 71350.2, reshoot_counts = 2982.2
normalization = 1.070, reshoot_counts*normalization = 3191.5
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_10___reshoot_key=Theta_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 154623.1, reshoot_counts = 6231.0
normalization = 1.070, reshoot_counts*normalization = 6668.2
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_11___reshoot_key=Theta_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 168297.3, reshoot_counts = 6756.5
normalization = 1.070, reshoot_counts*normalization = 7230.5
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_12___reshoot_key=Theta_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 244477.8, reshoot_counts = 9332.4
normalization = 1.070, reshoot_counts*normalization = 9987.2
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_13___reshoot_key=Theta_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 238649.5, reshoot_counts = 8814.1
normalization = 1.070, reshoot_counts*normalization = 9432.6
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_14___reshoot_key=Theta_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 423636.3, reshoot_counts = 14563.6
normalization = 1.070, reshoot_counts*normalization = 15585.4
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_15___reshoot_key=Theta_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 363782.1, reshoot_counts = 11659.7
normalization = 1.070, reshoot_counts*normalization = 12477.8
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_16___reshoot_key=Theta_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 417920.7, reshoot_counts = 12285.0
normalization = 1.070, reshoot_counts*normalization = 13147.0
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_17___reshoot_key=Theta_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 427733.0, reshoot_counts = 11526.7
normalization = 1.070, reshoot_counts*normalization = 12335.5
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_18___reshoot_key=Theta_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 422139.8, reshoot_counts = 10298.5
normalization = 1.070, reshoot_counts*normalization = 11021.1
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_19___reshoot_key=Theta_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 406509.9, reshoot_counts = 8972.0
normalization = 1.070, reshoot_counts*normalization = 9601.5
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_20___reshoot_key=Theta_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 404553.7, reshoot_counts = 8017.3
normalization = 1.070, reshoot_counts*normalization = 8579.8
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_21___reshoot_key=Theta_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 283445.1, reshoot_counts = 5026.2
normalization = 1.070, reshoot_counts*normalization = 5378.9
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_22___reshoot_key=Theta_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 148632.8, reshoot_counts = 2381.4
normalization = 1.070, reshoot_counts*normalization = 2548.5
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_23___reshoot_key=Theta_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 38780.3, reshoot_counts = 574.8
normalization = 1.070, reshoot_counts*normalization = 615.2
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_24___reshoot_key=Theta_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 705.9, reshoot_counts = 11.2
normalization = 1.070, reshoot_counts*normalization = 12.0
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_25___reshoot_key=Theta_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.4, reshoot_counts = 0.4
normalization = 1.070, reshoot_counts*normalization = 0.4
original average = 0.07 Theta [rad], reshoot average = 0.05 Theta [ra
counts [1/rad]
Theta [rad]
6×10^2
4×10^2
3×10^2
2×10^2
10^2
6×10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_26___reshoot_key=Theta_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.1, reshoot_counts = 0.0
normalization = 1.070, reshoot_counts*normalization = 0.0
original average = 0.05 Theta [rad], reshoot average = 0.05 Theta [ra
10^2
9×10^1
8×10^1
7×10^1
6×10^1
counts [1/rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_e-___reshoot_key=Theta_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 945975.7, reshoot_counts = 820493.9
normalization = 1.070, reshoot_counts*normalization = 878065.7
original average = 0.67 Theta [rad], reshoot average = 0.66 Theta [ra
counts [1/rad]
10^7
10^6
10^5
10^4
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_e+___reshoot_key=Theta_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 35132.8, reshoot_counts = 2587.9
normalization = 1.070, reshoot_counts*normalization = 2769.5
original average = 0.05 Theta [rad], reshoot average = 0.05 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_gamma___reshoot_key=Theta_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2339782.6, reshoot_counts = 84603.7
normalization = 1.070, reshoot_counts*normalization = 90540.1
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_mu-___reshoot_key=Theta_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3013.1, reshoot_counts = 587.7
normalization = 1.070, reshoot_counts*normalization = 629.0
original average = 0.07 Theta [rad], reshoot average = 0.07 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_mu+___reshoot_key=Theta_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2351.1, reshoot_counts = 427.7
normalization = 1.070, reshoot_counts*normalization = 457.7
original average = 0.07 Theta [rad], reshoot average = 0.07 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_pi-___reshoot_key=Theta_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 73412.9, reshoot_counts = 2662.6
normalization = 1.070, reshoot_counts*normalization = 2849.4
original average = 0.05 Theta [rad], reshoot average = 0.05 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_pi+___reshoot_key=Theta_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 56930.3, reshoot_counts = 2064.2
normalization = 1.070, reshoot_counts*normalization = 2209.0
original average = 0.06 Theta [rad], reshoot average = 0.06 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Phi_wide_1500_0___reshoot_key=Phi_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1923704.8, reshoot_counts = 1798447.3
normalization = 1.070, reshoot_counts*normalization = 1924639.5
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
2.6 × 10^7
2.4 × 10^7
2.2 × 10^7
2 × 10^7
1.8 × 10^7
1.6 × 10^7
1.4 × 10^7
1.2 × 10^7
0
1
2
3
4
5
6



original_key=Phi_wide_1500_1___reshoot_key=Phi_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1390420.7, reshoot_counts = 1300920.3
normalization = 1.070, reshoot_counts*normalization = 1392202.3
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
10^7
9×10^6
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_2___reshoot_key=Phi_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 595395.9, reshoot_counts = 556890.9
normalization = 1.070, reshoot_counts*normalization = 595966.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_wide_1500_3___reshoot_key=Phi_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 27472.5, reshoot_counts = 25636.1
normalization = 1.070, reshoot_counts*normalization = 27435.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
3×10^5
2×10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_4___reshoot_key=Phi_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11411.3, reshoot_counts = 10688.6
normalization = 1.070, reshoot_counts*normalization = 11438.6
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
10^5
9×10^4
8×10^4
7×10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_5___reshoot_key=Phi_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 18786.3, reshoot_counts = 17612.9
normalization = 1.070, reshoot_counts*normalization = 18848.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
2.6 × 10^5
2.4 × 10^5
2.2 × 10^5
2 × 10^5
1.8 × 10^5
1.6 × 10^5
1.4 × 10^5
1.2 × 10^5
0
1
2
3
4
5
6



original_key=Phi_wide_1500_6___reshoot_key=Phi_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 39088.4, reshoot_counts = 36583.6
normalization = 1.070, reshoot_counts*normalization = 39150.6
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
5×10^5
4×10^5
3×10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_7___reshoot_key=Phi_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 23492.7, reshoot_counts = 22137.4
normalization = 1.070, reshoot_counts*normalization = 23690.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
3×10^5
2×10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_8___reshoot_key=Phi_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11899.6, reshoot_counts = 11092.7
normalization = 1.070, reshoot_counts*normalization = 11871.1
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
10^5
9×10^4
8×10^4
7×10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_9___reshoot_key=Phi_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6928.3, reshoot_counts = 6455.6
normalization = 1.070, reshoot_counts*normalization = 6908.6
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
6×10^4
4×10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_10___reshoot_key=Phi_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 14633.2, reshoot_counts = 13853.8
normalization = 1.070, reshoot_counts*normalization = 14825.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
2×10^5
10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_11___reshoot_key=Phi_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16023.2, reshoot_counts = 14792.5
normalization = 1.070, reshoot_counts*normalization = 15830.5
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
2×10^5
10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_12___reshoot_key=Phi_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 22197.6, reshoot_counts = 20801.7
normalization = 1.070, reshoot_counts*normalization = 22261.3
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
3×10^5
2×10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_13___reshoot_key=Phi_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 21036.0, reshoot_counts = 19828.1
normalization = 1.070, reshoot_counts*normalization = 21219.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
2.8 × 10^5
2.6 × 10^5
2.4 × 10^5
2.2 × 10^5
2 × 10^5
1.8 × 10^5
1.6 × 10^5
1.4 × 10^5
0
1
2
3
4
5
6



original_key=Phi_wide_1500_14___reshoot_key=Phi_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 35406.4, reshoot_counts = 33127.3
normalization = 1.070, reshoot_counts*normalization = 35451.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
5 × 10^5
4 × 10^5
3 × 10^5
0
1
2
3
4
5
6



original_key=Phi_wide_1500_15___reshoot_key=Phi_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 28694.7, reshoot_counts = 27005.9
normalization = 1.070, reshoot_counts*normalization = 28900.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
4×10^5
3×10^5
2×10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_16___reshoot_key=Phi_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 30546.3, reshoot_counts = 28690.0
normalization = 1.070, reshoot_counts*normalization = 30703.1
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_wide_1500_17___reshoot_key=Phi_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 29211.9, reshoot_counts = 27308.1
normalization = 1.070, reshoot_counts*normalization = 29224.3
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
4 × 10^5
3 × 10^5
2 × 10^5
0
1
2
3
4
5
6



original_key=Phi_wide_1500_18___reshoot_key=Phi_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26517.8, reshoot_counts = 24693.4
normalization = 1.070, reshoot_counts*normalization = 26426.1
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
3×10^5
2×10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_19___reshoot_key=Phi_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 23181.6, reshoot_counts = 21765.0
normalization = 1.070, reshoot_counts*normalization = 23292.2
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
3×10^5
2×10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_20___reshoot_key=Phi_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 21191.1, reshoot_counts = 19563.5
normalization = 1.070, reshoot_counts*normalization = 20936.2
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
3×10^5
2×10^5
0
1
2
3
4
5
6



original_key=Phi_wide_1500_21___reshoot_key=Phi_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13393.2, reshoot_counts = 12552.8
normalization = 1.070, reshoot_counts*normalization = 13433.6
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
10^5
9×10^4
8×10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_22___reshoot_key=Phi_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6427.9, reshoot_counts = 5940.8
normalization = 1.070, reshoot_counts*normalization = 6357.6
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
6×10^4
4×10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_23___reshoot_key=Phi_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1568.0, reshoot_counts = 1471.3
normalization = 1.070, reshoot_counts*normalization = 1574.6
original average = 3.15 Phi [rad], reshoot average = 3.14 Phi [rad]
2×10^4
10^4
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_24___reshoot_key=Phi_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 32.1, reshoot_counts = 30.0
normalization = 1.070, reshoot_counts*normalization = 32.1
original average = 3.18 Phi [rad], reshoot average = 3.08 Phi [rad]
counts [1/rad]
Phi [rad]
10^3
10^2
0
1
2
3
4
5
6



original_key=Phi_wide_1500_25___reshoot_key=Phi_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.5, reshoot_counts = 0.5
normalization = 1.070, reshoot_counts*normalization = 0.5
original average = 3.11 Phi [rad], reshoot average = 3.35 Phi [rad]
counts [1/rad]
10^2
6×10^1
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_26___reshoot_key=Phi_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.1, reshoot_counts = 0.0
normalization = 1.070, reshoot_counts*normalization = 0.0
original average = 3.72 Phi [rad], reshoot average = 3.27 Phi [rad]
counts [1/rad]
10^2
9×10^1
8×10^1
7×10^1
6×10^1
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_e-___reshoot_key=Phi_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1151526.4, reshoot_counts = 1077094.1
normalization = 1.070, reshoot_counts*normalization = 1152670.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
10^7
9×10^6
8×10^6
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_e+___reshoot_key=Phi_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4160.8, reshoot_counts = 4788.7
normalization = 1.070, reshoot_counts*normalization = 5124.7
original average = 3.15 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
6 × 10^4
4 × 10^4
3 × 10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_gamma___reshoot_key=Phi_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 194977.6, reshoot_counts = 186853.3
normalization = 1.070, reshoot_counts*normalization = 199964.3
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
2.8 × 10^6
2.6 × 10^6
2.4 × 10^6
2.2 × 10^6
2 × 10^6
1.8 × 10^6
1.6 × 10^6
1.4 × 10^6
0
1
2
3
4
5
6



original_key=Phi_wide_1500_mu-___reshoot_key=Phi_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 598.4, reshoot_counts = 977.6
normalization = 1.070, reshoot_counts*normalization = 1046.2
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]
10^4
6×10^3
4×10^3
3×10^3
0
1
2
3
4
5
6



original_key=Phi_wide_1500_mu+___reshoot_key=Phi_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 439.5, reshoot_counts = 697.2
normalization = 1.070, reshoot_counts*normalization = 746.1
original average = 3.15 Phi [rad], reshoot average = 3.13 Phi [rad]
counts [1/rad]
Phi [rad]
10^4
6×10^3
4×10^3
3×10^3
2×10^3
0
1
2
3
4
5
6



original_key=Phi_wide_1500_pi-___reshoot_key=Phi_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6143.6, reshoot_counts = 5735.5
normalization = 1.070, reshoot_counts*normalization = 6137.9
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
6×10^4
4×10^4
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_pi+___reshoot_key=Phi_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4852.8, reshoot_counts = 4501.3
normalization = 1.070, reshoot_counts*normalization = 4817.2
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Ekin_wide_1500_0___reshoot_key=EkinU_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 84732701.0, reshoot_counts = 79238035.0
normalization = 1.070, reshoot_counts*normalization = 84797951.7
original average = 679.71 Ek [MeV/u], reshoot average = 681.13 Ek [
counts [u/MeV]
Ek [MeV/u]



original_key=Ekin_wide_1500_1___reshoot_key=EkinU_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 61384988.0, reshoot_counts = 57364225.5
normalization = 1.070, reshoot_counts*normalization = 61389316.7
original average = 655.57 Ek [MeV/u], reshoot average = 655.62 Ek [
counts [u/MeV]
Ek [MeV/u]
10^5
10^4
10^3
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_1500_2___reshoot_key=EkinU_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26275056.5, reshoot_counts = 24548705.0
normalization = 1.070, reshoot_counts*normalization = 26271220.7
original average = 649.42 Ek [MeV/u], reshoot average = 649.46 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_1500_3___reshoot_key=EkinU_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1207037.5, reshoot_counts = 1126916.0
normalization = 1.070, reshoot_counts*normalization = 1205988.6
original average = 629.43 Ek [MeV/u], reshoot average = 629.37 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_1500_4___reshoot_key=EkinU_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 502292.0, reshoot_counts = 469939.0
normalization = 1.070, reshoot_counts*normalization = 502913.3
original average = 598.27 Ek [MeV/u], reshoot average = 598.12 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_1500_5___reshoot_key=EkinU_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 833346.0, reshoot_counts = 778613.5
normalization = 1.070, reshoot_counts*normalization = 833246.7
original average = 571.72 Ek [MeV/u], reshoot average = 571.58 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_6___reshoot_key=EkinU_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1732163.5, reshoot_counts = 1618202.5
normalization = 1.070, reshoot_counts*normalization = 1731747.4
original average = 531.21 Ek [MeV/u], reshoot average = 531.06 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_7___reshoot_key=EkinU_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1040865.5, reshoot_counts = 971815.5
normalization = 1.070, reshoot_counts*normalization = 1040005.1
original average = 506.10 Ek [MeV/u], reshoot average = 505.98 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_8___reshoot_key=EkinU_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 528417.0, reshoot_counts = 494603.5
normalization = 1.070, reshoot_counts*normalization = 529308.5
original average = 483.42 Ek [MeV/u], reshoot average = 483.35 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_1500_9___reshoot_key=EkinU_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 308926.0, reshoot_counts = 289143.5
normalization = 1.070, reshoot_counts*normalization = 309431.9
original average = 470.43 Ek [MeV/u], reshoot average = 470.16 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_1500_10___reshoot_key=EkinU_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 648462.0, reshoot_counts = 606276.0
normalization = 1.070, reshoot_counts*normalization = 648816.7
original average = 436.27 Ek [MeV/u], reshoot average = 436.11 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_11___reshoot_key=EkinU_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 706350.0, reshoot_counts = 659616.0
normalization = 1.070, reshoot_counts*normalization = 705899.5
original average = 410.24 Ek [MeV/u], reshoot average = 410.50 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_12___reshoot_key=EkinU_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 982130.5, reshoot_counts = 918000.0
normalization = 1.070, reshoot_counts*normalization = 982413.6
original average = 376.46 Ek [MeV/u], reshoot average = 376.24 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_13___reshoot_key=EkinU_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 932830.5, reshoot_counts = 873380.0
normalization = 1.070, reshoot_counts*normalization = 934662.7
original average = 349.13 Ek [MeV/u], reshoot average = 349.18 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_14___reshoot_key=EkinU_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1562538.5, reshoot_counts = 1459216.5
normalization = 1.070, reshoot_counts*normalization = 1561605.7
original average = 312.62 Ek [MeV/u], reshoot average = 312.61 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_15___reshoot_key=EkinU_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1263702.5, reshoot_counts = 1180961.5
normalization = 1.070, reshoot_counts*normalization = 1263826.3
original average = 286.77 Ek [MeV/u], reshoot average = 286.69 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_16___reshoot_key=EkinU_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1347998.5, reshoot_counts = 1258801.5
normalization = 1.070, reshoot_counts*normalization = 1347128.2
original average = 252.40 Ek [MeV/u], reshoot average = 252.44 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_17___reshoot_key=EkinU_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1280428.0, reshoot_counts = 1196278.5
normalization = 1.070, reshoot_counts*normalization = 1280218.1
original average = 223.65 Ek [MeV/u], reshoot average = 223.70 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_18___reshoot_key=EkinU_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1156173.5, reshoot_counts = 1081356.0
normalization = 1.070, reshoot_counts*normalization = 1157231.8
original average = 190.33 Ek [MeV/u], reshoot average = 190.25 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_19___reshoot_key=EkinU_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1020027.5, reshoot_counts = 953379.0
normalization = 1.070, reshoot_counts*normalization = 1020275.0
original average = 164.58 Ek [MeV/u], reshoot average = 164.65 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_20___reshoot_key=EkinU_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 924726.5, reshoot_counts = 863391.0
normalization = 1.070, reshoot_counts*normalization = 923972.8
original average = 137.74 Ek [MeV/u], reshoot average = 137.77 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_21___reshoot_key=EkinU_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 585450.5, reshoot_counts = 547799.5
normalization = 1.070, reshoot_counts*normalization = 586237.1
original average = 114.19 Ek [MeV/u], reshoot average = 114.27 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_22___reshoot_key=EkinU_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 280960.5, reshoot_counts = 262123.0
normalization = 1.070, reshoot_counts*normalization = 280515.5
original average = 86.55 Ek [MeV/u], reshoot average = 86.59 Ek [Me
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_23___reshoot_key=EkinU_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 68030.0, reshoot_counts = 63612.0
normalization = 1.070, reshoot_counts*normalization = 68075.5
original average = 63.31 Ek [MeV/u], reshoot average = 63.55 Ek [Me
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_1500_24___reshoot_key=EkinU_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1332.5, reshoot_counts = 1154.5
normalization = 1.070, reshoot_counts*normalization = 1235.5
original average = 32.64 Ek [MeV/u], reshoot average = 33.54 Ek [Me
counts [u/MeV]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_25___reshoot_key=EkinU_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 25.0, reshoot_counts = 27.0
normalization = 1.070, reshoot_counts*normalization = 28.9
original average = 12.74 Ek [MeV/u], reshoot average = 12.82 Ek [Me
counts [u/MeV]
Ek [MeV/u]
3×10^0
2×10^0
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_1500_26___reshoot_key=EkinU_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5.0, reshoot_counts = 2.0
normalization = 1.070, reshoot_counts*normalization = 2.1
original average = 12.50 Ek [MeV/u], reshoot average = 13.50 Ek [Me
counts [u/MeV]
Ek [MeV/u]
1.07 × 10^0
1.06 × 10^0
1.05 × 10^0
1.04 × 10^0
1.03 × 10^0
1.02 × 10^0
1.01 × 10^0
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_1500_e-___reshoot_key=EkinU_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3668957.8, reshoot_counts = 46556866.5
normalization = 1.070, reshoot_counts*normalization = 49823634.8
original average = 0.40 Ek [MeV/u], reshoot average = 0.99 Ek [MeV/u
counts [u/MeV]
Ek [MeV/u]



original_key=Ekin_wide_1500_e+___reshoot_key=EkinU_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13451.6, reshoot_counts = 213403.0
normalization = 1.070, reshoot_counts*normalization = 228376.9
original average = 38.41 Ek [MeV/u], reshoot average = 38.49 Ek [Me
10^3
10^2
counts [u/MeV]
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_gamma___reshoot_key=EkinU_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 786534.7, reshoot_counts = 7616090.5
normalization = 1.070, reshoot_counts*normalization = 8150490.8
original average = 5.14 Ek [MeV/u], reshoot average = 6.97 Ek [MeV/u]
counts [u/MeV]
Ek [MeV/u]
10^7
10^6
10^5
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_1500_mu-___reshoot_key=EkinU_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 890.2, reshoot_counts = 41898.5
normalization = 1.070, reshoot_counts*normalization = 44838.4
original average = 53.56 Ek [MeV/u], reshoot average = 53.34 Ek [Me
counts [u/MeV]
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_mu+___reshoot_key=EkinU_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 614.3, reshoot_counts = 30902.0
normalization = 1.070, reshoot_counts*normalization = 33070.3
original average = 52.39 Ek [MeV/u], reshoot average = 52.45 Ek [Me
counts [u/MeV]
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_pi-___reshoot_key=EkinU_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 531938.0, reshoot_counts = 255051.5
normalization = 1.070, reshoot_counts*normalization = 272947.8
original average = 313.20 Ek [MeV/u], reshoot average = 313.30 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_1500_pi+___reshoot_key=EkinU_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 414825.6, reshoot_counts = 197575.5
normalization = 1.070, reshoot_counts*normalization = 211438.8
original average = 346.32 Ek [MeV/u], reshoot average = 346.74 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=X_wide_1500_0___reshoot_key=X_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 21465645.8, reshoot_counts = 19819896.0
normalization = 1.070, reshoot_counts*normalization = 21210604.0
original average = -0.00 x pos [mm], reshoot average = -0.13 x pos [
counts [1/mm]
10^6
9×10^5
8×10^5
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_1___reshoot_key=X_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 15539946.1, reshoot_counts = 14341173.2
normalization = 1.070, reshoot_counts*normalization = 15347454.2
original average = -0.01 x pos [mm], reshoot average = -0.14 x pos [
10^6
9×10^5
8×10^5
7×10^5
6×10^5
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_2___reshoot_key=X_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6649171.2, reshoot_counts = 6137356.8
normalization = 1.070, reshoot_counts*normalization = 6567998.3
original average = -0.00 x pos [mm], reshoot average = -0.13 x pos [
5 × 10^5
4 × 10^5
3 × 10^5
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_3___reshoot_key=X_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 305598.6, reshoot_counts = 281741.0
normalization = 1.070, reshoot_counts*normalization = 301510.0
original average = 0.01 x pos [mm], reshoot average = -0.07 x pos [m
2×10^4
10^4
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_4___reshoot_key=X_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 127126.1, reshoot_counts = 117492.2
normalization = 1.070, reshoot_counts*normalization = 125736.4
original average = 0.08 x pos [mm], reshoot average = -0.06 x pos [m
counts [1/mm]
10^4
6×10^3
4×10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_5___reshoot_key=X_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 211014.1, reshoot_counts = 194665.0
normalization = 1.070, reshoot_counts*normalization = 208324.1
original average = -0.02 x pos [mm], reshoot average = -0.15 x pos [
counts [1/mm]
10^4
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_6___reshoot_key=X_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 438715.9, reshoot_counts = 404574.8
normalization = 1.070, reshoot_counts*normalization = 432962.7
original average = -0.05 x pos [mm], reshoot average = -0.21 x pos [
counts [1/mm]
3 × 10^4
2 × 10^4
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_7___reshoot_key=X_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 263776.2, reshoot_counts = 242965.8
normalization = 1.070, reshoot_counts*normalization = 260014.0
original average = -0.01 x pos [mm], reshoot average = -0.09 x pos [
2×10^4
10^4
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_8___reshoot_key=X_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 133867.4, reshoot_counts = 123653.5
normalization = 1.070, reshoot_counts*normalization = 132329.9
original average = 0.02 x pos [mm], reshoot average = 0.00 x pos [m
10^4
6×10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_9___reshoot_key=X_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 78288.5, reshoot_counts = 72286.0
normalization = 1.070, reshoot_counts*normalization = 77358.1
original average = -0.08 x pos [mm], reshoot average = -0.28 x pos [
counts [1/mm]
6 × 10^3
4 × 10^3
3 × 10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_10___reshoot_key=X_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 164285.4, reshoot_counts = 151569.5
normalization = 1.070, reshoot_counts*normalization = 162204.7
original average = 0.03 x pos [mm], reshoot average = -0.04 x pos [m
10^4
6×10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_11___reshoot_key=X_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 178920.8, reshoot_counts = 164905.0
normalization = 1.070, reshoot_counts*normalization = 176475.9
original average = 0.01 x pos [mm], reshoot average = -0.11 x pos [m
counts [1/mm]
10^4
6×10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_12___reshoot_key=X_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 248750.5, reshoot_counts = 229502.5
normalization = 1.070, reshoot_counts*normalization = 245606.1
original average = -0.00 x pos [mm], reshoot average = -0.10 x pos [
2 × 10^4
10^4
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_13___reshoot_key=X_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 236119.9, reshoot_counts = 218349.0
normalization = 1.070, reshoot_counts*normalization = 233670.0
original average = -0.02 x pos [mm], reshoot average = -0.20 x pos [
counts [1/mm]
10^4
9×10^3
8×10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_14___reshoot_key=X_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 395409.1, reshoot_counts = 364812.5
normalization = 1.070, reshoot_counts*normalization = 390410.4
original average = -0.04 x pos [mm], reshoot average = -0.18 x pos [
counts [1/mm]
3 × 10^4
2 × 10^4
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_15___reshoot_key=X_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 319587.5, reshoot_counts = 295249.5
normalization = 1.070, reshoot_counts*normalization = 315966.4
original average = -0.02 x pos [mm], reshoot average = -0.09 x pos [
counts [1/mm]
x pos [mm]
2.4 × 10^4
2.2 × 10^4
2 × 10^4
1.8 × 10^4
1.6 × 10^4
1.4 × 10^4
1.2 × 10^4
−400
−200
0
200
400



original_key=X_wide_1500_16___reshoot_key=X_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 340761.4, reshoot_counts = 314715.0
normalization = 1.070, reshoot_counts*normalization = 336797.7
original average = 0.01 x pos [mm], reshoot average = -0.14 x pos [m
counts [1/mm]
x pos [mm]
2.4 × 10^4
2.2 × 10^4
2 × 10^4
1.8 × 10^4
1.6 × 10^4
1.4 × 10^4
1.2 × 10^4
−400
−200
0
200
400



original_key=X_wide_1500_17___reshoot_key=X_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 323461.5, reshoot_counts = 299092.8
normalization = 1.070, reshoot_counts*normalization = 320079.3
original average = 0.01 x pos [mm], reshoot average = -0.09 x pos [m
2×10^4
10^4
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_18___reshoot_key=X_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 291997.8, reshoot_counts = 270372.2
normalization = 1.070, reshoot_counts*normalization = 289343.5
original average = 0.02 x pos [mm], reshoot average = -0.11 x pos [m
counts [1/mm]
10^4
9×10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_19___reshoot_key=X_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 257434.9, reshoot_counts = 238381.2
normalization = 1.070, reshoot_counts*normalization = 255107.8
original average = 0.00 x pos [mm], reshoot average = -0.09 x pos [m
counts [1/mm]
10^4
9×10^3
8×10^3
7×10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_20___reshoot_key=X_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 233279.4, reshoot_counts = 215909.8
normalization = 1.070, reshoot_counts*normalization = 231059.5
original average = -0.01 x pos [mm], reshoot average = -0.14 x pos [
10^4
6×10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_21___reshoot_key=X_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 147570.6, reshoot_counts = 137009.0
normalization = 1.070, reshoot_counts*normalization = 146622.5
original average = -0.01 x pos [mm], reshoot average = -0.11 x pos [
8 × 10^3
7 × 10^3
6 × 10^3
5 × 10^3
4 × 10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_22___reshoot_key=X_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 70850.8, reshoot_counts = 65580.0
normalization = 1.070, reshoot_counts*normalization = 70181.6
original average = 0.03 x pos [mm], reshoot average = -0.02 x pos [m
counts [1/mm]
x pos [mm]
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400



original_key=X_wide_1500_23___reshoot_key=X_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 17157.6, reshoot_counts = 15926.0
normalization = 1.070, reshoot_counts*normalization = 17043.5
original average = -0.10 x pos [mm], reshoot average = -0.26 x pos [
10^3
6×10^2
4×10^2
3×10^2
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_24___reshoot_key=X_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 339.9, reshoot_counts = 289.5
normalization = 1.070, reshoot_counts*normalization = 309.8
original average = -0.03 x pos [mm], reshoot average = -0.41 x pos [
counts [1/mm]
x pos [mm]
4 × 10^1
3 × 10^1
2 × 10^1
10^1
6 × 10^0
4 × 10^0
−400
−200
0
200
400



original_key=X_wide_1500_25___reshoot_key=X_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6.5, reshoot_counts = 7.0
normalization = 1.070, reshoot_counts*normalization = 7.5
original average = 2.93 x pos [mm], reshoot average = 2.93 x pos [m
10^1
6×10^0
4×10^0
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_26___reshoot_key=X_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.2, reshoot_counts = 0.5
normalization = 1.070, reshoot_counts*normalization = 0.5
original average = 16.12 x pos [mm], reshoot average = 23.62 x pos
4.25 × 10^0
4.2 × 10^0
4.15 × 10^0
4.1 × 10^0
4.05 × 10^0
4 × 10^0
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_e-___reshoot_key=X_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9815056.8, reshoot_counts = 11788053.5
normalization = 1.070, reshoot_counts*normalization = 12615189.1
original average = -0.00 x pos [mm], reshoot average = -0.12 x pos [
10^6
6×10^5
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_e+___reshoot_key=X_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 35086.6, reshoot_counts = 53580.2
normalization = 1.070, reshoot_counts*normalization = 57339.8
original average = 0.04 x pos [mm], reshoot average = -0.07 x pos [m
counts [1/mm]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_gamma___reshoot_key=X_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1639404.4, reshoot_counts = 2059521.8
normalization = 1.070, reshoot_counts*normalization = 2204032.8
original average = -0.00 x pos [mm], reshoot average = -0.13 x pos [
2×10^5
10^5
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_mu-___reshoot_key=X_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5101.9, reshoot_counts = 10482.2
normalization = 1.070, reshoot_counts*normalization = 11217.8
original average = 0.08 x pos [mm], reshoot average = -0.05 x pos [m
10^3
6×10^2
4×10^2
3×10^2
2×10^2
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_mu+___reshoot_key=X_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3735.0, reshoot_counts = 7730.0
normalization = 1.070, reshoot_counts*normalization = 8272.4
original average = 0.13 x pos [mm], reshoot average = 0.15 x pos [m
10^3
10^2
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_pi-___reshoot_key=X_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 51939.8, reshoot_counts = 63763.0
normalization = 1.070, reshoot_counts*normalization = 68237.1
original average = -0.02 x pos [mm], reshoot average = -0.16 x pos [
counts [1/mm]
6 × 10^3
4 × 10^3
3 × 10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_pi+___reshoot_key=X_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 40550.1, reshoot_counts = 49394.0
normalization = 1.070, reshoot_counts*normalization = 52859.8
original average = -0.12 x pos [mm], reshoot average = -0.27 x pos [
counts [1/mm]
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400
x pos [mm]



original_key=Y_wide_1500_0___reshoot_key=Y_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 21466891.5, reshoot_counts = 19819896.0
normalization = 1.070, reshoot_counts*normalization = 21210604.0
original average = -0.00 y pos [mm], reshoot average = -0.13 y pos [
counts [1/mm]
10^6
9×10^5
8×10^5
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_1___reshoot_key=Y_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 15540606.1, reshoot_counts = 14341173.2
normalization = 1.070, reshoot_counts*normalization = 15347454.2
original average = -0.01 y pos [mm], reshoot average = -0.13 y pos [
10^6
9×10^5
8×10^5
7×10^5
6×10^5
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_2___reshoot_key=Y_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6649225.8, reshoot_counts = 6137356.8
normalization = 1.070, reshoot_counts*normalization = 6567998.3
original average = -0.01 y pos [mm], reshoot average = -0.13 y pos [
5×10^5
4×10^5
3×10^5
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_3___reshoot_key=Y_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 305373.1, reshoot_counts = 281741.0
normalization = 1.070, reshoot_counts*normalization = 301510.0
original average = -0.03 y pos [mm], reshoot average = -0.14 y pos [
2×10^4
10^4
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_4___reshoot_key=Y_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 127144.1, reshoot_counts = 117492.2
normalization = 1.070, reshoot_counts*normalization = 125736.4
original average = -0.05 y pos [mm], reshoot average = -0.18 y pos [
counts [1/mm]
y pos [mm]
10^4
9×10^3
8×10^3
7×10^3
6×10^3
5×10^3
−400
−200
0
200
400



original_key=Y_wide_1500_5___reshoot_key=Y_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 210952.2, reshoot_counts = 194665.0
normalization = 1.070, reshoot_counts*normalization = 208324.1
original average = -0.02 y pos [mm], reshoot average = -0.13 y pos [
counts [1/mm]
10^4
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_6___reshoot_key=Y_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 438684.9, reshoot_counts = 404574.8
normalization = 1.070, reshoot_counts*normalization = 432962.7
original average = -0.00 y pos [mm], reshoot average = -0.12 y pos [
3×10^4
2×10^4
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_7___reshoot_key=Y_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 263688.2, reshoot_counts = 242965.8
normalization = 1.070, reshoot_counts*normalization = 260014.0
original average = 0.03 y pos [mm], reshoot average = -0.13 y pos [m
2×10^4
10^4
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_8___reshoot_key=Y_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 133887.2, reshoot_counts = 123653.5
normalization = 1.070, reshoot_counts*normalization = 132329.9
original average = 0.02 y pos [mm], reshoot average = -0.11 y pos [m
10^4
6×10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_9___reshoot_key=Y_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 78305.4, reshoot_counts = 72286.0
normalization = 1.070, reshoot_counts*normalization = 77358.1
original average = -0.05 y pos [mm], reshoot average = -0.17 y pos [
counts [1/mm]
6 × 10^3
4 × 10^3
3 × 10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_10___reshoot_key=Y_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 164361.9, reshoot_counts = 151569.5
normalization = 1.070, reshoot_counts*normalization = 162204.7
original average = 0.00 y pos [mm], reshoot average = -0.13 y pos [m
10^4
6×10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_11___reshoot_key=Y_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 178986.6, reshoot_counts = 164905.0
normalization = 1.070, reshoot_counts*normalization = 176475.9
original average = 0.02 y pos [mm], reshoot average = -0.08 y pos [m
counts [1/mm]
10^4
6×10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_12___reshoot_key=Y_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 248728.4, reshoot_counts = 229502.5
normalization = 1.070, reshoot_counts*normalization = 245606.1
original average = -0.00 y pos [mm], reshoot average = -0.10 y pos [
2×10^4
10^4
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_13___reshoot_key=Y_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 236164.2, reshoot_counts = 218349.0
normalization = 1.070, reshoot_counts*normalization = 233670.0
original average = -0.01 y pos [mm], reshoot average = -0.10 y pos [
counts [1/mm]
10^4
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_14___reshoot_key=Y_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 395377.0, reshoot_counts = 364812.5
normalization = 1.070, reshoot_counts*normalization = 390410.4
original average = -0.02 y pos [mm], reshoot average = -0.13 y pos [
3×10^4
2×10^4
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_15___reshoot_key=Y_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 319564.0, reshoot_counts = 295249.5
normalization = 1.070, reshoot_counts*normalization = 315966.4
original average = 0.02 y pos [mm], reshoot average = -0.09 y pos [m
counts [1/mm]
y pos [mm]
2.4 × 10^4
2.2 × 10^4
2 × 10^4
1.8 × 10^4
1.6 × 10^4
1.4 × 10^4
1.2 × 10^4
−400
−200
0
200
400



original_key=Y_wide_1500_16___reshoot_key=Y_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 340696.9, reshoot_counts = 314715.0
normalization = 1.070, reshoot_counts*normalization = 336797.7
original average = -0.01 y pos [mm], reshoot average = -0.13 y pos [
counts [1/mm]
y pos [mm]
2.4 × 10^4
2.2 × 10^4
2 × 10^4
1.8 × 10^4
1.6 × 10^4
1.4 × 10^4
1.2 × 10^4
−400
−200
0
200
400



original_key=Y_wide_1500_17___reshoot_key=Y_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 323487.4, reshoot_counts = 299092.8
normalization = 1.070, reshoot_counts*normalization = 320079.3
original average = -0.01 y pos [mm], reshoot average = -0.14 y pos [
2×10^4
10^4
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_18___reshoot_key=Y_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 291819.6, reshoot_counts = 270372.2
normalization = 1.070, reshoot_counts*normalization = 289343.5
original average = 0.02 y pos [mm], reshoot average = -0.15 y pos [m
counts [1/mm]
10^4
9×10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_19___reshoot_key=Y_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 257456.2, reshoot_counts = 238381.2
normalization = 1.070, reshoot_counts*normalization = 255107.8
original average = -0.01 y pos [mm], reshoot average = -0.13 y pos [
counts [1/mm]
10^4
9×10^3
8×10^3
7×10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_20___reshoot_key=Y_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 233263.4, reshoot_counts = 215909.8
normalization = 1.070, reshoot_counts*normalization = 231059.5
original average = 0.02 y pos [mm], reshoot average = -0.09 y pos [m
10^4
6×10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_21___reshoot_key=Y_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 147602.4, reshoot_counts = 137009.0
normalization = 1.070, reshoot_counts*normalization = 146622.5
original average = 0.01 y pos [mm], reshoot average = -0.13 y pos [m
6×10^3
4×10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_22___reshoot_key=Y_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 70832.6, reshoot_counts = 65580.0
normalization = 1.070, reshoot_counts*normalization = 70181.6
original average = -0.01 y pos [mm], reshoot average = -0.16 y pos [
3×10^3
2×10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_23___reshoot_key=Y_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 17156.0, reshoot_counts = 15926.0
normalization = 1.070, reshoot_counts*normalization = 17043.5
original average = -0.00 y pos [mm], reshoot average = -0.31 y pos [
10^3
6×10^2
4×10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_24___reshoot_key=Y_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 336.8, reshoot_counts = 289.5
normalization = 1.070, reshoot_counts*normalization = 309.8
original average = -0.51 y pos [mm], reshoot average = -0.84 y pos [
counts [1/mm]
y pos [mm]
6 × 10^1
4 × 10^1
3 × 10^1
2 × 10^1
10^1
6 × 10^0
4 × 10^0
−400
−200
0
200
400



original_key=Y_wide_1500_25___reshoot_key=Y_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6.5, reshoot_counts = 7.0
normalization = 1.070, reshoot_counts*normalization = 7.5
original average = 2.78 y pos [mm], reshoot average = 6.07 y pos [m
10^1
6×10^0
4×10^0
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_26___reshoot_key=Y_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.2, reshoot_counts = 0.5
normalization = 1.070, reshoot_counts*normalization = 0.5
original average = -1.12 y pos [mm], reshoot average = -20.88 y pos
counts [1/mm]
y pos [mm]
8 × 10^0
7 × 10^0
6 × 10^0
5 × 10^0
4 × 10^0
−400
−200
0
200
400



original_key=Y_wide_1500_e-___reshoot_key=Y_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12869012.9, reshoot_counts = 11788053.5
normalization = 1.070, reshoot_counts*normalization = 12615189.1
original average = -0.01 y pos [mm], reshoot average = -0.13 y pos [
10^6
6×10^5
4×10^5
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_e+___reshoot_key=Y_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 46481.2, reshoot_counts = 53580.2
normalization = 1.070, reshoot_counts*normalization = 57339.8
original average = 0.00 y pos [mm], reshoot average = -0.21 y pos [m
counts [1/mm]
4×10^3
3×10^3
2×10^3
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_1500_gamma___reshoot_key=Y_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2177049.0, reshoot_counts = 2059521.8
normalization = 1.070, reshoot_counts*normalization = 2204032.8
original average = -0.00 y pos [mm], reshoot average = -0.12 y pos [
counts [1/mm]
10^5
9×10^4
8×10^4
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_1500_mu-___reshoot_key=Y_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6768.6, reshoot_counts = 10482.2
normalization = 1.070, reshoot_counts*normalization = 11217.8
original average = 0.12 y pos [mm], reshoot average = -0.20 y pos [m
counts [1/mm]
y pos [mm]
10^3
6×10^2
4×10^2
3×10^2
2×10^2
−400
−200
0
200
400


original_key=Y_wide_1500_mu+___reshoot_key=Y_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4968.1, reshoot_counts = 7730.0
normalization = 1.070, reshoot_counts*normalization = 8272.4
original average = -0.31 y pos [mm], reshoot average = -0.48 y pos [
6×10^2
4×10^2
3×10^2
2×10^2
10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_1500_pi-___reshoot_key=Y_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 68987.6, reshoot_counts = 63763.0
normalization = 1.070, reshoot_counts*normalization = 68237.1
original average = -0.09 y pos [mm], reshoot average = -0.28 y pos [
4×10^3
3×10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_1500_pi+___reshoot_key=Y_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 53809.5, reshoot_counts = 49394.0
normalization = 1.070, reshoot_counts*normalization = 52859.8
original average = 0.10 y pos [mm], reshoot average = -0.05 y pos [m
4×10^3
3×10^3
2×10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]