






original_key=Theta_1500_0___reshoot_key=Theta_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2872501.0, reshoot_counts = 15780381.0
normalization = 0.182, reshoot_counts*normalization = 2872324.1
original average = 0.01 Theta [rad], reshoot average = 0.01 Theta [ra
counts [1/rad]
6×10^8
4×10^8
3×10^8
2×10^8
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_1___reshoot_key=Theta_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 35333.9, reshoot_counts = 11122059.0
normalization = 0.182, reshoot_counts*normalization = 2024422.5
original average = 1.00 Theta [rad], reshoot average = 0.01 Theta [ra
counts [1/rad]
6 × 10^8
4 × 10^8
3 × 10^8
2 × 10^8
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_2___reshoot_key=Theta_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 19274.6, reshoot_counts = 6067123.0
normalization = 0.182, reshoot_counts*normalization = 1104329.7
original average = 2.00 Theta [rad], reshoot average = 0.01 Theta [ra
counts [1/rad]
3 × 10^8
2 × 10^8
10^8
6 × 10^7
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_3___reshoot_key=Theta_1_3
original counts = 1131.1, reshoot_counts = 356033.0
normalization = 0.182, reshoot_counts*normalization = 64804.7
original average = 2.99 Theta [rad], reshoot average = 0.01 Theta [ra
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Theta [rad]
2×10^7
10^7
6×10^6
4×10^6
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_1500_4___reshoot_key=Theta_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 150066.0
normalization = 0.182, reshoot_counts*normalization = 27314.8
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
6 × 10^6
4 × 10^6
3 × 10^6
2 × 10^6
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_5___reshoot_key=Theta_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 243524.0
normalization = 0.182, reshoot_counts*normalization = 44325.9
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
10^7
6×10^6
4×10^6
3×10^6
counts [1/rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_6___reshoot_key=Theta_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 634623.0
normalization = 0.182, reshoot_counts*normalization = 115513.2
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
3×10^7
2×10^7
10^7
counts [1/rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_7___reshoot_key=Theta_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 452790.0
normalization = 0.182, reshoot_counts*normalization = 82416.2
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
2×10^7
10^7
6×10^6
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_8___reshoot_key=Theta_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 248380.0
normalization = 0.182, reshoot_counts*normalization = 45209.8
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
10^7
6×10^6
4×10^6
3×10^6
counts [1/rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_9___reshoot_key=Theta_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 147273.0
normalization = 0.182, reshoot_counts*normalization = 26806.4
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
6 × 10^6
4 × 10^6
3 × 10^6
2 × 10^6
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_10___reshoot_key=Theta_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 311738.0
normalization = 0.182, reshoot_counts*normalization = 56742.1
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
10^7
6×10^6
4×10^6
3×10^6
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_11___reshoot_key=Theta_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 340212.0
normalization = 0.182, reshoot_counts*normalization = 61924.9
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
Theta [rad]
2 × 10^7
10^7
6 × 10^6
4 × 10^6
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_1500_12___reshoot_key=Theta_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 464134.0
normalization = 0.182, reshoot_counts*normalization = 84481.1
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
2×10^7
10^7
6×10^6
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_13___reshoot_key=Theta_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 446979.0
normalization = 0.182, reshoot_counts*normalization = 81358.5
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
2×10^7
10^7
6×10^6
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_14___reshoot_key=Theta_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 775430.0
normalization = 0.182, reshoot_counts*normalization = 141142.7
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
Theta [rad]
4×10^7
3×10^7
2×10^7
10^7
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_1500_15___reshoot_key=Theta_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 648837.0
normalization = 0.182, reshoot_counts*normalization = 118100.5
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
Theta [rad]
4 × 10^7
3 × 10^7
2 × 10^7
10^7
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_1500_16___reshoot_key=Theta_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 745160.0
normalization = 0.182, reshoot_counts*normalization = 135633.0
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
Theta [rad]
4×10^7
3×10^7
2×10^7
10^7
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_1500_17___reshoot_key=Theta_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 788898.0
normalization = 0.182, reshoot_counts*normalization = 143594.2
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
4×10^7
3×10^7
2×10^7
10^7
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_18___reshoot_key=Theta_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 847990.0
normalization = 0.182, reshoot_counts*normalization = 154350.0
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
4×10^7
3×10^7
2×10^7
10^7
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_19___reshoot_key=Theta_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 936319.0
normalization = 0.182, reshoot_counts*normalization = 170427.5
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
4×10^7
3×10^7
2×10^7
10^7
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_20___reshoot_key=Theta_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 1219928.0
normalization = 0.182, reshoot_counts*normalization = 222049.7
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
6×10^7
4×10^7
3×10^7
2×10^7
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_21___reshoot_key=Theta_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 1271456.0
normalization = 0.182, reshoot_counts*normalization = 231428.7
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
6×10^7
4×10^7
3×10^7
2×10^7
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_22___reshoot_key=Theta_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 1901898.0
normalization = 0.182, reshoot_counts*normalization = 346181.0
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
Theta [rad]
10^8
6×10^7
4×10^7
3×10^7
2×10^7
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_1500_23___reshoot_key=Theta_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 2224717.0
normalization = 0.182, reshoot_counts*normalization = 404940.1
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
10^8
6×10^7
4×10^7
3×10^7
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_24___reshoot_key=Theta_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 3072679.0
normalization = 0.182, reshoot_counts*normalization = 559285.0
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
10^8
6×10^7
4×10^7
3×10^7
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_25___reshoot_key=Theta_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 4226664.0
normalization = 0.182, reshoot_counts*normalization = 769331.8
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
2×10^8
10^8
6×10^7
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_26___reshoot_key=Theta_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 43484822.0
normalization = 0.182, reshoot_counts*normalization = 7915049.9
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
2×10^9
10^9
6×10^8
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_e-___reshoot_key=Theta_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 135161048.0
normalization = 0.182, reshoot_counts*normalization = 24601835.6
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
6×10^9
4×10^9
3×10^9
2×10^9
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_e+___reshoot_key=Theta_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 8861.0
normalization = 0.182, reshoot_counts*normalization = 1612.9
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
Theta [rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_1500_gamma___reshoot_key=Theta_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 728090.0
normalization = 0.182, reshoot_counts*normalization = 132526.0
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
Theta [rad]
4×10^7
3×10^7
2×10^7
10^7
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_1500_mu-___reshoot_key=Theta_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 9030.0
normalization = 0.182, reshoot_counts*normalization = 1643.6
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
4×10^5
3×10^5
2×10^5
10^5
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_mu+___reshoot_key=Theta_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 6067.0
normalization = 0.182, reshoot_counts*normalization = 1104.3
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
3×10^5
2×10^5
10^5
6×10^4
counts [1/rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_pi-___reshoot_key=Theta_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 96710.0
normalization = 0.182, reshoot_counts*normalization = 17603.0
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
Theta [rad]
6 × 10^6
4 × 10^6
3 × 10^6
2 × 10^6
10^6
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_1500_pi+___reshoot_key=Theta_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 80081.0
normalization = 0.182, reshoot_counts*normalization = 14576.2
original average = nan Theta [rad], reshoot average = 0.01 Theta [rad
counts [1/rad]
4×10^6
3×10^6
2×10^6
10^6
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Phi_1500_0___reshoot_key=Phi_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 66222.9, reshoot_counts = 15780381.0
normalization = 0.182, reshoot_counts*normalization = 2872324.1
original average = 3.14 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_1500_1___reshoot_key=Phi_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 46379.8, reshoot_counts = 11122059.0
normalization = 0.182, reshoot_counts*normalization = 2024422.5
original average = 3.14 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^8
10^7
10^6
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_2___reshoot_key=Phi_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 25280.3, reshoot_counts = 6067123.0
normalization = 0.182, reshoot_counts*normalization = 1104329.7
original average = 3.14 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^8
10^7
10^6
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_3___reshoot_key=Phi_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1518.9, reshoot_counts = 356033.0
normalization = 0.182, reshoot_counts*normalization = 64804.7
original average = 3.14 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_1500_4___reshoot_key=Phi_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 619.4, reshoot_counts = 150066.0
normalization = 0.182, reshoot_counts*normalization = 27314.8
original average = 3.16 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_1500_5___reshoot_key=Phi_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1017.6, reshoot_counts = 243524.0
normalization = 0.182, reshoot_counts*normalization = 44325.9
original average = 3.14 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_1500_6___reshoot_key=Phi_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2665.4, reshoot_counts = 634623.0
normalization = 0.182, reshoot_counts*normalization = 115513.2
original average = 3.14 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^7
10^6
10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_7___reshoot_key=Phi_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1864.2, reshoot_counts = 452790.0
normalization = 0.182, reshoot_counts*normalization = 82416.2
original average = 3.14 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_1500_8___reshoot_key=Phi_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1050.1, reshoot_counts = 248380.0
normalization = 0.182, reshoot_counts*normalization = 45209.8
original average = 3.14 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_1500_9___reshoot_key=Phi_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 638.4, reshoot_counts = 147273.0
normalization = 0.182, reshoot_counts*normalization = 26806.4
original average = 3.17 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_1500_10___reshoot_key=Phi_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1315.2, reshoot_counts = 311738.0
normalization = 0.182, reshoot_counts*normalization = 56742.1
original average = 3.14 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_1500_11___reshoot_key=Phi_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1382.1, reshoot_counts = 340212.0
normalization = 0.182, reshoot_counts*normalization = 61924.9
original average = 3.13 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_1500_12___reshoot_key=Phi_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1937.8, reshoot_counts = 464134.0
normalization = 0.182, reshoot_counts*normalization = 84481.1
original average = 3.14 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^7
10^6
10^5
10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_13___reshoot_key=Phi_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1862.7, reshoot_counts = 446979.0
normalization = 0.182, reshoot_counts*normalization = 81358.5
original average = 3.14 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^7
10^6
10^5
10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_14___reshoot_key=Phi_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3289.6, reshoot_counts = 775430.0
normalization = 0.182, reshoot_counts*normalization = 141142.7
original average = 3.14 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^7
10^6
10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_15___reshoot_key=Phi_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2705.6, reshoot_counts = 648837.0
normalization = 0.182, reshoot_counts*normalization = 118100.5
original average = 3.14 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^7
10^6
10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_16___reshoot_key=Phi_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3120.5, reshoot_counts = 745160.0
normalization = 0.182, reshoot_counts*normalization = 135633.0
original average = 3.14 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^7
10^6
10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_17___reshoot_key=Phi_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3273.7, reshoot_counts = 788898.0
normalization = 0.182, reshoot_counts*normalization = 143594.2
original average = 3.14 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^7
10^6
10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_18___reshoot_key=Phi_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3591.2, reshoot_counts = 847990.0
normalization = 0.182, reshoot_counts*normalization = 154350.0
original average = 3.15 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^7
10^6
10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_19___reshoot_key=Phi_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3938.3, reshoot_counts = 936319.0
normalization = 0.182, reshoot_counts*normalization = 170427.5
original average = 3.15 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^7
10^6
10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_20___reshoot_key=Phi_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5105.6, reshoot_counts = 1219928.0
normalization = 0.182, reshoot_counts*normalization = 222049.7
original average = 3.14 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_1500_21___reshoot_key=Phi_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5351.3, reshoot_counts = 1271456.0
normalization = 0.182, reshoot_counts*normalization = 231428.7
original average = 3.14 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_1500_22___reshoot_key=Phi_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7985.8, reshoot_counts = 1901898.0
normalization = 0.182, reshoot_counts*normalization = 346181.0
original average = 3.14 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
Phi [rad]
10^8
10^7
10^6
10^5
0
1
2
3
4
5
6



original_key=Phi_1500_23___reshoot_key=Phi_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9418.5, reshoot_counts = 2224717.0
normalization = 0.182, reshoot_counts*normalization = 404940.1
original average = 3.14 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
Phi [rad]
10^8
10^7
10^6
10^5
0
1
2
3
4
5
6



original_key=Phi_1500_24___reshoot_key=Phi_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12799.7, reshoot_counts = 3072679.0
normalization = 0.182, reshoot_counts*normalization = 559285.0
original average = 3.14 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^8
10^7
10^6
10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_25___reshoot_key=Phi_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 17635.9, reshoot_counts = 4226664.0
normalization = 0.182, reshoot_counts*normalization = 769331.8
original average = 3.14 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_1500_26___reshoot_key=Phi_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 181374.5, reshoot_counts = 43484822.0
normalization = 0.182, reshoot_counts*normalization = 7915049.9
original average = 3.14 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
Phi [rad]
10^9
10^8
10^7
10^6
0
1
2
3
4
5
6



original_key=Phi_1500_e-___reshoot_key=Phi_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 563379.5, reshoot_counts = 135161048.0
normalization = 0.182, reshoot_counts*normalization = 24601835.6
original average = 3.14 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_1500_e+___reshoot_key=Phi_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26.2, reshoot_counts = 8861.0
normalization = 0.182, reshoot_counts*normalization = 1612.9
original average = 3.14 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_1500_gamma___reshoot_key=Phi_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2565.8, reshoot_counts = 728090.0
normalization = 0.182, reshoot_counts*normalization = 132526.0
original average = 3.13 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^7
10^6
10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_mu-___reshoot_key=Phi_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 22.5, reshoot_counts = 9030.0
normalization = 0.182, reshoot_counts*normalization = 1643.6
original average = 3.25 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^5
10^4
10^3
10^2
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_mu+___reshoot_key=Phi_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13.1, reshoot_counts = 6067.0
normalization = 0.182, reshoot_counts*normalization = 1104.3
original average = 3.31 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_1500_pi-___reshoot_key=Phi_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 414.8, reshoot_counts = 96710.0
normalization = 0.182, reshoot_counts*normalization = 17603.0
original average = 3.15 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
10^6
10^5
10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_pi+___reshoot_key=Phi_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 325.1, reshoot_counts = 80081.0
normalization = 0.182, reshoot_counts*normalization = 14576.2
original average = 3.13 Phi [rad], reshoot average = 0.01 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Ekin_1500_0___reshoot_key=EkinU_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2871842.0, reshoot_counts = 15779889.0
normalization = 0.182, reshoot_counts*normalization = 2872234.6
original average = 846.41 Ek [MeV/u], reshoot average = 846.56 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_1500_1___reshoot_key=EkinU_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2023982.0, reshoot_counts = 11121816.5
normalization = 0.182, reshoot_counts*normalization = 2024378.4
original average = 825.15 Ek [MeV/u], reshoot average = 825.23 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_1500_2___reshoot_key=EkinU_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1104171.5, reshoot_counts = 6066405.5
normalization = 0.182, reshoot_counts*normalization = 1104199.1
original average = 824.87 Ek [MeV/u], reshoot average = 825.10 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_1500_3___reshoot_key=EkinU_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 64794.5, reshoot_counts = 355988.0
normalization = 0.182, reshoot_counts*normalization = 64796.5
original average = 815.28 Ek [MeV/u], reshoot average = 815.58 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_1500_4___reshoot_key=EkinU_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 27302.0, reshoot_counts = 150048.0
normalization = 0.182, reshoot_counts*normalization = 27311.5
original average = 803.70 Ek [MeV/u], reshoot average = 804.38 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_1500_5___reshoot_key=EkinU_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 44292.0, reshoot_counts = 243492.5
normalization = 0.182, reshoot_counts*normalization = 44320.2
original average = 779.83 Ek [MeV/u], reshoot average = 780.28 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_1500_6___reshoot_key=EkinU_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 115377.0, reshoot_counts = 634561.0
normalization = 0.182, reshoot_counts*normalization = 115502.0
original average = 765.99 Ek [MeV/u], reshoot average = 765.92 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_1500_7___reshoot_key=EkinU_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 82154.0, reshoot_counts = 452781.5
normalization = 0.182, reshoot_counts*normalization = 82414.7
original average = 764.03 Ek [MeV/u], reshoot average = 764.15 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_1500_8___reshoot_key=EkinU_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 45143.0, reshoot_counts = 248369.0
normalization = 0.182, reshoot_counts*normalization = 45207.8
original average = 772.68 Ek [MeV/u], reshoot average = 773.07 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_1500_9___reshoot_key=EkinU_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26804.0, reshoot_counts = 147273.0
normalization = 0.182, reshoot_counts*normalization = 26806.4
original average = 773.28 Ek [MeV/u], reshoot average = 773.53 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_1500_10___reshoot_key=EkinU_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 56770.0, reshoot_counts = 311738.0
normalization = 0.182, reshoot_counts*normalization = 56742.1
original average = 771.24 Ek [MeV/u], reshoot average = 771.19 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_1500_11___reshoot_key=EkinU_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 61988.5, reshoot_counts = 340212.0
normalization = 0.182, reshoot_counts*normalization = 61924.9
original average = 770.60 Ek [MeV/u], reshoot average = 770.54 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_12___reshoot_key=EkinU_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 84483.0, reshoot_counts = 464134.0
normalization = 0.182, reshoot_counts*normalization = 84481.1
original average = 770.18 Ek [MeV/u], reshoot average = 770.25 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_13___reshoot_key=EkinU_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 81184.0, reshoot_counts = 446979.0
normalization = 0.182, reshoot_counts*normalization = 81358.5
original average = 771.02 Ek [MeV/u], reshoot average = 771.06 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_14___reshoot_key=EkinU_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 141361.0, reshoot_counts = 775429.0
normalization = 0.182, reshoot_counts*normalization = 141142.6
original average = 770.36 Ek [MeV/u], reshoot average = 770.41 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_15___reshoot_key=EkinU_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 117820.0, reshoot_counts = 648837.0
normalization = 0.182, reshoot_counts*normalization = 118100.5
original average = 771.28 Ek [MeV/u], reshoot average = 771.31 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_16___reshoot_key=EkinU_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 135702.0, reshoot_counts = 745160.0
normalization = 0.182, reshoot_counts*normalization = 135633.0
original average = 769.22 Ek [MeV/u], reshoot average = 769.31 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_17___reshoot_key=EkinU_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 143599.0, reshoot_counts = 788898.0
normalization = 0.182, reshoot_counts*normalization = 143594.2
original average = 769.31 Ek [MeV/u], reshoot average = 769.29 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_18___reshoot_key=EkinU_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 154314.0, reshoot_counts = 847990.0
normalization = 0.182, reshoot_counts*normalization = 154350.0
original average = 766.22 Ek [MeV/u], reshoot average = 766.28 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_1500_19___reshoot_key=EkinU_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 170491.0, reshoot_counts = 936319.0
normalization = 0.182, reshoot_counts*normalization = 170427.5
original average = 765.13 Ek [MeV/u], reshoot average = 765.10 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_20___reshoot_key=EkinU_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 222143.0, reshoot_counts = 1219927.0
normalization = 0.182, reshoot_counts*normalization = 222049.5
original average = 763.12 Ek [MeV/u], reshoot average = 763.10 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_1500_21___reshoot_key=EkinU_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 231209.0, reshoot_counts = 1271454.0
normalization = 0.182, reshoot_counts*normalization = 231428.4
original average = 762.99 Ek [MeV/u], reshoot average = 762.92 Ek [
counts [u/MeV]
Ek [MeV/u]
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_1500_22___reshoot_key=EkinU_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 346291.0, reshoot_counts = 1901898.0
normalization = 0.182, reshoot_counts*normalization = 346181.0
original average = 760.35 Ek [MeV/u], reshoot average = 760.41 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_1500_23___reshoot_key=EkinU_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 405179.0, reshoot_counts = 2224717.0
normalization = 0.182, reshoot_counts*normalization = 404940.1
original average = 760.42 Ek [MeV/u], reshoot average = 760.50 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_1500_24___reshoot_key=EkinU_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 559779.0, reshoot_counts = 3072679.0
normalization = 0.182, reshoot_counts*normalization = 559285.0
original average = 759.08 Ek [MeV/u], reshoot average = 759.00 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_1500_25___reshoot_key=EkinU_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 769611.0, reshoot_counts = 4226664.0
normalization = 0.182, reshoot_counts*normalization = 769331.8
original average = 759.84 Ek [MeV/u], reshoot average = 759.86 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_1500_26___reshoot_key=EkinU_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7917636.0, reshoot_counts = 43484817.0
normalization = 0.182, reshoot_counts*normalization = 7915049.0
original average = 801.42 Ek [MeV/u], reshoot average = 801.38 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_1500_e-___reshoot_key=EkinU_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1953315.6, reshoot_counts = 123909418.5
normalization = 0.182, reshoot_counts*normalization = 22553828.8
original average = 0.50 Ek [MeV/u], reshoot average = 0.92 Ek [MeV/u
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_1500_e+___reshoot_key=EkinU_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 49.4, reshoot_counts = 8832.5
normalization = 0.182, reshoot_counts*normalization = 1607.7
original average = 42.60 Ek [MeV/u], reshoot average = 42.84 Ek [Me
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_gamma___reshoot_key=EkinU_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8223.6, reshoot_counts = 692612.0
normalization = 0.182, reshoot_counts*normalization = 126068.3
original average = 6.24 Ek [MeV/u], reshoot average = 8.89 Ek [MeV/u
counts [u/MeV]
10^5
10^4
10^3
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_mu-___reshoot_key=EkinU_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 17.5, reshoot_counts = 9030.0
normalization = 0.182, reshoot_counts*normalization = 1643.6
original average = 59.35 Ek [MeV/u], reshoot average = 59.69 Ek [Me
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_mu+___reshoot_key=EkinU_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5.2, reshoot_counts = 6052.0
normalization = 0.182, reshoot_counts*normalization = 1101.6
original average = 53.18 Ek [MeV/u], reshoot average = 53.26 Ek [Me
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_pi-___reshoot_key=EkinU_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34648.5, reshoot_counts = 96709.5
normalization = 0.182, reshoot_counts*normalization = 17602.9
original average = 362.95 Ek [MeV/u], reshoot average = 361.81 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_pi+___reshoot_key=EkinU_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 28552.8, reshoot_counts = 80081.0
normalization = 0.182, reshoot_counts*normalization = 14576.2
original average = 439.40 Ek [MeV/u], reshoot average = 439.64 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=X_1500_0___reshoot_key=X_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 729933.1, reshoot_counts = 3945095.2
normalization = 0.182, reshoot_counts*normalization = 718081.0
original average = -0.01 x pos [mm], reshoot average = -0.14 x pos [
counts [1/mm]
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_1___reshoot_key=X_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 514682.1, reshoot_counts = 2780514.8
normalization = 0.182, reshoot_counts*normalization = 506105.6
original average = -0.01 x pos [mm], reshoot average = -0.14 x pos [
counts [1/mm]
x pos [mm]
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400



original_key=X_1500_2___reshoot_key=X_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 280562.0, reshoot_counts = 1516780.8
normalization = 0.182, reshoot_counts*normalization = 276082.4
original average = -0.01 x pos [mm], reshoot average = -0.14 x pos [
counts [1/mm]
x pos [mm]
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400



original_key=X_1500_3___reshoot_key=X_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16444.5, reshoot_counts = 89008.2
normalization = 0.182, reshoot_counts*normalization = 16201.2
original average = -0.03 x pos [mm], reshoot average = -0.12 x pos [
counts [1/mm]
x pos [mm]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
10^3
−400
−200
0
200
400



original_key=X_1500_4___reshoot_key=X_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6917.0, reshoot_counts = 37516.5
normalization = 0.182, reshoot_counts*normalization = 6828.7
original average = -0.35 x pos [mm], reshoot average = -0.45 x pos [
2×10^3
10^3
6×10^2
4×10^2
3×10^2
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_5___reshoot_key=X_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11245.2, reshoot_counts = 60881.0
normalization = 0.182, reshoot_counts*normalization = 11081.5
original average = -0.03 x pos [mm], reshoot average = -0.14 x pos [
counts [1/mm]
x pos [mm]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
−400
−200
0
200
400



original_key=X_1500_6___reshoot_key=X_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 29263.5, reshoot_counts = 158655.8
normalization = 0.182, reshoot_counts*normalization = 28878.3
original average = 0.04 x pos [mm], reshoot average = -0.07 x pos [m
counts [1/mm]
x pos [mm]
10^4
6×10^3
4×10^3
3×10^3
2×10^3
−400
−200
0
200
400



original_key=X_1500_7___reshoot_key=X_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 20839.9, reshoot_counts = 113197.5
normalization = 0.182, reshoot_counts*normalization = 20604.1
original average = 0.06 x pos [mm], reshoot average = 0.03 x pos [m
counts [1/mm]
x pos [mm]
6×10^3
4×10^3
3×10^3
2×10^3
10^3
−400
−200
0
200
400



original_key=X_1500_8___reshoot_key=X_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11443.4, reshoot_counts = 62095.0
normalization = 0.182, reshoot_counts*normalization = 11302.4
original average = -0.02 x pos [mm], reshoot average = -0.07 x pos [
counts [1/mm]
x pos [mm]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
−400
−200
0
200
400



original_key=X_1500_9___reshoot_key=X_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6796.2, reshoot_counts = 36818.2
normalization = 0.182, reshoot_counts*normalization = 6701.6
original average = -0.13 x pos [mm], reshoot average = -0.33 x pos [
counts [1/mm]
x pos [mm]
2×10^3
10^3
6×10^2
4×10^2
3×10^2
−400
−200
0
200
400



original_key=X_1500_10___reshoot_key=X_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 14355.6, reshoot_counts = 77934.5
normalization = 0.182, reshoot_counts*normalization = 14185.5
original average = 0.10 x pos [mm], reshoot average = -0.02 x pos [m
counts [1/mm]
x pos [mm]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
−400
−200
0
200
400



original_key=X_1500_11___reshoot_key=X_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 15734.8, reshoot_counts = 85053.0
normalization = 0.182, reshoot_counts*normalization = 15481.2
original average = -0.03 x pos [mm], reshoot average = -0.12 x pos [
counts [1/mm]
x pos [mm]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
−400
−200
0
200
400



original_key=X_1500_12___reshoot_key=X_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 21411.2, reshoot_counts = 116033.5
normalization = 0.182, reshoot_counts*normalization = 21120.3
original average = -0.02 x pos [mm], reshoot average = -0.19 x pos [
counts [1/mm]
6×10^3
4×10^3
3×10^3
2×10^3
10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_13___reshoot_key=X_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 20583.4, reshoot_counts = 111744.8
normalization = 0.182, reshoot_counts*normalization = 20339.6
original average = 0.02 x pos [mm], reshoot average = -0.05 x pos [m
counts [1/mm]
x pos [mm]
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400



original_key=X_1500_14___reshoot_key=X_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 35838.5, reshoot_counts = 193857.5
normalization = 0.182, reshoot_counts*normalization = 35285.7
original average = -0.06 x pos [mm], reshoot average = -0.20 x pos [
10^4
6×10^3
4×10^3
3×10^3
2×10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_15___reshoot_key=X_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 29862.8, reshoot_counts = 162209.2
normalization = 0.182, reshoot_counts*normalization = 29525.1
original average = 0.03 x pos [mm], reshoot average = -0.09 x pos [m
counts [1/mm]
10^4
6×10^3
4×10^3
3×10^3
2×10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_16___reshoot_key=X_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34342.8, reshoot_counts = 186290.0
normalization = 0.182, reshoot_counts*normalization = 33908.3
original average = -0.03 x pos [mm], reshoot average = -0.16 x pos [
counts [1/mm]
x pos [mm]
10^4
6×10^3
4×10^3
3×10^3
2×10^3
−400
−200
0
200
400



original_key=X_1500_17___reshoot_key=X_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 36348.1, reshoot_counts = 197224.5
normalization = 0.182, reshoot_counts*normalization = 35898.5
original average = -0.05 x pos [mm], reshoot average = -0.18 x pos [
counts [1/mm]
10^4
6×10^3
4×10^3
3×10^3
2×10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_18___reshoot_key=X_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 39079.8, reshoot_counts = 211997.5
normalization = 0.182, reshoot_counts*normalization = 38587.5
original average = 0.06 x pos [mm], reshoot average = -0.05 x pos [m
10^4
6×10^3
4×10^3
3×10^3
2×10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_19___reshoot_key=X_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 43149.2, reshoot_counts = 234079.8
normalization = 0.182, reshoot_counts*normalization = 42606.9
original average = -0.03 x pos [mm], reshoot average = -0.16 x pos [
counts [1/mm]
10^4
6×10^3
4×10^3
3×10^3
2×10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_20___reshoot_key=X_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 56123.9, reshoot_counts = 304982.0
normalization = 0.182, reshoot_counts*normalization = 55512.4
original average = -0.02 x pos [mm], reshoot average = -0.10 x pos [
counts [1/mm]
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_21___reshoot_key=X_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 58457.9, reshoot_counts = 317864.0
normalization = 0.182, reshoot_counts*normalization = 57857.2
original average = -0.05 x pos [mm], reshoot average = -0.18 x pos [
counts [1/mm]
x pos [mm]
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400



original_key=X_1500_22___reshoot_key=X_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 87575.9, reshoot_counts = 475474.5
normalization = 0.182, reshoot_counts*normalization = 86545.2
original average = -0.03 x pos [mm], reshoot average = -0.18 x pos [
counts [1/mm]
x pos [mm]
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
−400
−200
0
200
400



original_key=X_1500_23___reshoot_key=X_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 102475.8, reshoot_counts = 556179.2
normalization = 0.182, reshoot_counts*normalization = 101235.0
original average = 0.03 x pos [mm], reshoot average = -0.09 x pos [m
counts [1/mm]
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_24___reshoot_key=X_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 141540.6, reshoot_counts = 768169.8
normalization = 0.182, reshoot_counts*normalization = 139821.2
original average = 0.01 x pos [mm], reshoot average = -0.13 x pos [m
counts [1/mm]
x pos [mm]
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
−400
−200
0
200
400



original_key=X_1500_25___reshoot_key=X_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 194627.6, reshoot_counts = 1056666.0
normalization = 0.182, reshoot_counts*normalization = 192333.0
original average = 0.01 x pos [mm], reshoot average = -0.12 x pos [m
counts [1/mm]
x pos [mm]
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400



original_key=X_1500_26___reshoot_key=X_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2005984.2, reshoot_counts = 10871205.5
normalization = 0.182, reshoot_counts*normalization = 1978762.5
original average = -0.01 x pos [mm], reshoot average = -0.13 x pos [
counts [1/mm]
x pos [mm]
10^6
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400



original_key=X_1500_e-___reshoot_key=X_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6279980.0, reshoot_counts = 33790262.0
normalization = 0.182, reshoot_counts*normalization = 6150458.9
original average = -0.01 x pos [mm], reshoot average = -0.14 x pos [
counts [1/mm]
10^6
10^5
10^4
10^3
10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_e+___reshoot_key=X_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 271.4, reshoot_counts = 2215.2
normalization = 0.182, reshoot_counts*normalization = 403.2
original average = 0.46 x pos [mm], reshoot average = 0.24 x pos [m
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_gamma___reshoot_key=X_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 28662.0, reshoot_counts = 182022.5
normalization = 0.182, reshoot_counts*normalization = 33131.5
original average = -0.01 x pos [mm], reshoot average = -0.05 x pos [
counts [1/mm]
x pos [mm]
10^4
6×10^3
4×10^3
3×10^3
2×10^3
−400
−200
0
200
400



original_key=X_1500_mu-___reshoot_key=X_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 230.0, reshoot_counts = 2257.5
normalization = 0.182, reshoot_counts*normalization = 410.9
original average = -0.02 x pos [mm], reshoot average = -0.31 x pos [
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_mu+___reshoot_key=X_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 146.1, reshoot_counts = 1516.8
normalization = 0.182, reshoot_counts*normalization = 276.1
original average = 2.56 x pos [mm], reshoot average = 2.64 x pos [m
counts [1/mm]
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_pi-___reshoot_key=X_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4523.2, reshoot_counts = 24177.5
normalization = 0.182, reshoot_counts*normalization = 4400.8
original average = -0.01 x pos [mm], reshoot average = -0.06 x pos [
counts [1/mm]
x pos [mm]
2 × 10^3
10^3
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
−400
−200
0
200
400



original_key=X_1500_pi+___reshoot_key=X_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3717.4, reshoot_counts = 20020.2
normalization = 0.182, reshoot_counts*normalization = 3644.1
original average = -0.11 x pos [mm], reshoot average = -0.07 x pos [
10^3
6×10^2
4×10^2
3×10^2
2×10^2
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=Y_1500_0___reshoot_key=Y_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 729770.8, reshoot_counts = 3945095.2
normalization = 0.182, reshoot_counts*normalization = 718081.0
original average = 0.00 y pos [mm], reshoot average = -0.12 y pos [m
counts [1/mm]
y pos [mm]
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400



original_key=Y_1500_1___reshoot_key=Y_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 514506.6, reshoot_counts = 2780514.8
normalization = 0.182, reshoot_counts*normalization = 506105.6
original average = 0.00 y pos [mm], reshoot average = -0.12 y pos [m
counts [1/mm]
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_2___reshoot_key=Y_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 280555.5, reshoot_counts = 1516780.8
normalization = 0.182, reshoot_counts*normalization = 276082.4
original average = -0.02 y pos [mm], reshoot average = -0.14 y pos [
counts [1/mm]
y pos [mm]
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400



original_key=Y_1500_3___reshoot_key=Y_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16450.8, reshoot_counts = 89008.2
normalization = 0.182, reshoot_counts*normalization = 16201.2
original average = 0.05 y pos [mm], reshoot average = -0.10 y pos [m
counts [1/mm]
y pos [mm]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
10^3
−400
−200
0
200
400



original_key=Y_1500_4___reshoot_key=Y_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6939.2, reshoot_counts = 37516.5
normalization = 0.182, reshoot_counts*normalization = 6828.7
original average = -0.13 y pos [mm], reshoot average = -0.21 y pos [
2×10^3
10^3
6×10^2
4×10^2
3×10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_5___reshoot_key=Y_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11263.2, reshoot_counts = 60881.0
normalization = 0.182, reshoot_counts*normalization = 11081.5
original average = 0.06 y pos [mm], reshoot average = 0.02 y pos [m
counts [1/mm]
y pos [mm]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
4 × 10^2
−400
−200
0
200
400



original_key=Y_1500_6___reshoot_key=Y_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 29267.6, reshoot_counts = 158655.8
normalization = 0.182, reshoot_counts*normalization = 28878.3
original average = -0.04 y pos [mm], reshoot average = -0.18 y pos [
counts [1/mm]
y pos [mm]
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400



original_key=Y_1500_7___reshoot_key=Y_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 20863.9, reshoot_counts = 113197.5
normalization = 0.182, reshoot_counts*normalization = 20604.1
original average = -0.07 y pos [mm], reshoot average = -0.15 y pos [
counts [1/mm]
y pos [mm]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
10^3
−400
−200
0
200
400



original_key=Y_1500_8___reshoot_key=Y_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11451.1, reshoot_counts = 62095.0
normalization = 0.182, reshoot_counts*normalization = 11302.4
original average = 0.05 y pos [mm], reshoot average = -0.13 y pos [m
counts [1/mm]
y pos [mm]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
4 × 10^2
−400
−200
0
200
400



original_key=Y_1500_9___reshoot_key=Y_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6803.5, reshoot_counts = 36818.2
normalization = 0.182, reshoot_counts*normalization = 6701.6
original average = -0.09 y pos [mm], reshoot average = -0.24 y pos [
2×10^3
10^3
6×10^2
4×10^2
3×10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_10___reshoot_key=Y_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 14403.2, reshoot_counts = 77934.5
normalization = 0.182, reshoot_counts*normalization = 14185.5
original average = 0.10 y pos [mm], reshoot average = -0.01 y pos [m
counts [1/mm]
y pos [mm]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
−400
−200
0
200
400



original_key=Y_1500_11___reshoot_key=Y_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 15699.2, reshoot_counts = 85053.0
normalization = 0.182, reshoot_counts*normalization = 15481.2
original average = -0.00 y pos [mm], reshoot average = -0.14 y pos [
counts [1/mm]
y pos [mm]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
−400
−200
0
200
400



original_key=Y_1500_12___reshoot_key=Y_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 21407.4, reshoot_counts = 116033.5
normalization = 0.182, reshoot_counts*normalization = 21120.3
original average = 0.07 y pos [mm], reshoot average = -0.13 y pos [m
counts [1/mm]
6×10^3
4×10^3
3×10^3
2×10^3
10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_13___reshoot_key=Y_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 20571.5, reshoot_counts = 111744.8
normalization = 0.182, reshoot_counts*normalization = 20339.6
original average = 0.05 y pos [mm], reshoot average = -0.09 y pos [m
counts [1/mm]
y pos [mm]
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400



original_key=Y_1500_14___reshoot_key=Y_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 35822.4, reshoot_counts = 193857.5
normalization = 0.182, reshoot_counts*normalization = 35285.7
original average = 0.04 y pos [mm], reshoot average = -0.09 y pos [m
counts [1/mm]
y pos [mm]
10^0
10^1
10^2
10^3
10^4
−400
−200
0
200
400



original_key=Y_1500_15___reshoot_key=Y_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 29859.1, reshoot_counts = 162209.2
normalization = 0.182, reshoot_counts*normalization = 29525.1
original average = 0.02 y pos [mm], reshoot average = -0.14 y pos [m
counts [1/mm]
y pos [mm]
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400



original_key=Y_1500_16___reshoot_key=Y_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34353.9, reshoot_counts = 186290.0
normalization = 0.182, reshoot_counts*normalization = 33908.3
original average = -0.05 y pos [mm], reshoot average = -0.20 y pos [
10^4
6×10^3
4×10^3
3×10^3
2×10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_17___reshoot_key=Y_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 36368.4, reshoot_counts = 197224.5
normalization = 0.182, reshoot_counts*normalization = 35898.5
original average = 0.01 y pos [mm], reshoot average = -0.11 y pos [m
counts [1/mm]
10^4
6×10^3
4×10^3
3×10^3
2×10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_18___reshoot_key=Y_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 39042.2, reshoot_counts = 211997.5
normalization = 0.182, reshoot_counts*normalization = 38587.5
original average = 0.06 y pos [mm], reshoot average = -0.06 y pos [m
counts [1/mm]
y pos [mm]
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400



original_key=Y_1500_19___reshoot_key=Y_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 43108.8, reshoot_counts = 234079.8
normalization = 0.182, reshoot_counts*normalization = 42606.9
original average = -0.02 y pos [mm], reshoot average = -0.13 y pos [
counts [1/mm]
10^4
6×10^3
4×10^3
3×10^3
2×10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_20___reshoot_key=Y_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 56172.1, reshoot_counts = 304982.0
normalization = 0.182, reshoot_counts*normalization = 55512.4
original average = -0.04 y pos [mm], reshoot average = -0.17 y pos [
counts [1/mm]
y pos [mm]
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400



original_key=Y_1500_21___reshoot_key=Y_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 58412.0, reshoot_counts = 317864.0
normalization = 0.182, reshoot_counts*normalization = 57857.2
original average = -0.01 y pos [mm], reshoot average = -0.14 y pos [
counts [1/mm]
y pos [mm]
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400



original_key=Y_1500_22___reshoot_key=Y_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 87528.2, reshoot_counts = 475474.5
normalization = 0.182, reshoot_counts*normalization = 86545.2
original average = -0.00 y pos [mm], reshoot average = -0.12 y pos [
counts [1/mm]
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_23___reshoot_key=Y_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 102443.1, reshoot_counts = 556179.2
normalization = 0.182, reshoot_counts*normalization = 101235.0
original average = -0.07 y pos [mm], reshoot average = -0.20 y pos [
counts [1/mm]
y pos [mm]
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
−400
−200
0
200
400



original_key=Y_1500_24___reshoot_key=Y_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 141501.5, reshoot_counts = 768169.8
normalization = 0.182, reshoot_counts*normalization = 139821.2
original average = -0.04 y pos [mm], reshoot average = -0.18 y pos [
counts [1/mm]
y pos [mm]
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
−400
−200
0
200
400



original_key=Y_1500_25___reshoot_key=Y_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 194592.5, reshoot_counts = 1056666.0
normalization = 0.182, reshoot_counts*normalization = 192333.0
original average = -0.00 y pos [mm], reshoot average = -0.13 y pos [
counts [1/mm]
y pos [mm]
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400



original_key=Y_1500_26___reshoot_key=Y_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2005557.5, reshoot_counts = 10871205.5
normalization = 0.182, reshoot_counts*normalization = 1978762.5
original average = 0.00 y pos [mm], reshoot average = -0.13 y pos [m
counts [1/mm]
y pos [mm]
10^6
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400



original_key=Y_1500_e-___reshoot_key=Y_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6280087.4, reshoot_counts = 33790262.0
normalization = 0.182, reshoot_counts*normalization = 6150458.9
original average = -0.02 y pos [mm], reshoot average = -0.15 y pos [
counts [1/mm]
10^6
10^5
10^4
10^3
10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_e+___reshoot_key=Y_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 266.6, reshoot_counts = 2215.2
normalization = 0.182, reshoot_counts*normalization = 403.2
original average = -0.36 y pos [mm], reshoot average = -0.46 y pos [
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_1500_gamma___reshoot_key=Y_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 28673.9, reshoot_counts = 182022.5
normalization = 0.182, reshoot_counts*normalization = 33131.5
original average = 0.01 y pos [mm], reshoot average = -0.10 y pos [m
counts [1/mm]
y pos [mm]
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400


original_key=Y_1500_mu-___reshoot_key=Y_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 226.4, reshoot_counts = 2257.5
normalization = 0.182, reshoot_counts*normalization = 410.9
original average = 0.24 y pos [mm], reshoot average = -0.00 y pos [m
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_1500_mu+___reshoot_key=Y_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 153.6, reshoot_counts = 1516.8
normalization = 0.182, reshoot_counts*normalization = 276.1
original average = 0.04 y pos [mm], reshoot average = -0.23 y pos [m
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_1500_pi-___reshoot_key=Y_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4513.0, reshoot_counts = 24177.5
normalization = 0.182, reshoot_counts*normalization = 4400.8
original average = -0.08 y pos [mm], reshoot average = -0.11 y pos [
10^3
6×10^2
4×10^2
3×10^2
2×10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_1500_pi+___reshoot_key=Y_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3728.2, reshoot_counts = 20020.2
normalization = 0.182, reshoot_counts*normalization = 3644.1
original average = 0.09 y pos [mm], reshoot average = 0.00 y pos [m
10^3
6×10^2
4×10^2
3×10^2
2×10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]