






original_key=Theta_very_wide_100_0___reshoot_key=Theta_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2841250.1, reshoot_counts = 702121.3
normalization = 0.850, reshoot_counts*normalization = 597107.2
original average = 0.07 Theta [rad], reshoot average = 0.07 Theta [ra
counts [1/rad]
Theta [rad]
10^9
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_1___reshoot_key=Theta_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2046787.2, reshoot_counts = 736391.0
normalization = 0.850, reshoot_counts*normalization = 626251.2
original average = 0.08 Theta [rad], reshoot average = 0.07 Theta [ra
counts [1/rad]
Theta [rad]
10^9
10^8
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_2___reshoot_key=Theta_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1002990.1, reshoot_counts = 151553.6
normalization = 0.850, reshoot_counts*normalization = 128886.2
original average = 0.05 Theta [rad], reshoot average = 0.05 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_3___reshoot_key=Theta_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 60273.6, reshoot_counts = 5978.9
normalization = 0.850, reshoot_counts*normalization = 5084.6
original average = 0.05 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_4___reshoot_key=Theta_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 25567.3, reshoot_counts = 2246.8
normalization = 0.850, reshoot_counts*normalization = 1910.8
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_5___reshoot_key=Theta_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 42223.4, reshoot_counts = 3862.4
normalization = 0.850, reshoot_counts*normalization = 3284.7
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_6___reshoot_key=Theta_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 109560.7, reshoot_counts = 8992.3
normalization = 0.850, reshoot_counts*normalization = 7647.4
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_7___reshoot_key=Theta_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 78546.2, reshoot_counts = 5407.0
normalization = 0.850, reshoot_counts*normalization = 4598.3
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_8___reshoot_key=Theta_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 43661.3, reshoot_counts = 2607.0
normalization = 0.850, reshoot_counts*normalization = 2217.0
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_9___reshoot_key=Theta_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26038.5, reshoot_counts = 1437.5
normalization = 0.850, reshoot_counts*normalization = 1222.5
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_10___reshoot_key=Theta_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 55116.3, reshoot_counts = 2784.3
normalization = 0.850, reshoot_counts*normalization = 2367.9
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_11___reshoot_key=Theta_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 61113.7, reshoot_counts = 2843.4
normalization = 0.850, reshoot_counts*normalization = 2418.1
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_12___reshoot_key=Theta_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 85359.7, reshoot_counts = 3569.0
normalization = 0.850, reshoot_counts*normalization = 3035.2
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_13___reshoot_key=Theta_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 83940.5, reshoot_counts = 3080.6
normalization = 0.850, reshoot_counts*normalization = 2619.8
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_14___reshoot_key=Theta_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 153163.3, reshoot_counts = 4793.7
normalization = 0.850, reshoot_counts*normalization = 4076.7
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_15___reshoot_key=Theta_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 133238.4, reshoot_counts = 3558.6
normalization = 0.850, reshoot_counts*normalization = 3026.3
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_16___reshoot_key=Theta_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 158961.0, reshoot_counts = 3688.1
normalization = 0.850, reshoot_counts*normalization = 3136.5
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_17___reshoot_key=Theta_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 175051.8, reshoot_counts = 3540.1
normalization = 0.850, reshoot_counts*normalization = 3010.6
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_18___reshoot_key=Theta_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 192635.9, reshoot_counts = 3509.6
normalization = 0.850, reshoot_counts*normalization = 2984.7
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_19___reshoot_key=Theta_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 218657.9, reshoot_counts = 3571.6
normalization = 0.850, reshoot_counts*normalization = 3037.4
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_20___reshoot_key=Theta_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 290669.0, reshoot_counts = 4338.9
normalization = 0.850, reshoot_counts*normalization = 3690.0
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_very_wide_100_21___reshoot_key=Theta_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 307497.8, reshoot_counts = 4171.1
normalization = 0.850, reshoot_counts*normalization = 3547.2
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_very_wide_100_22___reshoot_key=Theta_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 466967.3, reshoot_counts = 5899.7
normalization = 0.850, reshoot_counts*normalization = 5017.3
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_very_wide_100_23___reshoot_key=Theta_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 549318.0, reshoot_counts = 6457.1
normalization = 0.850, reshoot_counts*normalization = 5491.3
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_very_wide_100_24___reshoot_key=Theta_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 757782.8, reshoot_counts = 8389.3
normalization = 0.850, reshoot_counts*normalization = 7134.5
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_25___reshoot_key=Theta_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1016838.0, reshoot_counts = 10769.3
normalization = 0.850, reshoot_counts*normalization = 9158.5
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_26___reshoot_key=Theta_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9425935.4, reshoot_counts = 96841.0
normalization = 0.850, reshoot_counts*normalization = 82356.8
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^9
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_e-___reshoot_key=Theta_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1539893.9, reshoot_counts = 1749639.1
normalization = 0.850, reshoot_counts*normalization = 1487950.8
original average = 0.78 Theta [rad], reshoot average = 0.77 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_e+___reshoot_key=Theta_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1506.9, reshoot_counts = 1264.8
normalization = 0.850, reshoot_counts*normalization = 1075.6
original average = 0.11 Theta [rad], reshoot average = 0.10 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_gamma___reshoot_key=Theta_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 127874.6, reshoot_counts = 86760.3
normalization = 0.850, reshoot_counts*normalization = 73783.8
original average = 0.12 Theta [rad], reshoot average = 0.11 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_mu-___reshoot_key=Theta_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 495.7, reshoot_counts = 548.6
normalization = 0.850, reshoot_counts*normalization = 466.6
original average = 0.13 Theta [rad], reshoot average = 0.12 Theta [ra
counts [1/rad]
Theta [rad]
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_mu+___reshoot_key=Theta_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 345.9, reshoot_counts = 414.8
normalization = 0.850, reshoot_counts*normalization = 352.7
original average = 0.13 Theta [rad], reshoot average = 0.12 Theta [ra
counts [1/rad]
Theta [rad]
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_pi-___reshoot_key=Theta_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16073.6, reshoot_counts = 18113.2
normalization = 0.850, reshoot_counts*normalization = 15404.0
original average = 0.12 Theta [rad], reshoot average = 0.11 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_very_wide_100_pi+___reshoot_key=Theta_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13442.4, reshoot_counts = 15863.9
normalization = 0.850, reshoot_counts*normalization = 13491.2
original average = 0.12 Theta [rad], reshoot average = 0.11 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Phi_very_wide_100_0___reshoot_key=Phi_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 892865.8, reshoot_counts = 1050654.6
normalization = 0.850, reshoot_counts*normalization = 893511.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^7
6×10^6
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_100_1___reshoot_key=Phi_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 905369.2, reshoot_counts = 1065052.2
normalization = 0.850, reshoot_counts*normalization = 905755.5
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^7
6×10^6
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_100_2___reshoot_key=Phi_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 219961.3, reshoot_counts = 257957.0
normalization = 0.850, reshoot_counts*normalization = 219375.2
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
3×10^6
2×10^6
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_100_3___reshoot_key=Phi_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9260.1, reshoot_counts = 10834.7
normalization = 0.850, reshoot_counts*normalization = 9214.2
original average = 3.15 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
10^5
6×10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_100_4___reshoot_key=Phi_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3575.1, reshoot_counts = 4267.0
normalization = 0.850, reshoot_counts*normalization = 3628.8
original average = 3.15 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
0
1
2
3
4
5
6



original_key=Phi_very_wide_100_5___reshoot_key=Phi_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6014.7, reshoot_counts = 7053.3
normalization = 0.850, reshoot_counts*normalization = 5998.3
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
6×10^4
4×10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_100_6___reshoot_key=Phi_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 14413.2, reshoot_counts = 16959.5
normalization = 0.850, reshoot_counts*normalization = 14422.9
original average = 3.14 Phi [rad], reshoot average = 3.13 Phi [rad]
2×10^5
10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_100_7___reshoot_key=Phi_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9054.9, reshoot_counts = 10622.2
normalization = 0.850, reshoot_counts*normalization = 9033.4
original average = 3.15 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
10^5
6×10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_100_8___reshoot_key=Phi_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4545.9, reshoot_counts = 5285.2
normalization = 0.850, reshoot_counts*normalization = 4494.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_very_wide_100_9___reshoot_key=Phi_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2583.8, reshoot_counts = 3020.9
normalization = 0.850, reshoot_counts*normalization = 2569.1
original average = 3.15 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_very_wide_100_10___reshoot_key=Phi_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5128.6, reshoot_counts = 6015.6
normalization = 0.850, reshoot_counts*normalization = 5115.9
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_very_wide_100_11___reshoot_key=Phi_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5232.6, reshoot_counts = 6228.9
normalization = 0.850, reshoot_counts*normalization = 5297.3
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
6 × 10^4
4 × 10^4
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_100_12___reshoot_key=Phi_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6850.9, reshoot_counts = 8032.0
normalization = 0.850, reshoot_counts*normalization = 6830.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^5
6×10^4
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_100_13___reshoot_key=Phi_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6000.5, reshoot_counts = 7064.6
normalization = 0.850, reshoot_counts*normalization = 6007.9
original average = 3.15 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_very_wide_100_14___reshoot_key=Phi_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9625.3, reshoot_counts = 11214.9
normalization = 0.850, reshoot_counts*normalization = 9537.5
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
10^5
6×10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_100_15___reshoot_key=Phi_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7288.1, reshoot_counts = 8579.0
normalization = 0.850, reshoot_counts*normalization = 7295.9
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^5
6×10^4
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_100_16___reshoot_key=Phi_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7577.7, reshoot_counts = 8985.2
normalization = 0.850, reshoot_counts*normalization = 7641.3
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^5
6×10^4
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_100_17___reshoot_key=Phi_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7503.5, reshoot_counts = 8775.8
normalization = 0.850, reshoot_counts*normalization = 7463.2
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
10^5
6×10^4
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_100_18___reshoot_key=Phi_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7507.8, reshoot_counts = 8869.0
normalization = 0.850, reshoot_counts*normalization = 7542.5
original average = 3.15 Phi [rad], reshoot average = 3.14 Phi [rad]
10^5
6×10^4
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_100_19___reshoot_key=Phi_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7750.3, reshoot_counts = 9062.9
normalization = 0.850, reshoot_counts*normalization = 7707.4
original average = 3.15 Phi [rad], reshoot average = 3.14 Phi [rad]
10^5
6×10^4
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_100_20___reshoot_key=Phi_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9480.1, reshoot_counts = 11019.1
normalization = 0.850, reshoot_counts*normalization = 9371.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
10^5
6×10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_100_21___reshoot_key=Phi_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9274.1, reshoot_counts = 10829.0
normalization = 0.850, reshoot_counts*normalization = 9209.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
10^5
6×10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_100_22___reshoot_key=Phi_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13112.1, reshoot_counts = 15483.2
normalization = 0.850, reshoot_counts*normalization = 13167.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
2×10^5
10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_100_23___reshoot_key=Phi_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 14359.6, reshoot_counts = 16838.2
normalization = 0.850, reshoot_counts*normalization = 14319.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
2×10^5
10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_100_24___reshoot_key=Phi_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 18701.6, reshoot_counts = 22106.6
normalization = 0.850, reshoot_counts*normalization = 18800.2
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
3×10^5
2×10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_100_25___reshoot_key=Phi_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 23873.8, reshoot_counts = 28362.6
normalization = 0.850, reshoot_counts*normalization = 24120.5
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
4×10^5
3×10^5
2×10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_100_26___reshoot_key=Phi_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 216528.7, reshoot_counts = 254400.1
normalization = 0.850, reshoot_counts*normalization = 216350.2
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
3×10^6
2×10^6
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_100_e-___reshoot_key=Phi_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1942874.1, reshoot_counts = 2285786.5
normalization = 0.850, reshoot_counts*normalization = 1943908.2
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
3×10^7
2×10^7
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_100_e+___reshoot_key=Phi_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 970.5, reshoot_counts = 1693.3
normalization = 0.850, reshoot_counts*normalization = 1440.0
original average = 3.15 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
2×10^4
10^4
6×10^3
0
1
2
3
4
5
6



original_key=Phi_very_wide_100_gamma___reshoot_key=Phi_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 85743.4, reshoot_counts = 114984.2
normalization = 0.850, reshoot_counts*normalization = 97786.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^6
6×10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_100_mu-___reshoot_key=Phi_1_mu-
original counts = 368.4, reshoot counts = 703.0
normalization = 0.850, reshoot_counts*normalization = 597.8
original average = 3.13 Phi [rad], reshoot average = 3.13 Phi [rad]
counts [1/rad]
Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average



original_key=Phi_very_wide_100_mu+___reshoot_key=Phi_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 246.6, reshoot_counts = 530.0
normalization = 0.850, reshoot_counts*normalization = 450.8
original average = 3.14 Phi [rad], reshoot average = 3.16 Phi [rad]
counts [1/rad]
Phi [rad]
6×10^3
4×10^3
3×10^3
2×10^3
10^3
0
1
2
3
4
5
6



original_key=Phi_very_wide_100_pi-___reshoot_key=Phi_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10564.3, reshoot_counts = 24091.7
normalization = 0.850, reshoot_counts*normalization = 20488.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
3 × 10^5
2 × 10^5
10^5
6 × 10^4
0
1
2
3
4
5
6



original_key=Phi_very_wide_100_pi+___reshoot_key=Phi_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8999.7, reshoot_counts = 21035.8
normalization = 0.850, reshoot_counts*normalization = 17889.5
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
2×10^5
10^5
6×10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Ekin_very_wide_100_0___reshoot_key=EkinU_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 39671416.5, reshoot_counts = 46676801.0
normalization = 0.850, reshoot_counts*normalization = 39695491.7
original average = 818.57 Ek [MeV/u], reshoot average = 818.73 Ek [
counts [u/MeV]
Ek [MeV/u]
10^5
10^4
10^3
10^2
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_100_1___reshoot_key=EkinU_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 40234866.5, reshoot_counts = 47323674.0
normalization = 0.850, reshoot_counts*normalization = 40245613.8
original average = 809.68 Ek [MeV/u], reshoot average = 809.70 Ek [
counts [u/MeV]
Ek [MeV/u]
10^5
10^4
10^3
10^2
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_100_2___reshoot_key=EkinU_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9642938.5, reshoot_counts = 11336599.0
normalization = 0.850, reshoot_counts*normalization = 9641017.8
original average = 818.61 Ek [MeV/u], reshoot average = 818.79 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_100_3___reshoot_key=EkinU_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 404299.0, reshoot_counts = 476469.0
normalization = 0.850, reshoot_counts*normalization = 405205.0
original average = 809.36 Ek [MeV/u], reshoot average = 809.42 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_100_4___reshoot_key=EkinU_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 156553.0, reshoot_counts = 184005.0
normalization = 0.850, reshoot_counts*normalization = 156483.9
original average = 794.03 Ek [MeV/u], reshoot average = 793.90 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_100_5___reshoot_key=EkinU_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 265006.0, reshoot_counts = 309947.5
normalization = 0.850, reshoot_counts*normalization = 263589.6
original average = 771.18 Ek [MeV/u], reshoot average = 771.51 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_100_6___reshoot_key=EkinU_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 629643.5, reshoot_counts = 740954.5
normalization = 0.850, reshoot_counts*normalization = 630132.2
original average = 759.14 Ek [MeV/u], reshoot average = 759.07 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_100_7___reshoot_key=EkinU_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 395601.0, reshoot_counts = 464976.0
normalization = 0.850, reshoot_counts*normalization = 395430.9
original average = 758.37 Ek [MeV/u], reshoot average = 758.53 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_100_8___reshoot_key=EkinU_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 198621.0, reshoot_counts = 234219.0
normalization = 0.850, reshoot_counts*normalization = 199187.6
original average = 768.21 Ek [MeV/u], reshoot average = 768.31 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_100_9___reshoot_key=EkinU_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 112140.0, reshoot_counts = 131702.0
normalization = 0.850, reshoot_counts*normalization = 112003.7
original average = 769.55 Ek [MeV/u], reshoot average = 769.66 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_100_10___reshoot_key=EkinU_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 222020.0, reshoot_counts = 261607.0
normalization = 0.850, reshoot_counts*normalization = 222479.2
original average = 767.54 Ek [MeV/u], reshoot average = 767.53 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_100_11___reshoot_key=EkinU_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 231595.0, reshoot_counts = 272324.5
normalization = 0.850, reshoot_counts*normalization = 231593.7
original average = 767.21 Ek [MeV/u], reshoot average = 767.01 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_100_12___reshoot_key=EkinU_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 296700.0, reshoot_counts = 349297.0
normalization = 0.850, reshoot_counts*normalization = 297053.7
original average = 766.33 Ek [MeV/u], reshoot average = 766.30 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_100_13___reshoot_key=EkinU_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 262399.0, reshoot_counts = 308674.0
normalization = 0.850, reshoot_counts*normalization = 262506.6
original average = 767.24 Ek [MeV/u], reshoot average = 767.31 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_100_14___reshoot_key=EkinU_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 418289.0, reshoot_counts = 492034.0
normalization = 0.850, reshoot_counts*normalization = 418441.9
original average = 766.68 Ek [MeV/u], reshoot average = 766.67 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_100_15___reshoot_key=EkinU_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 317421.0, reshoot_counts = 374064.0
normalization = 0.850, reshoot_counts*normalization = 318116.4
original average = 767.75 Ek [MeV/u], reshoot average = 767.52 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_100_16___reshoot_key=EkinU_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 335247.5, reshoot_counts = 394001.0
normalization = 0.850, reshoot_counts*normalization = 335071.5
original average = 766.38 Ek [MeV/u], reshoot average = 766.40 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_100_17___reshoot_key=EkinU_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 327202.0, reshoot_counts = 385098.5
normalization = 0.850, reshoot_counts*normalization = 327500.5
original average = 766.78 Ek [MeV/u], reshoot average = 766.93 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_100_18___reshoot_key=EkinU_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 328596.0, reshoot_counts = 385941.5
normalization = 0.850, reshoot_counts*normalization = 328217.4
original average = 764.24 Ek [MeV/u], reshoot average = 764.14 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_100_19___reshoot_key=EkinU_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 338553.0, reshoot_counts = 397706.0
normalization = 0.850, reshoot_counts*normalization = 338222.3
original average = 763.81 Ek [MeV/u], reshoot average = 763.82 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_100_20___reshoot_key=EkinU_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 414583.0, reshoot_counts = 487628.0
normalization = 0.850, reshoot_counts*normalization = 414694.9
original average = 762.61 Ek [MeV/u], reshoot average = 762.65 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_100_21___reshoot_key=EkinU_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 402609.0, reshoot_counts = 472860.0
normalization = 0.850, reshoot_counts*normalization = 402135.7
original average = 762.88 Ek [MeV/u], reshoot average = 762.86 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_100_22___reshoot_key=EkinU_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 571888.0, reshoot_counts = 672017.0
normalization = 0.850, reshoot_counts*normalization = 571505.4
original average = 760.80 Ek [MeV/u], reshoot average = 760.90 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_100_23___reshoot_key=EkinU_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 626974.0, reshoot_counts = 738213.0
normalization = 0.850, reshoot_counts*normalization = 627800.7
original average = 761.40 Ek [MeV/u], reshoot average = 761.48 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_100_24___reshoot_key=EkinU_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 818015.0, reshoot_counts = 960520.0
normalization = 0.850, reshoot_counts*normalization = 816857.9
original average = 760.52 Ek [MeV/u], reshoot average = 760.57 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_100_25___reshoot_key=EkinU_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1046894.0, reshoot_counts = 1233878.5
normalization = 0.850, reshoot_counts*normalization = 1049331.0
original average = 761.84 Ek [MeV/u], reshoot average = 761.85 Ek [
counts [u/MeV]
Ek [MeV/u]
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_100_26___reshoot_key=EkinU_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9436615.0, reshoot_counts = 11097101.0
normalization = 0.850, reshoot_counts*normalization = 9437340.8
original average = 803.92 Ek [MeV/u], reshoot average = 803.89 Ek [
counts [u/MeV]
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_100_e-___reshoot_key=EkinU_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6975470.2, reshoot_counts = 90452678.5
normalization = 0.850, reshoot_counts*normalization = 76923942.3
original average = 0.56 Ek [MeV/u], reshoot average = 0.98 Ek [MeV/u
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_100_e+___reshoot_key=EkinU_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2054.5, reshoot_counts = 75839.5
normalization = 0.850, reshoot_counts*normalization = 64496.4
original average = 39.88 Ek [MeV/u], reshoot average = 39.86 Ek [Me
counts [u/MeV]
10^3
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_100_gamma___reshoot_key=EkinU_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 290389.0, reshoot_counts = 4997222.5
normalization = 0.850, reshoot_counts*normalization = 4249802.9
original average = 4.98 Ek [MeV/u], reshoot average = 7.70 Ek [MeV/u]
counts [u/MeV]
Ek [MeV/u]
10^7
10^6
10^5
10^4
10^3
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_very_wide_100_mu-___reshoot_key=EkinU_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 347.8, reshoot_counts = 32844.0
normalization = 0.850, reshoot_counts*normalization = 27931.6
original average = 55.50 Ek [MeV/u], reshoot average = 55.63 Ek [Me
counts [u/MeV]
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_100_mu+___reshoot_key=EkinU_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 152.0, reshoot_counts = 24787.5
normalization = 0.850, reshoot_counts*normalization = 21080.1
original average = 45.91 Ek [MeV/u], reshoot average = 46.03 Ek [Me
counts [u/MeV]
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_100_pi-___reshoot_key=EkinU_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2701.2, reshoot_counts = 1092015.0
normalization = 0.850, reshoot_counts*normalization = 928685.6
original average = 65.53 Ek [MeV/u], reshoot average = 65.54 Ek [Me
counts [u/MeV]
10^4
10^3
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_100_pi+___reshoot_key=EkinU_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1163.3, reshoot_counts = 954701.0
normalization = 0.850, reshoot_counts*normalization = 811909.2
original average = 57.02 Ek [MeV/u], reshoot average = 57.03 Ek [Me
counts [u/MeV]
Ek [MeV/u]
10^4
10^3
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000



original_key=X_very_wide_100_0___reshoot_key=X_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9951356.0, reshoot_counts = 11669911.8
normalization = 0.850, reshoot_counts*normalization = 9924478.0
original average = -0.00 x pos [mm], reshoot average = -0.13 x pos [
3×10^5
2×10^5
10^5
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_1___reshoot_key=X_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10091936.9, reshoot_counts = 11831016.0
normalization = 0.850, reshoot_counts*normalization = 10061486.4
original average = 0.00 x pos [mm], reshoot average = -0.13 x pos [m
3 × 10^5
2 × 10^5
10^5
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_2___reshoot_key=X_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2412154.5, reshoot_counts = 2834295.5
normalization = 0.850, reshoot_counts*normalization = 2410378.4
original average = 0.00 x pos [mm], reshoot average = -0.12 x pos [m
10^5
10^4
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_3___reshoot_key=X_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 101129.2, reshoot_counts = 119126.5
normalization = 0.850, reshoot_counts*normalization = 101309.1
original average = 0.17 x pos [mm], reshoot average = 0.18 x pos [m
counts [1/mm]
10^3
10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_4___reshoot_key=X_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 39151.9, reshoot_counts = 46007.0
normalization = 0.850, reshoot_counts*normalization = 39125.9
original average = -0.12 x pos [mm], reshoot average = -0.43 x pos [
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_5___reshoot_key=X_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 66280.1, reshoot_counts = 77494.2
normalization = 0.850, reshoot_counts*normalization = 65903.7
original average = -0.02 x pos [mm], reshoot average = -0.20 x pos [
10^3
10^2
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_6___reshoot_key=X_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 157459.6, reshoot_counts = 185254.0
normalization = 0.850, reshoot_counts*normalization = 157546.1
original average = 0.03 x pos [mm], reshoot average = -0.07 x pos [m
counts [1/mm]
10^4
10^3
10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_7___reshoot_key=X_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 98907.1, reshoot_counts = 116249.8
normalization = 0.850, reshoot_counts*normalization = 98862.6
original average = 0.01 x pos [mm], reshoot average = -0.15 x pos [m
10^3
10^2
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_8___reshoot_key=X_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 49660.0, reshoot_counts = 58557.5
normalization = 0.850, reshoot_counts*normalization = 49799.2
original average = -0.11 x pos [mm], reshoot average = -0.35 x pos [
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_9___reshoot_key=X_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 28036.4, reshoot_counts = 32925.5
normalization = 0.850, reshoot_counts*normalization = 28000.9
original average = 0.07 x pos [mm], reshoot average = -0.08 x pos [m
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_10___reshoot_key=X_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 55507.8, reshoot_counts = 65401.8
normalization = 0.850, reshoot_counts*normalization = 55619.8
original average = -0.00 x pos [mm], reshoot average = -0.14 x pos [
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_11___reshoot_key=X_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 57901.2, reshoot_counts = 68081.5
normalization = 0.850, reshoot_counts*normalization = 57898.8
original average = -0.00 x pos [mm], reshoot average = -0.16 x pos [
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_12___reshoot_key=X_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 74179.9, reshoot_counts = 87324.2
normalization = 0.850, reshoot_counts*normalization = 74263.4
original average = -0.07 x pos [mm], reshoot average = -0.18 x pos [
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_13___reshoot_key=X_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 65600.5, reshoot_counts = 77168.5
normalization = 0.850, reshoot_counts*normalization = 65626.6
original average = -0.07 x pos [mm], reshoot average = -0.16 x pos [
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_14___reshoot_key=X_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 104573.6, reshoot_counts = 123008.8
normalization = 0.850, reshoot_counts*normalization = 104610.7
original average = 0.03 x pos [mm], reshoot average = -0.07 x pos [m
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_15___reshoot_key=X_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 79356.6, reshoot_counts = 93516.0
normalization = 0.850, reshoot_counts*normalization = 79529.1
original average = -0.01 x pos [mm], reshoot average = -0.02 x pos [
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_16___reshoot_key=X_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 83812.0, reshoot_counts = 98500.2
normalization = 0.850, reshoot_counts*normalization = 83767.9
original average = -0.06 x pos [mm], reshoot average = -0.15 x pos [
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_17___reshoot_key=X_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 81800.5, reshoot_counts = 96274.8
normalization = 0.850, reshoot_counts*normalization = 81875.2
original average = -0.08 x pos [mm], reshoot average = -0.21 x pos [
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_18___reshoot_key=X_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 82148.9, reshoot_counts = 96485.5
normalization = 0.850, reshoot_counts*normalization = 82054.5
original average = 0.02 x pos [mm], reshoot average = -0.03 x pos [m
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_19___reshoot_key=X_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 84638.2, reshoot_counts = 99426.5
normalization = 0.850, reshoot_counts*normalization = 84555.6
original average = -0.04 x pos [mm], reshoot average = -0.20 x pos [
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_20___reshoot_key=X_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 103645.8, reshoot_counts = 121907.0
normalization = 0.850, reshoot_counts*normalization = 103673.7
original average = -0.04 x pos [mm], reshoot average = -0.12 x pos [
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_21___reshoot_key=X_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 100652.2, reshoot_counts = 118215.0
normalization = 0.850, reshoot_counts*normalization = 100533.9
original average = -0.02 x pos [mm], reshoot average = -0.08 x pos [
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_22___reshoot_key=X_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 142972.0, reshoot_counts = 168004.2
normalization = 0.850, reshoot_counts*normalization = 142876.4
original average = 0.02 x pos [mm], reshoot average = -0.11 x pos [m
counts [1/mm]
10^4
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_23___reshoot_key=X_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 156743.5, reshoot_counts = 184553.2
normalization = 0.850, reshoot_counts*normalization = 156950.2
original average = 0.05 x pos [mm], reshoot average = -0.07 x pos [m
counts [1/mm]
10^4
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_24___reshoot_key=X_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 204503.8, reshoot_counts = 240130.0
normalization = 0.850, reshoot_counts*normalization = 204214.5
original average = 0.01 x pos [mm], reshoot average = -0.14 x pos [m
counts [1/mm]
x pos [mm]
10^4
10^3
10^2
10^1
−400
−200
0
200
400



original_key=X_very_wide_100_25___reshoot_key=X_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 261723.5, reshoot_counts = 308469.8
normalization = 0.850, reshoot_counts*normalization = 262332.9
original average = -0.03 x pos [mm], reshoot average = -0.18 x pos [
counts [1/mm]
10^4
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_26___reshoot_key=X_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2359153.8, reshoot_counts = 2774275.5
normalization = 0.850, reshoot_counts*normalization = 2359335.4
original average = -0.01 x pos [mm], reshoot average = -0.15 x pos [
counts [1/mm]
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_e-___reshoot_key=X_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 21423612.0, reshoot_counts = 25106662.0
normalization = 0.850, reshoot_counts*normalization = 21351533.8
original average = -0.01 x pos [mm], reshoot average = -0.13 x pos [
counts [1/mm]
6 × 10^5
4 × 10^5
3 × 10^5
2 × 10^5
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_e+___reshoot_key=X_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10849.8, reshoot_counts = 19120.5
normalization = 0.850, reshoot_counts*normalization = 16260.7
original average = -0.13 x pos [mm], reshoot average = -0.43 x pos [
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_gamma___reshoot_key=X_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 981016.5, reshoot_counts = 1306309.5
normalization = 0.850, reshoot_counts*normalization = 1110928.7
original average = -0.03 x pos [mm], reshoot average = -0.12 x pos [
counts [1/mm]
4 × 10^4
3 × 10^4
2 × 10^4
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_mu-___reshoot_key=X_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3991.5, reshoot_counts = 8216.0
normalization = 0.850, reshoot_counts*normalization = 6987.2
original average = 0.55 x pos [mm], reshoot average = 0.38 x pos [m
counts [1/mm]
x pos [mm]
4 × 10^2
3 × 10^2
2 × 10^2
10^2
6 × 10^1
4 × 10^1
3 × 10^1
−400
−200
0
200
400



original_key=X_very_wide_100_mu+___reshoot_key=X_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2846.6, reshoot_counts = 6227.5
normalization = 0.850, reshoot_counts*normalization = 5296.1
original average = -0.49 x pos [mm], reshoot average = -0.51 x pos [
counts [1/mm]
x pos [mm]
3 × 10^2
2 × 10^2
10^2
6 × 10^1
4 × 10^1
3 × 10^1
2 × 10^1
−400
−200
0
200
400



original_key=X_very_wide_100_pi-___reshoot_key=X_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 120465.0, reshoot_counts = 273086.5
normalization = 0.850, reshoot_counts*normalization = 232241.8
original average = -0.20 x pos [mm], reshoot average = -0.31 x pos [
10^4
6×10^3
4×10^3
3×10^3
2×10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_100_pi+___reshoot_key=X_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 103605.9, reshoot_counts = 238797.8
normalization = 0.850, reshoot_counts*normalization = 203081.5
original average = -0.16 x pos [mm], reshoot average = -0.28 x pos [
counts [1/mm]
x pos [mm]
10^4
6×10^3
4×10^3
3×10^3
2×10^3
−400
−200
0
200
400



original_key=Y_very_wide_100_0___reshoot_key=Y_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9951547.1, reshoot_counts = 11669911.8
normalization = 0.850, reshoot_counts*normalization = 9924478.0
original average = -0.01 y pos [mm], reshoot average = -0.13 y pos [
3×10^5
2×10^5
10^5
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_1___reshoot_key=Y_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10091557.0, reshoot_counts = 11831016.0
normalization = 0.850, reshoot_counts*normalization = 10061486.4
original average = -0.01 y pos [mm], reshoot average = -0.15 y pos [
3×10^5
2×10^5
10^5
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_2___reshoot_key=Y_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2412172.5, reshoot_counts = 2834295.5
normalization = 0.850, reshoot_counts*normalization = 2410378.4
original average = 0.00 y pos [mm], reshoot average = -0.12 y pos [m
10^5
10^4
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_3___reshoot_key=Y_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 101114.9, reshoot_counts = 119126.5
normalization = 0.850, reshoot_counts*normalization = 101309.1
original average = -0.11 y pos [mm], reshoot average = -0.18 y pos [
10^3
10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_4___reshoot_key=Y_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 39150.8, reshoot_counts = 46007.0
normalization = 0.850, reshoot_counts*normalization = 39125.9
original average = 0.09 y pos [mm], reshoot average = -0.04 y pos [m
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_5___reshoot_key=Y_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 66282.5, reshoot_counts = 77494.2
normalization = 0.850, reshoot_counts*normalization = 65903.7
original average = -0.03 y pos [mm], reshoot average = -0.16 y pos [
10^3
10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_6___reshoot_key=Y_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 157450.5, reshoot_counts = 185254.0
normalization = 0.850, reshoot_counts*normalization = 157546.1
original average = 0.04 y pos [mm], reshoot average = -0.14 y pos [m
counts [1/mm]
10^4
10^3
10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_7___reshoot_key=Y_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 98918.1, reshoot_counts = 116249.8
normalization = 0.850, reshoot_counts*normalization = 98862.6
original average = -0.03 y pos [mm], reshoot average = -0.08 y pos [
10^3
10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_8___reshoot_key=Y_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 49661.9, reshoot_counts = 58557.5
normalization = 0.850, reshoot_counts*normalization = 49799.2
original average = 0.03 y pos [mm], reshoot average = -0.06 y pos [m
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_9___reshoot_key=Y_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 28038.5, reshoot_counts = 32925.5
normalization = 0.850, reshoot_counts*normalization = 28000.9
original average = -0.12 y pos [mm], reshoot average = -0.25 y pos [
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_10___reshoot_key=Y_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 55507.8, reshoot_counts = 65401.8
normalization = 0.850, reshoot_counts*normalization = 55619.8
original average = 0.01 y pos [mm], reshoot average = -0.20 y pos [m
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_11___reshoot_key=Y_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 57898.5, reshoot_counts = 68081.5
normalization = 0.850, reshoot_counts*normalization = 57898.8
original average = -0.01 y pos [mm], reshoot average = -0.07 y pos [
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_12___reshoot_key=Y_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 74180.9, reshoot_counts = 87324.2
normalization = 0.850, reshoot_counts*normalization = 74263.4
original average = 0.03 y pos [mm], reshoot average = -0.09 y pos [m
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_13___reshoot_key=Y_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 65600.0, reshoot_counts = 77168.5
normalization = 0.850, reshoot_counts*normalization = 65626.6
original average = -0.09 y pos [mm], reshoot average = -0.24 y pos [
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_14___reshoot_key=Y_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 104571.6, reshoot_counts = 123008.8
normalization = 0.850, reshoot_counts*normalization = 104610.7
original average = 0.04 y pos [mm], reshoot average = -0.06 y pos [m
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_15___reshoot_key=Y_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 79355.1, reshoot_counts = 93516.0
normalization = 0.850, reshoot_counts*normalization = 79529.1
original average = 0.06 y pos [mm], reshoot average = -0.09 y pos [m
10^3
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_16___reshoot_key=Y_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 83812.8, reshoot_counts = 98500.2
normalization = 0.850, reshoot_counts*normalization = 83767.9
original average = -0.03 y pos [mm], reshoot average = -0.09 y pos [
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_17___reshoot_key=Y_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 81800.5, reshoot_counts = 96274.8
normalization = 0.850, reshoot_counts*normalization = 81875.2
original average = -0.03 y pos [mm], reshoot average = -0.21 y pos [
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_18___reshoot_key=Y_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 82148.9, reshoot_counts = 96485.5
normalization = 0.850, reshoot_counts*normalization = 82054.5
original average = 0.06 y pos [mm], reshoot average = -0.10 y pos [m
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_19___reshoot_key=Y_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 84638.2, reshoot_counts = 99426.5
normalization = 0.850, reshoot_counts*normalization = 84555.6
original average = -0.04 y pos [mm], reshoot average = -0.21 y pos [
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_20___reshoot_key=Y_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 103645.8, reshoot_counts = 121907.0
normalization = 0.850, reshoot_counts*normalization = 103673.7
original average = -0.05 y pos [mm], reshoot average = -0.13 y pos [
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_21___reshoot_key=Y_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 100652.2, reshoot_counts = 118215.0
normalization = 0.850, reshoot_counts*normalization = 100533.9
original average = -0.00 y pos [mm], reshoot average = -0.10 y pos [
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_22___reshoot_key=Y_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 142972.0, reshoot_counts = 168004.2
normalization = 0.850, reshoot_counts*normalization = 142876.4
original average = -0.05 y pos [mm], reshoot average = -0.21 y pos [
counts [1/mm]
y pos [mm]
10^4
10^3
10^2
10^1
−400
−200
0
200
400



original_key=Y_very_wide_100_23___reshoot_key=Y_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 156743.5, reshoot_counts = 184553.2
normalization = 0.850, reshoot_counts*normalization = 156950.2
original average = -0.01 y pos [mm], reshoot average = -0.16 y pos [
counts [1/mm]
y pos [mm]
10^4
10^3
10^2
10^1
−400
−200
0
200
400



original_key=Y_very_wide_100_24___reshoot_key=Y_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 204503.8, reshoot_counts = 240130.0
normalization = 0.850, reshoot_counts*normalization = 204214.5
original average = 0.00 y pos [mm], reshoot average = -0.13 y pos [m
counts [1/mm]
y pos [mm]
10^4
10^3
10^2
10^1
−400
−200
0
200
400



original_key=Y_very_wide_100_25___reshoot_key=Y_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 261723.5, reshoot_counts = 308469.8
normalization = 0.850, reshoot_counts*normalization = 262332.9
original average = -0.02 y pos [mm], reshoot average = -0.14 y pos [
counts [1/mm]
y pos [mm]



original_key=Y_very_wide_100_26___reshoot_key=Y_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2359153.8, reshoot_counts = 2774275.5
normalization = 0.850, reshoot_counts*normalization = 2359335.4
original average = 0.00 y pos [mm], reshoot average = -0.14 y pos [m
counts [1/mm]
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_e-___reshoot_key=Y_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 21423674.4, reshoot_counts = 25106662.0
normalization = 0.850, reshoot_counts*normalization = 21351533.8
original average = -0.02 y pos [mm], reshoot average = -0.14 y pos [
counts [1/mm]
6×10^5
4×10^5
3×10^5
2×10^5
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_100_e+___reshoot_key=Y_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10857.4, reshoot_counts = 19120.5
normalization = 0.850, reshoot_counts*normalization = 16260.7
original average = 0.12 y pos [mm], reshoot average = 0.01 y pos [m
counts [1/mm]
y pos [mm]
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
−400
−200
0
200
400


original_key=Y_very_wide_100_gamma___reshoot_key=Y_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 981158.8, reshoot_counts = 1306309.5
normalization = 0.850, reshoot_counts*normalization = 1110928.7
original average = 0.01 y pos [mm], reshoot average = -0.12 y pos [m
counts [1/mm]
4 × 10^4
3 × 10^4
2 × 10^4
−400
−200
0
200
400
y pos [mm]


original_key=Y_very_wide_100_mu-___reshoot_key=Y_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4004.5, reshoot_counts = 8216.0
normalization = 0.850, reshoot_counts*normalization = 6987.2
original average = -0.19 y pos [mm], reshoot average = -0.43 y pos [
counts [1/mm]
y pos [mm]
4 × 10^2
3 × 10^2
2 × 10^2
10^2
6 × 10^1
4 × 10^1
3 × 10^1
−400
−200
0
200
400


original_key=Y_very_wide_100_mu+___reshoot_key=Y_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2835.0, reshoot_counts = 6227.5
normalization = 0.850, reshoot_counts*normalization = 5296.1
original average = -0.23 y pos [mm], reshoot average = 0.15 y pos [m
counts [1/mm]
y pos [mm]
3 × 10^2
2 × 10^2
10^2
6 × 10^1
4 × 10^1
3 × 10^1
2 × 10^1
−400
−200
0
200
400


original_key=Y_very_wide_100_pi-___reshoot_key=Y_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 120508.8, reshoot_counts = 273086.5
normalization = 0.850, reshoot_counts*normalization = 232241.8
original average = -0.09 y pos [mm], reshoot average = -0.26 y pos [
10^4
6×10^3
4×10^3
3×10^3
2×10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_very_wide_100_pi+___reshoot_key=Y_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 103605.5, reshoot_counts = 238797.8
normalization = 0.850, reshoot_counts*normalization = 203081.5
original average = -0.05 y pos [mm], reshoot average = -0.11 y pos [
counts [1/mm]
y pos [mm]
10^4
6×10^3
4×10^3
3×10^3
2×10^3
−400
−200
0
200
400