






original_key=Theta_100_0___reshoot_key=Theta_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 366928.2, reshoot_counts = 102274.7
normalization = 0.670, reshoot_counts*normalization = 68515.9
original average = 0.07 Theta [rad], reshoot average = 0.06 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_1___reshoot_key=Theta_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 240614.8, reshoot_counts = 85958.7
normalization = 0.670, reshoot_counts*normalization = 57585.5
original average = 0.08 Theta [rad], reshoot average = 0.07 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_2___reshoot_key=Theta_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 141329.0, reshoot_counts = 40164.2
normalization = 0.670, reshoot_counts*normalization = 26906.8
original average = 0.07 Theta [rad], reshoot average = 0.06 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_3___reshoot_key=Theta_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8575.4, reshoot_counts = 1866.4
normalization = 0.670, reshoot_counts*normalization = 1250.4
original average = 0.06 Theta [rad], reshoot average = 0.05 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_4___reshoot_key=Theta_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3298.5, reshoot_counts = 683.5
normalization = 0.670, reshoot_counts*normalization = 457.9
original average = 0.06 Theta [rad], reshoot average = 0.05 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_5___reshoot_key=Theta_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4269.0, reshoot_counts = 787.7
normalization = 0.670, reshoot_counts*normalization = 527.7
original average = 0.06 Theta [rad], reshoot average = 0.05 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_6___reshoot_key=Theta_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11428.1, reshoot_counts = 1858.4
normalization = 0.670, reshoot_counts*normalization = 1245.0
original average = 0.05 Theta [rad], reshoot average = 0.05 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_7___reshoot_key=Theta_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9382.7, reshoot_counts = 1413.9
normalization = 0.670, reshoot_counts*normalization = 947.2
original average = 0.05 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_8___reshoot_key=Theta_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6488.0, reshoot_counts = 990.3
normalization = 0.670, reshoot_counts*normalization = 663.4
original average = 0.05 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_9___reshoot_key=Theta_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3843.9, reshoot_counts = 583.1
normalization = 0.670, reshoot_counts*normalization = 390.6
original average = 0.05 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_10___reshoot_key=Theta_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8355.4, reshoot_counts = 1299.1
normalization = 0.670, reshoot_counts*normalization = 870.3
original average = 0.05 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_11___reshoot_key=Theta_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8866.8, reshoot_counts = 1448.6
normalization = 0.670, reshoot_counts*normalization = 970.5
original average = 0.05 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_12___reshoot_key=Theta_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10881.3, reshoot_counts = 1949.4
normalization = 0.670, reshoot_counts*normalization = 1305.9
original average = 0.05 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_13___reshoot_key=Theta_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9282.0, reshoot_counts = 1777.3
normalization = 0.670, reshoot_counts*normalization = 1190.7
original average = 0.05 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_14___reshoot_key=Theta_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 14682.0, reshoot_counts = 3002.8
normalization = 0.670, reshoot_counts*normalization = 2011.7
original average = 0.05 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_15___reshoot_key=Theta_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11357.0, reshoot_counts = 2277.2
normalization = 0.670, reshoot_counts*normalization = 1525.5
original average = 0.05 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_16___reshoot_key=Theta_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12980.3, reshoot_counts = 2375.1
normalization = 0.670, reshoot_counts*normalization = 1591.1
original average = 0.05 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_17___reshoot_key=Theta_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 15863.3, reshoot_counts = 2411.2
normalization = 0.670, reshoot_counts*normalization = 1615.3
original average = 0.05 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_18___reshoot_key=Theta_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 20702.4, reshoot_counts = 2443.3
normalization = 0.670, reshoot_counts*normalization = 1636.8
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_19___reshoot_key=Theta_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 29316.9, reshoot_counts = 2606.8
normalization = 0.670, reshoot_counts*normalization = 1746.3
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_20___reshoot_key=Theta_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 52058.8, reshoot_counts = 3404.1
normalization = 0.670, reshoot_counts*normalization = 2280.5
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_21___reshoot_key=Theta_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 76410.3, reshoot_counts = 3666.2
normalization = 0.670, reshoot_counts*normalization = 2456.0
original average = 0.04 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_22___reshoot_key=Theta_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 162964.9, reshoot_counts = 5980.9
normalization = 0.670, reshoot_counts*normalization = 4006.7
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_23___reshoot_key=Theta_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 251876.0, reshoot_counts = 7394.2
normalization = 0.670, reshoot_counts*normalization = 4953.5
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_24___reshoot_key=Theta_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 400972.0, reshoot_counts = 10281.9
normalization = 0.670, reshoot_counts*normalization = 6888.1
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_25___reshoot_key=Theta_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 577051.2, reshoot_counts = 12972.8
normalization = 0.670, reshoot_counts*normalization = 8690.7
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_26___reshoot_key=Theta_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16828103.6, reshoot_counts = 224383.1
normalization = 0.670, reshoot_counts*normalization = 150318.7
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]



original_key=Theta_100_e-___reshoot_key=Theta_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2267495.8, reshoot_counts = 3265716.2
normalization = 0.670, reshoot_counts*normalization = 2187767.8
original average = 0.61 Theta [rad], reshoot average = 0.60 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_e+___reshoot_key=Theta_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.5, reshoot_counts = 4.1
normalization = 0.670, reshoot_counts*normalization = 2.7
original average = 0.16 Theta [rad], reshoot average = 0.17 Theta [ra
10^3
10^2
counts [1/rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_gamma___reshoot_key=Theta_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12356.3, reshoot_counts = 4922.0
normalization = 0.670, reshoot_counts*normalization = 3297.3
original average = 0.20 Theta [rad], reshoot average = 0.19 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_mu-___reshoot_key=Theta_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.1, reshoot_counts = 0.3
normalization = 0.670, reshoot_counts*normalization = 0.2
original average = 0.10 Theta [rad], reshoot average = 0.08 Theta [ra
counts [1/rad]
Theta [rad]
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
10^2
6 × 10^1
4 × 10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_mu+___reshoot_key=Theta_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.1, reshoot_counts = 0.4
normalization = 0.670, reshoot_counts*normalization = 0.3
original average = 0.09 Theta [rad], reshoot average = 0.09 Theta [ra
counts [1/rad]
Theta [rad]
4×10^2
3×10^2
2×10^2
10^2
6×10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_pi-___reshoot_key=Theta_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9.6, reshoot_counts = 2.2
normalization = 0.670, reshoot_counts*normalization = 1.5
original average = 0.11 Theta [rad], reshoot average = 0.07 Theta [ra
10^3
10^2
counts [1/rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_pi+___reshoot_key=Theta_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.4, reshoot_counts = 2.2
normalization = 0.670, reshoot_counts*normalization = 1.5
original average = 0.10 Theta [rad], reshoot average = 0.10 Theta [ra
counts [1/rad]
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Phi_100_0___reshoot_key=Phi_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 106364.3, reshoot_counts = 159514.0
normalization = 0.670, reshoot_counts*normalization = 106861.5
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
2×10^6
10^6
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_1___reshoot_key=Phi_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 86564.9, reshoot_counts = 128354.8
normalization = 0.670, reshoot_counts*normalization = 85987.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
10^6
6×10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_2___reshoot_key=Phi_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 41809.3, reshoot_counts = 62628.6
normalization = 0.670, reshoot_counts*normalization = 41956.1
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
6 × 10^5
4 × 10^5
3 × 10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_3___reshoot_key=Phi_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2108.1, reshoot_counts = 2984.9
normalization = 0.670, reshoot_counts*normalization = 1999.6
original average = 3.15 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]
4×10^4
3×10^4
2×10^4
0
1
2
3
4
5
6



original_key=Phi_100_4___reshoot_key=Phi_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 745.6, reshoot_counts = 1147.5
normalization = 0.670, reshoot_counts*normalization = 768.7
original average = 3.15 Phi [rad], reshoot average = 3.12 Phi [rad]
counts [1/rad]
10^4
6×10^3
4×10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_5___reshoot_key=Phi_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 880.4, reshoot_counts = 1282.0
normalization = 0.670, reshoot_counts*normalization = 858.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
2 × 10^4
10^4
6 × 10^3
4 × 10^3
0
1
2
3
4
5
6



original_key=Phi_100_6___reshoot_key=Phi_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2124.8, reshoot_counts = 3181.7
normalization = 0.670, reshoot_counts*normalization = 2131.5
original average = 3.13 Phi [rad], reshoot average = 3.13 Phi [rad]
counts [1/rad]
Phi [rad]
4×10^4
3×10^4
2×10^4
0
1
2
3
4
5
6



original_key=Phi_100_7___reshoot_key=Phi_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1672.5, reshoot_counts = 2420.3
normalization = 0.670, reshoot_counts*normalization = 1621.4
original average = 3.15 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]
3 × 10^4
2 × 10^4
10^4
0
1
2
3
4
5
6



original_key=Phi_100_8___reshoot_key=Phi_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1157.9, reshoot_counts = 1727.7
normalization = 0.670, reshoot_counts*normalization = 1157.4
original average = 3.15 Phi [rad], reshoot average = 3.16 Phi [rad]
counts [1/rad]
Phi [rad]
2×10^4
10^4
6×10^3
0
1
2
3
4
5
6



original_key=Phi_100_9___reshoot_key=Phi_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 689.3, reshoot_counts = 1030.7
normalization = 0.670, reshoot_counts*normalization = 690.5
original average = 3.14 Phi [rad], reshoot average = 3.16 Phi [rad]
counts [1/rad]
10^4
6×10^3
4×10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_10___reshoot_key=Phi_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1502.4, reshoot_counts = 2247.0
normalization = 0.670, reshoot_counts*normalization = 1505.3
original average = 3.14 Phi [rad], reshoot average = 3.13 Phi [rad]
counts [1/rad]
Phi [rad]
3 × 10^4
2 × 10^4
10^4
0
1
2
3
4
5
6



original_key=Phi_100_11___reshoot_key=Phi_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1702.8, reshoot_counts = 2518.7
normalization = 0.670, reshoot_counts*normalization = 1687.3
original average = 3.14 Phi [rad], reshoot average = 3.13 Phi [rad]
counts [1/rad]
Phi [rad]
3 × 10^4
2 × 10^4
10^4
0
1
2
3
4
5
6



original_key=Phi_100_12___reshoot_key=Phi_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2275.6, reshoot_counts = 3424.8
normalization = 0.670, reshoot_counts*normalization = 2294.4
original average = 3.14 Phi [rad], reshoot average = 3.13 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_100_13___reshoot_key=Phi_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2034.7, reshoot_counts = 3061.6
normalization = 0.670, reshoot_counts*normalization = 2051.0
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_100_14___reshoot_key=Phi_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3393.8, reshoot_counts = 5173.5
normalization = 0.670, reshoot_counts*normalization = 3465.9
original average = 3.14 Phi [rad], reshoot average = 3.13 Phi [rad]
counts [1/rad]
Phi [rad]
6×10^4
4×10^4
3×10^4
2×10^4
0
1
2
3
4
5
6



original_key=Phi_100_15___reshoot_key=Phi_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2627.6, reshoot_counts = 3979.7
normalization = 0.670, reshoot_counts*normalization = 2666.1
original average = 3.13 Phi [rad], reshoot average = 3.13 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_100_16___reshoot_key=Phi_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2721.9, reshoot_counts = 4078.6
normalization = 0.670, reshoot_counts*normalization = 2732.3
original average = 3.15 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
0
1
2
3
4
5
6



original_key=Phi_100_17___reshoot_key=Phi_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2834.8, reshoot_counts = 4240.5
normalization = 0.670, reshoot_counts*normalization = 2840.8
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
0
1
2
3
4
5
6



original_key=Phi_100_18___reshoot_key=Phi_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2962.3, reshoot_counts = 4378.4
normalization = 0.670, reshoot_counts*normalization = 2933.2
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]
6×10^4
4×10^4
3×10^4
2×10^4
0
1
2
3
4
5
6



original_key=Phi_100_19___reshoot_key=Phi_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3259.5, reshoot_counts = 4739.2
normalization = 0.670, reshoot_counts*normalization = 3174.9
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
0
1
2
3
4
5
6



original_key=Phi_100_20___reshoot_key=Phi_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4418.0, reshoot_counts = 6608.4
normalization = 0.670, reshoot_counts*normalization = 4427.1
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
6×10^4
4×10^4
3×10^4
0
1
2
3
4
5
6



original_key=Phi_100_21___reshoot_key=Phi_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4959.6, reshoot_counts = 7268.4
normalization = 0.670, reshoot_counts*normalization = 4869.2
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
10^5
6×10^4
4×10^4
3×10^4
0
1
2
3
4
5
6



original_key=Phi_100_22___reshoot_key=Phi_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8450.8, reshoot_counts = 12491.9
normalization = 0.670, reshoot_counts*normalization = 8368.6
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
10^5
6×10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_23___reshoot_key=Phi_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10827.0, reshoot_counts = 16176.3
normalization = 0.670, reshoot_counts*normalization = 10836.8
original average = 3.15 Phi [rad], reshoot average = 3.15 Phi [rad]
2×10^5
10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_24___reshoot_key=Phi_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 15574.3, reshoot_counts = 23347.4
normalization = 0.670, reshoot_counts*normalization = 15640.9
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
3×10^5
2×10^5
10^5
0
1
2
3
4
5
6



original_key=Phi_100_25___reshoot_key=Phi_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 20551.4, reshoot_counts = 30741.1
normalization = 0.670, reshoot_counts*normalization = 20594.1
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
4 × 10^5
3 × 10^5
2 × 10^5
0
1
2
3
4
5
6



original_key=Phi_100_26___reshoot_key=Phi_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 391695.5, reshoot_counts = 585426.9
normalization = 0.670, reshoot_counts*normalization = 392189.1
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
6×10^6
4×10^6
3×10^6
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_e-___reshoot_key=Phi_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2871966.0, reshoot_counts = 4290536.7
normalization = 0.670, reshoot_counts*normalization = 2874315.3
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
6 × 10^7
4 × 10^7
3 × 10^7
2 × 10^7
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_e+___reshoot_key=Phi_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.6, reshoot_counts = 4.2
normalization = 0.670, reshoot_counts*normalization = 2.8
original average = 3.25 Phi [rad], reshoot average = 3.11 Phi [rad]
counts [1/rad]
Phi [rad]
3 × 10^2
2 × 10^2
10^2
6 × 10^1
4 × 10^1
0
1
2
3
4
5
6



original_key=Phi_100_gamma___reshoot_key=Phi_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4876.2, reshoot_counts = 7233.9
normalization = 0.670, reshoot_counts*normalization = 4846.1
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^5
6×10^4
4×10^4
3×10^4
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_mu-___reshoot_key=Phi_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.2, reshoot_counts = 0.3
normalization = 0.670, reshoot_counts*normalization = 0.2
original average = 2.79 Phi [rad], reshoot average = 1.99 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_100_mu+___reshoot_key=Phi_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.1, reshoot_counts = 0.4
normalization = 0.670, reshoot_counts*normalization = 0.3
original average = 3.79 Phi [rad], reshoot average = 4.23 Phi [rad]
counts [1/rad]
Phi [rad]
3 × 10^2
2 × 10^2
10^2
6 × 10^1
4 × 10^1
0
1
2
3
4
5
6



original_key=Phi_100_pi-___reshoot_key=Phi_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.8, reshoot_counts = 3.5
normalization = 0.670, reshoot_counts*normalization = 2.4
original average = 3.05 Phi [rad], reshoot average = 2.91 Phi [rad]
counts [1/rad]
Phi [rad]
4×10^2
3×10^2
2×10^2
10^2
6×10^1
4×10^1
0
1
2
3
4
5
6



original_key=Phi_100_pi+___reshoot_key=Phi_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.6, reshoot_counts = 2.5
normalization = 0.670, reshoot_counts*normalization = 1.7
original average = 3.16 Phi [rad], reshoot average = 3.03 Phi [rad]
counts [1/rad]
Phi [rad]
3×10^2
2×10^2
10^2
6×10^1
4×10^1
0
1
2
3
4
5
6



original_key=Ekin_100_0___reshoot_key=EkinU_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4619297.5, reshoot_counts = 6899674.0
normalization = 0.670, reshoot_counts*normalization = 4622228.0
original average = 243.33 Ek [MeV/u], reshoot average = 243.40 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_1___reshoot_key=EkinU_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3747629.0, reshoot_counts = 5594035.5
normalization = 0.670, reshoot_counts*normalization = 3747554.9
original average = 241.61 Ek [MeV/u], reshoot average = 241.67 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_2___reshoot_key=EkinU_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1811126.5, reshoot_counts = 2706280.0
normalization = 0.670, reshoot_counts*normalization = 1812990.5
original average = 226.31 Ek [MeV/u], reshoot average = 226.28 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_3___reshoot_key=EkinU_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 87477.5, reshoot_counts = 131101.5
normalization = 0.670, reshoot_counts*normalization = 87827.5
original average = 218.16 Ek [MeV/u], reshoot average = 218.15 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_4___reshoot_key=EkinU_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 32851.0, reshoot_counts = 48718.0
normalization = 0.670, reshoot_counts*normalization = 32637.2
original average = 211.87 Ek [MeV/u], reshoot average = 212.11 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_5___reshoot_key=EkinU_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 37989.5, reshoot_counts = 57030.0
normalization = 0.670, reshoot_counts*normalization = 38205.5
original average = 206.36 Ek [MeV/u], reshoot average = 206.39 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_6___reshoot_key=EkinU_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 92841.5, reshoot_counts = 138069.0
normalization = 0.670, reshoot_counts*normalization = 92495.2
original average = 197.85 Ek [MeV/u], reshoot average = 197.86 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_7___reshoot_key=EkinU_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 71881.0, reshoot_counts = 107032.5
normalization = 0.670, reshoot_counts*normalization = 71703.2
original average = 192.42 Ek [MeV/u], reshoot average = 192.55 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_8___reshoot_key=EkinU_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 50120.0, reshoot_counts = 74896.0
normalization = 0.670, reshoot_counts*normalization = 50174.3
original average = 184.99 Ek [MeV/u], reshoot average = 184.66 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_9___reshoot_key=EkinU_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 29678.0, reshoot_counts = 44301.0
normalization = 0.670, reshoot_counts*normalization = 29678.1
original average = 182.73 Ek [MeV/u], reshoot average = 182.80 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_10___reshoot_key=EkinU_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 65562.0, reshoot_counts = 98376.5
normalization = 0.670, reshoot_counts*normalization = 65904.4
original average = 176.23 Ek [MeV/u], reshoot average = 176.10 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_11___reshoot_key=EkinU_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 73233.5, reshoot_counts = 109362.0
normalization = 0.670, reshoot_counts*normalization = 73263.8
original average = 172.20 Ek [MeV/u], reshoot average = 172.02 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_12___reshoot_key=EkinU_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 98343.0, reshoot_counts = 146221.0
normalization = 0.670, reshoot_counts*normalization = 97956.3
original average = 167.42 Ek [MeV/u], reshoot average = 167.42 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_13___reshoot_key=EkinU_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 89260.5, reshoot_counts = 132562.0
normalization = 0.670, reshoot_counts*normalization = 88805.9
original average = 164.88 Ek [MeV/u], reshoot average = 164.79 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_14___reshoot_key=EkinU_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 148895.0, reshoot_counts = 223291.0
normalization = 0.670, reshoot_counts*normalization = 149587.1
original average = 161.11 Ek [MeV/u], reshoot average = 161.24 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_15___reshoot_key=EkinU_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 113655.0, reshoot_counts = 169613.0
normalization = 0.670, reshoot_counts*normalization = 113627.1
original average = 160.40 Ek [MeV/u], reshoot average = 160.57 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_16___reshoot_key=EkinU_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 119869.0, reshoot_counts = 177929.0
normalization = 0.670, reshoot_counts*normalization = 119198.2
original average = 157.36 Ek [MeV/u], reshoot average = 157.35 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_17___reshoot_key=EkinU_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 122780.5, reshoot_counts = 183186.0
normalization = 0.670, reshoot_counts*normalization = 122719.9
original average = 156.44 Ek [MeV/u], reshoot average = 156.50 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_18___reshoot_key=EkinU_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 127151.5, reshoot_counts = 189881.5
normalization = 0.670, reshoot_counts*normalization = 127205.4
original average = 153.55 Ek [MeV/u], reshoot average = 153.58 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_19___reshoot_key=EkinU_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 139583.5, reshoot_counts = 208354.0
normalization = 0.670, reshoot_counts*normalization = 139580.5
original average = 151.96 Ek [MeV/u], reshoot average = 151.96 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_20___reshoot_key=EkinU_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 189200.5, reshoot_counts = 281948.0
normalization = 0.670, reshoot_counts*normalization = 188882.5
original average = 149.80 Ek [MeV/u], reshoot average = 149.76 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_21___reshoot_key=EkinU_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 212367.5, reshoot_counts = 318455.5
normalization = 0.670, reshoot_counts*normalization = 213339.6
original average = 148.29 Ek [MeV/u], reshoot average = 148.39 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_22___reshoot_key=EkinU_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 364357.0, reshoot_counts = 544330.5
normalization = 0.670, reshoot_counts*normalization = 364657.8
original average = 143.30 Ek [MeV/u], reshoot average = 143.30 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_23___reshoot_key=EkinU_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 473388.0, reshoot_counts = 704852.5
normalization = 0.670, reshoot_counts*normalization = 472194.6
original average = 139.27 Ek [MeV/u], reshoot average = 139.26 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_24___reshoot_key=EkinU_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 679893.5, reshoot_counts = 1016451.5
normalization = 0.670, reshoot_counts*normalization = 680940.9
original average = 134.48 Ek [MeV/u], reshoot average = 134.47 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_25___reshoot_key=EkinU_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 893736.5, reshoot_counts = 1333941.5
normalization = 0.670, reshoot_counts*normalization = 893633.8
original average = 132.19 Ek [MeV/u], reshoot average = 132.20 Ek [
counts [u/MeV]
Ek [MeV/u]
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_26___reshoot_key=EkinU_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 17133903.0, reshoot_counts = 25571973.5
normalization = 0.670, reshoot_counts*normalization = 17131170.4
original average = 149.58 Ek [MeV/u], reshoot average = 149.59 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
10^5
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_e-___reshoot_key=EkinU_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8475790.6, reshoot_counts = 187466296.5
normalization = 0.670, reshoot_counts*normalization = 125587376.7
original average = 0.20 Ek [MeV/u], reshoot average = 0.50 Ek [MeV/u
counts [u/MeV]
10^8
10^6
10^4
10^2
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_e+___reshoot_key=EkinU_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 14.3, reshoot_counts = 213.0
normalization = 0.670, reshoot_counts*normalization = 142.7
original average = 7.14 Ek [MeV/u], reshoot average = 6.11 Ek [MeV/u
counts [u/MeV]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_gamma___reshoot_key=EkinU_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 17627.6, reshoot_counts = 293672.0
normalization = 0.670, reshoot_counts*normalization = 196736.7
original average = 2.75 Ek [MeV/u], reshoot average = 4.29 Ek [MeV/u
counts [u/MeV]
Ek [MeV/u]
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_mu-___reshoot_key=EkinU_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.7, reshoot_counts = 19.0
normalization = 0.670, reshoot_counts*normalization = 12.7
original average = 55.21 Ek [MeV/u], reshoot average = 53.92 Ek [Me
10^1
10^0
counts [u/MeV]
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_mu+___reshoot_key=EkinU_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.2, reshoot_counts = 25.0
normalization = 0.670, reshoot_counts*normalization = 16.7
original average = 77.34 Ek [MeV/u], reshoot average = 76.90 Ek [Me
counts [u/MeV]
10^1
9×10^0
8×10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_pi-___reshoot_key=EkinU_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 205.1, reshoot_counts = 146.0
normalization = 0.670, reshoot_counts*normalization = 97.8
original average = 137.43 Ek [MeV/u], reshoot average = 141.99 Ek [
counts [u/MeV]
Ek [MeV/u]
4×10^0
3×10^0
2×10^0
10^0
6×10^{-1}
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_pi+___reshoot_key=EkinU_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 175.8, reshoot_counts = 145.0
normalization = 0.670, reshoot_counts*normalization = 97.1
original average = 209.16 Ek [MeV/u], reshoot average = 206.96 Ek [
counts [u/MeV]
Ek [MeV/u]
6×10^{0}
4×10^{0}
3×10^{0}
2×10^{0}
10^{0}
6×10^{-1}
0
250
500
750
1000
1250
1500
1750
2000



original_key=X_100_0___reshoot_key=X_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1173417.4, reshoot_counts = 1725090.8
normalization = 0.670, reshoot_counts*normalization = 1155672.4
original average = -0.02 x pos [mm], reshoot average = -0.15 x pos [
counts [1/mm]
x pos [mm]
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400



original_key=X_100_1___reshoot_key=X_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 953462.2, reshoot_counts = 1398552.8
normalization = 0.670, reshoot_counts*normalization = 936918.1
original average = -0.02 x pos [mm], reshoot average = -0.15 x pos [
counts [1/mm]
x pos [mm]
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400



original_key=X_100_2___reshoot_key=X_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 459854.2, reshoot_counts = 676642.2
normalization = 0.670, reshoot_counts*normalization = 453296.0
original average = -0.03 x pos [mm], reshoot average = -0.17 x pos [
counts [1/mm]
x pos [mm]
4 × 10^4
3 × 10^4
2 × 10^4
−400
−200
0
200
400



original_key=X_100_3___reshoot_key=X_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 22200.6, reshoot_counts = 32777.2
normalization = 0.670, reshoot_counts*normalization = 21958.1
original average = 0.03 x pos [mm], reshoot average = -0.16 x pos [m
2×10^3
10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_100_4___reshoot_key=X_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8332.8, reshoot_counts = 12180.5
normalization = 0.670, reshoot_counts*normalization = 8160.0
original average = 0.13 x pos [mm], reshoot average = -0.07 x pos [m
counts [1/mm]
6 × 10^2
4 × 10^2
3 × 10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_100_5___reshoot_key=X_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9629.0, reshoot_counts = 14260.2
normalization = 0.670, reshoot_counts*normalization = 9553.2
original average = 0.08 x pos [mm], reshoot average = -0.01 x pos [m
10^3
6×10^2
4×10^2
3×10^2
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_100_6___reshoot_key=X_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 23515.1, reshoot_counts = 34522.8
normalization = 0.670, reshoot_counts*normalization = 23127.5
original average = -0.02 x pos [mm], reshoot average = -0.12 x pos [
2×10^3
10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_100_7___reshoot_key=X_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 18195.4, reshoot_counts = 26761.8
normalization = 0.670, reshoot_counts*normalization = 17928.2
original average = -0.09 x pos [mm], reshoot average = -0.26 x pos [
counts [1/mm]
10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_100_8___reshoot_key=X_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12697.1, reshoot_counts = 18724.8
normalization = 0.670, reshoot_counts*normalization = 12544.1
original average = 0.09 x pos [mm], reshoot average = 0.02 x pos [m
10^3
6×10^2
4×10^2
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_100_9___reshoot_key=X_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7511.9, reshoot_counts = 11075.2
normalization = 0.670, reshoot_counts*normalization = 7419.5
original average = -0.02 x pos [mm], reshoot average = -0.13 x pos [
counts [1/mm]
6×10^2
4×10^2
3×10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_100_10___reshoot_key=X_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16595.6, reshoot_counts = 24594.2
normalization = 0.670, reshoot_counts*normalization = 16476.2
original average = -0.12 x pos [mm], reshoot average = -0.29 x pos [
counts [1/mm]
10^3
6×10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_100_11___reshoot_key=X_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 18528.2, reshoot_counts = 27340.5
normalization = 0.670, reshoot_counts*normalization = 18315.9
original average = 0.07 x pos [mm], reshoot average = -0.00 x pos [m
counts [1/mm]
x pos [mm]
2×10^3
10^3
6×10^2
−400
−200
0
200
400



original_key=X_100_12___reshoot_key=X_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24866.8, reshoot_counts = 36555.8
normalization = 0.670, reshoot_counts*normalization = 24489.4
original average = -0.01 x pos [mm], reshoot average = -0.11 x pos [
2×10^3
10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_100_13___reshoot_key=X_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 22602.9, reshoot_counts = 33140.5
normalization = 0.670, reshoot_counts*normalization = 22201.5
original average = -0.08 x pos [mm], reshoot average = -0.24 x pos [
2×10^3
10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_100_14___reshoot_key=X_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 37660.9, reshoot_counts = 55823.8
normalization = 0.670, reshoot_counts*normalization = 37397.4
original average = 0.04 x pos [mm], reshoot average = -0.11 x pos [m
counts [1/mm]
x pos [mm]
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400



original_key=X_100_15___reshoot_key=X_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 28744.5, reshoot_counts = 42403.8
normalization = 0.670, reshoot_counts*normalization = 28407.1
original average = -0.11 x pos [mm], reshoot average = -0.30 x pos [
3×10^3
2×10^3
10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_100_16___reshoot_key=X_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 30328.6, reshoot_counts = 44483.5
normalization = 0.670, reshoot_counts*normalization = 29800.4
original average = -0.04 x pos [mm], reshoot average = -0.19 x pos [
3×10^3
2×10^3
10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_100_17___reshoot_key=X_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 31095.8, reshoot_counts = 45797.8
normalization = 0.670, reshoot_counts*normalization = 30680.8
original average = 0.01 x pos [mm], reshoot average = -0.10 x pos [m
3×10^3
2×10^3
10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_100_18___reshoot_key=X_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 32170.6, reshoot_counts = 47471.0
normalization = 0.670, reshoot_counts*normalization = 31801.8
original average = 0.06 x pos [mm], reshoot average = -0.09 x pos [m
3×10^3
2×10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_100_19___reshoot_key=X_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 35309.9, reshoot_counts = 52090.0
normalization = 0.670, reshoot_counts*normalization = 34896.1
original average = 0.09 x pos [mm], reshoot average = -0.03 x pos [m
counts [1/mm]
3 × 10^3
2 × 10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_100_20___reshoot_key=X_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 47865.8, reshoot_counts = 70489.8
normalization = 0.670, reshoot_counts*normalization = 47222.5
original average = -0.04 x pos [mm], reshoot average = -0.18 x pos [
counts [1/mm]
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_100_21___reshoot_key=X_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 53684.1, reshoot_counts = 79615.8
normalization = 0.670, reshoot_counts*normalization = 53336.2
original average = 0.06 x pos [mm], reshoot average = -0.12 x pos [m
counts [1/mm]
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_100_22___reshoot_key=X_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 92201.2, reshoot_counts = 136089.8
normalization = 0.670, reshoot_counts*normalization = 91169.2
original average = -0.03 x pos [mm], reshoot average = -0.10 x pos [
counts [1/mm]
x pos [mm]
10^4
10^3
10^2
10^1
−400
−200
0
200
400



original_key=X_100_23___reshoot_key=X_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 119703.0, reshoot_counts = 176227.8
normalization = 0.670, reshoot_counts*normalization = 118058.5
original average = 0.02 x pos [mm], reshoot average = -0.11 x pos [m
10^4
6×10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_100_24___reshoot_key=X_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 171911.5, reshoot_counts = 254146.8
normalization = 0.670, reshoot_counts*normalization = 170257.9
original average = 0.01 x pos [mm], reshoot average = -0.10 x pos [m
counts [1/mm]
10^4
6×10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_100_25___reshoot_key=X_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 226053.2, reshoot_counts = 333541.8
normalization = 0.670, reshoot_counts*normalization = 223446.2
original average = -0.01 x pos [mm], reshoot average = -0.11 x pos [
counts [1/mm]
10^4
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_100_26___reshoot_key=X_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4345638.0, reshoot_counts = 6393850.5
normalization = 0.670, reshoot_counts*normalization = 4283366.8
original average = 0.00 x pos [mm], reshoot average = -0.12 x pos [m
counts [1/mm]
10^5
10^4
10^3
10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_100_e-___reshoot_key=X_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 31931876.1, reshoot_counts = 46866774.5
normalization = 0.670, reshoot_counts*normalization = 31396978.4
original average = -0.01 x pos [mm], reshoot average = -0.13 x pos [
counts [1/mm]
10^6
10^5
10^4
10^3
10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_100_e+___reshoot_key=X_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 36.6, reshoot_counts = 60.2
normalization = 0.670, reshoot_counts*normalization = 40.4
original average = 0.97 x pos [mm], reshoot average = 0.25 x pos [m
counts [1/mm]
x pos [mm]
3 × 10^1
2 × 10^1
10^1
6 × 10^0
4 × 10^0
3 × 10^0
−400
−200
0
200
400



original_key=X_100_gamma___reshoot_key=X_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 53631.0, reshoot_counts = 78830.5
normalization = 0.670, reshoot_counts*normalization = 52810.1
original average = -0.04 x pos [mm], reshoot average = -0.10 x pos [
5×10^3
4×10^3
3×10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_100_mu-___reshoot_key=X_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.5, reshoot_counts = 4.8
normalization = 0.670, reshoot_counts*normalization = 3.2
original average = 6.17 x pos [mm], reshoot average = 6.18 x pos [m
counts [1/mm]
x pos [mm]
10^1
6×10^0
4×10^0
3×10^0
−400
−200
0
200
400



original_key=X_100_mu+___reshoot_key=X_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.8, reshoot_counts = 6.2
normalization = 0.670, reshoot_counts*normalization = 4.2
original average = 9.77 x pos [mm], reshoot average = -0.59 x pos [m
10^1
6×10^0
4×10^0
3×10^0
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_100_pi-___reshoot_key=X_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26.6, reshoot_counts = 36.5
normalization = 0.670, reshoot_counts*normalization = 24.5
original average = 3.51 x pos [mm], reshoot average = 5.98 x pos [m
counts [1/mm]
x pos [mm]
3 × 10^1
2 × 10^1
10^1
6 × 10^0
4 × 10^0
3 × 10^0
−400
−200
0
200
400



original_key=X_100_pi+___reshoot_key=X_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 23.1, reshoot_counts = 36.2
normalization = 0.670, reshoot_counts*normalization = 24.3
original average = -1.87 x pos [mm], reshoot average = -5.57 x pos [
counts [1/mm]
x pos [mm]
2 × 10^1
10^1
6 × 10^0
4 × 10^0
3 × 10^0
−400
−200
0
200
400



original_key=Y_100_0___reshoot_key=Y_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1173485.6, reshoot_counts = 1725090.8
normalization = 0.670, reshoot_counts*normalization = 1155672.4
original average = -0.02 y pos [mm], reshoot average = -0.15 y pos [
counts [1/mm]
y pos [mm]
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400



original_key=Y_100_1___reshoot_key=Y_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 953477.2, reshoot_counts = 1398552.8
normalization = 0.670, reshoot_counts*normalization = 936918.1
original average = -0.01 y pos [mm], reshoot average = -0.14 y pos [
counts [1/mm]
y pos [mm]
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400



original_key=Y_100_2___reshoot_key=Y_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 459960.8, reshoot_counts = 676642.2
normalization = 0.670, reshoot_counts*normalization = 453296.0
original average = 0.02 y pos [mm], reshoot average = -0.10 y pos [m
counts [1/mm]
4×10^4
3×10^4
2×10^4
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_3___reshoot_key=Y_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 22178.6, reshoot_counts = 32777.2
normalization = 0.670, reshoot_counts*normalization = 21958.1
original average = 0.01 y pos [mm], reshoot average = -0.00 y pos [m
2×10^3
10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_4___reshoot_key=Y_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8323.0, reshoot_counts = 12180.5
normalization = 0.670, reshoot_counts*normalization = 8160.0
original average = -0.20 y pos [mm], reshoot average = -0.39 y pos [
counts [1/mm]
6×10^2
4×10^2
3×10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_5___reshoot_key=Y_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9632.2, reshoot_counts = 14260.2
normalization = 0.670, reshoot_counts*normalization = 9553.2
original average = -0.01 y pos [mm], reshoot average = -0.09 y pos [
10^3
6×10^2
4×10^2
3×10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_6___reshoot_key=Y_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 23516.2, reshoot_counts = 34522.8
normalization = 0.670, reshoot_counts*normalization = 23127.5
original average = -0.05 y pos [mm], reshoot average = -0.18 y pos [
2×10^3
10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_7___reshoot_key=Y_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 18201.9, reshoot_counts = 26761.8
normalization = 0.670, reshoot_counts*normalization = 17928.2
original average = -0.02 y pos [mm], reshoot average = -0.18 y pos [
2×10^3
10^3
6×10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_8___reshoot_key=Y_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12687.9, reshoot_counts = 18724.8
normalization = 0.670, reshoot_counts*normalization = 12544.1
original average = 0.01 y pos [mm], reshoot average = -0.08 y pos [m
10^3
6×10^2
4×10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_9___reshoot_key=Y_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7507.2, reshoot_counts = 11075.2
normalization = 0.670, reshoot_counts*normalization = 7419.5
original average = 0.13 y pos [mm], reshoot average = -0.04 y pos [m
counts [1/mm]
6×10^2
4×10^2
3×10^2
2×10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_10___reshoot_key=Y_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16578.8, reshoot_counts = 24594.2
normalization = 0.670, reshoot_counts*normalization = 16476.2
original average = 0.02 y pos [mm], reshoot average = -0.09 y pos [m
counts [1/mm]
10^3
6×10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_11___reshoot_key=Y_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 18540.6, reshoot_counts = 27340.5
normalization = 0.670, reshoot_counts*normalization = 18315.9
original average = -0.12 y pos [mm], reshoot average = -0.23 y pos [
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_12___reshoot_key=Y_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24897.0, reshoot_counts = 36555.8
normalization = 0.670, reshoot_counts*normalization = 24489.4
original average = 0.13 y pos [mm], reshoot average = -0.04 y pos [m
2×10^3
10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_13___reshoot_key=Y_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 22593.1, reshoot_counts = 33140.5
normalization = 0.670, reshoot_counts*normalization = 22201.5
original average = 0.03 y pos [mm], reshoot average = -0.11 y pos [m
2×10^3
10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_14___reshoot_key=Y_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 37671.6, reshoot_counts = 55823.8
normalization = 0.670, reshoot_counts*normalization = 37397.4
original average = 0.02 y pos [mm], reshoot average = -0.13 y pos [m
counts [1/mm]
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_15___reshoot_key=Y_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 28727.5, reshoot_counts = 42403.8
normalization = 0.670, reshoot_counts*normalization = 28407.1
original average = -0.04 y pos [mm], reshoot average = -0.13 y pos [
3×10^3
2×10^3
10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_16___reshoot_key=Y_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 30333.9, reshoot_counts = 44483.5
normalization = 0.670, reshoot_counts*normalization = 29800.4
original average = -0.01 y pos [mm], reshoot average = -0.10 y pos [
3×10^3
2×10^3
10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_17___reshoot_key=Y_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 31063.1, reshoot_counts = 45797.8
normalization = 0.670, reshoot_counts*normalization = 30680.8
original average = 0.02 y pos [mm], reshoot average = -0.09 y pos [m
3×10^3
2×10^3
10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_18___reshoot_key=Y_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 32152.2, reshoot_counts = 47471.0
normalization = 0.670, reshoot_counts*normalization = 31801.8
original average = -0.08 y pos [mm], reshoot average = -0.23 y pos [
3×10^3
2×10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_19___reshoot_key=Y_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 35278.4, reshoot_counts = 52090.0
normalization = 0.670, reshoot_counts*normalization = 34896.1
original average = -0.05 y pos [mm], reshoot average = -0.14 y pos [
3×10^3
2×10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_20___reshoot_key=Y_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 47871.8, reshoot_counts = 70489.8
normalization = 0.670, reshoot_counts*normalization = 47222.5
original average = -0.02 y pos [mm], reshoot average = -0.15 y pos [
counts [1/mm]
4×10^3
3×10^3
2×10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_21___reshoot_key=Y_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 53658.8, reshoot_counts = 79615.8
normalization = 0.670, reshoot_counts*normalization = 53336.2
original average = -0.08 y pos [mm], reshoot average = -0.25 y pos [
counts [1/mm]
4×10^3
3×10^3
2×10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_22___reshoot_key=Y_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 92154.4, reshoot_counts = 136089.8
normalization = 0.670, reshoot_counts*normalization = 91169.2
original average = 0.02 y pos [mm], reshoot average = -0.11 y pos [m
counts [1/mm]
y pos [mm]
10^4
10^3
10^2
10^1
−400
−200
0
200
400



original_key=Y_100_23___reshoot_key=Y_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 119702.5, reshoot_counts = 176227.8
normalization = 0.670, reshoot_counts*normalization = 118058.5
original average = -0.01 y pos [mm], reshoot average = -0.11 y pos [
10^4
6×10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_24___reshoot_key=Y_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 171934.5, reshoot_counts = 254146.8
normalization = 0.670, reshoot_counts*normalization = 170257.9
original average = -0.00 y pos [mm], reshoot average = -0.11 y pos [
counts [1/mm]
10^4
6×10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_25___reshoot_key=Y_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 226106.2, reshoot_counts = 333541.8
normalization = 0.670, reshoot_counts*normalization = 223446.2
original average = -0.04 y pos [mm], reshoot average = -0.17 y pos [
2×10^4
10^4
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_26___reshoot_key=Y_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4345716.6, reshoot_counts = 6393850.5
normalization = 0.670, reshoot_counts*normalization = 4283366.8
original average = -0.01 y pos [mm], reshoot average = -0.14 y pos [
counts [1/mm]
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_e-___reshoot_key=Y_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 31931029.1, reshoot_counts = 46866774.5
normalization = 0.670, reshoot_counts*normalization = 31396978.4
original average = -0.02 y pos [mm], reshoot average = -0.14 y pos [
counts [1/mm]
10^6
10^5
10^4
10^3
10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_e+___reshoot_key=Y_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 37.5, reshoot_counts = 60.2
normalization = 0.670, reshoot_counts*normalization = 40.4
original average = -0.38 y pos [mm], reshoot average = -1.71 y pos [
counts [1/mm]
y pos [mm]
2×10^1
10^1
6×10^0
4×10^0
3×10^0
−400
−200
0
200
400


original_key=Y_100_gamma___reshoot_key=Y_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 53731.6, reshoot_counts = 78830.5
normalization = 0.670, reshoot_counts*normalization = 52810.1
original average = -0.07 y pos [mm], reshoot average = -0.20 y pos [
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
y pos [mm]


original_key=Y_100_mu-___reshoot_key=Y_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.5, reshoot_counts = 4.8
normalization = 0.670, reshoot_counts*normalization = 3.2
original average = -8.75 y pos [mm], reshoot average = -8.82 y pos [
counts [1/mm]
6×10^0
4×10^0
3×10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_100_mu+___reshoot_key=Y_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.8, reshoot_counts = 6.2
normalization = 0.670, reshoot_counts*normalization = 4.2
original average = -1.88 y pos [mm], reshoot average = -3.62 y pos [
2×10^1
10^1
6×10^0
4×10^0
3×10^0
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_100_pi-___reshoot_key=Y_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26.9, reshoot_counts = 36.5
normalization = 0.670, reshoot_counts*normalization = 24.5
original average = 2.63 y pos [mm], reshoot average = 0.95 y pos [m
counts [1/mm]
y pos [mm]
2×10^1
10^1
6×10^0
4×10^0
3×10^0
−400
−200
0
200
400


original_key=Y_100_pi+___reshoot_key=Y_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 22.4, reshoot_counts = 36.2
normalization = 0.670, reshoot_counts*normalization = 24.3
original average = -1.66 y pos [mm], reshoot average = -0.82 y pos [
2×10^1
10^1
6×10^0
4×10^0
3×10^0
counts [1/mm]
−400
−200
0
200
400
y pos [mm]