






original_key=Theta_2000_0___reshoot_key=Theta_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 203588.6, reshoot_counts = 12282.8
normalization = 0.483, reshoot_counts*normalization = 5931.4
original average = 0.09 Theta [rad], reshoot average = 0.09 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_1___reshoot_key=Theta_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 124638.1, reshoot_counts = 9721.3
normalization = 0.483, reshoot_counts*normalization = 4694.4
original average = 0.11 Theta [rad], reshoot average = 0.11 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_2___reshoot_key=Theta_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 77951.4, reshoot_counts = 4353.6
normalization = 0.483, reshoot_counts*normalization = 2102.3
original average = 0.06 Theta [rad], reshoot average = 0.07 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_3___reshoot_key=Theta_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4955.7, reshoot_counts = 237.7
normalization = 0.483, reshoot_counts*normalization = 114.8
original average = 0.05 Theta [rad], reshoot average = 0.06 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_4___reshoot_key=Theta_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1937.3, reshoot_counts = 88.4
normalization = 0.483, reshoot_counts*normalization = 42.7
original average = 0.05 Theta [rad], reshoot average = 0.06 Theta [ra
counts [1/rad]
Theta [rad]
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_5___reshoot_key=Theta_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2581.1, reshoot_counts = 106.6
normalization = 0.483, reshoot_counts*normalization = 51.5
original average = 0.05 Theta [rad], reshoot average = 0.05 Theta [ra
counts [1/rad]
Theta [rad]
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_6___reshoot_key=Theta_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6919.5, reshoot_counts = 264.4
normalization = 0.483, reshoot_counts*normalization = 127.7
original average = 0.04 Theta [rad], reshoot average = 0.05 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_7___reshoot_key=Theta_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5758.9, reshoot_counts = 221.7
normalization = 0.483, reshoot_counts*normalization = 107.1
original average = 0.03 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_8___reshoot_key=Theta_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3953.9, reshoot_counts = 155.0
normalization = 0.483, reshoot_counts*normalization = 74.8
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_9___reshoot_key=Theta_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2357.8, reshoot_counts = 94.4
normalization = 0.483, reshoot_counts*normalization = 45.6
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_10___reshoot_key=Theta_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5003.0, reshoot_counts = 201.8
normalization = 0.483, reshoot_counts*normalization = 97.4
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_11___reshoot_key=Theta_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5320.0, reshoot_counts = 223.1
normalization = 0.483, reshoot_counts*normalization = 107.7
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_12___reshoot_key=Theta_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6431.7, reshoot_counts = 279.4
normalization = 0.483, reshoot_counts*normalization = 134.9
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_13___reshoot_key=Theta_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5451.9, reshoot_counts = 250.9
normalization = 0.483, reshoot_counts*normalization = 121.2
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_14___reshoot_key=Theta_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8286.6, reshoot_counts = 402.0
normalization = 0.483, reshoot_counts*normalization = 194.1
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_15___reshoot_key=Theta_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6532.2, reshoot_counts = 312.5
normalization = 0.483, reshoot_counts*normalization = 150.9
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_16___reshoot_key=Theta_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7570.4, reshoot_counts = 346.6
normalization = 0.483, reshoot_counts*normalization = 167.4
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_17___reshoot_key=Theta_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9546.5, reshoot_counts = 397.0
normalization = 0.483, reshoot_counts*normalization = 191.7
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_18___reshoot_key=Theta_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12872.7, reshoot_counts = 463.9
normalization = 0.483, reshoot_counts*normalization = 224.0
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_19___reshoot_key=Theta_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 18789.2, reshoot_counts = 602.6
normalization = 0.483, reshoot_counts*normalization = 291.0
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_20___reshoot_key=Theta_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34011.9, reshoot_counts = 978.3
normalization = 0.483, reshoot_counts*normalization = 472.4
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_21___reshoot_key=Theta_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 51237.1, reshoot_counts = 1312.0
normalization = 0.483, reshoot_counts*normalization = 633.6
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_22___reshoot_key=Theta_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 109947.8, reshoot_counts = 2622.5
normalization = 0.483, reshoot_counts*normalization = 1266.4
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_23___reshoot_key=Theta_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 170110.9, reshoot_counts = 3834.8
normalization = 0.483, reshoot_counts*normalization = 1851.8
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_24___reshoot_key=Theta_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 268903.4, reshoot_counts = 5879.0
normalization = 0.483, reshoot_counts*normalization = 2839.0
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_25___reshoot_key=Theta_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 383808.5, reshoot_counts = 8211.1
normalization = 0.483, reshoot_counts*normalization = 3965.1
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_26___reshoot_key=Theta_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13297118.7, reshoot_counts = 242482.3
normalization = 0.483, reshoot_counts*normalization = 117094.8
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_e-___reshoot_key=Theta_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1757189.3, reshoot_counts = 3518500.9
normalization = 0.483, reshoot_counts*normalization = 1699086.5
original average = 0.60 Theta [rad], reshoot average = 0.59 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_e+___reshoot_key=Theta_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.1, reshoot_counts = 0.2
normalization = 0.483, reshoot_counts*normalization = 0.1
original average = 0.09 Theta [rad], reshoot average = 0.07 Theta [ra
counts [1/rad]
Theta [rad]
3 × 10^2
2 × 10^2
10^2
6 × 10^1
4 × 10^1
3 × 10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_gamma___reshoot_key=Theta_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6421.1, reshoot_counts = 1019.3
normalization = 0.483, reshoot_counts*normalization = 492.2
original average = 0.38 Theta [rad], reshoot average = 0.37 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_mu-___reshoot_key=Theta_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.0, reshoot_counts = 0.0
normalization = 0.483, reshoot_counts*normalization = 0.0
original average = 0.01 Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
Theta [rad]
0
20
40
60
80
100
120
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_mu+___reshoot_key=Theta_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.483, reshoot_counts*normalization = 0.0
original average = 0.04 Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
Theta [rad]
0
10
20
30
40
50
60
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_pi-___reshoot_key=Theta_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.1, reshoot_counts = 0.3
normalization = 0.483, reshoot_counts*normalization = 0.1
original average = 0.15 Theta [rad], reshoot average = 0.11 Theta [ra
10^3
10^2
counts [1/rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_pi+___reshoot_key=Theta_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.1, reshoot_counts = 0.1
normalization = 0.483, reshoot_counts*normalization = 0.1
original average = 0.04 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
10^2
6 × 10^1
4 × 10^1
3 × 10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Phi_2000_0___reshoot_key=Phi_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11440.7, reshoot_counts = 24104.0
normalization = 0.483, reshoot_counts*normalization = 11639.8
original average = 3.13 Phi [rad], reshoot average = 3.14 Phi [rad]
3×10^5
2×10^5
10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_1___reshoot_key=Phi_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8355.0, reshoot_counts = 17452.2
normalization = 0.483, reshoot_counts*normalization = 8427.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
2×10^5
10^5
6×10^4
0
1
2
3
4
5
6



original_key=Phi_2000_2___reshoot_key=Phi_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4218.1, reshoot_counts = 8890.2
normalization = 0.483, reshoot_counts*normalization = 4293.1
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_2000_3___reshoot_key=Phi_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 245.1, reshoot_counts = 536.2
normalization = 0.483, reshoot_counts*normalization = 258.9
original average = 3.13 Phi [rad], reshoot average = 3.12 Phi [rad]
counts [1/rad]
Phi [rad]
6×10^3
4×10^3
3×10^3
2×10^3
10^3
0
1
2
3
4
5
6



original_key=Phi_2000_4___reshoot_key=Phi_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 95.2, reshoot_counts = 198.3
normalization = 0.483, reshoot_counts*normalization = 95.8
original average = 3.14 Phi [rad], reshoot average = 3.16 Phi [rad]
counts [1/rad]
Phi [rad]
3 × 10^3
2 × 10^3
10^3
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
0
1
2
3
4
5
6



original_key=Phi_2000_5___reshoot_key=Phi_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 109.2, reshoot_counts = 239.2
normalization = 0.483, reshoot_counts*normalization = 115.5
original average = 3.14 Phi [rad], reshoot average = 3.11 Phi [rad]
counts [1/rad]
Phi [rad]
3 × 10^3
2 × 10^3
10^3
6 × 10^2
4 × 10^2
3 × 10^2
0
1
2
3
4
5
6



original_key=Phi_2000_6___reshoot_key=Phi_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 299.9, reshoot_counts = 615.1
normalization = 0.483, reshoot_counts*normalization = 297.0
original average = 3.11 Phi [rad], reshoot average = 3.13 Phi [rad]
counts [1/rad]
Phi [rad]
6×10^3
4×10^3
3×10^3
2×10^3
0
1
2
3
4
5
6



original_key=Phi_2000_7___reshoot_key=Phi_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 260.5, reshoot_counts = 546.1
normalization = 0.483, reshoot_counts*normalization = 263.7
original average = 3.15 Phi [rad], reshoot average = 3.17 Phi [rad]
counts [1/rad]
Phi [rad]
6×10^3
4×10^3
3×10^3
2×10^3
10^3
0
1
2
3
4
5
6



original_key=Phi_2000_8___reshoot_key=Phi_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 169.0, reshoot_counts = 401.4
normalization = 0.483, reshoot_counts*normalization = 193.8
original average = 3.15 Phi [rad], reshoot average = 3.18 Phi [rad]
counts [1/rad]
Phi [rad]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
0
1
2
3
4
5
6



original_key=Phi_2000_9___reshoot_key=Phi_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 99.7, reshoot_counts = 209.7
normalization = 0.483, reshoot_counts*normalization = 101.3
original average = 3.13 Phi [rad], reshoot average = 3.12 Phi [rad]
counts [1/rad]
Phi [rad]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
0
1
2
3
4
5
6



original_key=Phi_2000_10___reshoot_key=Phi_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 228.0, reshoot_counts = 492.3
normalization = 0.483, reshoot_counts*normalization = 237.7
original average = 3.13 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
0
1
2
3
4
5
6



original_key=Phi_2000_11___reshoot_key=Phi_1_11
original counts = 236.1, reshoot_counts = 545.1
normalization = 0.483, reshoot_counts*normalization = 263.2
original average = 3.13 Phi [rad], reshoot average = 3.15 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
6×10^3
4×10^3
3×10^3
2×10^3
10^3
0
1
2
3
4
5
6



original_key=Phi_2000_12___reshoot_key=Phi_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 315.8, reshoot_counts = 630.0
normalization = 0.483, reshoot_counts*normalization = 304.2
original average = 3.15 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
6×10^3
4×10^3
3×10^3
2×10^3
0
1
2
3
4
5
6



original_key=Phi_2000_13___reshoot_key=Phi_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 268.2, reshoot_counts = 578.3
normalization = 0.483, reshoot_counts*normalization = 279.3
original average = 3.12 Phi [rad], reshoot average = 3.12 Phi [rad]
counts [1/rad]
Phi [rad]
10^4
10^3
0
1
2
3
4
5
6



original_key=Phi_2000_14___reshoot_key=Phi_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 431.3, reshoot_counts = 921.0
normalization = 0.483, reshoot_counts*normalization = 444.8
original average = 3.14 Phi [rad], reshoot average = 3.13 Phi [rad]
counts [1/rad]
Phi [rad]
10^4
6×10^3
4×10^3
3×10^3
2×10^3
0
1
2
3
4
5
6



original_key=Phi_2000_15___reshoot_key=Phi_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 347.9, reshoot_counts = 698.2
normalization = 0.483, reshoot_counts*normalization = 337.2
original average = 3.13 Phi [rad], reshoot average = 3.12 Phi [rad]
counts [1/rad]
Phi [rad]
10^4
6×10^3
4×10^3
3×10^3
2×10^3
0
1
2
3
4
5
6



original_key=Phi_2000_16___reshoot_key=Phi_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 373.2, reshoot_counts = 765.2
normalization = 0.483, reshoot_counts*normalization = 369.5
original average = 3.14 Phi [rad], reshoot average = 3.16 Phi [rad]
counts [1/rad]
Phi [rad]
10^4
6×10^3
4×10^3
3×10^3
2×10^3
0
1
2
3
4
5
6



original_key=Phi_2000_17___reshoot_key=Phi_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 423.5, reshoot_counts = 902.7
normalization = 0.483, reshoot_counts*normalization = 435.9
original average = 3.14 Phi [rad], reshoot average = 3.16 Phi [rad]
counts [1/rad]
Phi [rad]
10^4
6×10^3
4×10^3
3×10^3
2×10^3
0
1
2
3
4
5
6



original_key=Phi_2000_18___reshoot_key=Phi_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 516.9, reshoot_counts = 1062.5
normalization = 0.483, reshoot_counts*normalization = 513.1
original average = 3.12 Phi [rad], reshoot average = 3.10 Phi [rad]
counts [1/rad]
Phi [rad]
10^4
6×10^3
4×10^3
3×10^3
0
1
2
3
4
5
6



original_key=Phi_2000_19___reshoot_key=Phi_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 687.0, reshoot_counts = 1458.9
normalization = 0.483, reshoot_counts*normalization = 704.5
original average = 3.12 Phi [rad], reshoot average = 3.16 Phi [rad]
counts [1/rad]
Phi [rad]
2 × 10^4
10^4
6 × 10^3
4 × 10^3
0
1
2
3
4
5
6



original_key=Phi_2000_20___reshoot_key=Phi_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1184.6, reshoot_counts = 2388.9
normalization = 0.483, reshoot_counts*normalization = 1153.6
original average = 3.14 Phi [rad], reshoot average = 3.13 Phi [rad]
counts [1/rad]
Phi [rad]
3 × 10^4
2 × 10^4
10^4
6 × 10^3
0
1
2
3
4
5
6



original_key=Phi_2000_21___reshoot_key=Phi_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1584.3, reshoot_counts = 3198.7
normalization = 0.483, reshoot_counts*normalization = 1544.7
original average = 3.13 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_2000_22___reshoot_key=Phi_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3197.9, reshoot_counts = 6742.8
normalization = 0.483, reshoot_counts*normalization = 3256.1
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
10^5
6×10^4
4×10^4
3×10^4
2×10^4
0
1
2
3
4
5
6



original_key=Phi_2000_23___reshoot_key=Phi_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4688.1, reshoot_counts = 9945.2
normalization = 0.483, reshoot_counts*normalization = 4802.5
original average = 3.15 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_2000_24___reshoot_key=Phi_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7413.5, reshoot_counts = 15342.2
normalization = 0.483, reshoot_counts*normalization = 7408.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
2×10^5
10^5
6×10^4
0
1
2
3
4
5
6



original_key=Phi_2000_25___reshoot_key=Phi_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10368.7, reshoot_counts = 21251.6
normalization = 0.483, reshoot_counts*normalization = 10262.4
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]
3 × 10^5
2 × 10^5
10^5
6 × 10^4
0
1
2
3
4
5
6



original_key=Phi_2000_26___reshoot_key=Phi_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 306962.2, reshoot_counts = 637581.3
normalization = 0.483, reshoot_counts*normalization = 307888.5
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
6×10^6
4×10^6
3×10^6
2×10^6
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_e-___reshoot_key=Phi_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2225197.3, reshoot_counts = 4620766.9
normalization = 0.483, reshoot_counts*normalization = 2231371.5
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_2000_e+___reshoot_key=Phi_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.1, reshoot_counts = 0.2
normalization = 0.483, reshoot_counts*normalization = 0.1
original average = 2.48 Phi [rad], reshoot average = 2.68 Phi [rad]
counts [1/rad]
10^2
6×10^1
4×10^1
3×10^1
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_gamma___reshoot_key=Phi_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 756.5, reshoot_counts = 1502.6
normalization = 0.483, reshoot_counts*normalization = 725.6
original average = 3.16 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
2×10^4
10^4
6×10^3
4×10^3
0
1
2
3
4
5
6



original_key=Phi_2000_mu-___reshoot_key=Phi_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.483, reshoot_counts*normalization = 0.0
original average = 2.64 Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
Phi [rad]
0
10
20
30
40
50
60
0
1
2
3
4
5
6



original_key=Phi_2000_mu+___reshoot_key=Phi_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.483, reshoot_counts*normalization = 0.0
original average = 1.13 Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
Phi [rad]
0
10
20
30
40
50
60
0
1
2
3
4
5
6



original_key=Phi_2000_pi-___reshoot_key=Phi_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.2, reshoot_counts = 0.5
normalization = 0.483, reshoot_counts*normalization = 0.2
original average = 3.46 Phi [rad], reshoot average = 3.98 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_2000_pi+___reshoot_key=Phi_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.1, reshoot_counts = 0.2
normalization = 0.483, reshoot_counts*normalization = 0.1
original average = 2.96 Phi [rad], reshoot average = 1.84 Phi [rad]
counts [1/rad]
10^2
6×10^1
4×10^1
3×10^1
0
1
2
3
4
5
6
Phi [rad]



original_key=Ekin_2000_0___reshoot_key=EkinU_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 501280.5, reshoot_counts = 1040761.0
normalization = 0.483, reshoot_counts*normalization = 502584.2
original average = 217.01 Ek [MeV/u], reshoot average = 217.12 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_1___reshoot_key=EkinU_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 367247.0, reshoot_counts = 760472.5
normalization = 0.483, reshoot_counts*normalization = 367232.7
original average = 207.21 Ek [MeV/u], reshoot average = 207.33 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_2___reshoot_key=EkinU_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 184666.5, reshoot_counts = 383068.0
normalization = 0.483, reshoot_counts*normalization = 184983.8
original average = 206.18 Ek [MeV/u], reshoot average = 206.26 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_3___reshoot_key=EkinU_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10632.0, reshoot_counts = 22277.0
normalization = 0.483, reshoot_counts*normalization = 10757.6
original average = 204.50 Ek [MeV/u], reshoot average = 205.03 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_4___reshoot_key=EkinU_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4110.5, reshoot_counts = 8502.5
normalization = 0.483, reshoot_counts*normalization = 4105.9
original average = 197.97 Ek [MeV/u], reshoot average = 199.17 Ek [
counts [u/MeV]
Ek [MeV/u]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_5___reshoot_key=EkinU_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5084.0, reshoot_counts = 10580.0
normalization = 0.483, reshoot_counts*normalization = 5109.1
original average = 198.25 Ek [MeV/u], reshoot average = 197.56 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_6___reshoot_key=EkinU_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13160.0, reshoot_counts = 27019.0
normalization = 0.483, reshoot_counts*normalization = 13047.5
original average = 192.25 Ek [MeV/u], reshoot average = 191.99 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_7___reshoot_key=EkinU_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11010.5, reshoot_counts = 22893.5
normalization = 0.483, reshoot_counts*normalization = 11055.3
original average = 187.96 Ek [MeV/u], reshoot average = 188.13 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_8___reshoot_key=EkinU_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7561.0, reshoot_counts = 15833.0
normalization = 0.483, reshoot_counts*normalization = 7645.8
original average = 179.63 Ek [MeV/u], reshoot average = 179.38 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_9___reshoot_key=EkinU_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4662.0, reshoot_counts = 9685.0
normalization = 0.483, reshoot_counts*normalization = 4676.9
original average = 176.09 Ek [MeV/u], reshoot average = 174.96 Ek [
counts [u/MeV]
Ek [MeV/u]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_10___reshoot_key=EkinU_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9995.0, reshoot_counts = 20550.0
normalization = 0.483, reshoot_counts*normalization = 9923.6
original average = 169.69 Ek [MeV/u], reshoot average = 169.40 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_11___reshoot_key=EkinU_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10855.0, reshoot_counts = 22527.0
normalization = 0.483, reshoot_counts*normalization = 10878.3
original average = 164.09 Ek [MeV/u], reshoot average = 164.26 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_12___reshoot_key=EkinU_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13579.0, reshoot_counts = 27902.0
normalization = 0.483, reshoot_counts*normalization = 13473.9
original average = 159.13 Ek [MeV/u], reshoot average = 158.72 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_13___reshoot_key=EkinU_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11849.5, reshoot_counts = 24866.0
normalization = 0.483, reshoot_counts*normalization = 12007.8
original average = 158.06 Ek [MeV/u], reshoot average = 157.52 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_14___reshoot_key=EkinU_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 19027.0, reshoot_counts = 39290.5
normalization = 0.483, reshoot_counts*normalization = 18973.4
original average = 155.36 Ek [MeV/u], reshoot average = 155.39 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_15___reshoot_key=EkinU_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 14629.0, reshoot_counts = 30391.5
normalization = 0.483, reshoot_counts*normalization = 14676.1
original average = 156.59 Ek [MeV/u], reshoot average = 157.13 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_16___reshoot_key=EkinU_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16296.0, reshoot_counts = 33753.5
normalization = 0.483, reshoot_counts*normalization = 16299.6
original average = 156.54 Ek [MeV/u], reshoot average = 156.91 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_17___reshoot_key=EkinU_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 18851.5, reshoot_counts = 39331.0
normalization = 0.483, reshoot_counts*normalization = 18993.0
original average = 157.54 Ek [MeV/u], reshoot average = 157.51 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_18___reshoot_key=EkinU_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 22579.0, reshoot_counts = 47041.0
normalization = 0.483, reshoot_counts*normalization = 22716.1
original average = 155.23 Ek [MeV/u], reshoot average = 155.61 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_19___reshoot_key=EkinU_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 30035.5, reshoot_counts = 62312.0
normalization = 0.483, reshoot_counts*normalization = 30090.5
original average = 153.30 Ek [MeV/u], reshoot average = 153.06 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_20___reshoot_key=EkinU_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 49767.0, reshoot_counts = 103720.5
normalization = 0.483, reshoot_counts*normalization = 50086.7
original average = 149.82 Ek [MeV/u], reshoot average = 149.78 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_21___reshoot_key=EkinU_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 68720.0, reshoot_counts = 142424.5
normalization = 0.483, reshoot_counts*normalization = 68776.9
original average = 146.05 Ek [MeV/u], reshoot average = 145.92 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_22___reshoot_key=EkinU_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 139298.5, reshoot_counts = 288989.5
normalization = 0.483, reshoot_counts*normalization = 139553.2
original average = 138.93 Ek [MeV/u], reshoot average = 139.07 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_23___reshoot_key=EkinU_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 206115.0, reshoot_counts = 427224.5
normalization = 0.483, reshoot_counts*normalization = 206307.0
original average = 133.60 Ek [MeV/u], reshoot average = 133.58 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_24___reshoot_key=EkinU_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 317768.5, reshoot_counts = 658576.5
normalization = 0.483, reshoot_counts*normalization = 318027.0
original average = 129.06 Ek [MeV/u], reshoot average = 129.11 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_25___reshoot_key=EkinU_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 445932.0, reshoot_counts = 924623.5
normalization = 0.483, reshoot_counts*normalization = 446501.3
original average = 128.14 Ek [MeV/u], reshoot average = 128.04 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_26___reshoot_key=EkinU_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13371117.5, reshoot_counts = 27752919.0
normalization = 0.483, reshoot_counts*normalization = 13401903.7
original average = 145.14 Ek [MeV/u], reshoot average = 145.17 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
10^5
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_e-___reshoot_key=EkinU_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6559243.5, reshoot_counts = 201975588.5
normalization = 0.483, reshoot_counts*normalization = 97534151.0
original average = 0.20 Ek [MeV/u], reshoot average = 0.50 Ek [MeV/u
counts [u/MeV]
10^8
10^6
10^4
10^2
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_e+___reshoot_key=EkinU_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.7, reshoot_counts = 13.0
normalization = 0.483, reshoot_counts*normalization = 6.3
original average = 7.83 Ek [MeV/u], reshoot average = 8.12 Ek [MeV/u
counts [u/MeV]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_gamma___reshoot_key=EkinU_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2717.7, reshoot_counts = 62322.0
normalization = 0.483, reshoot_counts*normalization = 30095.3
original average = 2.58 Ek [MeV/u], reshoot average = 3.93 Ek [MeV/u
counts [u/MeV]
Ek [MeV/u]
10^5
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_mu-___reshoot_key=EkinU_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.1, reshoot_counts = 0.0
normalization = 0.483, reshoot_counts*normalization = 0.0
original average = 77.69 Ek [MeV/u], reshoot average = nan Ek [MeV/
counts [u/MeV]
Ek [MeV/u]
0
2
4
6
8
10
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_mu+___reshoot_key=EkinU_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.483, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_pi-___reshoot_key=EkinU_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 21.5, reshoot_counts = 28.0
normalization = 0.483, reshoot_counts*normalization = 13.5
original average = 145.69 Ek [MeV/u], reshoot average = 148.93 Ek [
counts [u/MeV]
Ek [MeV/u]
4×10^0
3×10^0
2×10^0
10^0
6×10^{-1}
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_pi+___reshoot_key=EkinU_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13.7, reshoot_counts = 11.0
normalization = 0.483, reshoot_counts*normalization = 5.3
original average = 209.96 Ek [MeV/u], reshoot average = 223.50 Ek [
counts [u/MeV]
Ek [MeV/u]
4×10^0
3×10^0
2×10^0
10^0
6×10^{-1}
0
250
500
750
1000
1250
1500
1750
2000



original_key=X_2000_0___reshoot_key=X_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 127485.6, reshoot_counts = 260225.8
normalization = 0.483, reshoot_counts*normalization = 125663.2
original average = -0.00 x pos [mm], reshoot average = -0.10 x pos [
counts [1/mm]
10^4
6×10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_1___reshoot_key=X_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 93390.4, reshoot_counts = 190139.2
normalization = 0.483, reshoot_counts*normalization = 91818.4
original average = -0.08 x pos [mm], reshoot average = -0.16 x pos [
counts [1/mm]
x pos [mm]
10^4
10^3
10^2
10^1
−400
−200
0
200
400



original_key=X_2000_2___reshoot_key=X_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 46927.4, reshoot_counts = 95811.2
normalization = 0.483, reshoot_counts*normalization = 46267.3
original average = -0.07 x pos [mm], reshoot average = -0.18 x pos [
6 × 10^3
4 × 10^3
3 × 10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_3___reshoot_key=X_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2706.2, reshoot_counts = 5571.2
normalization = 0.483, reshoot_counts*normalization = 2690.4
original average = 0.18 x pos [mm], reshoot average = -0.09 x pos [m
counts [1/mm]
x pos [mm]
4×10^2
3×10^2
2×10^2
10^2
−400
−200
0
200
400



original_key=X_2000_4___reshoot_key=X_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1051.9, reshoot_counts = 2126.5
normalization = 0.483, reshoot_counts*normalization = 1026.9
original average = 0.56 x pos [mm], reshoot average = 0.25 x pos [m
counts [1/mm]
x pos [mm]
2×10^2
10^2
6×10^1
4×10^1
3×10^1
−400
−200
0
200
400



original_key=X_2000_5___reshoot_key=X_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1293.2, reshoot_counts = 2647.2
normalization = 0.483, reshoot_counts*normalization = 1278.4
original average = 0.40 x pos [mm], reshoot average = 0.39 x pos [m
counts [1/mm]
x pos [mm]
2×10^2
10^2
6×10^1
4×10^1
3×10^1
2×10^1
−400
−200
0
200
400



original_key=X_2000_6___reshoot_key=X_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3349.0, reshoot_counts = 6760.5
normalization = 0.483, reshoot_counts*normalization = 3264.7
original average = 0.14 x pos [mm], reshoot average = -0.11 x pos [m
counts [1/mm]
4×10^2
3×10^2
2×10^2
10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_7___reshoot_key=X_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2797.1, reshoot_counts = 5726.5
normalization = 0.483, reshoot_counts*normalization = 2765.3
original average = 0.07 x pos [mm], reshoot average = 0.04 x pos [m
counts [1/mm]
x pos [mm]
4×10^2
3×10^2
2×10^2
10^2
−400
−200
0
200
400



original_key=X_2000_8___reshoot_key=X_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1918.8, reshoot_counts = 3959.2
normalization = 0.483, reshoot_counts*normalization = 1911.9
original average = -0.17 x pos [mm], reshoot average = -0.34 x pos [
counts [1/mm]
x pos [mm]
3 × 10^2
2 × 10^2
10^2
6 × 10^1
4 × 10^1
−400
−200
0
200
400



original_key=X_2000_9___reshoot_key=X_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1186.5, reshoot_counts = 2421.2
normalization = 0.483, reshoot_counts*normalization = 1169.2
original average = 0.58 x pos [mm], reshoot average = 0.25 x pos [m
counts [1/mm]
x pos [mm]
2 × 10^2
10^2
6 × 10^1
4 × 10^1
3 × 10^1
2 × 10^1
−400
−200
0
200
400



original_key=X_2000_10___reshoot_key=X_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2543.2, reshoot_counts = 5137.5
normalization = 0.483, reshoot_counts*normalization = 2480.9
original average = -0.12 x pos [mm], reshoot average = 0.14 x pos [m
counts [1/mm]
x pos [mm]
4×10^2
3×10^2
2×10^2
10^2
−400
−200
0
200
400



original_key=X_2000_11___reshoot_key=X_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2750.4, reshoot_counts = 5631.8
normalization = 0.483, reshoot_counts*normalization = 2719.6
original average = -0.44 x pos [mm], reshoot average = -0.57 x pos [
counts [1/mm]
x pos [mm]
4 × 10^2
3 × 10^2
2 × 10^2
10^2
−400
−200
0
200
400



original_key=X_2000_12___reshoot_key=X_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3454.9, reshoot_counts = 6975.5
normalization = 0.483, reshoot_counts*normalization = 3368.5
original average = -0.09 x pos [mm], reshoot average = -0.18 x pos [
counts [1/mm]
x pos [mm]
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
10^2
−400
−200
0
200
400



original_key=X_2000_13___reshoot_key=X_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3019.8, reshoot_counts = 6216.8
normalization = 0.483, reshoot_counts*normalization = 3002.1
original average = 0.20 x pos [mm], reshoot average = -0.15 x pos [m
counts [1/mm]
4×10^2
3×10^2
2×10^2
10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_14___reshoot_key=X_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4827.5, reshoot_counts = 9823.5
normalization = 0.483, reshoot_counts*normalization = 4743.8
original average = 0.08 x pos [mm], reshoot average = -0.07 x pos [m
10^3
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_15___reshoot_key=X_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3712.1, reshoot_counts = 7598.0
normalization = 0.483, reshoot_counts*normalization = 3669.1
original average = -0.16 x pos [mm], reshoot average = -0.26 x pos [
counts [1/mm]
x pos [mm]
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
−400
−200
0
200
400



original_key=X_2000_16___reshoot_key=X_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4141.0, reshoot_counts = 8438.5
normalization = 0.483, reshoot_counts*normalization = 4075.0
original average = -0.04 x pos [mm], reshoot average = -0.15 x pos [
counts [1/mm]
x pos [mm]
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
−400
−200
0
200
400



original_key=X_2000_17___reshoot_key=X_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4795.8, reshoot_counts = 9833.2
normalization = 0.483, reshoot_counts*normalization = 4748.5
original average = -0.08 x pos [mm], reshoot average = -0.24 x pos [
counts [1/mm]
6×10^2
4×10^2
3×10^2
2×10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_18___reshoot_key=X_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5723.4, reshoot_counts = 11760.8
normalization = 0.483, reshoot_counts*normalization = 5679.3
original average = 0.06 x pos [mm], reshoot average = 0.02 x pos [m
counts [1/mm]
6×10^2
4×10^2
3×10^2
2×10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_19___reshoot_key=X_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7618.5, reshoot_counts = 15579.0
normalization = 0.483, reshoot_counts*normalization = 7523.1
original average = 0.20 x pos [mm], reshoot average = -0.12 x pos [m
10^3
6×10^2
4×10^2
3×10^2
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_20___reshoot_key=X_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12623.2, reshoot_counts = 25931.2
normalization = 0.483, reshoot_counts*normalization = 12522.2
original average = 0.00 x pos [mm], reshoot average = -0.04 x pos [m
counts [1/mm]
10^3
6×10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_21___reshoot_key=X_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 17395.0, reshoot_counts = 35608.0
normalization = 0.483, reshoot_counts*normalization = 17195.1
original average = 0.07 x pos [mm], reshoot average = -0.03 x pos [m
counts [1/mm]
2×10^3
10^3
6×10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_22___reshoot_key=X_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 35269.0, reshoot_counts = 72254.2
normalization = 0.483, reshoot_counts*normalization = 34891.6
original average = -0.03 x pos [mm], reshoot average = -0.21 x pos [
4×10^3
3×10^3
2×10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_23___reshoot_key=X_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 52216.8, reshoot_counts = 106824.5
normalization = 0.483, reshoot_counts*normalization = 51585.6
original average = 0.03 x pos [mm], reshoot average = -0.12 x pos [m
counts [1/mm]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_24___reshoot_key=X_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 80477.5, reshoot_counts = 164688.0
normalization = 0.483, reshoot_counts*normalization = 79527.9
original average = -0.01 x pos [mm], reshoot average = -0.15 x pos [
counts [1/mm]
10^4
6×10^3
4×10^3
3×10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_25___reshoot_key=X_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 112896.6, reshoot_counts = 231233.0
normalization = 0.483, reshoot_counts*normalization = 111662.6
original average = 0.03 x pos [mm], reshoot average = -0.06 x pos [m
10^4
6×10^3
4×10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_26___reshoot_key=X_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3380557.5, reshoot_counts = 6940188.0
normalization = 0.483, reshoot_counts*normalization = 3351421.6
original average = 0.00 x pos [mm], reshoot average = -0.12 x pos [m
counts [1/mm]
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_e-___reshoot_key=X_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24784155.8, reshoot_counts = 50493909.5
normalization = 0.483, reshoot_counts*normalization = 24383543.7
original average = -0.01 x pos [mm], reshoot average = -0.13 x pos [
counts [1/mm]
10^6
10^5
10^4
10^3
10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_e+___reshoot_key=X_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.8, reshoot_counts = 3.2
normalization = 0.483, reshoot_counts*normalization = 1.6
original average = 4.12 x pos [mm], reshoot average = 8.78 x pos [m
counts [1/mm]
10^1
6×10^0
4×10^0
3×10^0
2×10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_gamma___reshoot_key=X_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8331.8, reshoot_counts = 16967.2
normalization = 0.483, reshoot_counts*normalization = 8193.5
original average = -0.12 x pos [mm], reshoot average = -0.27 x pos [
counts [1/mm]
10^3
6×10^2
4×10^2
3×10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_mu-___reshoot_key=X_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.5, reshoot_counts = 0.0
normalization = 0.483, reshoot_counts*normalization = 0.0
original average = -13.12 x pos [mm], reshoot average = nan x pos [r
counts [1/mm]
x pos [mm]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
3.5
4.0
−400
−200
0
200
400



original_key=X_2000_mu+___reshoot_key=X_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.2, reshoot_counts = 0.0
normalization = 0.483, reshoot_counts*normalization = 0.0
original average = 5.38 x pos [mm], reshoot average = nan x pos [mm
counts [1/mm]
x pos [mm]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
3.5
4.0
−400
−200
0
200
400



original_key=X_2000_pi-___reshoot_key=X_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.8, reshoot_counts = 7.0
normalization = 0.483, reshoot_counts*normalization = 3.4
original average = 4.22 x pos [mm], reshoot average = 0.06 x pos [m
counts [1/mm]
10^1
6×10^0
4×10^0
3×10^0
2×10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_pi+___reshoot_key=X_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.8, reshoot_counts = 2.8
normalization = 0.483, reshoot_counts*normalization = 1.3
original average = 11.62 x pos [mm], reshoot average = 17.88 x pos
counts [1/mm]
x pos [mm]
10^1
6×10^0
4×10^0
3×10^0
2×10^0
−400
−200
0
200
400



original_key=Y_2000_0___reshoot_key=Y_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 127318.5, reshoot_counts = 260225.8
normalization = 0.483, reshoot_counts*normalization = 125663.2
original average = 0.03 y pos [mm], reshoot average = -0.10 y pos [m
counts [1/mm]
10^4
6×10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_1___reshoot_key=Y_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 93362.1, reshoot_counts = 190139.2
normalization = 0.483, reshoot_counts*normalization = 91818.4
original average = -0.03 y pos [mm], reshoot average = -0.17 y pos [
10^4
6×10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_2___reshoot_key=Y_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 46949.1, reshoot_counts = 95811.2
normalization = 0.483, reshoot_counts*normalization = 46267.3
original average = 0.07 y pos [mm], reshoot average = -0.01 y pos [m
counts [1/mm]
10^3
10^2
10^1
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_3___reshoot_key=Y_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2699.0, reshoot_counts = 5571.2
normalization = 0.483, reshoot_counts*normalization = 2690.4
original average = -0.18 y pos [mm], reshoot average = -0.12 y pos [
counts [1/mm]
y pos [mm]
4×10^2
3×10^2
2×10^2
10^2
−400
−200
0
200
400



original_key=Y_2000_4___reshoot_key=Y_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1042.4, reshoot_counts = 2126.5
normalization = 0.483, reshoot_counts*normalization = 1026.9
original average = -0.47 y pos [mm], reshoot average = -0.36 y pos [
counts [1/mm]
y pos [mm]
2 × 10^2
10^2
6 × 10^1
4 × 10^1
3 × 10^1
2 × 10^1
−400
−200
0
200
400



original_key=Y_2000_5___reshoot_key=Y_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1295.5, reshoot_counts = 2647.2
normalization = 0.483, reshoot_counts*normalization = 1278.4
original average = 0.29 y pos [mm], reshoot average = 0.03 y pos [m
counts [1/mm]
y pos [mm]
2 × 10^2
10^2
6 × 10^1
4 × 10^1
3 × 10^1
2 × 10^1
−400
−200
0
200
400



original_key=Y_2000_6___reshoot_key=Y_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3351.9, reshoot_counts = 6760.5
normalization = 0.483, reshoot_counts*normalization = 3264.7
original average = 0.08 y pos [mm], reshoot average = -0.27 y pos [m
counts [1/mm]
y pos [mm]
4×10^2
3×10^2
2×10^2
10^2
−400
−200
0
200
400



original_key=Y_2000_7___reshoot_key=Y_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2800.1, reshoot_counts = 5726.5
normalization = 0.483, reshoot_counts*normalization = 2765.3
original average = -0.37 y pos [mm], reshoot average = -0.38 y pos [
counts [1/mm]
y pos [mm]
4×10^2
3×10^2
2×10^2
10^2
−400
−200
0
200
400



original_key=Y_2000_8___reshoot_key=Y_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1918.5, reshoot_counts = 3959.2
normalization = 0.483, reshoot_counts*normalization = 1911.9
original average = -0.04 y pos [mm], reshoot average = -0.04 y pos [
counts [1/mm]
y pos [mm]
3 × 10^2
2 × 10^2
10^2
6 × 10^1
−400
−200
0
200
400



original_key=Y_2000_9___reshoot_key=Y_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1186.2, reshoot_counts = 2421.2
normalization = 0.483, reshoot_counts*normalization = 1169.2
original average = -0.09 y pos [mm], reshoot average = -0.53 y pos [
counts [1/mm]
y pos [mm]
2 × 10^2
10^2
6 × 10^1
4 × 10^1
3 × 10^1
2 × 10^1
−400
−200
0
200
400



original_key=Y_2000_10___reshoot_key=Y_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2532.5, reshoot_counts = 5137.5
normalization = 0.483, reshoot_counts*normalization = 2480.9
original average = 0.33 y pos [mm], reshoot average = -0.00 y pos [m
counts [1/mm]
y pos [mm]
4×10^2
3×10^2
2×10^2
10^2
−400
−200
0
200
400



original_key=Y_2000_11___reshoot_key=Y_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2760.4, reshoot_counts = 5631.8
normalization = 0.483, reshoot_counts*normalization = 2719.6
original average = 0.15 y pos [mm], reshoot average = -0.15 y pos [m
counts [1/mm]
4×10^2
3×10^2
2×10^2
10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_12___reshoot_key=Y_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3443.1, reshoot_counts = 6975.5
normalization = 0.483, reshoot_counts*normalization = 3368.5
original average = -0.24 y pos [mm], reshoot average = -0.33 y pos [
counts [1/mm]
4×10^2
3×10^2
2×10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_13___reshoot_key=Y_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3010.1, reshoot_counts = 6216.8
normalization = 0.483, reshoot_counts*normalization = 3002.1
original average = 0.02 y pos [mm], reshoot average = -0.15 y pos [m
counts [1/mm]
y pos [mm]
4×10^2
3×10^2
2×10^2
10^2
−400
−200
0
200
400



original_key=Y_2000_14___reshoot_key=Y_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4829.8, reshoot_counts = 9823.5
normalization = 0.483, reshoot_counts*normalization = 4743.8
original average = 0.06 y pos [mm], reshoot average = -0.30 y pos [m
counts [1/mm]
6×10^2
4×10^2
3×10^2
2×10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_15___reshoot_key=Y_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3720.9, reshoot_counts = 7598.0
normalization = 0.483, reshoot_counts*normalization = 3669.1
original average = -0.02 y pos [mm], reshoot average = -0.07 y pos [
counts [1/mm]
y pos [mm]
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
−400
−200
0
200
400



original_key=Y_2000_16___reshoot_key=Y_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4134.4, reshoot_counts = 8438.5
normalization = 0.483, reshoot_counts*normalization = 4075.0
original average = -0.02 y pos [mm], reshoot average = -0.20 y pos [
counts [1/mm]
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_17___reshoot_key=Y_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4784.6, reshoot_counts = 9833.2
normalization = 0.483, reshoot_counts*normalization = 4748.5
original average = 0.05 y pos [mm], reshoot average = -0.01 y pos [m
counts [1/mm]
6×10^2
4×10^2
3×10^2
2×10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_18___reshoot_key=Y_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5731.4, reshoot_counts = 11760.8
normalization = 0.483, reshoot_counts*normalization = 5679.3
original average = 0.01 y pos [mm], reshoot average = -0.02 y pos [m
counts [1/mm]
6×10^2
4×10^2
3×10^2
2×10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_19___reshoot_key=Y_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7616.5, reshoot_counts = 15579.0
normalization = 0.483, reshoot_counts*normalization = 7523.1
original average = 0.01 y pos [mm], reshoot average = -0.09 y pos [m
counts [1/mm]
10^3
6×10^2
4×10^2
3×10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_20___reshoot_key=Y_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12611.2, reshoot_counts = 25931.2
normalization = 0.483, reshoot_counts*normalization = 12522.2
original average = 0.01 y pos [mm], reshoot average = -0.18 y pos [m
2×10^3
10^3
6×10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_21___reshoot_key=Y_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 17415.6, reshoot_counts = 35608.0
normalization = 0.483, reshoot_counts*normalization = 17195.1
original average = -0.06 y pos [mm], reshoot average = -0.18 y pos [
2×10^3
10^3
6×10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_22___reshoot_key=Y_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 35242.6, reshoot_counts = 72254.2
normalization = 0.483, reshoot_counts*normalization = 34891.6
original average = 0.01 y pos [mm], reshoot average = -0.13 y pos [m
counts [1/mm]
4×10^3
3×10^3
2×10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_23___reshoot_key=Y_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 52166.0, reshoot_counts = 106824.5
normalization = 0.483, reshoot_counts*normalization = 51585.6
original average = -0.12 y pos [mm], reshoot average = -0.23 y pos [
counts [1/mm]
6×10^3
4×10^3
3×10^3
2×10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_24___reshoot_key=Y_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 80482.2, reshoot_counts = 164688.0
normalization = 0.483, reshoot_counts*normalization = 79527.9
original average = 0.01 y pos [mm], reshoot average = -0.14 y pos [m
counts [1/mm]
10^4
6×10^3
4×10^3
3×10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_25___reshoot_key=Y_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 112797.8, reshoot_counts = 231233.0
normalization = 0.483, reshoot_counts*normalization = 111662.6
original average = 0.01 y pos [mm], reshoot average = -0.13 y pos [m
10^4
6×10^3
4×10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_26___reshoot_key=Y_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3380171.5, reshoot_counts = 6940188.0
normalization = 0.483, reshoot_counts*normalization = 3351421.6
original average = -0.01 y pos [mm], reshoot average = -0.14 y pos [
counts [1/mm]
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_e-___reshoot_key=Y_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24783818.6, reshoot_counts = 50493909.5
normalization = 0.483, reshoot_counts*normalization = 24383543.7
original average = -0.01 y pos [mm], reshoot average = -0.13 y pos [
counts [1/mm]
10^6
10^5
10^4
10^3
10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_e+___reshoot_key=Y_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.8, reshoot_counts = 3.2
normalization = 0.483, reshoot_counts*normalization = 1.6
original average = -4.27 y pos [mm], reshoot average = -8.16 y pos [
counts [1/mm]
6×10^0
4×10^0
3×10^0
2×10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_2000_gamma___reshoot_key=Y_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8347.0, reshoot_counts = 16967.2
normalization = 0.483, reshoot_counts*normalization = 8193.5
original average = -0.21 y pos [mm], reshoot average = -0.36 y pos [
counts [1/mm]
10^3
6×10^2
4×10^2
3×10^2
−400
−200
0
200
400
y pos [mm]


original_key=Y_2000_mu-___reshoot_key=Y_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.5, reshoot_counts = 0.0
normalization = 0.483, reshoot_counts*normalization = 0.0
original average = 14.00 y pos [mm], reshoot average = nan y pos [m
counts [1/mm]
y pos [mm]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
3.5
4.0
−400
−200
0
200
400


original_key=Y_2000_mu+___reshoot_key=Y_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.0, reshoot_counts = 0.0
normalization = 0.483, reshoot_counts*normalization = 0.0
original average = 37.38 y pos [mm], reshoot average = nan y pos [m
counts [1/mm]
y pos [mm]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
3.5
4.0
−400
−200
0
200
400


original_key=Y_2000_pi-___reshoot_key=Y_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.8, reshoot_counts = 7.0
normalization = 0.483, reshoot_counts*normalization = 3.4
original average = -4.58 y pos [mm], reshoot average = -7.78 y pos [
counts [1/mm]
y pos [mm]
2 × 10^1
10^1
6 × 10^0
4 × 10^0
3 × 10^0
2 × 10^0
−400
−200
0
200
400


original_key=Y_2000_pi+___reshoot_key=Y_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.8, reshoot_counts = 2.8
normalization = 0.483, reshoot_counts*normalization = 1.3
original average = 3.41 y pos [mm], reshoot average = 6.99 y pos [m
counts [1/mm]
6×10^0
4×10^0
3×10^0
2×10^0
−400
−200
0
200
400
y pos [mm]