






original_key=Theta_wide_100_0___reshoot_key=Theta_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 478517.2, reshoot_counts = 122315.3
normalization = 0.933, reshoot_counts*normalization = 114141.4
original average = 0.08 Theta [rad], reshoot average = 0.07 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_1___reshoot_key=Theta_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 325321.3, reshoot_counts = 108404.6
normalization = 0.933, reshoot_counts*normalization = 101160.3
original average = 0.08 Theta [rad], reshoot average = 0.08 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_2___reshoot_key=Theta_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 183604.3, reshoot_counts = 47186.3
normalization = 0.933, reshoot_counts*normalization = 44033.0
original average = 0.07 Theta [rad], reshoot average = 0.06 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_3___reshoot_key=Theta_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10855.7, reshoot_counts = 2086.6
normalization = 0.933, reshoot_counts*normalization = 1947.1
original average = 0.06 Theta [rad], reshoot average = 0.06 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_4___reshoot_key=Theta_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4170.9, reshoot_counts = 757.9
normalization = 0.933, reshoot_counts*normalization = 707.2
original average = 0.06 Theta [rad], reshoot average = 0.06 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_5___reshoot_key=Theta_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5362.6, reshoot_counts = 857.8
normalization = 0.933, reshoot_counts*normalization = 800.4
original average = 0.06 Theta [rad], reshoot average = 0.05 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_6___reshoot_key=Theta_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 14200.8, reshoot_counts = 2015.9
normalization = 0.933, reshoot_counts*normalization = 1881.2
original average = 0.06 Theta [rad], reshoot average = 0.05 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_7___reshoot_key=Theta_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11668.2, reshoot_counts = 1511.3
normalization = 0.933, reshoot_counts*normalization = 1410.3
original average = 0.05 Theta [rad], reshoot average = 0.05 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_8___reshoot_key=Theta_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8074.5, reshoot_counts = 1054.7
normalization = 0.933, reshoot_counts*normalization = 984.2
original average = 0.05 Theta [rad], reshoot average = 0.05 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_9___reshoot_key=Theta_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4776.4, reshoot_counts = 621.1
normalization = 0.933, reshoot_counts*normalization = 579.6
original average = 0.05 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_10___reshoot_key=Theta_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10329.2, reshoot_counts = 1359.3
normalization = 0.933, reshoot_counts*normalization = 1268.4
original average = 0.05 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_11___reshoot_key=Theta_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11010.5, reshoot_counts = 1526.4
normalization = 0.933, reshoot_counts*normalization = 1424.4
original average = 0.05 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_12___reshoot_key=Theta_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13596.9, reshoot_counts = 2063.2
normalization = 0.933, reshoot_counts*normalization = 1925.3
original average = 0.05 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_13___reshoot_key=Theta_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11628.7, reshoot_counts = 1882.0
normalization = 0.933, reshoot_counts*normalization = 1756.3
original average = 0.05 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_14___reshoot_key=Theta_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 18458.8, reshoot_counts = 3161.6
normalization = 0.933, reshoot_counts*normalization = 2950.3
original average = 0.05 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_15___reshoot_key=Theta_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 14179.3, reshoot_counts = 2403.5
normalization = 0.933, reshoot_counts*normalization = 2242.9
original average = 0.05 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_16___reshoot_key=Theta_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16295.0, reshoot_counts = 2527.8
normalization = 0.933, reshoot_counts*normalization = 2358.8
original average = 0.05 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_17___reshoot_key=Theta_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 19673.0, reshoot_counts = 2523.5
normalization = 0.933, reshoot_counts*normalization = 2354.9
original average = 0.05 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_18___reshoot_key=Theta_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 25525.6, reshoot_counts = 2530.9
normalization = 0.933, reshoot_counts*normalization = 2361.7
original average = 0.05 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_19___reshoot_key=Theta_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 35802.6, reshoot_counts = 2671.9
normalization = 0.933, reshoot_counts*normalization = 2493.4
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_20___reshoot_key=Theta_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 63124.7, reshoot_counts = 3434.0
normalization = 0.933, reshoot_counts*normalization = 3204.5
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_21___reshoot_key=Theta_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 92436.0, reshoot_counts = 3600.1
normalization = 0.933, reshoot_counts*normalization = 3359.5
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_22___reshoot_key=Theta_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 196178.4, reshoot_counts = 5778.0
normalization = 0.933, reshoot_counts*normalization = 5391.9
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_23___reshoot_key=Theta_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 302456.2, reshoot_counts = 7018.3
normalization = 0.933, reshoot_counts*normalization = 6549.3
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_24___reshoot_key=Theta_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 479954.3, reshoot_counts = 9562.4
normalization = 0.933, reshoot_counts*normalization = 8923.3
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_25___reshoot_key=Theta_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 690585.2, reshoot_counts = 11888.8
normalization = 0.933, reshoot_counts*normalization = 11094.3
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_26___reshoot_key=Theta_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 19545199.2, reshoot_counts = 187988.4
normalization = 0.933, reshoot_counts*normalization = 175425.8
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^9
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_e-___reshoot_key=Theta_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3180831.2, reshoot_counts = 3293098.4
normalization = 0.933, reshoot_counts*normalization = 3073031.9
original average = 0.62 Theta [rad], reshoot average = 0.61 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_e+___reshoot_key=Theta_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7.5, reshoot_counts = 4.2
normalization = 0.933, reshoot_counts*normalization = 3.9
original average = 0.17 Theta [rad], reshoot average = 0.18 Theta [ra
10^3
10^2
counts [1/rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_gamma___reshoot_key=Theta_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16909.1, reshoot_counts = 6257.6
normalization = 0.933, reshoot_counts*normalization = 5839.4
original average = 0.19 Theta [rad], reshoot average = 0.18 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_mu-___reshoot_key=Theta_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.2, reshoot_counts = 0.3
normalization = 0.933, reshoot_counts*normalization = 0.3
original average = 0.09 Theta [rad], reshoot average = 0.10 Theta [ra
counts [1/rad]
Theta [rad]
3×10^2
2×10^2
10^2
6×10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_mu+___reshoot_key=Theta_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.2, reshoot_counts = 0.4
normalization = 0.933, reshoot_counts*normalization = 0.4
original average = 0.09 Theta [rad], reshoot average = 0.08 Theta [ra
counts [1/rad]
Theta [rad]
4×10^2
3×10^2
2×10^2
10^2
6×10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_pi-___reshoot_key=Theta_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11.9, reshoot_counts = 3.5
normalization = 0.933, reshoot_counts*normalization = 3.3
original average = 0.10 Theta [rad], reshoot average = 0.08 Theta [ra
10^3
10^2
counts [1/rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_pi+___reshoot_key=Theta_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5.5, reshoot_counts = 2.5
normalization = 0.933, reshoot_counts*normalization = 2.4
original average = 0.12 Theta [rad], reshoot average = 0.10 Theta [ra
10^3
10^2
counts [1/rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Phi_wide_100_0___reshoot_key=Phi_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 169915.0, reshoot_counts = 182696.4
normalization = 0.933, reshoot_counts*normalization = 170487.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
2.6 × 10^6
2.4 × 10^6
2.2 × 10^6
2 × 10^6
1.8 × 10^6
1.6 × 10^6
1.4 × 10^6
1.2 × 10^6
0
1
2
3
4
5
6



original_key=Phi_wide_100_1___reshoot_key=Phi_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 145917.0, reshoot_counts = 155711.4
normalization = 0.933, reshoot_counts*normalization = 145305.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
2×10^6
10^6
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_2___reshoot_key=Phi_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 65777.0, reshoot_counts = 70707.1
normalization = 0.933, reshoot_counts*normalization = 65982.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
10^6
9×10^5
8×10^5
7×10^5
6×10^5
5×10^5
0
1
2
3
4
5
6



original_key=Phi_wide_100_3___reshoot_key=Phi_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3122.5, reshoot_counts = 3289.3
normalization = 0.933, reshoot_counts*normalization = 3069.5
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
4 × 10^4
3 × 10^4
2 × 10^4
0
1
2
3
4
5
6



original_key=Phi_wide_100_4___reshoot_key=Phi_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1129.1, reshoot_counts = 1192.2
normalization = 0.933, reshoot_counts*normalization = 1112.6
original average = 3.14 Phi [rad], reshoot average = 3.13 Phi [rad]
counts [1/rad]
10^4
6×10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_5___reshoot_key=Phi_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1289.5, reshoot_counts = 1323.5
normalization = 0.933, reshoot_counts*normalization = 1235.1
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_6___reshoot_key=Phi_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3078.8, reshoot_counts = 3314.7
normalization = 0.933, reshoot_counts*normalization = 3093.2
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_wide_100_7___reshoot_key=Phi_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2390.2, reshoot_counts = 2542.9
normalization = 0.933, reshoot_counts*normalization = 2373.0
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
3×10^4
2×10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_8___reshoot_key=Phi_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1656.3, reshoot_counts = 1803.4
normalization = 0.933, reshoot_counts*normalization = 1682.9
original average = 3.15 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
2×10^4
10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_9___reshoot_key=Phi_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 987.5, reshoot_counts = 1043.2
normalization = 0.933, reshoot_counts*normalization = 973.5
original average = 3.13 Phi [rad], reshoot average = 3.13 Phi [rad]
10^4
6×10^3
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_10___reshoot_key=Phi_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2142.3, reshoot_counts = 2294.6
normalization = 0.933, reshoot_counts*normalization = 2141.3
original average = 3.13 Phi [rad], reshoot average = 3.14 Phi [rad]
3×10^4
2×10^4
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_11___reshoot_key=Phi_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2403.7, reshoot_counts = 2588.5
normalization = 0.933, reshoot_counts*normalization = 2415.5
original average = 3.14 Phi [rad], reshoot average = 3.13 Phi [rad]
3×10^4
2×10^4
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_12___reshoot_key=Phi_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3242.0, reshoot_counts = 3455.3
normalization = 0.933, reshoot_counts*normalization = 3224.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_wide_100_13___reshoot_key=Phi_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2902.8, reshoot_counts = 3099.5
normalization = 0.933, reshoot_counts*normalization = 2892.4
original average = 3.13 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_wide_100_14___reshoot_key=Phi_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4855.3, reshoot_counts = 5308.1
normalization = 0.933, reshoot_counts*normalization = 4953.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
6 × 10^4
4 × 10^4
3 × 10^4
0
1
2
3
4
5
6



original_key=Phi_wide_100_15___reshoot_key=Phi_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3742.9, reshoot_counts = 3971.1
normalization = 0.933, reshoot_counts*normalization = 3705.7
original average = 3.13 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
4×10^4
3×10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_16___reshoot_key=Phi_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3912.2, reshoot_counts = 4261.0
normalization = 0.933, reshoot_counts*normalization = 3976.2
original average = 3.15 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
6 × 10^4
4 × 10^4
3 × 10^4
0
1
2
3
4
5
6



original_key=Phi_wide_100_17___reshoot_key=Phi_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3987.0, reshoot_counts = 4295.4
normalization = 0.933, reshoot_counts*normalization = 4008.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
6 × 10^4
4 × 10^4
3 × 10^4
0
1
2
3
4
5
6



original_key=Phi_wide_100_18___reshoot_key=Phi_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4150.1, reshoot_counts = 4398.5
normalization = 0.933, reshoot_counts*normalization = 4104.5
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_wide_100_19___reshoot_key=Phi_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4532.1, reshoot_counts = 4755.3
normalization = 0.933, reshoot_counts*normalization = 4437.5
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
6 × 10^4
4 × 10^4
3 × 10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_20___reshoot_key=Phi_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5993.1, reshoot_counts = 6352.5
normalization = 0.933, reshoot_counts*normalization = 5927.9
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
6×10^4
4×10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_21___reshoot_key=Phi_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6587.1, reshoot_counts = 6897.2
normalization = 0.933, reshoot_counts*normalization = 6436.3
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
10^5
6×10^4
4×10^4
0
1
2
3
4
5
6



original_key=Phi_wide_100_22___reshoot_key=Phi_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11047.5, reshoot_counts = 11715.1
normalization = 0.933, reshoot_counts*normalization = 10932.2
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_23___reshoot_key=Phi_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13962.6, reshoot_counts = 14888.9
normalization = 0.933, reshoot_counts*normalization = 13893.9
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
2×10^5
10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_24___reshoot_key=Phi_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 19740.4, reshoot_counts = 21072.5
normalization = 0.933, reshoot_counts*normalization = 19664.3
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
3×10^5
2×10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_25___reshoot_key=Phi_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 25690.0, reshoot_counts = 27598.5
normalization = 0.933, reshoot_counts*normalization = 25754.1
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
3×10^5
2×10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_26___reshoot_key=Phi_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 456219.9, reshoot_counts = 489610.0
normalization = 0.933, reshoot_counts*normalization = 456891.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
7×10^6
6×10^6
5×10^6
4×10^6
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_e-___reshoot_key=Phi_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4029916.1, reshoot_counts = 4324991.0
normalization = 0.933, reshoot_counts*normalization = 4035966.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
6 × 10^7
5 × 10^7
4 × 10^7
3 × 10^7
0
1
2
3
4
5
6



original_key=Phi_wide_100_e+___reshoot_key=Phi_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6.6, reshoot_counts = 4.3
normalization = 0.933, reshoot_counts*normalization = 4.0
original average = 3.13 Phi [rad], reshoot average = 3.12 Phi [rad]
counts [1/rad]
Phi [rad]
2×10^2
10^2
6×10^1
0
1
2
3
4
5
6



original_key=Phi_wide_100_gamma___reshoot_key=Phi_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8270.4, reshoot_counts = 8893.0
normalization = 0.933, reshoot_counts*normalization = 8298.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^5
6×10^4
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_mu-___reshoot_key=Phi_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.2, reshoot_counts = 0.3
normalization = 0.933, reshoot_counts*normalization = 0.3
original average = 2.69 Phi [rad], reshoot average = 2.29 Phi [rad]
counts [1/rad]
10^2
6×10^1
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_mu+___reshoot_key=Phi_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.2, reshoot_counts = 0.4
normalization = 0.933, reshoot_counts*normalization = 0.4
original average = 4.27 Phi [rad], reshoot average = 3.83 Phi [rad]
counts [1/rad]
Phi [rad]
3 × 10^2
2 × 10^2
10^2
6 × 10^1
0
1
2
3
4
5
6



original_key=Phi_wide_100_pi-___reshoot_key=Phi_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5.1, reshoot_counts = 6.7
normalization = 0.933, reshoot_counts*normalization = 6.3
original average = 3.11 Phi [rad], reshoot average = 2.81 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_wide_100_pi+___reshoot_key=Phi_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.7, reshoot_counts = 2.9
normalization = 0.933, reshoot_counts*normalization = 2.7
original average = 3.14 Phi [rad], reshoot average = 3.24 Phi [rad]
counts [1/rad]
Phi [rad]
3×10^2
2×10^2
10^2
6×10^1
0
1
2
3
4
5
6



original_key=Ekin_wide_100_0___reshoot_key=EkinU_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7474732.0, reshoot_counts = 8013622.5
normalization = 0.933, reshoot_counts*normalization = 7478099.6
original average = 242.51 Ek [MeV/u], reshoot average = 242.56 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_1___reshoot_key=EkinU_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6402534.0, reshoot_counts = 6860930.5
normalization = 0.933, reshoot_counts*normalization = 6402438.0
original average = 240.59 Ek [MeV/u], reshoot average = 240.65 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_2___reshoot_key=EkinU_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2885822.5, reshoot_counts = 3094546.0
normalization = 0.933, reshoot_counts*normalization = 2887748.1
original average = 225.30 Ek [MeV/u], reshoot average = 225.37 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_3___reshoot_key=EkinU_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 133602.0, reshoot_counts = 142588.5
normalization = 0.933, reshoot_counts*normalization = 133059.8
original average = 217.46 Ek [MeV/u], reshoot average = 217.11 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_4___reshoot_key=EkinU_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 49465.5, reshoot_counts = 52630.5
normalization = 0.933, reshoot_counts*normalization = 49113.4
original average = 210.91 Ek [MeV/u], reshoot average = 210.89 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_5___reshoot_key=EkinU_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 56573.5, reshoot_counts = 60561.5
normalization = 0.933, reshoot_counts*normalization = 56514.4
original average = 206.12 Ek [MeV/u], reshoot average = 206.32 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_6___reshoot_key=EkinU_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 135727.0, reshoot_counts = 145799.5
normalization = 0.933, reshoot_counts*normalization = 136056.2
original average = 197.52 Ek [MeV/u], reshoot average = 197.60 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_7___reshoot_key=EkinU_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 103963.5, reshoot_counts = 111500.0
normalization = 0.933, reshoot_counts*normalization = 104048.8
original average = 192.00 Ek [MeV/u], reshoot average = 191.89 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_8___reshoot_key=EkinU_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 72482.0, reshoot_counts = 77968.5
normalization = 0.933, reshoot_counts*normalization = 72758.1
original average = 184.61 Ek [MeV/u], reshoot average = 184.80 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_9___reshoot_key=EkinU_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 42683.0, reshoot_counts = 45987.0
normalization = 0.933, reshoot_counts*normalization = 42913.8
original average = 182.12 Ek [MeV/u], reshoot average = 181.81 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_10___reshoot_key=EkinU_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 94366.0, reshoot_counts = 100871.0
normalization = 0.933, reshoot_counts*normalization = 94130.1
original average = 175.93 Ek [MeV/u], reshoot average = 175.84 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_11___reshoot_key=EkinU_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 104859.5, reshoot_counts = 112669.0
normalization = 0.933, reshoot_counts*normalization = 105139.7
original average = 171.93 Ek [MeV/u], reshoot average = 171.96 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_12___reshoot_key=EkinU_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 141543.0, reshoot_counts = 151656.5
normalization = 0.933, reshoot_counts*normalization = 141521.8
original average = 167.07 Ek [MeV/u], reshoot average = 167.05 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_13___reshoot_key=EkinU_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 128514.0, reshoot_counts = 137768.5
normalization = 0.933, reshoot_counts*normalization = 128561.9
original average = 164.48 Ek [MeV/u], reshoot average = 164.43 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_14___reshoot_key=EkinU_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 214851.0, reshoot_counts = 230585.5
normalization = 0.933, reshoot_counts*normalization = 215176.3
original average = 160.61 Ek [MeV/u], reshoot average = 160.44 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_15___reshoot_key=EkinU_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 163775.0, reshoot_counts = 175735.0
normalization = 0.933, reshoot_counts*normalization = 163991.2
original average = 159.82 Ek [MeV/u], reshoot average = 159.66 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_16___reshoot_key=EkinU_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 172662.0, reshoot_counts = 185676.0
normalization = 0.933, reshoot_counts*normalization = 173267.9
original average = 156.68 Ek [MeV/u], reshoot average = 156.68 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_17___reshoot_key=EkinU_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 175070.5, reshoot_counts = 188247.0
normalization = 0.933, reshoot_counts*normalization = 175667.1
original average = 155.46 Ek [MeV/u], reshoot average = 155.59 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_18___reshoot_key=EkinU_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 179468.0, reshoot_counts = 192448.5
normalization = 0.933, reshoot_counts*normalization = 179587.8
original average = 152.51 Ek [MeV/u], reshoot average = 152.52 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_19___reshoot_key=EkinU_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 194999.0, reshoot_counts = 208868.0
normalization = 0.933, reshoot_counts*normalization = 194910.1
original average = 150.96 Ek [MeV/u], reshoot average = 150.98 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_20___reshoot_key=EkinU_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 259447.0, reshoot_counts = 278243.0
normalization = 0.933, reshoot_counts*normalization = 259649.0
original average = 148.83 Ek [MeV/u], reshoot average = 148.90 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_21___reshoot_key=EkinU_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 285036.0, reshoot_counts = 305730.0
normalization = 0.933, reshoot_counts*normalization = 285299.1
original average = 147.18 Ek [MeV/u], reshoot average = 147.17 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_22___reshoot_key=EkinU_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 479124.0, reshoot_counts = 514334.5
normalization = 0.933, reshoot_counts*normalization = 479963.3
original average = 142.31 Ek [MeV/u], reshoot average = 142.31 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_23___reshoot_key=EkinU_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 611663.5, reshoot_counts = 655633.5
normalization = 0.933, reshoot_counts*normalization = 611819.8
original average = 138.47 Ek [MeV/u], reshoot average = 138.45 Ek [
counts [u/MeV]
10^3
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_24___reshoot_key=EkinU_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 865676.0, reshoot_counts = 928182.5
normalization = 0.933, reshoot_counts*normalization = 866155.2
original average = 133.79 Ek [MeV/u], reshoot average = 133.77 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_25___reshoot_key=EkinU_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1124652.5, reshoot_counts = 1205149.5
normalization = 0.933, reshoot_counts*normalization = 1124613.5
original average = 131.53 Ek [MeV/u], reshoot average = 131.56 Ek [
counts [u/MeV]
Ek [MeV/u]
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_26___reshoot_key=EkinU_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 19958169.5, reshoot_counts = 21396712.0
normalization = 0.933, reshoot_counts*normalization = 19966843.1
original average = 148.72 Ek [MeV/u], reshoot average = 148.75 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
10^5
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_e-___reshoot_key=EkinU_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11926521.2, reshoot_counts = 189028182.5
normalization = 0.933, reshoot_counts*normalization = 176396077.0
original average = 0.20 Ek [MeV/u], reshoot average = 0.50 Ek [MeV/u
counts [u/MeV]
Ek [MeV/u]



original_key=Ekin_wide_100_e+___reshoot_key=EkinU_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 25.5, reshoot_counts = 228.5
normalization = 0.933, reshoot_counts*normalization = 213.2
original average = 6.46 Ek [MeV/u], reshoot average = 6.86 Ek [MeV/u
counts [u/MeV]
Ek [MeV/u]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_gamma___reshoot_key=EkinU_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 30397.2, reshoot_counts = 364098.5
normalization = 0.933, reshoot_counts*normalization = 339767.0
original average = 2.75 Ek [MeV/u], reshoot average = 4.28 Ek [MeV/u
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
10^5
10^6
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_mu-___reshoot_key=EkinU_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.8, reshoot_counts = 19.0
normalization = 0.933, reshoot_counts*normalization = 17.7
original average = 60.60 Ek [MeV/u], reshoot average = 62.87 Ek [Me
counts [u/MeV]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_mu+___reshoot_key=EkinU_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.2, reshoot_counts = 25.0
normalization = 0.933, reshoot_counts*normalization = 23.3
original average = 77.34 Ek [MeV/u], reshoot average = 78.10 Ek [Me
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_pi-___reshoot_key=EkinU_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 351.6, reshoot_counts = 218.0
normalization = 0.933, reshoot_counts*normalization = 203.4
original average = 145.31 Ek [MeV/u], reshoot average = 146.92 Ek [
counts [u/MeV]
Ek [MeV/u]
4×10^0
3×10^0
2×10^0
10^0
6×10^{-1}
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_pi+___reshoot_key=EkinU_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 302.7, reshoot_counts = 164.0
normalization = 0.933, reshoot_counts*normalization = 153.0
original average = 214.57 Ek [MeV/u], reshoot average = 211.16 Ek [
counts [u/MeV]
Ek [MeV/u]
6×10^{0}
4×10^{0}
3×10^{0}
2×10^{0}
10^{0}
6×10^{-1}
0
250
500
750
1000
1250
1500
1750
2000



original_key=X_wide_100_0___reshoot_key=X_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1889683.1, reshoot_counts = 2003616.8
normalization = 0.933, reshoot_counts*normalization = 1869721.9
original average = -0.03 x pos [mm], reshoot average = -0.17 x pos [
10^5
6×10^4
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_1___reshoot_key=X_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1621048.1, reshoot_counts = 1715283.2
normalization = 0.933, reshoot_counts*normalization = 1600656.8
original average = -0.02 x pos [mm], reshoot average = -0.13 x pos [
10^5
6×10^4
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_2___reshoot_key=X_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 729229.4, reshoot_counts = 773710.5
normalization = 0.933, reshoot_counts*normalization = 722006.1
original average = -0.02 x pos [mm], reshoot average = -0.16 x pos [
counts [1/mm]
5 × 10^4
4 × 10^4
3 × 10^4
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_3___reshoot_key=X_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 33712.5, reshoot_counts = 35651.5
normalization = 0.933, reshoot_counts*normalization = 33269.0
original average = 0.03 x pos [mm], reshoot average = -0.14 x pos [m
2×10^3
10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_4___reshoot_key=X_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12467.2, reshoot_counts = 13158.5
normalization = 0.933, reshoot_counts*normalization = 12279.2
original average = 0.15 x pos [mm], reshoot average = 0.13 x pos [m
counts [1/mm]
6 × 10^2
4 × 10^2
3 × 10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_5___reshoot_key=X_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 14232.6, reshoot_counts = 15142.8
normalization = 0.933, reshoot_counts*normalization = 14130.8
original average = 0.06 x pos [mm], reshoot average = -0.09 x pos [m
counts [1/mm]
6 × 10^2
4 × 10^2
3 × 10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_6___reshoot_key=X_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34174.4, reshoot_counts = 36456.2
normalization = 0.933, reshoot_counts*normalization = 34020.0
original average = -0.02 x pos [mm], reshoot average = -0.19 x pos [
2×10^3
10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_7___reshoot_key=X_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26186.0, reshoot_counts = 27877.5
normalization = 0.933, reshoot_counts*normalization = 26014.5
original average = -0.16 x pos [mm], reshoot average = -0.28 x pos [
counts [1/mm]
10^3
6×10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_8___reshoot_key=X_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 18257.5, reshoot_counts = 19493.2
normalization = 0.933, reshoot_counts*normalization = 18190.6
original average = 0.08 x pos [mm], reshoot average = -0.06 x pos [m
10^3
6×10^2
4×10^2
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_9___reshoot_key=X_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10742.9, reshoot_counts = 11496.8
normalization = 0.933, reshoot_counts*normalization = 10728.5
original average = -0.00 x pos [mm], reshoot average = -0.06 x pos [
counts [1/mm]
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_10___reshoot_key=X_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 23747.0, reshoot_counts = 25217.8
normalization = 0.933, reshoot_counts*normalization = 23532.5
original average = -0.07 x pos [mm], reshoot average = -0.27 x pos [
10^3
6×10^2
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_11___reshoot_key=X_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26389.2, reshoot_counts = 28167.2
normalization = 0.933, reshoot_counts*normalization = 26284.9
original average = 0.04 x pos [mm], reshoot average = -0.06 x pos [m
10^3
6×10^2
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_12___reshoot_key=X_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 35639.6, reshoot_counts = 37914.8
normalization = 0.933, reshoot_counts*normalization = 35381.0
original average = -0.09 x pos [mm], reshoot average = -0.26 x pos [
2×10^3
10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_13___reshoot_key=X_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 32332.2, reshoot_counts = 34442.5
normalization = 0.933, reshoot_counts*normalization = 32140.8
original average = -0.09 x pos [mm], reshoot average = -0.20 x pos [
2×10^3
10^3
6×10^2
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_14___reshoot_key=X_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 54080.5, reshoot_counts = 57647.8
normalization = 0.933, reshoot_counts*normalization = 53795.3
original average = 0.12 x pos [mm], reshoot average = -0.05 x pos [m
3×10^3
2×10^3
10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_15___reshoot_key=X_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 41235.1, reshoot_counts = 43934.2
normalization = 0.933, reshoot_counts*normalization = 40998.3
original average = -0.07 x pos [mm], reshoot average = -0.21 x pos [
2×10^3
10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_16___reshoot_key=X_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 43441.4, reshoot_counts = 46420.5
normalization = 0.933, reshoot_counts*normalization = 43318.4
original average = -0.03 x pos [mm], reshoot average = -0.26 x pos [
3 × 10^3
2 × 10^3
10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_17___reshoot_key=X_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 44057.5, reshoot_counts = 47064.5
normalization = 0.933, reshoot_counts*normalization = 43919.3
original average = -0.10 x pos [mm], reshoot average = -0.18 x pos [
2×10^3
10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_18___reshoot_key=X_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 45145.9, reshoot_counts = 48113.8
normalization = 0.933, reshoot_counts*normalization = 44898.5
original average = 0.09 x pos [mm], reshoot average = 0.02 x pos [m
3 × 10^3
2 × 10^3
10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_19___reshoot_key=X_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 49043.0, reshoot_counts = 52218.5
normalization = 0.933, reshoot_counts*normalization = 48728.9
original average = -0.03 x pos [mm], reshoot average = -0.24 x pos [
3×10^3
2×10^3
10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_20___reshoot_key=X_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 65178.2, reshoot_counts = 69563.5
normalization = 0.933, reshoot_counts*normalization = 64914.8
original average = 0.04 x pos [mm], reshoot average = -0.15 x pos [m
counts [1/mm]
x pos [mm]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
−400
−200
0
200
400



original_key=X_wide_100_21___reshoot_key=X_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 71578.9, reshoot_counts = 76434.2
normalization = 0.933, reshoot_counts*normalization = 71326.4
original average = -0.01 x pos [mm], reshoot average = -0.17 x pos [
counts [1/mm]
4×10^3
3×10^3
2×10^3
10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_22___reshoot_key=X_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 120262.1, reshoot_counts = 128590.5
normalization = 0.933, reshoot_counts*normalization = 119997.2
original average = -0.02 x pos [mm], reshoot average = -0.13 x pos [
counts [1/mm]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_23___reshoot_key=X_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 153414.4, reshoot_counts = 163922.0
normalization = 0.933, reshoot_counts*normalization = 152967.7
original average = 0.03 x pos [mm], reshoot average = -0.07 x pos [m
counts [1/mm]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_24___reshoot_key=X_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 216992.8, reshoot_counts = 232074.2
normalization = 0.933, reshoot_counts*normalization = 216565.5
original average = -0.01 x pos [mm], reshoot average = -0.15 x pos [
counts [1/mm]
x pos [mm]
10^4
6×10^3
4×10^3
3×10^3
2×10^3
−400
−200
0
200
400



original_key=X_wide_100_25___reshoot_key=X_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 281842.2, reshoot_counts = 301343.0
normalization = 0.933, reshoot_counts*normalization = 281205.3
original average = -0.02 x pos [mm], reshoot average = -0.16 x pos [
counts [1/mm]
10^4
6×10^3
4×10^3
3×10^3
2×10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_26___reshoot_key=X_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4990868.4, reshoot_counts = 5349919.2
normalization = 0.933, reshoot_counts*normalization = 4992402.5
original average = 0.00 x pos [mm], reshoot average = -0.13 x pos [m
counts [1/mm]
10^5
10^4
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_e-___reshoot_key=X_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 37456809.2, reshoot_counts = 47257290.0
normalization = 0.933, reshoot_counts*normalization = 44099247.3
original average = 0.00 x pos [mm], reshoot average = -0.13 x pos [m
3 × 10^6
2 × 10^6
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_e+___reshoot_key=X_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 50.0, reshoot_counts = 61.8
normalization = 0.933, reshoot_counts*normalization = 57.6
original average = -2.31 x pos [mm], reshoot average = -1.00 x pos [
2×10^1
10^1
6×10^0
4×10^0
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_gamma___reshoot_key=X_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 69891.6, reshoot_counts = 97666.5
normalization = 0.933, reshoot_counts*normalization = 91139.8
original average = 0.02 x pos [mm], reshoot average = -0.04 x pos [m
10^4
6×10^3
4×10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_mu-___reshoot_key=X_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.8, reshoot_counts = 4.8
normalization = 0.933, reshoot_counts*normalization = 4.4
original average = 7.06 x pos [mm], reshoot average = 13.88 x pos [r
10^1
6×10^0
4×10^0
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_mu+___reshoot_key=X_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.2, reshoot_counts = 6.2
normalization = 0.933, reshoot_counts*normalization = 5.8
original average = 11.32 x pos [mm], reshoot average = 16.46 x pos
10^1
6×10^0
4×10^0
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_pi-___reshoot_key=X_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 35.4, reshoot_counts = 54.5
normalization = 0.933, reshoot_counts*normalization = 50.9
original average = 2.36 x pos [mm], reshoot average = 0.81 x pos [m
counts [1/mm]
x pos [mm]
2×10^1
10^1
6×10^0
4×10^0
−400
−200
0
200
400



original_key=X_wide_100_pi+___reshoot_key=X_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 31.9, reshoot_counts = 41.0
normalization = 0.933, reshoot_counts*normalization = 38.3
original average = -1.77 x pos [mm], reshoot average = -5.37 x pos [
counts [1/mm]
x pos [mm]
2×10^1
10^1
6×10^0
4×10^0
−400
−200
0
200
400



original_key=Y_wide_100_0___reshoot_key=Y_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1889806.4, reshoot_counts = 2003616.8
normalization = 0.933, reshoot_counts*normalization = 1869721.9
original average = -0.02 y pos [mm], reshoot average = -0.15 y pos [
counts [1/mm]
10^5
6×10^4
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_1___reshoot_key=Y_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1621261.6, reshoot_counts = 1715283.2
normalization = 0.933, reshoot_counts*normalization = 1600656.8
original average = -0.02 y pos [mm], reshoot average = -0.14 y pos [
10^5
6×10^4
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_2___reshoot_key=Y_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 729172.1, reshoot_counts = 773710.5
normalization = 0.933, reshoot_counts*normalization = 722006.1
original average = 0.01 y pos [mm], reshoot average = -0.14 y pos [m
counts [1/mm]
4 × 10^4
3 × 10^4
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_3___reshoot_key=Y_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 33694.1, reshoot_counts = 35651.5
normalization = 0.933, reshoot_counts*normalization = 33269.0
original average = 0.04 y pos [mm], reshoot average = -0.08 y pos [m
2×10^3
10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_4___reshoot_key=Y_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12480.1, reshoot_counts = 13158.5
normalization = 0.933, reshoot_counts*normalization = 12279.2
original average = -0.11 y pos [mm], reshoot average = -0.38 y pos [
counts [1/mm]
6×10^2
4×10^2
3×10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_5___reshoot_key=Y_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 14257.9, reshoot_counts = 15142.8
normalization = 0.933, reshoot_counts*normalization = 14130.8
original average = -0.02 y pos [mm], reshoot average = -0.06 y pos [
counts [1/mm]
6×10^2
4×10^2
3×10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_6___reshoot_key=Y_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34194.8, reshoot_counts = 36456.2
normalization = 0.933, reshoot_counts*normalization = 34020.0
original average = -0.11 y pos [mm], reshoot average = -0.12 y pos [
2×10^3
10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_7___reshoot_key=Y_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26176.9, reshoot_counts = 27877.5
normalization = 0.933, reshoot_counts*normalization = 26014.5
original average = 0.01 y pos [mm], reshoot average = -0.21 y pos [m
10^3
6×10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_8___reshoot_key=Y_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 18240.8, reshoot_counts = 19493.2
normalization = 0.933, reshoot_counts*normalization = 18190.6
original average = 0.05 y pos [mm], reshoot average = -0.15 y pos [m
counts [1/mm]
10^3
6×10^2
4×10^2
3×10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_9___reshoot_key=Y_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10758.6, reshoot_counts = 11496.8
normalization = 0.933, reshoot_counts*normalization = 10728.5
original average = 0.18 y pos [mm], reshoot average = 0.12 y pos [m
counts [1/mm]
y pos [mm]
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
−400
−200
0
200
400



original_key=Y_wide_100_10___reshoot_key=Y_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 23753.8, reshoot_counts = 25217.8
normalization = 0.933, reshoot_counts*normalization = 23532.5
original average = 0.08 y pos [mm], reshoot average = 0.01 y pos [m
10^3
6×10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_11___reshoot_key=Y_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26399.2, reshoot_counts = 28167.2
normalization = 0.933, reshoot_counts*normalization = 26284.9
original average = -0.06 y pos [mm], reshoot average = -0.10 y pos [
counts [1/mm]
10^3
6×10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_12___reshoot_key=Y_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 35650.2, reshoot_counts = 37914.8
normalization = 0.933, reshoot_counts*normalization = 35381.0
original average = 0.19 y pos [mm], reshoot average = -0.01 y pos [m
2×10^3
10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_13___reshoot_key=Y_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 32337.0, reshoot_counts = 34442.5
normalization = 0.933, reshoot_counts*normalization = 32140.8
original average = 0.06 y pos [mm], reshoot average = -0.12 y pos [m
2×10^3
10^3
6×10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_14___reshoot_key=Y_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 54031.0, reshoot_counts = 57647.8
normalization = 0.933, reshoot_counts*normalization = 53795.3
original average = -0.02 y pos [mm], reshoot average = -0.14 y pos [
3×10^3
2×10^3
10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_15___reshoot_key=Y_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 41220.9, reshoot_counts = 43934.2
normalization = 0.933, reshoot_counts*normalization = 40998.3
original average = -0.02 y pos [mm], reshoot average = -0.15 y pos [
2×10^3
10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_16___reshoot_key=Y_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 43428.8, reshoot_counts = 46420.5
normalization = 0.933, reshoot_counts*normalization = 43318.4
original average = -0.00 y pos [mm], reshoot average = -0.18 y pos [
2×10^3
10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_17___reshoot_key=Y_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 44049.9, reshoot_counts = 47064.5
normalization = 0.933, reshoot_counts*normalization = 43919.3
original average = 0.08 y pos [mm], reshoot average = -0.04 y pos [m
2×10^3
10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_18___reshoot_key=Y_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 45132.4, reshoot_counts = 48113.8
normalization = 0.933, reshoot_counts*normalization = 44898.5
original average = -0.04 y pos [mm], reshoot average = -0.21 y pos [
3×10^3
2×10^3
10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_19___reshoot_key=Y_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 49036.6, reshoot_counts = 52218.5
normalization = 0.933, reshoot_counts*normalization = 48728.9
original average = -0.04 y pos [mm], reshoot average = -0.19 y pos [
3×10^3
2×10^3
10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_20___reshoot_key=Y_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 65180.8, reshoot_counts = 69563.5
normalization = 0.933, reshoot_counts*normalization = 64914.8
original average = -0.07 y pos [mm], reshoot average = -0.21 y pos [
counts [1/mm]
y pos [mm]
4×10^3
3×10^3
2×10^3
10^3
−400
−200
0
200
400



original_key=Y_wide_100_21___reshoot_key=Y_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 71586.1, reshoot_counts = 76434.2
normalization = 0.933, reshoot_counts*normalization = 71326.4
original average = -0.00 y pos [mm], reshoot average = -0.17 y pos [
counts [1/mm]
y pos [mm]
4×10^3
3×10^3
2×10^3
10^3
−400
−200
0
200
400



original_key=Y_wide_100_22___reshoot_key=Y_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 120185.2, reshoot_counts = 128590.5
normalization = 0.933, reshoot_counts*normalization = 119997.2
original average = 0.03 y pos [mm], reshoot average = -0.13 y pos [m
counts [1/mm]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_23___reshoot_key=Y_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 153382.9, reshoot_counts = 163922.0
normalization = 0.933, reshoot_counts*normalization = 152967.7
original average = -0.00 y pos [mm], reshoot average = -0.16 y pos [
counts [1/mm]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_24___reshoot_key=Y_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 217050.4, reshoot_counts = 232074.2
normalization = 0.933, reshoot_counts*normalization = 216565.5
original average = -0.02 y pos [mm], reshoot average = -0.17 y pos [
10^4
6×10^3
4×10^3
3×10^3
2×10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_25___reshoot_key=Y_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 281823.4, reshoot_counts = 301343.0
normalization = 0.933, reshoot_counts*normalization = 281205.3
original average = -0.06 y pos [mm], reshoot average = -0.18 y pos [
counts [1/mm]
10^4
6×10^3
4×10^3
3×10^3
2×10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_26___reshoot_key=Y_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4990900.4, reshoot_counts = 5349919.2
normalization = 0.933, reshoot_counts*normalization = 4992402.5
original average = -0.00 y pos [mm], reshoot average = -0.12 y pos [
10^5
10^4
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_e-___reshoot_key=Y_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 44411373.1, reshoot_counts = 47257290.0
normalization = 0.933, reshoot_counts*normalization = 44099247.3
original average = -0.01 y pos [mm], reshoot average = -0.14 y pos [
2×10^6
10^6
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_e+___reshoot_key=Y_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 67.1, reshoot_counts = 61.8
normalization = 0.933, reshoot_counts*normalization = 57.6
original average = 0.18 y pos [mm], reshoot average = 3.95 y pos [m
2×10^1
10^1
6×10^0
4×10^0
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_100_gamma___reshoot_key=Y_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 92271.4, reshoot_counts = 97666.5
normalization = 0.933, reshoot_counts*normalization = 91139.8
original average = -0.01 y pos [mm], reshoot average = -0.17 y pos [
6 × 10^3
4 × 10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_100_mu-___reshoot_key=Y_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.0, reshoot_counts = 4.8
normalization = 0.933, reshoot_counts*normalization = 4.4
original average = -1.21 y pos [mm], reshoot average = -1.20 y pos [
counts [1/mm]
10^1
6×10^0
4×10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_100_mu+___reshoot_key=Y_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.5, reshoot_counts = 6.2
normalization = 0.933, reshoot_counts*normalization = 5.8
original average = -13.28 y pos [mm], reshoot average = -15.36 y pos
counts [1/mm]
10^1
6×10^0
4×10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_100_pi-___reshoot_key=Y_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 47.2, reshoot_counts = 54.5
normalization = 0.933, reshoot_counts*normalization = 50.9
original average = 1.94 y pos [mm], reshoot average = 0.10 y pos [m
counts [1/mm]
y pos [mm]
2×10^1
10^1
6×10^0
4×10^0
−400
−200
0
200
400


original_key=Y_wide_100_pi+___reshoot_key=Y_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 38.6, reshoot_counts = 41.0
normalization = 0.933, reshoot_counts*normalization = 38.3
original average = 0.11 y pos [mm], reshoot average = 1.01 y pos [m
10^1
6×10^0
4×10^0
counts [1/mm]
−400
−200
0
200
400
y pos [mm]