






original_key=Theta_100_0___reshoot_key=Theta_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1156410.5, reshoot_counts = 397700.5
normalization = 0.335, reshoot_counts*normalization = 133120.2
original average = 0.05 Theta [rad], reshoot average = 0.05 Theta [ra
counts [1/rad]
Theta [rad]
10^9
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_1___reshoot_key=Theta_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 777023.9, reshoot_counts = 378527.4
normalization = 0.335, reshoot_counts*normalization = 126702.5
original average = 0.06 Theta [rad], reshoot average = 0.05 Theta [ra
counts [1/rad]
Theta [rad]
10^9
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_2___reshoot_key=Theta_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 459175.4, reshoot_counts = 150485.2
normalization = 0.335, reshoot_counts*normalization = 50371.1
original average = 0.05 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_3___reshoot_key=Theta_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 28028.4, reshoot_counts = 6565.4
normalization = 0.335, reshoot_counts*normalization = 2197.6
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_4___reshoot_key=Theta_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11812.6, reshoot_counts = 2537.5
normalization = 0.335, reshoot_counts*normalization = 849.3
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_5___reshoot_key=Theta_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 18920.1, reshoot_counts = 4056.9
normalization = 0.335, reshoot_counts*normalization = 1357.9
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_6___reshoot_key=Theta_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 49359.6, reshoot_counts = 9862.9
normalization = 0.335, reshoot_counts*normalization = 3301.3
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_7___reshoot_key=Theta_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 36598.7, reshoot_counts = 6645.2
normalization = 0.335, reshoot_counts*normalization = 2224.3
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_8___reshoot_key=Theta_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 20514.5, reshoot_counts = 3541.7
normalization = 0.335, reshoot_counts*normalization = 1185.5
original average = 0.04 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_9___reshoot_key=Theta_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12179.4, reshoot_counts = 2007.0
normalization = 0.335, reshoot_counts*normalization = 671.8
original average = 0.04 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_10___reshoot_key=Theta_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 25260.1, reshoot_counts = 4108.0
normalization = 0.335, reshoot_counts*normalization = 1375.1
original average = 0.04 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_11___reshoot_key=Theta_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 27399.1, reshoot_counts = 4324.6
normalization = 0.335, reshoot_counts*normalization = 1447.6
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_12___reshoot_key=Theta_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 37404.1, reshoot_counts = 5606.7
normalization = 0.335, reshoot_counts*normalization = 1876.7
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_13___reshoot_key=Theta_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 35485.5, reshoot_counts = 4952.5
normalization = 0.335, reshoot_counts*normalization = 1657.7
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_14___reshoot_key=Theta_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 64848.6, reshoot_counts = 8012.9
normalization = 0.335, reshoot_counts*normalization = 2682.1
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_15___reshoot_key=Theta_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 57298.2, reshoot_counts = 6064.7
normalization = 0.335, reshoot_counts*normalization = 2030.0
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_16___reshoot_key=Theta_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 70805.4, reshoot_counts = 6447.8
normalization = 0.335, reshoot_counts*normalization = 2158.2
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_17___reshoot_key=Theta_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 83092.9, reshoot_counts = 6344.1
normalization = 0.335, reshoot_counts*normalization = 2123.5
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_18___reshoot_key=Theta_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 97007.5, reshoot_counts = 6440.8
normalization = 0.335, reshoot_counts*normalization = 2155.9
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_19___reshoot_key=Theta_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 118265.6, reshoot_counts = 6764.9
normalization = 0.335, reshoot_counts*normalization = 2264.4
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_20___reshoot_key=Theta_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 170160.1, reshoot_counts = 8510.7
normalization = 0.335, reshoot_counts*normalization = 2848.7
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_21___reshoot_key=Theta_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 193850.9, reshoot_counts = 8510.0
normalization = 0.335, reshoot_counts*normalization = 2848.5
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_22___reshoot_key=Theta_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 320553.3, reshoot_counts = 12594.6
normalization = 0.335, reshoot_counts*normalization = 4215.7
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_23___reshoot_key=Theta_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 399694.1, reshoot_counts = 14169.9
normalization = 0.335, reshoot_counts*normalization = 4743.0
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_24___reshoot_key=Theta_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 569428.0, reshoot_counts = 18555.0
normalization = 0.335, reshoot_counts*normalization = 6210.8
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_25___reshoot_key=Theta_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 808139.5, reshoot_counts = 23881.0
normalization = 0.335, reshoot_counts*normalization = 7993.5
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_26___reshoot_key=Theta_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8961396.0, reshoot_counts = 235076.8
normalization = 0.335, reshoot_counts*normalization = 78686.0
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^9
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_e-___reshoot_key=Theta_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 727416.8, reshoot_counts = 2114496.8
normalization = 0.335, reshoot_counts*normalization = 707774.4
original average = 0.75 Theta [rad], reshoot average = 0.75 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_e+___reshoot_key=Theta_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 216.9, reshoot_counts = 179.7
normalization = 0.335, reshoot_counts*normalization = 60.2
original average = 0.08 Theta [rad], reshoot average = 0.07 Theta [ra
counts [1/rad]
Theta [rad]
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_gamma___reshoot_key=Theta_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34757.1, reshoot_counts = 20502.1
normalization = 0.335, reshoot_counts*normalization = 6862.6
original average = 0.10 Theta [rad], reshoot average = 0.09 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_mu-___reshoot_key=Theta_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 60.7, reshoot_counts = 85.1
normalization = 0.335, reshoot_counts*normalization = 28.5
original average = 0.09 Theta [rad], reshoot average = 0.08 Theta [ra
counts [1/rad]
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_mu+___reshoot_key=Theta_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 49.1, reshoot_counts = 60.8
normalization = 0.335, reshoot_counts*normalization = 20.3
original average = 0.08 Theta [rad], reshoot average = 0.07 Theta [ra
counts [1/rad]
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_pi-___reshoot_key=Theta_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2446.4, reshoot_counts = 1268.8
normalization = 0.335, reshoot_counts*normalization = 424.7
original average = 0.09 Theta [rad], reshoot average = 0.08 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_pi+___reshoot_key=Theta_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1908.4, reshoot_counts = 1048.1
normalization = 0.335, reshoot_counts*normalization = 350.8
original average = 0.09 Theta [rad], reshoot average = 0.09 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Phi_100_0___reshoot_key=Phi_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 226628.4, reshoot_counts = 677577.1
normalization = 0.335, reshoot_counts*normalization = 226801.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
10^7
6×10^6
4×10^6
3×10^6
2×10^6
0
1
2
3
4
5
6



original_key=Phi_100_1___reshoot_key=Phi_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 203106.2, reshoot_counts = 607009.3
normalization = 0.335, reshoot_counts*normalization = 203181.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
6 × 10^6
4 × 10^6
3 × 10^6
2 × 10^6
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_2___reshoot_key=Phi_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 87802.9, reshoot_counts = 262463.0
normalization = 0.335, reshoot_counts*normalization = 87852.9
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
4 × 10^6
3 × 10^6
2 × 10^6
10^6
6 × 10^5
0
1
2
3
4
5
6



original_key=Phi_100_3___reshoot_key=Phi_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4104.7, reshoot_counts = 12107.8
normalization = 0.335, reshoot_counts*normalization = 4052.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
2 × 10^5
10^5
6 × 10^4
4 × 10^4
3 × 10^4
0
1
2
3
4
5
6



original_key=Phi_100_4___reshoot_key=Phi_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1565.9, reshoot_counts = 4810.2
normalization = 0.335, reshoot_counts*normalization = 1610.1
original average = 3.15 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_100_5___reshoot_key=Phi_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2555.0, reshoot_counts = 7696.6
normalization = 0.335, reshoot_counts*normalization = 2576.2
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
10^5
6×10^4
4×10^4
3×10^4
2×10^4
0
1
2
3
4
5
6



original_key=Phi_100_6___reshoot_key=Phi_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6277.7, reshoot_counts = 18773.5
normalization = 0.335, reshoot_counts*normalization = 6284.0
original average = 3.15 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_100_7___reshoot_key=Phi_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4395.7, reshoot_counts = 12980.4
normalization = 0.335, reshoot_counts*normalization = 4344.9
original average = 3.13 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
2×10^5
10^5
6×10^4
4×10^4
3×10^4
0
1
2
3
4
5
6



original_key=Phi_100_8___reshoot_key=Phi_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2346.2, reshoot_counts = 7049.5
normalization = 0.335, reshoot_counts*normalization = 2359.7
original average = 3.14 Phi [rad], reshoot average = 3.13 Phi [rad]
counts [1/rad]
Phi [rad]
10^5
6×10^4
4×10^4
3×10^4
2×10^4
0
1
2
3
4
5
6



original_key=Phi_100_9___reshoot_key=Phi_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1368.4, reshoot_counts = 4080.0
normalization = 0.335, reshoot_counts*normalization = 1365.7
original average = 3.15 Phi [rad], reshoot average = 3.16 Phi [rad]
counts [1/rad]
Phi [rad]
6×10^4
4×10^4
3×10^4
2×10^4
10^4
0
1
2
3
4
5
6



original_key=Phi_100_10___reshoot_key=Phi_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2790.2, reshoot_counts = 8438.0
normalization = 0.335, reshoot_counts*normalization = 2824.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
10^5
6×10^4
4×10^4
3×10^4
2×10^4
0
1
2
3
4
5
6



original_key=Phi_100_11___reshoot_key=Phi_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2968.3, reshoot_counts = 8824.7
normalization = 0.335, reshoot_counts*normalization = 2953.8
original average = 3.15 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]
10^5
6×10^4
4×10^4
3×10^4
2×10^4
0
1
2
3
4
5
6



original_key=Phi_100_12___reshoot_key=Phi_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3888.6, reshoot_counts = 11912.9
normalization = 0.335, reshoot_counts*normalization = 3987.5
original average = 3.14 Phi [rad], reshoot average = 3.13 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_100_13___reshoot_key=Phi_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3533.9, reshoot_counts = 10417.1
normalization = 0.335, reshoot_counts*normalization = 3486.9
original average = 3.14 Phi [rad], reshoot average = 3.13 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_100_14___reshoot_key=Phi_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5759.6, reshoot_counts = 17649.9
normalization = 0.335, reshoot_counts*normalization = 5907.9
original average = 3.15 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]
2×10^5
10^5
6×10^4
4×10^4
0
1
2
3
4
5
6



original_key=Phi_100_15___reshoot_key=Phi_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4492.8, reshoot_counts = 13625.8
normalization = 0.335, reshoot_counts*normalization = 4560.9
original average = 3.15 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
2 × 10^5
10^5
6 × 10^4
4 × 10^4
3 × 10^4
0
1
2
3
4
5
6



original_key=Phi_100_16___reshoot_key=Phi_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4911.1, reshoot_counts = 14603.8
normalization = 0.335, reshoot_counts*normalization = 4888.3
original average = 3.15 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]
2×10^5
10^5
6×10^4
4×10^4
3×10^4
0
1
2
3
4
5
6



original_key=Phi_100_17___reshoot_key=Phi_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4899.9, reshoot_counts = 14732.6
normalization = 0.335, reshoot_counts*normalization = 4931.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
2×10^5
10^5
6×10^4
4×10^4
3×10^4
0
1
2
3
4
5
6



original_key=Phi_100_18___reshoot_key=Phi_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5069.2, reshoot_counts = 15043.1
normalization = 0.335, reshoot_counts*normalization = 5035.3
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]
2×10^5
10^5
6×10^4
4×10^4
3×10^4
0
1
2
3
4
5
6



original_key=Phi_100_19___reshoot_key=Phi_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5500.7, reshoot_counts = 16199.5
normalization = 0.335, reshoot_counts*normalization = 5422.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
2×10^5
10^5
6×10^4
4×10^4
0
1
2
3
4
5
6



original_key=Phi_100_20___reshoot_key=Phi_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6936.8, reshoot_counts = 20875.2
normalization = 0.335, reshoot_counts*normalization = 6987.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
3 × 10^5
2 × 10^5
10^5
6 × 10^4
4 × 10^4
0
1
2
3
4
5
6



original_key=Phi_100_21___reshoot_key=Phi_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7041.2, reshoot_counts = 21402.3
normalization = 0.335, reshoot_counts*normalization = 7163.9
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
3 × 10^5
2 × 10^5
10^5
6 × 10^4
4 × 10^4
0
1
2
3
4
5
6



original_key=Phi_100_22___reshoot_key=Phi_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10657.6, reshoot_counts = 31963.4
normalization = 0.335, reshoot_counts*normalization = 10698.9
original average = 3.15 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
4×10^5
3×10^5
2×10^5
10^5
0
1
2
3
4
5
6



original_key=Phi_100_23___reshoot_key=Phi_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12111.0, reshoot_counts = 36195.9
normalization = 0.335, reshoot_counts*normalization = 12115.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
4×10^5
3×10^5
2×10^5
10^5
0
1
2
3
4
5
6



original_key=Phi_100_24___reshoot_key=Phi_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16138.8, reshoot_counts = 47732.0
normalization = 0.335, reshoot_counts*normalization = 15977.1
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
6×10^5
4×10^5
3×10^5
2×10^5
10^5
0
1
2
3
4
5
6



original_key=Phi_100_25___reshoot_key=Phi_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 20830.1, reshoot_counts = 62399.4
normalization = 0.335, reshoot_counts*normalization = 20886.6
original average = 3.15 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_100_26___reshoot_key=Phi_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 205972.5, reshoot_counts = 617441.2
normalization = 0.335, reshoot_counts*normalization = 206672.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
6 × 10^6
4 × 10^6
3 × 10^6
2 × 10^6
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_e-___reshoot_key=Phi_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 929998.2, reshoot_counts = 2783024.2
normalization = 0.335, reshoot_counts*normalization = 931547.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_100_e+___reshoot_key=Phi_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 66.9, reshoot_counts = 264.3
normalization = 0.335, reshoot_counts*normalization = 88.5
original average = 3.17 Phi [rad], reshoot average = 3.12 Phi [rad]
counts [1/rad]
10^3
10^2
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_gamma___reshoot_key=Phi_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9892.2, reshoot_counts = 31759.5
normalization = 0.335, reshoot_counts*normalization = 10630.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
4×10^5
3×10^5
2×10^5
10^5
6×10^4
0
1
2
3
4
5
6



original_key=Phi_100_mu-___reshoot_key=Phi_1_mu-
original counts = 24.3, reshoot_counts = 128.2
normalization = 0.335, reshoot_counts*normalization = 42.9
original average = 3.09 Phi [rad], reshoot average = 3.13 Phi [rad]
counts [1/rad]
10^3
10^2
Phi [rad]
0
1
2
3
4
5
6
output PS * normalization
output PS
input PS
original average
reshoot average



original_key=Phi_100_mu+___reshoot_key=Phi_1_mu+
original counts = 14.5, reshoot_counts = 88.7
normalization = 0.335, reshoot_counts*normalization = 29.7
original average = 3.01 Phi [rad], reshoot average = 3.09 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
10^3
10^2
0
1
2
3
4
5
6



original_key=Phi_100_pi-___reshoot_key=Phi_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 673.2, reshoot_counts = 2003.4
normalization = 0.335, reshoot_counts*normalization = 670.6
original average = 3.15 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
0
1
2
3
4
5
6



original_key=Phi_100_pi+___reshoot_key=Phi_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 529.0, reshoot_counts = 1585.0
normalization = 0.335, reshoot_counts*normalization = 530.5
original average = 3.15 Phi [rad], reshoot average = 3.16 Phi [rad]
counts [1/rad]
Phi [rad]
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
0
1
2
3
4
5
6



original_key=Ekin_100_0___reshoot_key=EkinU_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9815675.5, reshoot_counts = 29317404.5
normalization = 0.335, reshoot_counts*normalization = 9813260.2
original average = 552.94 Ek [MeV/u], reshoot average = 553.00 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
10^5
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_1___reshoot_key=EkinU_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8805818.5, reshoot_counts = 26307586.5
normalization = 0.335, reshoot_counts*normalization = 8805799.7
original average = 541.45 Ek [MeV/u], reshoot average = 541.49 Ek [
counts [u/MeV]
Ek [MeV/u]
10^5
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_2___reshoot_key=EkinU_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3792363.5, reshoot_counts = 11326102.5
normalization = 0.335, reshoot_counts*normalization = 3791126.6
original average = 524.56 Ek [MeV/u], reshoot average = 524.59 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_3___reshoot_key=EkinU_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 176177.5, reshoot_counts = 526798.0
normalization = 0.335, reshoot_counts*normalization = 176332.3
original average = 513.74 Ek [MeV/u], reshoot average = 513.72 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_4___reshoot_key=EkinU_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 69531.5, reshoot_counts = 207130.5
normalization = 0.335, reshoot_counts*normalization = 69331.7
original average = 503.98 Ek [MeV/u], reshoot average = 503.82 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_5___reshoot_key=EkinU_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 110110.5, reshoot_counts = 329131.5
normalization = 0.335, reshoot_counts*normalization = 110168.5
original average = 486.18 Ek [MeV/u], reshoot average = 486.07 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_6___reshoot_key=EkinU_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 272880.5, reshoot_counts = 815316.0
normalization = 0.335, reshoot_counts*normalization = 272906.4
original average = 473.48 Ek [MeV/u], reshoot average = 473.60 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_7___reshoot_key=EkinU_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 188187.5, reshoot_counts = 562899.5
normalization = 0.335, reshoot_counts*normalization = 188416.4
original average = 468.46 Ek [MeV/u], reshoot average = 468.59 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_8___reshoot_key=EkinU_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 102375.5, reshoot_counts = 305648.0
normalization = 0.335, reshoot_counts*normalization = 102307.9
original average = 469.67 Ek [MeV/u], reshoot average = 469.81 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_9___reshoot_key=EkinU_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 58763.5, reshoot_counts = 175326.0
normalization = 0.335, reshoot_counts*normalization = 58685.9
original average = 468.42 Ek [MeV/u], reshoot average = 468.39 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_10___reshoot_key=EkinU_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 121281.0, reshoot_counts = 362341.0
normalization = 0.335, reshoot_counts*normalization = 121284.5
original average = 463.85 Ek [MeV/u], reshoot average = 463.94 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_11___reshoot_key=EkinU_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 129409.0, reshoot_counts = 386609.5
normalization = 0.335, reshoot_counts*normalization = 129407.8
original average = 461.44 Ek [MeV/u], reshoot average = 461.47 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_12___reshoot_key=EkinU_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 169770.0, reshoot_counts = 508205.0
normalization = 0.335, reshoot_counts*normalization = 170108.8
original average = 458.29 Ek [MeV/u], reshoot average = 458.22 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_13___reshoot_key=EkinU_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 152632.0, reshoot_counts = 456233.5
normalization = 0.335, reshoot_counts*normalization = 152712.6
original average = 456.67 Ek [MeV/u], reshoot average = 456.80 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_14___reshoot_key=EkinU_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 252000.0, reshoot_counts = 753331.0
normalization = 0.335, reshoot_counts*normalization = 252158.5
original average = 453.86 Ek [MeV/u], reshoot average = 453.85 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_15___reshoot_key=EkinU_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 194819.0, reshoot_counts = 583570.0
normalization = 0.335, reshoot_counts*normalization = 195335.3
original average = 453.68 Ek [MeV/u], reshoot average = 453.85 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_16___reshoot_key=EkinU_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 211508.5, reshoot_counts = 633580.0
normalization = 0.335, reshoot_counts*normalization = 212074.9
original average = 450.52 Ek [MeV/u], reshoot average = 450.67 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_17___reshoot_key=EkinU_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 213264.0, reshoot_counts = 637474.0
normalization = 0.335, reshoot_counts*normalization = 213378.3
original average = 448.93 Ek [MeV/u], reshoot average = 448.79 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_18___reshoot_key=EkinU_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 220898.0, reshoot_counts = 659916.5
normalization = 0.335, reshoot_counts*normalization = 220890.4
original average = 444.98 Ek [MeV/u], reshoot average = 444.91 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_19___reshoot_key=EkinU_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 236958.0, reshoot_counts = 707722.0
normalization = 0.335, reshoot_counts*normalization = 236892.1
original average = 442.84 Ek [MeV/u], reshoot average = 442.90 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_20___reshoot_key=EkinU_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 303784.0, reshoot_counts = 906286.0
normalization = 0.335, reshoot_counts*normalization = 303356.3
original average = 440.28 Ek [MeV/u], reshoot average = 440.41 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_21___reshoot_key=EkinU_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 308945.0, reshoot_counts = 923884.0
normalization = 0.335, reshoot_counts*normalization = 309246.8
original average = 438.65 Ek [MeV/u], reshoot average = 438.71 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_22___reshoot_key=EkinU_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 464802.0, reshoot_counts = 1387487.0
normalization = 0.335, reshoot_counts*normalization = 464426.2
original average = 434.72 Ek [MeV/u], reshoot average = 434.65 Ek [
counts [u/MeV]
Ek [MeV/u]
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_23___reshoot_key=EkinU_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 529999.0, reshoot_counts = 1584381.0
normalization = 0.335, reshoot_counts*normalization = 530331.5
original average = 433.11 Ek [MeV/u], reshoot average = 433.22 Ek [
counts [u/MeV]
Ek [MeV/u]
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_24___reshoot_key=EkinU_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 701455.0, reshoot_counts = 2095405.0
normalization = 0.335, reshoot_counts*normalization = 701383.9
original average = 430.41 Ek [MeV/u], reshoot average = 430.33 Ek [
counts [u/MeV]
Ek [MeV/u]
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_25___reshoot_key=EkinU_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 911053.0, reshoot_counts = 2720753.5
normalization = 0.335, reshoot_counts*normalization = 910703.5
original average = 430.54 Ek [MeV/u], reshoot average = 430.47 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_26___reshoot_key=EkinU_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9015279.0, reshoot_counts = 26931023.0
normalization = 0.335, reshoot_counts*normalization = 9014479.3
original average = 474.33 Ek [MeV/u], reshoot average = 474.37 Ek [
counts [u/MeV]
Ek [MeV/u]
10^5
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_e-___reshoot_key=EkinU_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3218078.4, reshoot_counts = 116480779.5
normalization = 0.335, reshoot_counts*normalization = 38988997.1
original average = 0.38 Ek [MeV/u], reshoot average = 0.65 Ek [MeV/u
counts [u/MeV]
Ek [MeV/u]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_e+___reshoot_key=EkinU_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 167.4, reshoot_counts = 11879.5
normalization = 0.335, reshoot_counts*normalization = 3976.4
original average = 35.39 Ek [MeV/u], reshoot average = 35.80 Ek [Me
counts [u/MeV]
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_gamma___reshoot_key=EkinU_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34348.8, reshoot_counts = 1325992.0
normalization = 0.335, reshoot_counts*normalization = 443842.3
original average = 4.15 Ek [MeV/u], reshoot average = 6.50 Ek [MeV/u]
counts [u/MeV]
Ek [MeV/u]
10^6
10^5
10^4
10^3
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_mu-___reshoot_key=EkinU_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 30.7, reshoot_counts = 5440.0
normalization = 0.335, reshoot_counts*normalization = 1820.9
original average = 56.04 Ek [MeV/u], reshoot average = 56.39 Ek [Me
counts [u/MeV]
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_mu+___reshoot_key=EkinU_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9.5, reshoot_counts = 3962.0
normalization = 0.335, reshoot_counts*normalization = 1326.2
original average = 50.39 Ek [MeV/u], reshoot average = 49.66 Ek [Me
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_pi-___reshoot_key=EkinU_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 56483.4, reshoot_counts = 86236.0
normalization = 0.335, reshoot_counts*normalization = 28865.3
original average = 286.55 Ek [MeV/u], reshoot average = 286.55 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_pi+___reshoot_key=EkinU_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 46228.5, reshoot_counts = 70867.0
normalization = 0.335, reshoot_counts*normalization = 23720.9
original average = 363.84 Ek [MeV/u], reshoot average = 364.81 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=X_100_0___reshoot_key=X_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2490487.5, reshoot_counts = 7329640.8
normalization = 0.335, reshoot_counts*normalization = 2453412.0
original average = -0.01 x pos [mm], reshoot average = -0.14 x pos [
counts [1/mm]
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_100_1___reshoot_key=X_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2236818.9, reshoot_counts = 6576950.2
normalization = 0.335, reshoot_counts*normalization = 2201467.9
original average = -0.01 x pos [mm], reshoot average = -0.14 x pos [
counts [1/mm]
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_100_2___reshoot_key=X_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 961148.4, reshoot_counts = 2831663.0
normalization = 0.335, reshoot_counts*normalization = 947827.6
original average = -0.01 x pos [mm], reshoot average = -0.15 x pos [
counts [1/mm]
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_100_3___reshoot_key=X_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 44608.0, reshoot_counts = 131705.2
normalization = 0.335, reshoot_counts*normalization = 44085.0
original average = 0.00 x pos [mm], reshoot average = -0.13 x pos [m
counts [1/mm]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_100_4___reshoot_key=X_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 17600.4, reshoot_counts = 51786.8
normalization = 0.335, reshoot_counts*normalization = 17334.3
original average = 0.01 x pos [mm], reshoot average = -0.05 x pos [m
counts [1/mm]
x pos [mm]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
−400
−200
0
200
400



original_key=X_100_5___reshoot_key=X_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 27861.1, reshoot_counts = 82288.5
normalization = 0.335, reshoot_counts*normalization = 27544.0
original average = 0.01 x pos [mm], reshoot average = -0.12 x pos [m
counts [1/mm]
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_100_6___reshoot_key=X_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 69076.8, reshoot_counts = 203843.8
normalization = 0.335, reshoot_counts*normalization = 68231.5
original average = -0.05 x pos [mm], reshoot average = -0.15 x pos [
counts [1/mm]
10^4
6×10^3
4×10^3
3×10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_100_7___reshoot_key=X_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 47615.6, reshoot_counts = 140731.0
normalization = 0.335, reshoot_counts*normalization = 47106.1
original average = -0.07 x pos [mm], reshoot average = -0.15 x pos [
counts [1/mm]
x pos [mm]
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400



original_key=X_100_8___reshoot_key=X_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 25888.4, reshoot_counts = 76414.0
normalization = 0.335, reshoot_counts*normalization = 25577.7
original average = 0.10 x pos [mm], reshoot average = -0.01 x pos [m
counts [1/mm]
4×10^3
3×10^3
2×10^3
10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_100_9___reshoot_key=X_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 14872.5, reshoot_counts = 43831.5
normalization = 0.335, reshoot_counts*normalization = 14671.5
original average = 0.03 x pos [mm], reshoot average = -0.06 x pos [m
counts [1/mm]
x pos [mm]
3 × 10^3
2 × 10^3
10^3
6 × 10^2
4 × 10^2
−400
−200
0
200
400



original_key=X_100_10___reshoot_key=X_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 30658.5, reshoot_counts = 90585.2
normalization = 0.335, reshoot_counts*normalization = 30321.1
original average = -0.07 x pos [mm], reshoot average = -0.19 x pos [
counts [1/mm]
x pos [mm]
6×10^3
4×10^3
3×10^3
2×10^3
10^3
−400
−200
0
200
400



original_key=X_100_11___reshoot_key=X_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 32731.1, reshoot_counts = 96652.5
normalization = 0.335, reshoot_counts*normalization = 32352.0
original average = -0.03 x pos [mm], reshoot average = -0.17 x pos [
counts [1/mm]
x pos [mm]
6×10^3
4×10^3
3×10^3
2×10^3
10^3
−400
−200
0
200
400



original_key=X_100_12___reshoot_key=X_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 42934.6, reshoot_counts = 127051.2
normalization = 0.335, reshoot_counts*normalization = 42527.2
original average = -0.03 x pos [mm], reshoot average = -0.13 x pos [
counts [1/mm]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_100_13___reshoot_key=X_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 38566.0, reshoot_counts = 114058.5
normalization = 0.335, reshoot_counts*normalization = 38178.2
original average = -0.01 x pos [mm], reshoot average = -0.07 x pos [
counts [1/mm]
6×10^3
4×10^3
3×10^3
2×10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_100_14___reshoot_key=X_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 63711.6, reshoot_counts = 188332.8
normalization = 0.335, reshoot_counts*normalization = 63039.6
original average = -0.05 x pos [mm], reshoot average = -0.17 x pos [
counts [1/mm]
10^4
6×10^3
4×10^3
3×10^3
2×10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_100_15___reshoot_key=X_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 49286.0, reshoot_counts = 145892.5
normalization = 0.335, reshoot_counts*normalization = 48833.8
original average = 0.07 x pos [mm], reshoot average = -0.03 x pos [m
counts [1/mm]
x pos [mm]
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400



original_key=X_100_16___reshoot_key=X_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 53463.5, reshoot_counts = 158395.0
normalization = 0.335, reshoot_counts*normalization = 53018.7
original average = -0.09 x pos [mm], reshoot average = -0.20 x pos [
counts [1/mm]
x pos [mm]
10^4
6×10^3
4×10^3
3×10^3
2×10^3
−400
−200
0
200
400



original_key=X_100_17___reshoot_key=X_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 53906.6, reshoot_counts = 159368.5
normalization = 0.335, reshoot_counts*normalization = 53344.6
original average = -0.03 x pos [mm], reshoot average = -0.17 x pos [
counts [1/mm]
x pos [mm]
10^4
6×10^3
4×10^3
3×10^3
2×10^3
−400
−200
0
200
400



original_key=X_100_18___reshoot_key=X_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 55840.6, reshoot_counts = 164979.2
normalization = 0.335, reshoot_counts*normalization = 55222.6
original average = -0.07 x pos [mm], reshoot average = -0.16 x pos [
10^4
6×10^3
4×10^3
3×10^3
2×10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_100_19___reshoot_key=X_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 59896.9, reshoot_counts = 176930.5
normalization = 0.335, reshoot_counts*normalization = 59223.0
original average = 0.04 x pos [mm], reshoot average = -0.07 x pos [m
10^4
6×10^3
4×10^3
3×10^3
2×10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_100_20___reshoot_key=X_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 76799.1, reshoot_counts = 226571.5
normalization = 0.335, reshoot_counts*normalization = 75839.1
original average = 0.02 x pos [mm], reshoot average = -0.12 x pos [m
counts [1/mm]
10^4
6×10^3
4×10^3
3×10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_100_21___reshoot_key=X_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 78117.1, reshoot_counts = 230971.0
normalization = 0.335, reshoot_counts*normalization = 77311.7
original average = 0.07 x pos [mm], reshoot average = -0.08 x pos [m
10^4
6×10^3
4×10^3
3×10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_100_22___reshoot_key=X_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 117521.1, reshoot_counts = 346871.8
normalization = 0.335, reshoot_counts*normalization = 116106.6
original average = 0.03 x pos [mm], reshoot average = -0.09 x pos [m
counts [1/mm]
2 × 10^4
10^4
6 × 10^3
4 × 10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_100_23___reshoot_key=X_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 134046.9, reshoot_counts = 396095.2
normalization = 0.335, reshoot_counts*normalization = 132582.9
original average = -0.00 x pos [mm], reshoot average = -0.12 x pos [
counts [1/mm]
2×10^4
10^4
6×10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_100_24___reshoot_key=X_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 177492.1, reshoot_counts = 523851.2
normalization = 0.335, reshoot_counts*normalization = 175346.0
original average = 0.02 x pos [mm], reshoot average = -0.08 x pos [m
counts [1/mm]
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_100_25___reshoot_key=X_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 230547.5, reshoot_counts = 680188.5
normalization = 0.335, reshoot_counts*normalization = 227675.9
original average = 0.02 x pos [mm], reshoot average = -0.10 x pos [m
counts [1/mm]
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_100_26___reshoot_key=X_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2295308.8, reshoot_counts = 6732756.2
normalization = 0.335, reshoot_counts*normalization = 2253620.0
original average = -0.00 x pos [mm], reshoot average = -0.13 x pos [
counts [1/mm]
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_100_e-___reshoot_key=X_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10348567.0, reshoot_counts = 30330899.2
normalization = 0.335, reshoot_counts*normalization = 10152502.0
original average = -0.01 x pos [mm], reshoot average = -0.14 x pos [
counts [1/mm]
10^6
10^5
10^4
10^3
10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_100_e+___reshoot_key=X_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 734.2, reshoot_counts = 3006.8
normalization = 0.335, reshoot_counts*normalization = 1006.4
original average = -0.62 x pos [mm], reshoot average = -0.90 x pos [
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_100_gamma___reshoot_key=X_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 110226.4, reshoot_counts = 346058.0
normalization = 0.335, reshoot_counts*normalization = 115834.2
original average = -0.01 x pos [mm], reshoot average = -0.18 x pos [
counts [1/mm]
x pos [mm]
10^0
10^1
10^2
10^3
10^4
−400
−200
0
200
400



original_key=X_100_mu-___reshoot_key=X_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 270.9, reshoot_counts = 1360.5
normalization = 0.335, reshoot_counts*normalization = 455.4
original average = 0.21 x pos [mm], reshoot average = 0.27 x pos [m
counts [1/mm]
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_100_mu+___reshoot_key=X_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 185.1, reshoot_counts = 993.5
normalization = 0.335, reshoot_counts*normalization = 332.5
original average = -0.61 x pos [mm], reshoot average = -0.43 x pos [
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_100_pi-___reshoot_key=X_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7372.8, reshoot_counts = 21559.0
normalization = 0.335, reshoot_counts*normalization = 7216.3
original average = 0.02 x pos [mm], reshoot average = -0.06 x pos [m
counts [1/mm]
10^3
6×10^2
4×10^2
3×10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_100_pi+___reshoot_key=X_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6022.8, reshoot_counts = 17716.8
normalization = 0.335, reshoot_counts*normalization = 5930.2
original average = -0.22 x pos [mm], reshoot average = -0.54 x pos [
counts [1/mm]
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=Y_100_0___reshoot_key=Y_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2490988.0, reshoot_counts = 7329640.8
normalization = 0.335, reshoot_counts*normalization = 2453412.0
original average = -0.00 y pos [mm], reshoot average = -0.13 y pos [
counts [1/mm]
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_1___reshoot_key=Y_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2236981.5, reshoot_counts = 6576950.2
normalization = 0.335, reshoot_counts*normalization = 2201467.9
original average = 0.00 y pos [mm], reshoot average = -0.13 y pos [m
counts [1/mm]
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_2___reshoot_key=Y_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 961106.8, reshoot_counts = 2831663.0
normalization = 0.335, reshoot_counts*normalization = 947827.6
original average = -0.01 y pos [mm], reshoot average = -0.13 y pos [
counts [1/mm]
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_3___reshoot_key=Y_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 44608.1, reshoot_counts = 131705.2
normalization = 0.335, reshoot_counts*normalization = 44085.0
original average = -0.02 y pos [mm], reshoot average = -0.13 y pos [
counts [1/mm]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_4___reshoot_key=Y_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 17595.4, reshoot_counts = 51786.8
normalization = 0.335, reshoot_counts*normalization = 17334.3
original average = -0.09 y pos [mm], reshoot average = -0.18 y pos [
counts [1/mm]
y pos [mm]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
−400
−200
0
200
400



original_key=Y_100_5___reshoot_key=Y_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 27865.2, reshoot_counts = 82288.5
normalization = 0.335, reshoot_counts*normalization = 27544.0
original average = 0.05 y pos [mm], reshoot average = -0.09 y pos [m
counts [1/mm]
y pos [mm]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
10^3
−400
−200
0
200
400



original_key=Y_100_6___reshoot_key=Y_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 69052.0, reshoot_counts = 203843.8
normalization = 0.335, reshoot_counts*normalization = 68231.5
original average = -0.06 y pos [mm], reshoot average = -0.16 y pos [
counts [1/mm]
y pos [mm]
10^0
10^1
10^2
10^3
10^4
−400
−200
0
200
400



original_key=Y_100_7___reshoot_key=Y_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 47595.0, reshoot_counts = 140731.0
normalization = 0.335, reshoot_counts*normalization = 47106.1
original average = -0.02 y pos [mm], reshoot average = -0.19 y pos [
counts [1/mm]
y pos [mm]
10^4
6×10^3
4×10^3
3×10^3
2×10^3
−400
−200
0
200
400



original_key=Y_100_8___reshoot_key=Y_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 25866.2, reshoot_counts = 76414.0
normalization = 0.335, reshoot_counts*normalization = 25577.7
original average = 0.06 y pos [mm], reshoot average = -0.00 y pos [m
counts [1/mm]
y pos [mm]
4×10^3
3×10^3
2×10^3
10^3
−400
−200
0
200
400



original_key=Y_100_9___reshoot_key=Y_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 14842.8, reshoot_counts = 43831.5
normalization = 0.335, reshoot_counts*normalization = 14671.5
original average = -0.09 y pos [mm], reshoot average = -0.20 y pos [
3×10^3
2×10^3
10^3
6×10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_10___reshoot_key=Y_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 30702.9, reshoot_counts = 90585.2
normalization = 0.335, reshoot_counts*normalization = 30321.1
original average = -0.01 y pos [mm], reshoot average = -0.08 y pos [
counts [1/mm]
y pos [mm]
6×10^3
4×10^3
3×10^3
2×10^3
10^3
−400
−200
0
200
400



original_key=Y_100_11___reshoot_key=Y_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 32723.5, reshoot_counts = 96652.5
normalization = 0.335, reshoot_counts*normalization = 32352.0
original average = -0.05 y pos [mm], reshoot average = -0.21 y pos [
counts [1/mm]
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_12___reshoot_key=Y_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 42907.8, reshoot_counts = 127051.2
normalization = 0.335, reshoot_counts*normalization = 42527.2
original average = -0.05 y pos [mm], reshoot average = -0.21 y pos [
counts [1/mm]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_13___reshoot_key=Y_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 38569.6, reshoot_counts = 114058.5
normalization = 0.335, reshoot_counts*normalization = 38178.2
original average = 0.01 y pos [mm], reshoot average = -0.15 y pos [m
counts [1/mm]
6×10^3
4×10^3
3×10^3
2×10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_14___reshoot_key=Y_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 63684.6, reshoot_counts = 188332.8
normalization = 0.335, reshoot_counts*normalization = 63039.6
original average = -0.01 y pos [mm], reshoot average = -0.16 y pos [
counts [1/mm]
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_15___reshoot_key=Y_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 49249.1, reshoot_counts = 145892.5
normalization = 0.335, reshoot_counts*normalization = 48833.8
original average = -0.04 y pos [mm], reshoot average = -0.11 y pos [
counts [1/mm]
y pos [mm]
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400



original_key=Y_100_16___reshoot_key=Y_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 53468.0, reshoot_counts = 158395.0
normalization = 0.335, reshoot_counts*normalization = 53018.7
original average = -0.03 y pos [mm], reshoot average = -0.22 y pos [r
10^4
6×10^3
4×10^3
3×10^3
2×10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_17___reshoot_key=Y_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 53901.4, reshoot_counts = 159368.5
normalization = 0.335, reshoot_counts*normalization = 53344.6
original average = 0.05 y pos [mm], reshoot average = -0.10 y pos [m
counts [1/mm]
y pos [mm]
10^4
6×10^3
4×10^3
3×10^3
2×10^3
−400
−200
0
200
400



original_key=Y_100_18___reshoot_key=Y_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 55845.0, reshoot_counts = 164979.2
normalization = 0.335, reshoot_counts*normalization = 55222.6
original average = -0.03 y pos [mm], reshoot average = -0.15 y pos [
10^4
6×10^3
4×10^3
3×10^3
2×10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_19___reshoot_key=Y_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 59869.9, reshoot_counts = 176930.5
normalization = 0.335, reshoot_counts*normalization = 59223.0
original average = 0.01 y pos [mm], reshoot average = -0.11 y pos [m
10^4
6×10^3
4×10^3
3×10^3
2×10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_20___reshoot_key=Y_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 76781.1, reshoot_counts = 226571.5
normalization = 0.335, reshoot_counts*normalization = 75839.1
original average = 0.04 y pos [mm], reshoot average = -0.14 y pos [m
counts [1/mm]
10^4
6×10^3
4×10^3
3×10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_21___reshoot_key=Y_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 78113.8, reshoot_counts = 230971.0
normalization = 0.335, reshoot_counts*normalization = 77311.7
original average = -0.02 y pos [mm], reshoot average = -0.13 y pos [
counts [1/mm]
10^4
6×10^3
4×10^3
3×10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_22___reshoot_key=Y_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 117557.5, reshoot_counts = 346871.8
normalization = 0.335, reshoot_counts*normalization = 116106.6
original average = 0.01 y pos [mm], reshoot average = -0.11 y pos [m
counts [1/mm]
y pos [mm]
2 × 10^4
10^4
6 × 10^3
4 × 10^3
−400
−200
0
200
400



original_key=Y_100_23___reshoot_key=Y_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 134011.9, reshoot_counts = 396095.2
normalization = 0.335, reshoot_counts*normalization = 132582.9
original average = -0.02 y pos [mm], reshoot average = -0.12 y pos [
2×10^4
10^4
6×10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_24___reshoot_key=Y_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 177449.6, reshoot_counts = 523851.2
normalization = 0.335, reshoot_counts*normalization = 175346.0
original average = -0.02 y pos [mm], reshoot average = -0.12 y pos [
3×10^4
2×10^4
10^4
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_25___reshoot_key=Y_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 230567.1, reshoot_counts = 680188.5
normalization = 0.335, reshoot_counts*normalization = 227675.9
original average = 0.00 y pos [mm], reshoot average = -0.15 y pos [m
counts [1/mm]
10^4
10^3
10^2
10^1
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_26___reshoot_key=Y_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2295679.8, reshoot_counts = 6732756.2
normalization = 0.335, reshoot_counts*normalization = 2253620.0
original average = -0.00 y pos [mm], reshoot average = -0.13 y pos [
counts [1/mm]
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_e-___reshoot_key=Y_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10348600.4, reshoot_counts = 30330899.2
normalization = 0.335, reshoot_counts*normalization = 10152502.0
original average = -0.01 y pos [mm], reshoot average = -0.14 y pos [
counts [1/mm]
10^6
10^5
10^4
10^3
10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_e+___reshoot_key=Y_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 734.5, reshoot_counts = 3006.8
normalization = 0.335, reshoot_counts*normalization = 1006.4
original average = 0.18 y pos [mm], reshoot average = -0.02 y pos [m
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_100_gamma___reshoot_key=Y_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 110162.8, reshoot_counts = 346058.0
normalization = 0.335, reshoot_counts*normalization = 115834.2
original average = 0.03 y pos [mm], reshoot average = -0.07 y pos [m
counts [1/mm]
2×10^4
10^4
6×10^3
−400
−200
0
200
400
y pos [mm]


original_key=Y_100_mu-___reshoot_key=Y_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 270.1, reshoot_counts = 1360.5
normalization = 0.335, reshoot_counts*normalization = 455.4
original average = -0.23 y pos [mm], reshoot average = -0.40 y pos [
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_100_mu+___reshoot_key=Y_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 183.2, reshoot_counts = 993.5
normalization = 0.335, reshoot_counts*normalization = 332.5
original average = 1.05 y pos [mm], reshoot average = 1.56 y pos [m
counts [1/mm]
10^2
10^1
−400
−200
0
200
400
y pos [mm]


original_key=Y_100_pi-___reshoot_key=Y_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7369.5, reshoot_counts = 21559.0
normalization = 0.335, reshoot_counts*normalization = 7216.3
original average = -0.18 y pos [mm], reshoot average = -0.35 y pos [
10^3
6×10^2
4×10^2
3×10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_100_pi+___reshoot_key=Y_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6039.2, reshoot_counts = 17716.8
normalization = 0.335, reshoot_counts*normalization = 5930.2
original average = -0.29 y pos [mm], reshoot average = -0.35 y pos [
counts [1/mm]
y pos [mm]
10^3
6×10^2
4×10^2
3×10^2
2×10^2
−400
−200
0
200
400