






original_key=Theta_wide_100_0___reshoot_key=Theta_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1483997.8, reshoot_counts = 444094.3
normalization = 0.489, reshoot_counts*normalization = 217004.3
original average = 0.06 Theta [rad], reshoot average = 0.05 Theta [ra
counts [1/rad]
Theta [rad]
10^9
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_1___reshoot_key=Theta_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1020369.9, reshoot_counts = 439373.3
normalization = 0.489, reshoot_counts*normalization = 214697.4
original average = 0.06 Theta [rad], reshoot average = 0.06 Theta [ra
counts [1/rad]
Theta [rad]
10^9
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_2___reshoot_key=Theta_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 583966.1, reshoot_counts = 159621.5
normalization = 0.489, reshoot_counts*normalization = 77998.2
original average = 0.05 Theta [rad], reshoot average = 0.05 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_3___reshoot_key=Theta_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 35230.5, reshoot_counts = 6750.5
normalization = 0.489, reshoot_counts*normalization = 3298.6
original average = 0.05 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_4___reshoot_key=Theta_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 14724.9, reshoot_counts = 2580.0
normalization = 0.489, reshoot_counts*normalization = 1260.7
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_5___reshoot_key=Theta_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 23585.4, reshoot_counts = 4144.7
normalization = 0.489, reshoot_counts*normalization = 2025.3
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_6___reshoot_key=Theta_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 61741.0, reshoot_counts = 9945.0
normalization = 0.489, reshoot_counts*normalization = 4859.6
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_7___reshoot_key=Theta_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 45579.8, reshoot_counts = 6611.5
normalization = 0.489, reshoot_counts*normalization = 3230.7
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_8___reshoot_key=Theta_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 25630.6, reshoot_counts = 3476.7
normalization = 0.489, reshoot_counts*normalization = 1698.9
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_9___reshoot_key=Theta_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 15133.2, reshoot_counts = 1968.9
normalization = 0.489, reshoot_counts*normalization = 962.1
original average = 0.04 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_10___reshoot_key=Theta_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 31354.1, reshoot_counts = 4002.7
normalization = 0.489, reshoot_counts*normalization = 1955.9
original average = 0.04 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_11___reshoot_key=Theta_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34005.8, reshoot_counts = 4204.3
normalization = 0.489, reshoot_counts*normalization = 2054.4
original average = 0.04 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_12___reshoot_key=Theta_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 46382.0, reshoot_counts = 5392.9
normalization = 0.489, reshoot_counts*normalization = 2635.2
original average = 0.04 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_13___reshoot_key=Theta_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 44081.4, reshoot_counts = 4742.2
normalization = 0.489, reshoot_counts*normalization = 2317.3
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_14___reshoot_key=Theta_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 80206.7, reshoot_counts = 7581.5
normalization = 0.489, reshoot_counts*normalization = 3704.7
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_15___reshoot_key=Theta_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 70631.2, reshoot_counts = 5661.5
normalization = 0.489, reshoot_counts*normalization = 2766.5
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_16___reshoot_key=Theta_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 87069.0, reshoot_counts = 5976.4
normalization = 0.489, reshoot_counts*normalization = 2920.3
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_17___reshoot_key=Theta_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 101764.1, reshoot_counts = 5834.0
normalization = 0.489, reshoot_counts*normalization = 2850.8
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_18___reshoot_key=Theta_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 118576.2, reshoot_counts = 5867.0
normalization = 0.489, reshoot_counts*normalization = 2866.9
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_19___reshoot_key=Theta_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 143752.7, reshoot_counts = 6081.5
normalization = 0.489, reshoot_counts*normalization = 2971.7
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_20___reshoot_key=Theta_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 206173.2, reshoot_counts = 7555.8
normalization = 0.489, reshoot_counts*normalization = 3692.1
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_21___reshoot_key=Theta_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 234416.7, reshoot_counts = 7423.9
normalization = 0.489, reshoot_counts*normalization = 3627.6
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_22___reshoot_key=Theta_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 385661.9, reshoot_counts = 10871.5
normalization = 0.489, reshoot_counts*normalization = 5312.3
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_23___reshoot_key=Theta_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 478727.2, reshoot_counts = 12044.9
normalization = 0.489, reshoot_counts*normalization = 5885.7
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_24___reshoot_key=Theta_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 679559.3, reshoot_counts = 15570.9
normalization = 0.489, reshoot_counts*normalization = 7608.6
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_25___reshoot_key=Theta_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 957166.6, reshoot_counts = 19697.7
normalization = 0.489, reshoot_counts*normalization = 9625.2
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_26___reshoot_key=Theta_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10266058.5, reshoot_counts = 184647.3
normalization = 0.489, reshoot_counts*normalization = 90226.9
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^9
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_e-___reshoot_key=Theta_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1076844.5, reshoot_counts = 2143718.1
normalization = 0.489, reshoot_counts*normalization = 1047516.4
original average = 0.74 Theta [rad], reshoot average = 0.74 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_e+___reshoot_key=Theta_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 309.1, reshoot_counts = 230.2
normalization = 0.489, reshoot_counts*normalization = 112.5
original average = 0.08 Theta [rad], reshoot average = 0.08 Theta [ra
counts [1/rad]
Theta [rad]
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_gamma___reshoot_key=Theta_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 47013.0, reshoot_counts = 25489.7
normalization = 0.489, reshoot_counts*normalization = 12455.4
original average = 0.10 Theta [rad], reshoot average = 0.10 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_mu-___reshoot_key=Theta_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 83.3, reshoot_counts = 99.3
normalization = 0.489, reshoot_counts*normalization = 48.5
original average = 0.10 Theta [rad], reshoot average = 0.09 Theta [ra
counts [1/rad]
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_mu+___reshoot_key=Theta_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 72.6, reshoot_counts = 75.8
normalization = 0.489, reshoot_counts*normalization = 37.1
original average = 0.09 Theta [rad], reshoot average = 0.07 Theta [ra
counts [1/rad]
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_pi-___reshoot_key=Theta_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3292.7, reshoot_counts = 1561.5
normalization = 0.489, reshoot_counts*normalization = 763.0
original average = 0.09 Theta [rad], reshoot average = 0.09 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_100_pi+___reshoot_key=Theta_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2589.7, reshoot_counts = 1305.9
normalization = 0.489, reshoot_counts*normalization = 638.1
original average = 0.10 Theta [rad], reshoot average = 0.09 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Phi_wide_100_0___reshoot_key=Phi_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 351163.1, reshoot_counts = 718722.5
normalization = 0.489, reshoot_counts*normalization = 351199.9
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^7
6×10^6
4×10^6
3×10^6
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_1___reshoot_key=Phi_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 328475.9, reshoot_counts = 672106.4
normalization = 0.489, reshoot_counts*normalization = 328421.2
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_wide_100_2___reshoot_key=Phi_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 130368.6, reshoot_counts = 266925.2
normalization = 0.489, reshoot_counts*normalization = 130431.6
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
3×10^6
2×10^6
10^6
0
1
2
3
4
5
6



original_key=Phi_wide_100_3___reshoot_key=Phi_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5909.7, reshoot_counts = 12047.4
normalization = 0.489, reshoot_counts*normalization = 5886.9
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
10^5
6×10^4
4×10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_4___reshoot_key=Phi_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2259.2, reshoot_counts = 4747.5
normalization = 0.489, reshoot_counts*normalization = 2319.9
original average = 3.15 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
0
1
2
3
4
5
6



original_key=Phi_wide_100_5___reshoot_key=Phi_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3656.5, reshoot_counts = 7537.5
normalization = 0.489, reshoot_counts*normalization = 3683.2
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^5
6×10^4
4×10^4
3×10^4
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_6___reshoot_key=Phi_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8896.5, reshoot_counts = 18329.7
normalization = 0.489, reshoot_counts*normalization = 8956.7
original average = 3.15 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
2×10^5
10^5
6×10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_7___reshoot_key=Phi_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6114.8, reshoot_counts = 12419.9
normalization = 0.489, reshoot_counts*normalization = 6068.9
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
10^5
6×10^4
4×10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_8___reshoot_key=Phi_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3288.8, reshoot_counts = 6626.9
normalization = 0.489, reshoot_counts*normalization = 3238.2
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
10^5
6×10^4
4×10^4
3×10^4
2×10^4
0
1
2
3
4
5
6



original_key=Phi_wide_100_9___reshoot_key=Phi_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1872.1, reshoot_counts = 3908.6
normalization = 0.489, reshoot_counts*normalization = 1909.9
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]
4×10^4
3×10^4
2×10^4
10^4
0
1
2
3
4
5
6



original_key=Phi_wide_100_10___reshoot_key=Phi_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3884.1, reshoot_counts = 7948.9
normalization = 0.489, reshoot_counts*normalization = 3884.2
original average = 3.15 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
10^5
6×10^4
4×10^4
3×10^4
0
1
2
3
4
5
6



original_key=Phi_wide_100_11___reshoot_key=Phi_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4079.4, reshoot_counts = 8497.4
normalization = 0.489, reshoot_counts*normalization = 4152.2
original average = 3.15 Phi [rad], reshoot average = 3.15 Phi [rad]
10^5
6×10^4
4×10^4
3×10^4
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_12___reshoot_key=Phi_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5308.7, reshoot_counts = 11061.3
normalization = 0.489, reshoot_counts*normalization = 5405.1
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^5
6×10^4
4×10^4
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_13___reshoot_key=Phi_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4785.5, reshoot_counts = 9729.2
normalization = 0.489, reshoot_counts*normalization = 4754.1
original average = 3.14 Phi [rad], reshoot average = 3.13 Phi [rad]
counts [1/rad]
Phi [rad]
10^5
6×10^4
4×10^4
3×10^4
0
1
2
3
4
5
6



original_key=Phi_wide_100_14___reshoot_key=Phi_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7752.8, reshoot_counts = 16311.0
normalization = 0.489, reshoot_counts*normalization = 7970.3
original average = 3.15 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
2×10^5
10^5
6×10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_15___reshoot_key=Phi_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5961.8, reshoot_counts = 12336.2
normalization = 0.489, reshoot_counts*normalization = 6028.0
original average = 3.15 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
10^5
6×10^4
4×10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_16___reshoot_key=Phi_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6494.8, reshoot_counts = 13231.7
normalization = 0.489, reshoot_counts*normalization = 6465.6
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
2×10^5
10^5
6×10^4
4×10^4
0
1
2
3
4
5
6



original_key=Phi_wide_100_17___reshoot_key=Phi_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6476.6, reshoot_counts = 13340.5
normalization = 0.489, reshoot_counts*normalization = 6518.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
10^5
6×10^4
4×10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_18___reshoot_key=Phi_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6599.8, reshoot_counts = 13413.8
normalization = 0.489, reshoot_counts*normalization = 6554.6
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]
2×10^5
10^5
6×10^4
4×10^4
0
1
2
3
4
5
6



original_key=Phi_wide_100_19___reshoot_key=Phi_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7093.0, reshoot_counts = 14286.3
normalization = 0.489, reshoot_counts*normalization = 6980.9
original average = 3.14 Phi [rad], reshoot average = 3.13 Phi [rad]
2×10^5
10^5
6×10^4
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_20___reshoot_key=Phi_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8832.5, reshoot_counts = 18077.7
normalization = 0.489, reshoot_counts*normalization = 8833.6
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
2×10^5
10^5
6×10^4
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_21___reshoot_key=Phi_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8927.9, reshoot_counts = 18442.2
normalization = 0.489, reshoot_counts*normalization = 9011.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
2×10^5
10^5
6×10^4
0
1
2
3
4
5
6



original_key=Phi_wide_100_22___reshoot_key=Phi_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13313.4, reshoot_counts = 27475.2
normalization = 0.489, reshoot_counts*normalization = 13425.6
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
4 × 10^5
3 × 10^5
2 × 10^5
10^5
0
1
2
3
4
5
6



original_key=Phi_wide_100_23___reshoot_key=Phi_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 14923.1, reshoot_counts = 30558.6
normalization = 0.489, reshoot_counts*normalization = 14932.3
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
4×10^5
3×10^5
2×10^5
10^5
0
1
2
3
4
5
6



original_key=Phi_wide_100_24___reshoot_key=Phi_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 19657.5, reshoot_counts = 39837.2
normalization = 0.489, reshoot_counts*normalization = 19466.3
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
4 × 10^5
3 × 10^5
2 × 10^5
0
1
2
3
4
5
6



original_key=Phi_wide_100_25___reshoot_key=Phi_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 25044.3, reshoot_counts = 51192.0
normalization = 0.489, reshoot_counts*normalization = 25014.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_wide_100_26___reshoot_key=Phi_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 236191.4, reshoot_counts = 484150.3
normalization = 0.489, reshoot_counts*normalization = 236577.5
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
6×10^6
4×10^6
3×10^6
2×10^6
0
1
2
3
4
5
6



original_key=Phi_wide_100_e-___reshoot_key=Phi_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1373843.2, reshoot_counts = 2811858.2
normalization = 0.489, reshoot_counts*normalization = 1373999.5
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
4×10^7
3×10^7
2×10^7
10^7
0
1
2
3
4
5
6



original_key=Phi_wide_100_e+___reshoot_key=Phi_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 117.4, reshoot_counts = 346.9
normalization = 0.489, reshoot_counts*normalization = 169.5
original average = 3.15 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
4 × 10^2
3 × 10^2
0
1
2
3
4
5
6



original_key=Phi_wide_100_gamma___reshoot_key=Phi_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 17043.6, reshoot_counts = 37344.1
normalization = 0.489, reshoot_counts*normalization = 18248.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_wide_100_mu-___reshoot_key=Phi_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 39.4, reshoot_counts = 137.8
normalization = 0.489, reshoot_counts*normalization = 67.3
original average = 3.09 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
10^3
10^2
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_mu+___reshoot_key=Phi_1_mu+
original counts = 26.4, reshoot_counts = 120.4
normalization = 0.489, reshoot_counts*normalization = 58.8
original average = 3.06 Phi [rad], reshoot average = 3.08 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
10^3
10^2
0
1
2
3
4
5
6



original_key=Phi_wide_100_pi-___reshoot_key=Phi_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1146.1, reshoot_counts = 2343.3
normalization = 0.489, reshoot_counts*normalization = 1145.0
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_wide_100_pi+___reshoot_key=Phi_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 924.4, reshoot_counts = 1915.5
normalization = 0.489, reshoot_counts*normalization = 936.0
original average = 3.15 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]
2×10^4
10^4
6×10^3
0
1
2
3
4
5
6



original_key=Ekin_wide_100_0___reshoot_key=EkinU_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 15411513.5, reshoot_counts = 31538535.5
normalization = 0.489, reshoot_counts*normalization = 15411136.7
original average = 550.76 Ek [MeV/u], reshoot average = 550.86 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
10^5
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_1___reshoot_key=EkinU_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 14421604.0, reshoot_counts = 29513445.5
normalization = 0.489, reshoot_counts*normalization = 14421587.3
original average = 539.26 Ek [MeV/u], reshoot average = 539.24 Ek [
counts [u/MeV]
Ek [MeV/u]
10^5
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_2___reshoot_key=EkinU_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5705269.0, reshoot_counts = 11675417.0
normalization = 0.489, reshoot_counts*normalization = 5705130.1
original average = 523.31 Ek [MeV/u], reshoot average = 523.35 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_3___reshoot_key=EkinU_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 257092.0, reshoot_counts = 525972.5
normalization = 0.489, reshoot_counts*normalization = 257013.6
original average = 513.02 Ek [MeV/u], reshoot average = 513.19 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_4___reshoot_key=EkinU_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 100310.5, reshoot_counts = 205034.5
normalization = 0.489, reshoot_counts*normalization = 100189.0
original average = 502.73 Ek [MeV/u], reshoot average = 502.81 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_5___reshoot_key=EkinU_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 159723.5, reshoot_counts = 327107.5
normalization = 0.489, reshoot_counts*normalization = 159839.3
original average = 485.49 Ek [MeV/u], reshoot average = 485.85 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_6___reshoot_key=EkinU_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 391116.5, reshoot_counts = 800406.5
normalization = 0.489, reshoot_counts*normalization = 391114.4
original average = 472.86 Ek [MeV/u], reshoot average = 472.89 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_7___reshoot_key=EkinU_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 266781.0, reshoot_counts = 546055.0
normalization = 0.489, reshoot_counts*normalization = 266826.9
original average = 468.00 Ek [MeV/u], reshoot average = 468.10 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_8___reshoot_key=EkinU_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 143868.0, reshoot_counts = 293811.0
normalization = 0.489, reshoot_counts*normalization = 143569.2
original average = 469.26 Ek [MeV/u], reshoot average = 469.45 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_9___reshoot_key=EkinU_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 82264.5, reshoot_counts = 168557.0
normalization = 0.489, reshoot_counts*normalization = 82364.5
original average = 467.90 Ek [MeV/u], reshoot average = 467.66 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_10___reshoot_key=EkinU_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 169092.0, reshoot_counts = 346661.0
normalization = 0.489, reshoot_counts*normalization = 169394.0
original average = 463.52 Ek [MeV/u], reshoot average = 463.56 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_11___reshoot_key=EkinU_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 180312.0, reshoot_counts = 368864.0
normalization = 0.489, reshoot_counts*normalization = 180243.4
original average = 461.03 Ek [MeV/u], reshoot average = 461.05 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_12___reshoot_key=EkinU_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 234700.0, reshoot_counts = 479827.0
normalization = 0.489, reshoot_counts*normalization = 234464.9
original average = 457.68 Ek [MeV/u], reshoot average = 457.75 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_13___reshoot_key=EkinU_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 210179.0, reshoot_counts = 429959.0
normalization = 0.489, reshoot_counts*normalization = 210097.2
original average = 456.10 Ek [MeV/u], reshoot average = 455.96 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_14___reshoot_key=EkinU_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 343520.0, reshoot_counts = 702440.0
normalization = 0.489, reshoot_counts*normalization = 343243.6
original average = 453.09 Ek [MeV/u], reshoot average = 453.05 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_15___reshoot_key=EkinU_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 263431.0, reshoot_counts = 537411.0
normalization = 0.489, reshoot_counts*normalization = 262603.0
original average = 452.72 Ek [MeV/u], reshoot average = 452.94 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_16___reshoot_key=EkinU_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 283394.0, reshoot_counts = 579428.0
normalization = 0.489, reshoot_counts*normalization = 283134.4
original average = 449.72 Ek [MeV/u], reshoot average = 449.73 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_17___reshoot_key=EkinU_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 282894.0, reshoot_counts = 579868.0
normalization = 0.489, reshoot_counts*normalization = 283349.4
original average = 447.98 Ek [MeV/u], reshoot average = 448.00 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_18___reshoot_key=EkinU_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 290404.0, reshoot_counts = 594325.0
normalization = 0.489, reshoot_counts*normalization = 290413.7
original average = 444.02 Ek [MeV/u], reshoot average = 444.03 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_19___reshoot_key=EkinU_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 308154.0, reshoot_counts = 630128.0
normalization = 0.489, reshoot_counts*normalization = 307908.7
original average = 441.68 Ek [MeV/u], reshoot average = 441.72 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_20___reshoot_key=EkinU_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 389542.0, reshoot_counts = 798226.0
normalization = 0.489, reshoot_counts*normalization = 390048.9
original average = 439.20 Ek [MeV/u], reshoot average = 439.27 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_21___reshoot_key=EkinU_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 392248.0, reshoot_counts = 800924.0
normalization = 0.489, reshoot_counts*normalization = 391367.2
original average = 437.67 Ek [MeV/u], reshoot average = 437.89 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_22___reshoot_key=EkinU_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 582642.0, reshoot_counts = 1191710.0
normalization = 0.489, reshoot_counts*normalization = 582322.7
original average = 433.70 Ek [MeV/u], reshoot average = 433.67 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_23___reshoot_key=EkinU_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 655739.0, reshoot_counts = 1342012.0
normalization = 0.489, reshoot_counts*normalization = 655767.0
original average = 431.98 Ek [MeV/u], reshoot average = 432.04 Ek [
counts [u/MeV]
Ek [MeV/u]
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_24___reshoot_key=EkinU_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 858084.0, reshoot_counts = 1754505.0
normalization = 0.489, reshoot_counts*normalization = 857329.5
original average = 429.34 Ek [MeV/u], reshoot average = 429.41 Ek [
counts [u/MeV]
Ek [MeV/u]
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_25___reshoot_key=EkinU_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1095808.0, reshoot_counts = 2241852.0
normalization = 0.489, reshoot_counts*normalization = 1095469.0
original average = 429.39 Ek [MeV/u], reshoot average = 429.43 Ek [
counts [u/MeV]
Ek [MeV/u]
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_26___reshoot_key=EkinU_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10338216.0, reshoot_counts = 21152458.5
normalization = 0.489, reshoot_counts*normalization = 10336035.8
original average = 473.60 Ek [MeV/u], reshoot average = 473.57 Ek [
counts [u/MeV]
Ek [MeV/u]
10^5
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_e-___reshoot_key=EkinU_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4781352.1, reshoot_counts = 118190799.0
normalization = 0.489, reshoot_counts*normalization = 57753302.0
original average = 0.38 Ek [MeV/u], reshoot average = 0.65 Ek [MeV/u
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_e+___reshoot_key=EkinU_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 297.4, reshoot_counts = 14640.5
normalization = 0.489, reshoot_counts*normalization = 7154.0
original average = 35.25 Ek [MeV/u], reshoot average = 35.46 Ek [Me
counts [u/MeV]
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_gamma___reshoot_key=EkinU_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 59998.9, reshoot_counts = 1588745.0
normalization = 0.489, reshoot_counts*normalization = 776331.7
original average = 4.13 Ek [MeV/u], reshoot average = 6.51 Ek [MeV/u
counts [u/MeV]
Ek [MeV/u]
10^6
10^5
10^4
10^3
10^2
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_100_mu-___reshoot_key=EkinU_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 50.1, reshoot_counts = 6214.0
normalization = 0.489, reshoot_counts*normalization = 3036.4
original average = 54.94 Ek [MeV/u], reshoot average = 55.19 Ek [Me
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_mu+___reshoot_key=EkinU_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 15.3, reshoot_counts = 4827.5
normalization = 0.489, reshoot_counts*normalization = 2358.9
original average = 49.80 Ek [MeV/u], reshoot average = 50.02 Ek [Me
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_pi-___reshoot_key=EkinU_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 98043.0, reshoot_counts = 102245.0
normalization = 0.489, reshoot_counts*normalization = 49961.5
original average = 287.05 Ek [MeV/u], reshoot average = 286.94 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_pi+___reshoot_key=EkinU_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 80984.4, reshoot_counts = 85207.5
normalization = 0.489, reshoot_counts*normalization = 41636.2
original average = 363.78 Ek [MeV/u], reshoot average = 363.24 Ek [
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=X_wide_100_0___reshoot_key=X_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3892010.8, reshoot_counts = 7884964.5
normalization = 0.489, reshoot_counts*normalization = 3852945.7
original average = -0.01 x pos [mm], reshoot average = -0.14 x pos [
4 × 10^5
3 × 10^5
2 × 10^5
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_1___reshoot_key=X_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3646033.9, reshoot_counts = 7378418.5
normalization = 0.489, reshoot_counts*normalization = 3605424.8
original average = -0.02 x pos [mm], reshoot average = -0.14 x pos [
4 × 10^5
3 × 10^5
2 × 10^5
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_2___reshoot_key=X_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1438610.6, reshoot_counts = 2918988.0
normalization = 0.489, reshoot_counts*normalization = 1426347.9
original average = 0.01 x pos [mm], reshoot average = -0.11 x pos [m
10^5
6×10^4
4×10^4
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_3___reshoot_key=X_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 64772.5, reshoot_counts = 131499.5
normalization = 0.489, reshoot_counts*normalization = 64256.5
original average = -0.02 x pos [mm], reshoot average = -0.19 x pos [
counts [1/mm]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_4___reshoot_key=X_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 25237.0, reshoot_counts = 51261.8
normalization = 0.489, reshoot_counts*normalization = 25048.8
original average = 0.03 x pos [mm], reshoot average = -0.13 x pos [m
counts [1/mm]
x pos [mm]
3 × 10^3
2 × 10^3
10^3
6 × 10^2
−400
−200
0
200
400



original_key=X_wide_100_5___reshoot_key=X_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 40232.8, reshoot_counts = 81782.2
normalization = 0.489, reshoot_counts*normalization = 39962.5
original average = -0.03 x pos [mm], reshoot average = -0.12 x pos [
counts [1/mm]
x pos [mm]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
−400
−200
0
200
400



original_key=X_wide_100_6___reshoot_key=X_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 98472.2, reshoot_counts = 200114.5
normalization = 0.489, reshoot_counts*normalization = 97784.9
original average = 0.05 x pos [mm], reshoot average = -0.08 x pos [m
counts [1/mm]
10^4
6×10^3
4×10^3
3×10^3
2×10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_7___reshoot_key=X_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 67100.9, reshoot_counts = 136520.0
normalization = 0.489, reshoot_counts*normalization = 66709.8
original average = -0.11 x pos [mm], reshoot average = -0.25 x pos [
counts [1/mm]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_8___reshoot_key=X_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 36209.6, reshoot_counts = 73453.8
normalization = 0.489, reshoot_counts*normalization = 35892.8
original average = 0.03 x pos [mm], reshoot average = 0.04 x pos [m
counts [1/mm]
x pos [mm]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
−400
−200
0
200
400



original_key=X_wide_100_9___reshoot_key=X_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 20678.8, reshoot_counts = 42139.2
normalization = 0.489, reshoot_counts*normalization = 20591.1
original average = 0.05 x pos [mm], reshoot average = -0.10 x pos [m
counts [1/mm]
2×10^3
10^3
6×10^2
4×10^2
3×10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_10___reshoot_key=X_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 42528.9, reshoot_counts = 86665.2
normalization = 0.489, reshoot_counts*normalization = 42348.5
original average = -0.11 x pos [mm], reshoot average = -0.26 x pos [
counts [1/mm]
x pos [mm]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
−400
−200
0
200
400



original_key=X_wide_100_11___reshoot_key=X_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 45345.9, reshoot_counts = 92216.2
normalization = 0.489, reshoot_counts*normalization = 45061.0
original average = -0.07 x pos [mm], reshoot average = -0.20 x pos [
counts [1/mm]
4×10^3
3×10^3
2×10^3
10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_12___reshoot_key=X_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 58998.9, reshoot_counts = 119956.8
normalization = 0.489, reshoot_counts*normalization = 58616.2
original average = -0.02 x pos [mm], reshoot average = -0.14 x pos [
counts [1/mm]
x pos [mm]
6×10^3
4×10^3
3×10^3
2×10^3
10^3
−400
−200
0
200
400



original_key=X_wide_100_13___reshoot_key=X_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 52820.6, reshoot_counts = 107489.8
normalization = 0.489, reshoot_counts*normalization = 52524.3
original average = -0.01 x pos [mm], reshoot average = -0.07 x pos [
counts [1/mm]
x pos [mm]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
10^3
−400
−200
0
200
400



original_key=X_wide_100_14___reshoot_key=X_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 86334.4, reshoot_counts = 175610.0
normalization = 0.489, reshoot_counts*normalization = 85810.9
original average = -0.10 x pos [mm], reshoot average = -0.20 x pos [
counts [1/mm]
x pos [mm]
10^4
6×10^3
4×10^3
3×10^3
2×10^3
−400
−200
0
200
400



original_key=X_wide_100_15___reshoot_key=X_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 66181.6, reshoot_counts = 134352.8
normalization = 0.489, reshoot_counts*normalization = 65650.8
original average = 0.06 x pos [mm], reshoot average = -0.03 x pos [m
counts [1/mm]
x pos [mm]
6×10^3
4×10^3
3×10^3
2×10^3
10^3
−400
−200
0
200
400



original_key=X_wide_100_16___reshoot_key=X_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 71170.1, reshoot_counts = 144857.2
normalization = 0.489, reshoot_counts*normalization = 70783.7
original average = -0.10 x pos [mm], reshoot average = -0.23 x pos [
counts [1/mm]
x pos [mm]
6×10^3
4×10^3
3×10^3
2×10^3
10^3
−400
−200
0
200
400



original_key=X_wide_100_17___reshoot_key=X_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 71029.5, reshoot_counts = 144967.0
normalization = 0.489, reshoot_counts*normalization = 70837.3
original average = -0.08 x pos [mm], reshoot average = -0.15 x pos [
counts [1/mm]
6×10^3
4×10^3
3×10^3
2×10^3
10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_18___reshoot_key=X_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 72874.6, reshoot_counts = 148581.2
normalization = 0.489, reshoot_counts*normalization = 72603.4
original average = -0.05 x pos [mm], reshoot average = -0.11 x pos [
counts [1/mm]
x pos [mm]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
10^3
−400
−200
0
200
400



original_key=X_wide_100_19___reshoot_key=X_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 77292.6, reshoot_counts = 157532.0
normalization = 0.489, reshoot_counts*normalization = 76977.2
original average = 0.01 x pos [mm], reshoot average = -0.18 x pos [m
counts [1/mm]
6×10^3
4×10^3
3×10^3
2×10^3
10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_20___reshoot_key=X_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 97652.5, reshoot_counts = 199556.5
normalization = 0.489, reshoot_counts*normalization = 97512.2
original average = -0.03 x pos [mm], reshoot average = -0.18 x pos [
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_21___reshoot_key=X_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 98329.5, reshoot_counts = 200231.0
normalization = 0.489, reshoot_counts*normalization = 97841.8
original average = 0.03 x pos [mm], reshoot average = -0.08 x pos [m
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_22___reshoot_key=X_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 145934.4, reshoot_counts = 297927.5
normalization = 0.489, reshoot_counts*normalization = 145580.7
original average = 0.03 x pos [mm], reshoot average = -0.12 x pos [m
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_23___reshoot_key=X_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 164213.1, reshoot_counts = 335503.0
normalization = 0.489, reshoot_counts*normalization = 163941.7
original average = 0.03 x pos [mm], reshoot average = -0.08 x pos [m
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_24___reshoot_key=X_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 214802.9, reshoot_counts = 438626.2
normalization = 0.489, reshoot_counts*normalization = 214332.4
original average = 0.02 x pos [mm], reshoot average = -0.12 x pos [m
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_25___reshoot_key=X_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 274169.2, reshoot_counts = 560463.0
normalization = 0.489, reshoot_counts*normalization = 273867.2
original average = 0.04 x pos [mm], reshoot average = -0.12 x pos [m
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_26___reshoot_key=X_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2584664.5, reshoot_counts = 5288114.8
normalization = 0.489, reshoot_counts*normalization = 2584009.0
original average = 0.00 x pos [mm], reshoot average = -0.11 x pos [m
counts [1/mm]
10^5
10^4
10^3
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_e-___reshoot_key=X_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12434714.5, reshoot_counts = 30750452.5
normalization = 0.489, reshoot_counts*normalization = 15026044.2
original average = -0.00 x pos [mm], reshoot average = -0.13 x pos [
2×10^6
10^6
6×10^5
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_e+___reshoot_key=X_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 984.2, reshoot_counts = 3712.2
normalization = 0.489, reshoot_counts*normalization = 1814.0
original average = -0.58 x pos [mm], reshoot average = -0.70 x pos [
counts [1/mm]
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_gamma___reshoot_key=X_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 144817.8, reshoot_counts = 414417.0
normalization = 0.489, reshoot_counts*normalization = 202502.7
original average = 0.00 x pos [mm], reshoot average = -0.13 x pos [m
counts [1/mm]
4×10^4
3×10^4
2×10^4
10^4
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_mu-___reshoot_key=X_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 350.4, reshoot_counts = 1554.0
normalization = 0.489, reshoot_counts*normalization = 759.4
original average = 0.46 x pos [mm], reshoot average = 0.66 x pos [m
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_mu+___reshoot_key=X_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 242.8, reshoot_counts = 1208.8
normalization = 0.489, reshoot_counts*normalization = 590.6
original average = -1.01 x pos [mm], reshoot average = -1.31 x pos [
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_pi-___reshoot_key=X_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9645.5, reshoot_counts = 25561.2
normalization = 0.489, reshoot_counts*normalization = 12490.4
original average = 0.05 x pos [mm], reshoot average = -0.07 x pos [m
2×10^3
10^3
6×10^2
4×10^2
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_pi+___reshoot_key=X_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7926.6, reshoot_counts = 21302.0
normalization = 0.489, reshoot_counts*normalization = 10409.1
original average = -0.14 x pos [mm], reshoot average = -0.27 x pos [
2×10^3
10^3
6×10^2
4×10^2
3×10^2
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=Y_wide_100_0___reshoot_key=Y_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3891950.6, reshoot_counts = 7884964.5
normalization = 0.489, reshoot_counts*normalization = 3852945.7
original average = -0.01 y pos [mm], reshoot average = -0.13 y pos [
counts [1/mm]
y pos [mm]
4 × 10^5
3 × 10^5
2 × 10^5
−400
−200
0
200
400



original_key=Y_wide_100_1___reshoot_key=Y_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3645771.8, reshoot_counts = 7378418.5
normalization = 0.489, reshoot_counts*normalization = 3605424.8
original average = -0.00 y pos [mm], reshoot average = -0.12 y pos [
4×10^5
3×10^5
2×10^5
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_2___reshoot_key=Y_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1438531.1, reshoot_counts = 2918988.0
normalization = 0.489, reshoot_counts*normalization = 1426347.9
original average = -0.01 y pos [mm], reshoot average = -0.14 y pos [
10^5
6×10^4
4×10^4
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_3___reshoot_key=Y_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 64786.5, reshoot_counts = 131499.5
normalization = 0.489, reshoot_counts*normalization = 64256.5
original average = -0.02 y pos [mm], reshoot average = -0.14 y pos [
counts [1/mm]
y pos [mm]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400



original_key=Y_wide_100_4___reshoot_key=Y_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 25265.6, reshoot_counts = 51261.8
normalization = 0.489, reshoot_counts*normalization = 25048.8
original average = -0.08 y pos [mm], reshoot average = -0.16 y pos [
3×10^3
2×10^3
10^3
6×10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_5___reshoot_key=Y_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 40201.0, reshoot_counts = 81782.2
normalization = 0.489, reshoot_counts*normalization = 39962.5
original average = 0.04 y pos [mm], reshoot average = -0.06 y pos [m
counts [1/mm]
y pos [mm]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
−400
−200
0
200
400



original_key=Y_wide_100_6___reshoot_key=Y_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 98446.5, reshoot_counts = 200114.5
normalization = 0.489, reshoot_counts*normalization = 97784.9
original average = -0.08 y pos [mm], reshoot average = -0.18 y pos [
10^4
6×10^3
4×10^3
3×10^3
2×10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_7___reshoot_key=Y_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 67142.8, reshoot_counts = 136520.0
normalization = 0.489, reshoot_counts*normalization = 66709.8
original average = -0.01 y pos [mm], reshoot average = -0.15 y pos [
counts [1/mm]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_8___reshoot_key=Y_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 36175.5, reshoot_counts = 73453.8
normalization = 0.489, reshoot_counts*normalization = 35892.8
original average = -0.02 y pos [mm], reshoot average = -0.17 y pos [
counts [1/mm]
y pos [mm]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
−400
−200
0
200
400



original_key=Y_wide_100_9___reshoot_key=Y_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 20685.9, reshoot_counts = 42139.2
normalization = 0.489, reshoot_counts*normalization = 20591.1
original average = 0.07 y pos [mm], reshoot average = -0.04 y pos [m
counts [1/mm]
2×10^3
10^3
6×10^2
4×10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_10___reshoot_key=Y_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 42531.0, reshoot_counts = 86665.2
normalization = 0.489, reshoot_counts*normalization = 42348.5
original average = 0.01 y pos [mm], reshoot average = -0.11 y pos [m
counts [1/mm]
y pos [mm]
4×10^3
3×10^3
2×10^3
10^3
−400
−200
0
200
400



original_key=Y_wide_100_11___reshoot_key=Y_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 45326.8, reshoot_counts = 92216.2
normalization = 0.489, reshoot_counts*normalization = 45061.0
original average = -0.04 y pos [mm], reshoot average = -0.15 y pos [
counts [1/mm]
4×10^3
3×10^3
2×10^3
10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_12___reshoot_key=Y_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 58984.2, reshoot_counts = 119956.8
normalization = 0.489, reshoot_counts*normalization = 58616.2
original average = -0.09 y pos [mm], reshoot average = -0.27 y pos [
counts [1/mm]
y pos [mm]
6×10^3
4×10^3
3×10^3
2×10^3
10^3
−400
−200
0
200
400



original_key=Y_wide_100_13___reshoot_key=Y_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 52845.0, reshoot_counts = 107489.8
normalization = 0.489, reshoot_counts*normalization = 52524.3
original average = 0.02 y pos [mm], reshoot average = -0.06 y pos [m
counts [1/mm]
y pos [mm]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
10^3
−400
−200
0
200
400



original_key=Y_wide_100_14___reshoot_key=Y_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 86334.1, reshoot_counts = 175610.0
normalization = 0.489, reshoot_counts*normalization = 85810.9
original average = 0.02 y pos [mm], reshoot average = -0.13 y pos [m
counts [1/mm]
y pos [mm]
10^4
6×10^3
4×10^3
3×10^3
2×10^3
−400
−200
0
200
400



original_key=Y_wide_100_15___reshoot_key=Y_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 66191.4, reshoot_counts = 134352.8
normalization = 0.489, reshoot_counts*normalization = 65650.8
original average = -0.09 y pos [mm], reshoot average = -0.25 y pos [
counts [1/mm]
y pos [mm]
6×10^3
4×10^3
3×10^3
2×10^3
10^3
−400
−200
0
200
400



original_key=Y_wide_100_16___reshoot_key=Y_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 71118.1, reshoot_counts = 144857.2
normalization = 0.489, reshoot_counts*normalization = 70783.7
original average = 0.01 y pos [mm], reshoot average = -0.18 y pos [m
counts [1/mm]
y pos [mm]
6×10^3
4×10^3
3×10^3
2×10^3
10^3
−400
−200
0
200
400



original_key=Y_wide_100_17___reshoot_key=Y_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 71027.9, reshoot_counts = 144967.0
normalization = 0.489, reshoot_counts*normalization = 70837.3
original average = 0.05 y pos [mm], reshoot average = -0.07 y pos [m
counts [1/mm]
y pos [mm]
6×10^3
4×10^3
3×10^3
2×10^3
10^3
−400
−200
0
200
400



original_key=Y_wide_100_18___reshoot_key=Y_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 72881.4, reshoot_counts = 148581.2
normalization = 0.489, reshoot_counts*normalization = 72603.4
original average = 0.01 y pos [mm], reshoot average = -0.12 y pos [m
counts [1/mm]
6×10^3
4×10^3
3×10^3
2×10^3
10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_19___reshoot_key=Y_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 77285.4, reshoot_counts = 157532.0
normalization = 0.489, reshoot_counts*normalization = 76977.2
original average = 0.01 y pos [mm], reshoot average = -0.08 y pos [m
counts [1/mm]
y pos [mm]
6×10^3
4×10^3
3×10^3
2×10^3
10^3
−400
−200
0
200
400



original_key=Y_wide_100_20___reshoot_key=Y_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 97653.5, reshoot_counts = 199556.5
normalization = 0.489, reshoot_counts*normalization = 97512.2
original average = 0.02 y pos [mm], reshoot average = -0.12 y pos [m
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_21___reshoot_key=Y_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 98299.9, reshoot_counts = 200231.0
normalization = 0.489, reshoot_counts*normalization = 97841.8
original average = -0.04 y pos [mm], reshoot average = -0.16 y pos [
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_22___reshoot_key=Y_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 145933.8, reshoot_counts = 297927.5
normalization = 0.489, reshoot_counts*normalization = 145580.7
original average = 0.05 y pos [mm], reshoot average = -0.05 y pos [m
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_23___reshoot_key=Y_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 164229.4, reshoot_counts = 335503.0
normalization = 0.489, reshoot_counts*normalization = 163941.7
original average = -0.03 y pos [mm], reshoot average = -0.15 y pos [
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_24___reshoot_key=Y_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 214781.0, reshoot_counts = 438626.2
normalization = 0.489, reshoot_counts*normalization = 214332.4
original average = -0.04 y pos [mm], reshoot average = -0.16 y pos [
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_25___reshoot_key=Y_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 274179.9, reshoot_counts = 560463.0
normalization = 0.489, reshoot_counts*normalization = 273867.2
original average = 0.02 y pos [mm], reshoot average = -0.09 y pos [m
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_26___reshoot_key=Y_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2584664.0, reshoot_counts = 5288114.8
normalization = 0.489, reshoot_counts*normalization = 2584009.0
original average = 0.00 y pos [mm], reshoot average = -0.12 y pos [m
counts [1/mm]
10^5
10^4
10^3
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_e-___reshoot_key=Y_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 15170373.8, reshoot_counts = 30750452.5
normalization = 0.489, reshoot_counts*normalization = 15026044.2
original average = -0.01 y pos [mm], reshoot average = -0.14 y pos [
10^6
6×10^5
4×10^5
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_e+___reshoot_key=Y_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1308.0, reshoot_counts = 3712.2
normalization = 0.489, reshoot_counts*normalization = 1814.0
original average = -0.18 y pos [mm], reshoot average = -0.40 y pos [
counts [1/mm]
y pos [mm]
3 × 10^2
2 × 10^2
10^2
6 × 10^1
4 × 10^1
3 × 10^1
2 × 10^1
−400
−200
0
200
400


original_key=Y_wide_100_gamma___reshoot_key=Y_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 191699.5, reshoot_counts = 414417.0
normalization = 0.489, reshoot_counts*normalization = 202502.7
original average = 0.03 y pos [mm], reshoot average = -0.10 y pos [m
3×10^4
2×10^4
10^4
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_100_mu-___reshoot_key=Y_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 455.6, reshoot_counts = 1554.0
normalization = 0.489, reshoot_counts*normalization = 759.4
original average = 0.13 y pos [mm], reshoot average = -0.02 y pos [m
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_100_mu+___reshoot_key=Y_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 311.8, reshoot_counts = 1208.8
normalization = 0.489, reshoot_counts*normalization = 590.6
original average = 0.19 y pos [mm], reshoot average = 0.56 y pos [m
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_100_pi-___reshoot_key=Y_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12726.1, reshoot_counts = 25561.2
normalization = 0.489, reshoot_counts*normalization = 12490.4
original average = -0.02 y pos [mm], reshoot average = 0.07 y pos [m
2×10^3
10^3
6×10^2
4×10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_100_pi+___reshoot_key=Y_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10490.8, reshoot_counts = 21302.0
normalization = 0.489, reshoot_counts*normalization = 10409.1
original average = -0.26 y pos [mm], reshoot average = -0.18 y pos [
10^3
6×10^2
4×10^2
3×10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]