






original_key=Theta_wide_100_0___reshoot_key=Theta_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 368373885.0, reshoot_counts = 163533393.0
normalization = 2.209, reshoot_counts*normalization = 361289805.1
original average = 0.10 Theta [rad], reshoot average = 0.10 Theta [ra
10^8
10^7
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_1___reshoot_key=Theta_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 150344203.0, reshoot_counts = 68051457.0
normalization = 2.209, reshoot_counts*normalization = 150344203.0
original average = 0.10 Theta [rad], reshoot average = 0.10 Theta [ra
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_2___reshoot_key=Theta_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24624657.0, reshoot_counts = 11290962.0
normalization = 2.209, reshoot_counts*normalization = 24944810.3
original average = 0.09 Theta [rad], reshoot average = 0.09 Theta [ra
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_3___reshoot_key=Theta_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 587487.0, reshoot_counts = 269933.0
normalization = 2.209, reshoot_counts*normalization = 596355.5
original average = 0.08 Theta [rad], reshoot average = 0.08 Theta [ra
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_4___reshoot_key=Theta_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12574.0, reshoot_counts = 5768.0
normalization = 2.209, reshoot_counts*normalization = 12743.1
original average = 0.08 Theta [rad], reshoot average = 0.08 Theta [ra
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_5___reshoot_key=Theta_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 509.0, reshoot_counts = 226.0
normalization = 2.209, reshoot_counts*normalization = 499.3
original average = 0.53 Theta [rad], reshoot average = 0.50 Theta [ra
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_6___reshoot_key=Theta_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 834.0, reshoot_counts = 343.0
normalization = 2.209, reshoot_counts*normalization = 757.8
original average = 0.83 Theta [rad], reshoot average = 0.72 Theta [ra
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_7___reshoot_key=Theta_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 587.0, reshoot_counts = 142.0
normalization = 2.209, reshoot_counts*normalization = 313.7
original average = 1.06 Theta [rad], reshoot average = 0.67 Theta [ra
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_8___reshoot_key=Theta_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 192.0, reshoot_counts = 41.0
normalization = 2.209, reshoot_counts*normalization = 90.6
original average = 0.94 Theta [rad], reshoot average = 0.48 Theta [ra
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_9___reshoot_key=Theta_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 30.0, reshoot_counts = 13.0
normalization = 2.209, reshoot_counts*normalization = 28.7
original average = 0.22 Theta [rad], reshoot average = 0.15 Theta [ra
6×10^0
4×10^0
3×10^0
2×10^0
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_10___reshoot_key=Theta_1_10
10^1
10^0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24.0, reshoot_counts = 9.0
normalization = 2.209, reshoot_counts*normalization = 19.9
original average = 0.06 Theta [rad], reshoot average = 0.05 Theta [ra
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_11___reshoot_key=Theta_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 25.0, reshoot_counts = 15.0
normalization = 2.209, reshoot_counts*normalization = 33.1
original average = 0.06 Theta [rad], reshoot average = 0.06 Theta [ra
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_12___reshoot_key=Theta_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24.0, reshoot_counts = 10.0
normalization = 2.209, reshoot_counts*normalization = 22.1
original average = 0.06 Theta [rad], reshoot average = 0.06 Theta [ra
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_13___reshoot_key=Theta_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 20.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = 0.04 Theta [rad], reshoot average = nan Theta [rad]
6×10^0
4×10^0
3×10^0
2×10^0
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_14___reshoot_key=Theta_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = 0.05 Theta [rad], reshoot average = nan Theta [rad]
4×10^0
3×10^0
2×10^0
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_15___reshoot_key=Theta_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = 0.06 Theta [rad], reshoot average = nan Theta [rad]
6×10^0
4×10^0
3×10^0
2×10^0
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_16___reshoot_key=Theta_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 17.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = 0.16 Theta [rad], reshoot average = nan Theta [rad]
4×10^0
3×10^0
2×10^0
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_17___reshoot_key=Theta_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24.0, reshoot_counts = 10.0
normalization = 2.209, reshoot_counts*normalization = 22.1
original average = 0.20 Theta [rad], reshoot average = 0.32 Theta [ra
6×10^0
4×10^0
3×10^0
2×10^0
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_18___reshoot_key=Theta_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = 0.73 Theta [rad], reshoot average = nan Theta [rad]
2×10^0
1.8×10^0
1.6×10^0
1.4×10^0
1.2×10^0
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_19___reshoot_key=Theta_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 18.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = 0.12 Theta [rad], reshoot average = nan Theta [rad]
6 × 10^0
4 × 10^0
3 × 10^0
2 × 10^0
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_20___reshoot_key=Theta_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = 0.05 Theta [rad], reshoot average = nan Theta [rad]
3×10^0
2×10^0
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_21___reshoot_key=Theta_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = 0.04 Theta [rad], reshoot average = nan Theta [rad
10^1
10^0
10^{-1}
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_22___reshoot_key=Theta_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = 0.03 Theta [rad], reshoot average = nan Theta [rad]
4×10^0
3×10^0
2×10^0
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_23___reshoot_key=Theta_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = 0.10 Theta [rad], reshoot average = nan Theta [rad
10^1
10^0
10^{-1}
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_24___reshoot_key=Theta_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = 0.05 Theta [rad], reshoot average = nan Theta [rad]
2×10^0
1.8×10^0
1.6×10^0
1.4×10^0
1.2×10^0
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_25___reshoot_key=Theta_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_26___reshoot_key=Theta_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Phi_wide_100_0___reshoot_key=Phi_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 368373885.0, reshoot_counts = 163533393.0
normalization = 2.209, reshoot_counts*normalization = 361289805.1
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
2×10^6
10^6
6×10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_1___reshoot_key=Phi_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 150344203.0, reshoot_counts = 68051457.0
normalization = 2.209, reshoot_counts*normalization = 150344203.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
6 × 10^5
4 × 10^5
3 × 10^5
2 × 10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_2___reshoot_key=Phi_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24624657.0, reshoot_counts = 11290962.0
normalization = 2.209, reshoot_counts*normalization = 24944810.3
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^5
6×10^4
4×10^4
3×10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_3___reshoot_key=Phi_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 587487.0, reshoot_counts = 269933.0
normalization = 2.209, reshoot_counts*normalization = 596355.5
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
3×10^3
2×10^3
10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_4___reshoot_key=Phi_1_4
original counts = 12574.0, reshoot_counts = 5768.0
normalization = 1.2209, reshoot_counts*normalization = 12743.1
original average = 3.18 Phi [rad], reshoot average = 3.18 Phi [rad]
10^1
output PS * normalization
output PS
input PS
original average
reshoot average
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_5___reshoot_key=Phi_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 509.0, reshoot_counts = 226.0
normalization = 2.209, reshoot_counts*normalization = 499.3
original average = 3.15 Phi [rad], reshoot average = 3.17 Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_6___reshoot_key=Phi_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 834.0, reshoot_counts = 343.0
normalization = 2.209, reshoot_counts*normalization = 757.8
original average = 3.08 Phi [rad], reshoot average = 3.24 Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_7___reshoot_key=Phi_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 587.0, reshoot_counts = 142.0
normalization = 2.209, reshoot_counts*normalization = 313.7
original average = 2.93 Phi [rad], reshoot average = 3.04 Phi [rad]
6×10^0
4×10^0
3×10^0
2×10^0
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_8___reshoot_key=Phi_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 192.0, reshoot_counts = 41.0
normalization = 2.209, reshoot_counts*normalization = 90.6
original average = 3.15 Phi [rad], reshoot average = 3.55 Phi [rad]
6×10^0
4×10^0
3×10^0
2×10^0
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_9___reshoot_key=Phi_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 30.0, reshoot_counts = 13.0
normalization = 2.209, reshoot_counts*normalization = 28.7
original average = 3.38 Phi [rad], reshoot average = 4.13 Phi [rad]
4×10^0
3×10^0
2×10^0
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_10___reshoot_key=Phi_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24.0, reshoot_counts = 9.0
normalization = 2.209, reshoot_counts*normalization = 19.9
original average = 3.82 Phi [rad], reshoot average = 3.88 Phi [rad]
4×10^0
3×10^0
2×10^0
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_11___reshoot_key=Phi_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 25.0, reshoot_counts = 15.0
normalization = 2.209, reshoot_counts*normalization = 33.1
original average = 3.45 Phi [rad], reshoot average = 2.81 Phi [rad]
4×10^0
3×10^0
2×10^0
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_12___reshoot_key=Phi_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24.0, reshoot_counts = 10.0
normalization = 2.209, reshoot_counts*normalization = 22.1
original average = 3.64 Phi [rad], reshoot average = 3.43 Phi [rad]
4×10^0
3×10^0
2×10^0
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_13___reshoot_key=Phi_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 20.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = 3.32 Phi [rad], reshoot average = nan Phi [rad]
2×10^0
1.8×10^0
1.6×10^0
1.4×10^0
1.2×10^0
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_14___reshoot_key=Phi_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = 2.58 Phi [rad], reshoot average = nan Phi [rad]
2×10^0
1.8×10^0
1.6×10^0
1.4×10^0
1.2×10^0
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_15___reshoot_key=Phi_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = 3.37 Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
10^{-1}
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_16___reshoot_key=Phi_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 17.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = 3.09 Phi [rad], reshoot average = nan Phi [rad]
2×10^0
1.8×10^0
1.6×10^0
1.4×10^0
1.2×10^0
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_17___reshoot_key=Phi_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24.0, reshoot_counts = 10.0
normalization = 2.209, reshoot_counts*normalization = 22.1
original average = 3.23 Phi [rad], reshoot average = 3.50 Phi [rad]
4×10^0
3×10^0
2×10^0
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_18___reshoot_key=Phi_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = 2.77 Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
10^{-1}
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_19___reshoot_key=Phi_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 18.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = 3.56 Phi [rad], reshoot average = nan Phi [rad]
2×10^0
1.8×10^0
1.6×10^0
1.4×10^0
1.2×10^0
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_20___reshoot_key=Phi_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = 2.79 Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
10^{-1}
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_21___reshoot_key=Phi_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = 3.63 Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
10^{-1}
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_22___reshoot_key=Phi_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = 2.89 Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
10^{-1}
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_23___reshoot_key=Phi_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = 3.38 Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
10^{-1}
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_24___reshoot_key=Phi_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = 2.73 Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
10^{-1}
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_25___reshoot_key=Phi_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_26___reshoot_key=Phi_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Ekin_wide_100_0___reshoot_key=EkinU_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 368373885.0, reshoot_counts = 163533393.0
normalization = 2.209, reshoot_counts*normalization = 361289805.1
original average = 212.57 Ek [MeV/u], reshoot average = 210.78 Ek [
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_1___reshoot_key=EkinU_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 150344203.0, reshoot_counts = 68051457.0
normalization = 2.209, reshoot_counts*normalization = 150344203.0
original average = 180.71 Ek [MeV/u], reshoot average = 179.48 Ek [
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_2___reshoot_key=EkinU_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24624657.0, reshoot_counts = 11290962.0
normalization = 2.209, reshoot_counts*normalization = 24944810.3
original average = 131.76 Ek [MeV/u], reshoot average = 132.28 Ek [
10^5
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_3___reshoot_key=EkinU_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 587487.0, reshoot_counts = 269933.0
normalization = 2.209, reshoot_counts*normalization = 596355.5
original average = 99.45 Ek [MeV/u], reshoot average = 99.91 Ek [Me
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_4___reshoot_key=EkinU_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12574.0, reshoot_counts = 5768.0
normalization = 2.209, reshoot_counts*normalization = 12743.1
original average = 74.62 Ek [MeV/u], reshoot average = 75.17 Ek [Me
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_5___reshoot_key=EkinU_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 509.0, reshoot_counts = 226.0
normalization = 2.209, reshoot_counts*normalization = 499.3
original average = 48.41 Ek [MeV/u], reshoot average = 58.79 Ek [Me
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_6___reshoot_key=EkinU_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 834.0, reshoot_counts = 343.0
normalization = 2.209, reshoot_counts*normalization = 757.8
original average = 33.81 Ek [MeV/u], reshoot average = 30.13 Ek [Me
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_7___reshoot_key=EkinU_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 587.0, reshoot_counts = 142.0
normalization = 2.209, reshoot_counts*normalization = 313.7
original average = 28.77 Ek [MeV/u], reshoot average = 22.61 Ek [Me
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_8___reshoot_key=EkinU_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 192.0, reshoot_counts = 41.0
normalization = 2.209, reshoot_counts*normalization = 90.6
original average = 72.51 Ek [MeV/u], reshoot average = 61.74 Ek [Me
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_9___reshoot_key=EkinU_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 30.0, reshoot_counts = 13.0
normalization = 2.209, reshoot_counts*normalization = 28.7
original average = 207.14 Ek [MeV/u], reshoot average = 231.04 Ek [
6×10^0
4×10^0
3×10^0
2×10^0
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_10___reshoot_key=EkinU_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24.0, reshoot_counts = 9.0
normalization = 2.209, reshoot_counts*normalization = 19.9
original average = 259.79 Ek [MeV/u], reshoot average = 209.17 Ek [
6 × 10^0
4 × 10^0
3 × 10^0
2 × 10^0
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_11___reshoot_key=EkinU_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 25.0, reshoot_counts = 15.0
normalization = 2.209, reshoot_counts*normalization = 33.1
original average = 266.70 Ek [MeV/u], reshoot average = 273.70 Ek [
4 × 10^0
3 × 10^0
2 × 10^0
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_12___reshoot_key=EkinU_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24.0, reshoot_counts = 10.0
normalization = 2.209, reshoot_counts*normalization = 22.1
original average = 253.96 Ek [MeV/u], reshoot average = 272.30 Ek [
2.2 × 10^0
2 × 10^0
1.8 × 10^0
1.6 × 10^0
1.4 × 10^0
1.2 × 10^0
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_13___reshoot_key=EkinU_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 20.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = 260.20 Ek [MeV/u], reshoot average = nan Ek [MeV
2×10^0
1.8×10^0
1.6×10^0
1.4×10^0
1.2×10^0
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_14___reshoot_key=EkinU_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = 251.75 Ek [MeV/u], reshoot average = nan Ek [MeV
2×10^0
1.8×10^0
1.6×10^0
1.4×10^0
1.2×10^0
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_15___reshoot_key=EkinU_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = 244.44 Ek [MeV/u], reshoot average = nan Ek [MeV
2×10^0
1.8×10^0
1.6×10^0
1.4×10^0
1.2×10^0
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_16___reshoot_key=EkinU_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 17.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = 237.60 Ek [MeV/u], reshoot average = nan Ek [MeV
3 × 10^0
2 × 10^0
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_17___reshoot_key=EkinU_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24.0, reshoot_counts = 10.0
normalization = 2.209, reshoot_counts*normalization = 22.1
original average = 239.80 Ek [MeV/u], reshoot average = 283.90 Ek [
4 × 10^0
3 × 10^0
2 × 10^0
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_18___reshoot_key=EkinU_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = 169.88 Ek [MeV/u], reshoot average = nan Ek [MeV
4×10^0
3×10^0
2×10^0
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_19___reshoot_key=EkinU_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 18.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = 280.09 Ek [MeV/u], reshoot average = nan Ek [MeV
2×10^0
1.8×10^0
1.6×10^0
1.4×10^0
1.2×10^0
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_20___reshoot_key=EkinU_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = 256.25 Ek [MeV/u], reshoot average = nan Ek [MeV
10^1
10^0
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_21___reshoot_key=EkinU_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = 207.50 Ek [MeV/u], reshoot average = nan Ek [MeV
10^1
10^0
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_22___reshoot_key=EkinU_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = 308.33 Ek [MeV/u], reshoot average = nan Ek [MeV
10^1
10^0
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_23___reshoot_key=EkinU_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = 95.50 Ek [MeV/u], reshoot average = nan Ek [MeV/
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_24___reshoot_key=EkinU_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = 182.50 Ek [MeV/u], reshoot average = nan Ek [MeV
10^1
10^0
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_25___reshoot_key=EkinU_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_26___reshoot_key=EkinU_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=X_wide_100_0___reshoot_key=X_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 368059200.0, reshoot_counts = 163533393.0
normalization = 2.209, reshoot_counts*normalization = 361289805.1
original average = -0.02 x pos [mm], reshoot average = -0.09 x pos [
10^6
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_1___reshoot_key=X_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 150216187.0, reshoot_counts = 68051457.0
normalization = 2.209, reshoot_counts*normalization = 150344203.0
original average = -0.02 x pos [mm], reshoot average = -0.09 x pos [
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_2___reshoot_key=X_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24609913.0, reshoot_counts = 11290962.0
normalization = 2.209, reshoot_counts*normalization = 24944810.3
original average = -0.01 x pos [mm], reshoot average = -0.07 x pos [
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_3___reshoot_key=X_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 587244.0, reshoot_counts = 269933.0
normalization = 2.209, reshoot_counts*normalization = 596355.5
original average = 0.08 x pos [mm], reshoot average = -0.00 x pos [m
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_4___reshoot_key=X_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12572.0, reshoot_counts = 5768.0
normalization = 2.209, reshoot_counts*normalization = 12743.1
original average = -0.02 x pos [mm], reshoot average = -0.33 x pos [
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_5___reshoot_key=X_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 509.0, reshoot_counts = 226.0
normalization = 2.209, reshoot_counts*normalization = 499.3
original average = -0.74 x pos [mm], reshoot average = -1.65 x pos [
6×10^0
4×10^0
3×10^0
2×10^0
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_6___reshoot_key=X_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 834.0, reshoot_counts = 343.0
normalization = 2.209, reshoot_counts*normalization = 757.8
original average = -0.63 x pos [mm], reshoot average = 14.86 x pos [
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_7___reshoot_key=X_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 587.0, reshoot_counts = 142.0
normalization = 2.209, reshoot_counts*normalization = 313.7
original average = -2.83 x pos [mm], reshoot average = -39.64 x pos
6 × 10^0
4 × 10^0
3 × 10^0
2 × 10^0
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_8___reshoot_key=X_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 192.0, reshoot_counts = 41.0
normalization = 2.209, reshoot_counts*normalization = 90.6
original average = 2.65 x pos [mm], reshoot average = 23.62 x pos [r
4 × 10^0
3 × 10^0
2 × 10^0
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_9___reshoot_key=X_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 30.0, reshoot_counts = 13.0
normalization = 2.209, reshoot_counts*normalization = 28.7
original average = -14.98 x pos [mm], reshoot average = -22.80 x pos
4 × 10^0
3 × 10^0
2 × 10^0
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_10___reshoot_key=X_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24.0, reshoot_counts = 9.0
normalization = 2.209, reshoot_counts*normalization = 19.9
original average = -1.25 x pos [mm], reshoot average = -13.07 x pos
2.2×10^0
2×10^0
1.8×10^0
1.6×10^0
1.4×10^0
1.2×10^0
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_11___reshoot_key=X_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 25.0, reshoot_counts = 15.0
normalization = 2.209, reshoot_counts*normalization = 33.1
original average = 8.76 x pos [mm], reshoot average = 2.96 x pos [m
4×10^0
3×10^0
2×10^0
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_12___reshoot_key=X_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24.0, reshoot_counts = 10.0
normalization = 2.209, reshoot_counts*normalization = 22.1
original average = -3.98 x pos [mm], reshoot average = -15.50 x pos
2.2×10^0
2×10^0
1.8×10^0
1.6×10^0
1.4×10^0
1.2×10^0
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_13___reshoot_key=X_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 20.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = -5.09 x pos [mm], reshoot average = nan x pos [m
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_14___reshoot_key=X_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = -0.83 x pos [mm], reshoot average = nan x pos [m
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_15___reshoot_key=X_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = 0.41 x pos [mm], reshoot average = nan x pos [mm
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_16___reshoot_key=X_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 17.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = 6.13 x pos [mm], reshoot average = nan x pos [mm
2×10^0
1.8×10^0
1.6×10^0
1.4×10^0
1.2×10^0
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_17___reshoot_key=X_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24.0, reshoot_counts = 10.0
normalization = 2.209, reshoot_counts*normalization = 22.1
original average = 0.05 x pos [mm], reshoot average = -14.35 x pos [
2.2×10^0
2×10^0
1.8×10^0
1.6×10^0
1.4×10^0
1.2×10^0
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_18___reshoot_key=X_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = -6.10 x pos [mm], reshoot average = nan x pos [m
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_19___reshoot_key=X_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 18.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = -2.61 x pos [mm], reshoot average = nan x pos [m
2×10^0
1.8×10^0
1.6×10^0
1.4×10^0
1.2×10^0
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_20___reshoot_key=X_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = 9.03 x pos [mm], reshoot average = nan x pos [mm]
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_21___reshoot_key=X_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = 2.79 x pos [mm], reshoot average = nan x pos [mm
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_22___reshoot_key=X_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = 11.46 x pos [mm], reshoot average = nan x pos [m
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_23___reshoot_key=X_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = -31.38 x pos [mm], reshoot average = nan x pos [r
10^{1}
10^{0}
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_24___reshoot_key=X_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = -17.75 x pos [mm], reshoot average = nan x pos [r
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_25___reshoot_key=X_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_26___reshoot_key=X_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=Y_wide_100_0___reshoot_key=Y_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 368059618.0, reshoot_counts = 163533393.0
normalization = 2.209, reshoot_counts*normalization = 361289805.1
original average = -0.02 y pos [mm], reshoot average = -0.15 y pos [
10^6
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_1___reshoot_key=Y_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 150216512.0, reshoot_counts = 68051457.0
normalization = 2.209, reshoot_counts*normalization = 150344203.0
original average = -0.02 y pos [mm], reshoot average = -0.15 y pos [
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_2___reshoot_key=Y_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24609923.0, reshoot_counts = 11290962.0
normalization = 2.209, reshoot_counts*normalization = 24944810.3
original average = -0.02 y pos [mm], reshoot average = -0.14 y pos [
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_3___reshoot_key=Y_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 587241.0, reshoot_counts = 269933.0
normalization = 2.209, reshoot_counts*normalization = 596355.5
original average = 0.06 y pos [mm], reshoot average = 0.05 y pos [m
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_4___reshoot_key=Y_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12569.0, reshoot_counts = 5768.0
normalization = 2.209, reshoot_counts*normalization = 12743.1
original average = -0.47 y pos [mm], reshoot average = -0.86 y pos [
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_5___reshoot_key=Y_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 509.0, reshoot_counts = 226.0
normalization = 2.209, reshoot_counts*normalization = 499.3
original average = 2.31 y pos [mm], reshoot average = -3.37 y pos [m
6×10^0
4×10^0
3×10^0
2×10^0
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_6___reshoot_key=Y_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 834.0, reshoot_counts = 343.0
normalization = 2.209, reshoot_counts*normalization = 757.8
original average = -1.22 y pos [mm], reshoot average = -5.47 y pos [
6×10^0
4×10^0
3×10^0
2×10^0
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_7___reshoot_key=Y_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 587.0, reshoot_counts = 142.0
normalization = 2.209, reshoot_counts*normalization = 313.7
original average = 0.08 y pos [mm], reshoot average = 37.90 y pos [r
6 × 10^0
4 × 10^0
3 × 10^0
2 × 10^0
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_8___reshoot_key=Y_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 192.0, reshoot_counts = 41.0
normalization = 2.209, reshoot_counts*normalization = 90.6
original average = -1.35 y pos [mm], reshoot average = -17.50 y pos
3×10^0
2×10^0
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_9___reshoot_key=Y_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 30.0, reshoot_counts = 13.0
normalization = 2.209, reshoot_counts*normalization = 28.7
original average = 8.28 y pos [mm], reshoot average = -1.03 y pos [m
2.2×10^0
2×10^0
1.8×10^0
1.6×10^0
1.4×10^0
1.2×10^0
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_10___reshoot_key=Y_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24.0, reshoot_counts = 9.0
normalization = 2.209, reshoot_counts*normalization = 19.9
original average = 8.41 y pos [mm], reshoot average = 39.60 y pos [r
2.2×10^0
2×10^0
1.8×10^0
1.6×10^0
1.4×10^0
1.2×10^0
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_11___reshoot_key=Y_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 25.0, reshoot_counts = 15.0
normalization = 2.209, reshoot_counts*normalization = 33.1
original average = -4.12 y pos [mm], reshoot average = 3.69 y pos [m
2.2×10^0
2×10^0
1.8×10^0
1.6×10^0
1.4×10^0
1.2×10^0
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_12___reshoot_key=Y_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24.0, reshoot_counts = 10.0
normalization = 2.209, reshoot_counts*normalization = 22.1
original average = -7.32 y pos [mm], reshoot average = -3.70 y pos [
4×10^0
3×10^0
2×10^0
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_13___reshoot_key=Y_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 20.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = 2.54 y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_14___reshoot_key=Y_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = -22.20 y pos [mm], reshoot average = nan y pos [r
2×10^0
1.8×10^0
1.6×10^0
1.4×10^0
1.2×10^0
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_15___reshoot_key=Y_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = 21.44 y pos [mm], reshoot average = nan y pos [m
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_16___reshoot_key=Y_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 17.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = 4.70 y pos [mm], reshoot average = nan y pos [mm
2×10^0
1.8×10^0
1.6×10^0
1.4×10^0
1.2×10^0
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_17___reshoot_key=Y_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24.0, reshoot_counts = 10.0
normalization = 2.209, reshoot_counts*normalization = 22.1
original average = 3.25 y pos [mm], reshoot average = -58.05 y pos [
2.2×10^0
2×10^0
1.8×10^0
1.6×10^0
1.4×10^0
1.2×10^0
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_18___reshoot_key=Y_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = -1.10 y pos [mm], reshoot average = nan y pos [m
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_19___reshoot_key=Y_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 18.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = 11.57 y pos [mm], reshoot average = nan y pos [m
3×10^0
2×10^0
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_20___reshoot_key=Y_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = 27.88 y pos [mm], reshoot average = nan y pos [m
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_21___reshoot_key=Y_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = -15.04 y pos [mm], reshoot average = nan y pos [r
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_100_22___reshoot_key=Y_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = 1.00 y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_100_23___reshoot_key=Y_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = 46.12 y pos [mm], reshoot average = nan y pos [m
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_100_24___reshoot_key=Y_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = 6.62 y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_100_25___reshoot_key=Y_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_100_26___reshoot_key=Y_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 2.209, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
−400
−200
0
200
400
y pos [mm]