






original_key=Theta_1500_0___reshoot_key=Theta_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 17139244.0, reshoot_counts = 164392208.0
normalization = 0.102, reshoot_counts*normalization = 16767424.9
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^8
10^7
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_1___reshoot_key=Theta_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6614846.0, reshoot_counts = 64853676.0
normalization = 0.102, reshoot_counts*normalization = 6614846.0
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^8
10^7
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_2___reshoot_key=Theta_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1328780.0, reshoot_counts = 13184938.0
normalization = 0.102, reshoot_counts*normalization = 1344817.1
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^7
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_3___reshoot_key=Theta_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34119.0, reshoot_counts = 339366.0
normalization = 0.102, reshoot_counts*normalization = 34614.1
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
10^5
10^4
10^3
10^2
10^1
10^0
10^{-1}
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_4___reshoot_key=Theta_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 913.0, reshoot_counts = 9168.0
normalization = 0.102, reshoot_counts*normalization = 935.1
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_5___reshoot_key=Theta_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 69.0, reshoot_counts = 633.0
normalization = 0.102, reshoot_counts*normalization = 64.6
original average = 0.24 Theta [rad], reshoot average = 0.19 Theta [ra
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_6___reshoot_key=Theta_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 100.0, reshoot_counts = 964.0
normalization = 0.102, reshoot_counts*normalization = 98.3
original average = 0.31 Theta [rad], reshoot average = 0.19 Theta [ra
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_7___reshoot_key=Theta_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 66.0, reshoot_counts = 565.0
normalization = 0.102, reshoot_counts*normalization = 57.6
original average = 0.38 Theta [rad], reshoot average = 0.16 Theta [ra
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_8___reshoot_key=Theta_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 40.0, reshoot_counts = 371.0
normalization = 0.102, reshoot_counts*normalization = 37.8
original average = 0.21 Theta [rad], reshoot average = 0.07 Theta [ra
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_9___reshoot_key=Theta_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24.0, reshoot_counts = 252.0
normalization = 0.102, reshoot_counts*normalization = 25.7
original average = 0.05 Theta [rad], reshoot average = 0.04 Theta [ra
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_10___reshoot_key=Theta_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 39.0, reshoot_counts = 372.0
normalization = 0.102, reshoot_counts*normalization = 37.9
original average = 0.05 Theta [rad], reshoot average = 0.05 Theta [ra
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_11___reshoot_key=Theta_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 28.0, reshoot_counts = 297.0
normalization = 0.102, reshoot_counts*normalization = 30.3
original average = 0.04 Theta [rad], reshoot average = 0.05 Theta [ra
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_12___reshoot_key=Theta_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 38.0, reshoot_counts = 387.0
normalization = 0.102, reshoot_counts*normalization = 39.5
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_13___reshoot_key=Theta_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34.0, reshoot_counts = 350.0
normalization = 0.102, reshoot_counts*normalization = 35.7
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_14___reshoot_key=Theta_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 29.0, reshoot_counts = 275.0
normalization = 0.102, reshoot_counts*normalization = 28.0
original average = 0.05 Theta [rad], reshoot average = 0.05 Theta [ra
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_15___reshoot_key=Theta_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 17.0, reshoot_counts = 0.0
normalization = 0.102, reshoot_counts*normalization = 0.0
original average = 0.05 Theta [rad], reshoot average = nan Theta [rad]
6×10^0
4×10^0
3×10^0
2×10^0
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_16___reshoot_key=Theta_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 18.0, reshoot_counts = 0.0
normalization = 0.102, reshoot_counts*normalization = 0.0
original average = 0.08 Theta [rad], reshoot average = nan Theta [rad]
6×10^0
4×10^0
3×10^0
2×10^0
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_17___reshoot_key=Theta_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 20.0, reshoot_counts = 0.0
normalization = 0.102, reshoot_counts*normalization = 0.0
original average = 0.04 Theta [rad], reshoot average = nan Theta [rad
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_18___reshoot_key=Theta_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10.0, reshoot_counts = 0.0
normalization = 0.102, reshoot_counts*normalization = 0.0
original average = 0.03 Theta [rad], reshoot average = nan Theta [rad
4 × 10^0
3 × 10^0
2 × 10^0
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_19___reshoot_key=Theta_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16.0, reshoot_counts = 0.0
normalization = 0.102, reshoot_counts*normalization = 0.0
original average = 0.03 Theta [rad], reshoot average = nan Theta [rad]
6×10^0
4×10^0
3×10^0
2×10^0
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_20___reshoot_key=Theta_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8.0, reshoot_counts = 0.0
normalization = 0.102, reshoot_counts*normalization = 0.0
original average = 0.05 Theta [rad], reshoot average = nan Theta [rad]
3×10^0
2×10^0
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_21___reshoot_key=Theta_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10.0, reshoot_counts = 0.0
normalization = 0.102, reshoot_counts*normalization = 0.0
original average = 0.03 Theta [rad], reshoot average = nan Theta [rad]
6×10^0
4×10^0
3×10^0
2×10^0
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_22___reshoot_key=Theta_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8.0, reshoot_counts = 0.0
normalization = 0.102, reshoot_counts*normalization = 0.0
original average = 0.04 Theta [rad], reshoot average = nan Theta [rad
3×10^0
2×10^0
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_23___reshoot_key=Theta_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.0, reshoot_counts = 0.0
normalization = 0.102, reshoot_counts*normalization = 0.0
original average = 0.04 Theta [rad], reshoot average = nan Theta [rad
10^{1}
10^{0}
10^{-1}
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_24___reshoot_key=Theta_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10.0, reshoot_counts = 0.0
normalization = 0.102, reshoot_counts*normalization = 0.0
original average = 0.03 Theta [rad], reshoot average = nan Theta [rad]
4×10^0
3×10^0
2×10^0
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_25___reshoot_key=Theta_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.102, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_26___reshoot_key=Theta_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.102, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Phi_1500_0___reshoot_key=Phi_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 17139244.0, reshoot_counts = 164392208.0
normalization = 0.102, reshoot_counts*normalization = 16767424.9
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^6
10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_1___reshoot_key=Phi_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6614846.0, reshoot_counts = 64853676.0
normalization = 0.102, reshoot_counts*normalization = 6614846.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_2___reshoot_key=Phi_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1328780.0, reshoot_counts = 13184938.0
normalization = 0.102, reshoot_counts*normalization = 1344817.1
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_3___reshoot_key=Phi_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34119.0, reshoot counts = 339366.0
normalization = 0.102, reshoot_counts*normalization = 34614.1
original average = 3.16 Phi [rad], reshoot average = 3.14 Phi [rad]
10^3
10^2
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_4___reshoot_key=Phi_1_4
original counts = 913.0, reshoot_counts = 9168.0
normalization = 0.102, reshoot_counts*normalization = 935.1
original average = 3.12 Phi [rad], reshoot average = 3.13 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
Phi [rad]



original_key=Phi_1500_5___reshoot_key=Phi_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 69.0, reshoot_counts = 633.0
normalization = 0.102, reshoot_counts*normalization = 64.6
original average = 3.40 Phi [rad], reshoot average = 3.13 Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_6___reshoot_key=Phi_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 100.0, reshoot_counts = 964.0
normalization = 0.102, reshoot_counts*normalization = 98.3
original average = 3.22 Phi [rad], reshoot average = 3.38 Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_7___reshoot_key=Phi_1_7
original counts = 66.0, reshoot_counts = 565.0
normalization = 0.102, reshoot_counts*normalization = 57.6
original average = 3.27 Phi [rad], reshoot average = 3.23 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_8___reshoot_key=Phi_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 40.0, reshoot_counts = 371.0
normalization = 0.102, reshoot_counts*normalization = 37.8
original average = 3.39 Phi [rad], reshoot average = 3.33 Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_9___reshoot_key=Phi_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24.0, reshoot_counts = 252.0
normalization = 0.102, reshoot_counts*normalization = 25.7
original average = 3.71 Phi [rad], reshoot average = 3.46 Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_10___reshoot_key=Phi_1_10
original counts = 39.0, reshoot_counts = 372.0
normalization = 0.102, reshoot_counts*normalization = 37.9
original average = 3.54 Phi [rad], reshoot average = 3.49 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_11___reshoot_key=Phi_1_11
original counts = 28.0, reshoot_counts = 297.0
normalization = 0.102, reshoot_counts*normalization = 30.3
original average = 3.08 Phi [rad], reshoot average = 3.05 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_12___reshoot_key=Phi_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 38.0, reshoot_counts = 387.0
normalization = 0.102, reshoot_counts*normalization = 39.5
original average = 3.16 Phi [rad], reshoot average = 3.34 Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_13___reshoot_key=Phi_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34.0, reshoot_counts = 350.0
normalization = 0.102, reshoot_counts*normalization = 35.7
original average = 3.36 Phi [rad], reshoot average = 3.25 Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_14___reshoot_key=Phi_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 29.0, reshoot_counts = 275.0
normalization = 0.102, reshoot_counts*normalization = 28.0
original average = 2.70 Phi [rad], reshoot average = 2.39 Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_15___reshoot_key=Phi_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 17.0, reshoot_counts = 0.0
normalization = 0.102, reshoot_counts*normalization = 0.0
original average = 2.53 Phi [rad], reshoot average = nan Phi [rad]
2×10^0
1.8×10^0
1.6×10^0
1.4×10^0
1.2×10^0
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_16___reshoot_key=Phi_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 18.0, reshoot_counts = 0.0
normalization = 0.102, reshoot_counts*normalization = 0.0
original average = 3.06 Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
10^{-1}
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_17___reshoot_key=Phi_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 20.0, reshoot_counts = 0.0
normalization = 0.102, reshoot_counts*normalization = 0.0
original average = 2.94 Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
10^{-1}
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_18___reshoot_key=Phi_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10.0, reshoot_counts = 0.0
normalization = 0.102, reshoot_counts*normalization = 0.0
original average = 3.28 Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
10^{-1}
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_19___reshoot_key=Phi_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16.0, reshoot_counts = 0.0
normalization = 0.102, reshoot_counts*normalization = 0.0
original average = 3.53 Phi [rad], reshoot average = nan Phi [rad]
3×10^0
2×10^0
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_20___reshoot_key=Phi_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8.0, reshoot_counts = 0.0
normalization = 0.102, reshoot_counts*normalization = 0.0
original average = 2.90 Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
10^{-1}
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_21___reshoot_key=Phi_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10.0, reshoot_counts = 0.0
normalization = 0.102, reshoot_counts*normalization = 0.0
original average = 3.07 Phi [rad], reshoot average = nan Phi [rad]
2×10^0
1.8×10^0
1.6×10^0
1.4×10^0
1.2×10^0
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_22___reshoot_key=Phi_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8.0, reshoot_counts = 0.0
normalization = 0.102, reshoot_counts*normalization = 0.0
original average = 3.57 Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
10^{-1}
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_23___reshoot_key=Phi_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.0, reshoot_counts = 0.0
normalization = 0.102, reshoot_counts*normalization = 0.0
original average = 5.35 Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
10^{-1}
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_24___reshoot_key=Phi_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10.0, reshoot_counts = 0.0
normalization = 0.102, reshoot_counts*normalization = 0.0
original average = 2.96 Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
10^{-1}
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_25___reshoot_key=Phi_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.102, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_26___reshoot_key=Phi_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.102, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Ekin_1500_0___reshoot_key=EkinU_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 17139244.0, reshoot_counts = 164392208.0
normalization = 0.102, reshoot_counts*normalization = 16767424.9
original average = 230.83 Ek [MeV/u], reshoot average = 229.01 Ek [
10^{6}
10^{5}
10^{4}
10^{3}
10^{2}
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_1___reshoot_key=EkinU_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6614846.0, reshoot_counts = 64853676.0
normalization = 0.102, reshoot_counts*normalization = 6614846.0
original average = 195.96 Ek [MeV/u], reshoot average = 194.79 Ek [
10^5
10^4
10^3
10^2
10^1
10^0
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_2___reshoot_key=EkinU_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1328780.0, reshoot_counts = 13184938.0
normalization = 0.102, reshoot_counts*normalization = 1344817.1
original average = 142.22 Ek [MeV/u], reshoot average = 142.74 Ek [
10^5
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_3___reshoot_key=EkinU_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34119.0, reshoot_counts = 339366.0
normalization = 0.102, reshoot_counts*normalization = 34614.1
original average = 104.73 Ek [MeV/u], reshoot average = 105.15 Ek [
10^3
10^2
10^1
10^0
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_4___reshoot_key=EkinU_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 913.0, reshoot_counts = 9168.0
normalization = 0.102, reshoot_counts*normalization = 935.1
original average = 85.13 Ek [MeV/u], reshoot average = 85.29 Ek [Me
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_5___reshoot_key=EkinU_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 69.0, reshoot_counts = 633.0
normalization = 0.102, reshoot_counts*normalization = 64.6
original average = 178.89 Ek [MeV/u], reshoot average = 180.95 Ek [
10^1
10^0
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_6___reshoot_key=EkinU_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 100.0, reshoot_counts = 964.0
normalization = 0.102, reshoot_counts*normalization = 98.3
original average = 214.25 Ek [MeV/u], reshoot average = 216.83 Ek [
10^2
10^1
10^0
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_7___reshoot_key=EkinU_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 66.0, reshoot_counts = 565.0
normalization = 0.102, reshoot_counts*normalization = 57.6
original average = 220.31 Ek [MeV/u], reshoot average = 225.36 Ek [
10^2
10^1
10^0
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_8___reshoot_key=EkinU_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 40.0, reshoot_counts = 371.0
normalization = 0.102, reshoot_counts*normalization = 37.8
original average = 260.15 Ek [MeV/u], reshoot average = 256.62 Ek [
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_9___reshoot_key=EkinU_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24.0, reshoot_counts = 252.0
normalization = 0.102, reshoot_counts*normalization = 25.7
original average = 257.83 Ek [MeV/u], reshoot average = 265.03 Ek [
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_10___reshoot_key=EkinU_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 39.0, reshoot_counts = 372.0
normalization = 0.102, reshoot_counts*normalization = 37.9
original average = 269.35 Ek [MeV/u], reshoot average = 267.74 Ek [
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_11___reshoot_key=EkinU_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 28.0, reshoot_counts = 297.0
normalization = 0.102, reshoot_counts*normalization = 30.3
original average = 276.61 Ek [MeV/u], reshoot average = 277.11 Ek [
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_12___reshoot_key=EkinU_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 38.0, reshoot_counts = 387.0
normalization = 0.102, reshoot_counts*normalization = 39.5
original average = 275.03 Ek [MeV/u], reshoot average = 277.62 Ek [
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_13___reshoot_key=EkinU_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34.0, reshoot_counts = 350.0
normalization = 0.102, reshoot_counts*normalization = 35.7
original average = 264.09 Ek [MeV/u], reshoot average = 265.35 Ek [
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_14___reshoot_key=EkinU_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 29.0, reshoot_counts = 275.0
normalization = 0.102, reshoot_counts*normalization = 28.0
original average = 266.29 Ek [MeV/u], reshoot average = 269.97 Ek [
10^1
10^0
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_15___reshoot_key=EkinU_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 17.0, reshoot_counts = 0.0
normalization = 0.102, reshoot_counts*normalization = 0.0
original average = 237.56 Ek [MeV/u], reshoot average = nan Ek [MeV
2×10^0
1.8×10^0
1.6×10^0
1.4×10^0
1.2×10^0
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_16___reshoot_key=EkinU_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 18.0, reshoot_counts = 0.0
normalization = 0.102, reshoot_counts*normalization = 0.0
original average = 268.67 Ek [MeV/u], reshoot average = nan Ek [MeV
2×10^0
1.8×10^0
1.6×10^0
1.4×10^0
1.2×10^0
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_17___reshoot_key=EkinU_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 20.0, reshoot_counts = 0.0
normalization = 0.102, reshoot_counts*normalization = 0.0
original average = 269.30 Ek [MeV/u], reshoot average = nan Ek [MeV
2×10^0
1.8×10^0
1.6×10^0
1.4×10^0
1.2×10^0
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_18___reshoot_key=EkinU_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10.0, reshoot_counts = 0.0
normalization = 0.102, reshoot_counts*normalization = 0.0
original average = 298.40 Ek [MeV/u], reshoot average = nan Ek [MeV
2×10^0
1.8×10^0
1.6×10^0
1.4×10^0
1.2×10^0
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_19___reshoot_key=EkinU_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16.0, reshoot_counts = 0.0
normalization = 0.102, reshoot_counts*normalization = 0.0
original average = 289.06 Ek [MeV/u], reshoot average = nan Ek [MeV
3 × 10^0
2 × 10^0
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_20___reshoot_key=EkinU_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8.0, reshoot_counts = 0.0
normalization = 0.102, reshoot_counts*normalization = 0.0
original average = 221.25 Ek [MeV/u], reshoot average = nan Ek [MeV
10^1
10^0
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_21___reshoot_key=EkinU_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10.0, reshoot_counts = 0.0
normalization = 0.102, reshoot_counts*normalization = 0.0
original average = 297.30 Ek [MeV/u], reshoot average = nan Ek [MeV
2×10^0
1.8×10^0
1.6×10^0
1.4×10^0
1.2×10^0
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_22___reshoot_key=EkinU_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8.0, reshoot_counts = 0.0
normalization = 0.102, reshoot_counts*normalization = 0.0
original average = 251.38 Ek [MeV/u], reshoot average = nan Ek [MeV
10^1
10^0
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_23___reshoot_key=EkinU_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.0, reshoot_counts = 0.0
normalization = 0.102, reshoot_counts*normalization = 0.0
original average = 288.50 Ek [MeV/u], reshoot average = nan Ek [MeV
10^1
10^0
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_24___reshoot_key=EkinU_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10.0, reshoot_counts = 0.0
normalization = 0.102, reshoot_counts*normalization = 0.0
original average = 247.90 Ek [MeV/u], reshoot average = nan Ek [MeV
2×10^0
1.8×10^0
1.6×10^0
1.4×10^0
1.2×10^0
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_25___reshoot_key=EkinU_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.102, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_26___reshoot_key=EkinU_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.102, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=X_1500_0___reshoot_key=X_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 17134820.0, reshoot_counts = 164392208.0
normalization = 0.102, reshoot_counts*normalization = 16767424.9
original average = -0.00 x pos [mm], reshoot average = -0.11 x pos [
10^6
10^5
10^4
10^3
10^2
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_1___reshoot_key=X_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6613084.0, reshoot_counts = 64853676.0
normalization = 0.102, reshoot_counts*normalization = 6614846.0
original average = -0.01 x pos [mm], reshoot average = -0.12 x pos [
10^5
10^4
10^3
10^2
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_2___reshoot_key=X_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1328472.0, reshoot_counts = 13184937.0
normalization = 0.102, reshoot_counts*normalization = 1344817.0
original average = 0.00 x pos [mm], reshoot average = -0.11 x pos [m
10^4
10^3
10^2
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_3___reshoot_key=X_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34114.0, reshoot_counts = 339366.0
normalization = 0.102, reshoot_counts*normalization = 34614.1
original average = 0.10 x pos [mm], reshoot average = -0.04 x pos [m
10^3
10^2
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_4___reshoot_key=X_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 913.0, reshoot_counts = 9168.0
normalization = 0.102, reshoot_counts*normalization = 935.1
original average = -0.07 x pos [mm], reshoot average = 0.18 x pos [m
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_5___reshoot_key=X_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 69.0, reshoot_counts = 633.0
normalization = 0.102, reshoot_counts*normalization = 64.6
original average = 4.24 x pos [mm], reshoot average = 0.07 x pos [m
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_6___reshoot_key=X_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 100.0, reshoot_counts = 964.0
normalization = 0.102, reshoot_counts*normalization = 98.3
original average = -3.25 x pos [mm], reshoot average = -2.09 x pos [
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_7___reshoot_key=X_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 66.0, reshoot_counts = 565.0
normalization = 0.102, reshoot_counts*normalization = 57.6
original average = 0.71 x pos [mm], reshoot average = 5.27 x pos [m
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_8___reshoot_key=X_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 40.0, reshoot_counts = 371.0
normalization = 0.102, reshoot_counts*normalization = 37.8
original average = -2.65 x pos [mm], reshoot average = -4.53 x pos [
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_9___reshoot_key=X_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24.0, reshoot_counts = 252.0
normalization = 0.102, reshoot_counts*normalization = 25.7
original average = -2.27 x pos [mm], reshoot average = -2.47 x pos [
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_10___reshoot_key=X_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 39.0, reshoot_counts = 372.0
normalization = 0.102, reshoot_counts*normalization = 37.9
original average = 5.52 x pos [mm], reshoot average = 8.52 x pos [m
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_11___reshoot_key=X_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 28.0, reshoot_counts = 297.0
normalization = 0.102, reshoot_counts*normalization = 30.3
original average = -2.63 x pos [mm], reshoot average = -4.81 x pos [
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_12___reshoot_key=X_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 38.0, reshoot_counts = 387.0
normalization = 0.102, reshoot_counts*normalization = 39.5
original average = -3.88 x pos [mm], reshoot average = -6.48 x pos [
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_13___reshoot_key=X_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34.0, reshoot_counts = 350.0
normalization = 0.102, reshoot_counts*normalization = 35.7
original average = 3.35 x pos [mm], reshoot average = 5.73 x pos [m
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_14___reshoot_key=X_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 29.0, reshoot_counts = 275.0
normalization = 0.102, reshoot_counts*normalization = 28.0
original average = -0.03 x pos [mm], reshoot average = -1.30 x pos [
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_15___reshoot_key=X_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 17.0, reshoot_counts = 0.0
normalization = 0.102, reshoot_counts*normalization = 0.0
original average = 0.64 x pos [mm], reshoot average = nan x pos [mm
2×10^0
1.8×10^0
1.6×10^0
1.4×10^0
1.2×10^0
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_16___reshoot_key=X_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 18.0, reshoot_counts = 0.0
normalization = 0.102, reshoot_counts*normalization = 0.0
original average = 5.96 x pos [mm], reshoot average = nan x pos [mm
2×10^0
1.8×10^0
1.6×10^0
1.4×10^0
1.2×10^0
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_17___reshoot_key=X_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 20.0, reshoot_counts = 0.0
normalization = 0.102, reshoot_counts*normalization = 0.0
original average = 2.95 x pos [mm], reshoot average = nan x pos [mm
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_18___reshoot_key=X_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10.0, reshoot_counts = 0.0
normalization = 0.102, reshoot_counts*normalization = 0.0
original average = -3.90 x pos [mm], reshoot average = nan x pos [m
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_19___reshoot_key=X_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16.0, reshoot_counts = 0.0
normalization = 0.102, reshoot_counts*normalization = 0.0
original average = -3.95 x pos [mm], reshoot average = nan x pos [m
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_20___reshoot_key=X_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8.0, reshoot_counts = 0.0
normalization = 0.102, reshoot_counts*normalization = 0.0
original average = 10.46 x pos [mm], reshoot average = nan x pos [m
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_21___reshoot_key=X_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10.0, reshoot_counts = 0.0
normalization = 0.102, reshoot_counts*normalization = 0.0
original average = 3.05 x pos [mm], reshoot average = nan x pos [mm
2×10^0
1.8×10^0
1.6×10^0
1.4×10^0
1.2×10^0
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_22___reshoot_key=X_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8.0, reshoot_counts = 0.0
normalization = 0.102, reshoot_counts*normalization = 0.0
original average = -5.00 x pos [mm], reshoot average = nan x pos [m
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_23___reshoot_key=X_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.0, reshoot_counts = 0.0
normalization = 0.102, reshoot_counts*normalization = 0.0
original average = -18.88 x pos [mm], reshoot average = nan x pos [r
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_24___reshoot_key=X_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10.0, reshoot_counts = 0.0
normalization = 0.102, reshoot_counts*normalization = 0.0
original average = -5.85 x pos [mm], reshoot average = nan x pos [m
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_25___reshoot_key=X_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.102, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_26___reshoot_key=X_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.102, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=Y_1500_0___reshoot_key=Y_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 17134657.0, reshoot_counts = 164392208.0
normalization = 0.102, reshoot_counts*normalization = 16767424.9
original average = -0.00 y pos [mm], reshoot average = -0.13 y pos [
10^6
10^5
10^4
10^3
10^2
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_1___reshoot_key=Y_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6613061.0, reshoot_counts = 64853676.0
normalization = 0.102, reshoot_counts*normalization = 6614846.0
original average = -0.02 y pos [mm], reshoot average = -0.15 y pos [
10^5
10^4
10^3
10^2
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_2___reshoot_key=Y_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1328478.0, reshoot_counts = 13184938.0
normalization = 0.102, reshoot_counts*normalization = 1344817.1
original average = -0.05 y pos [mm], reshoot average = -0.19 y pos [
10^4
10^3
10^2
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_3___reshoot_key=Y_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34111.0, reshoot_counts = 339366.0
normalization = 0.102, reshoot_counts*normalization = 34614.1
original average = -0.10 y pos [mm], reshoot average = -0.23 y pos [
10^3
10^2
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_4___reshoot_key=Y_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 912.0, reshoot_counts = 9168.0
normalization = 0.102, reshoot_counts*normalization = 935.1
original average = -0.47 y pos [mm], reshoot average = -0.04 y pos [
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_5___reshoot_key=Y_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 69.0, reshoot_counts = 633.0
normalization = 0.102, reshoot_counts*normalization = 64.6
original average = -1.77 y pos [mm], reshoot average = -2.06 y pos [
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_6___reshoot_key=Y_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 100.0, reshoot_counts = 964.0
normalization = 0.102, reshoot_counts*normalization = 98.3
original average = 1.64 y pos [mm], reshoot average = -5.79 y pos [m
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_7___reshoot_key=Y_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 66.0, reshoot_counts = 565.0
normalization = 0.102, reshoot_counts*normalization = 57.6
original average = -1.16 y pos [mm], reshoot average = -1.47 y pos [
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_8___reshoot_key=Y_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 40.0, reshoot_counts = 371.0
normalization = 0.102, reshoot_counts*normalization = 37.8
original average = -6.44 y pos [mm], reshoot average = -5.88 y pos [
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_9___reshoot_key=Y_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24.0, reshoot_counts = 252.0
normalization = 0.102, reshoot_counts*normalization = 25.7
original average = 7.05 y pos [mm], reshoot average = 7.31 y pos [m
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_10___reshoot_key=Y_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 39.0, reshoot_counts = 372.0
normalization = 0.102, reshoot_counts*normalization = 37.9
original average = 1.87 y pos [mm], reshoot average = -1.83 y pos [m
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_11___reshoot_key=Y_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 28.0, reshoot_counts = 297.0
normalization = 0.102, reshoot_counts*normalization = 30.3
original average = -8.47 y pos [mm], reshoot average = -7.29 y pos [
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_12___reshoot_key=Y_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 38.0, reshoot_counts = 387.0
normalization = 0.102, reshoot_counts*normalization = 39.5
original average = 4.35 y pos [mm], reshoot average = 3.83 y pos [m
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_13___reshoot_key=Y_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34.0, reshoot_counts = 350.0
normalization = 0.102, reshoot_counts*normalization = 35.7
original average = -7.27 y pos [mm], reshoot average = -8.11 y pos [
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_14___reshoot_key=Y_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 29.0, reshoot_counts = 275.0
normalization = 0.102, reshoot_counts*normalization = 28.0
original average = -4.80 y pos [mm], reshoot average = -0.52 y pos [
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_15___reshoot_key=Y_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 17.0, reshoot_counts = 0.0
normalization = 0.102, reshoot_counts*normalization = 0.0
original average = -1.39 y pos [mm], reshoot average = nan y pos [m
2×10^0
1.8×10^0
1.6×10^0
1.4×10^0
1.2×10^0
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_16___reshoot_key=Y_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 18.0, reshoot_counts = 0.0
normalization = 0.102, reshoot_counts*normalization = 0.0
original average = -1.14 y pos [mm], reshoot average = nan y pos [m
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_17___reshoot_key=Y_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 20.0, reshoot_counts = 0.0
normalization = 0.102, reshoot_counts*normalization = 0.0
original average = 0.69 y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_18___reshoot_key=Y_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10.0, reshoot_counts = 0.0
normalization = 0.102, reshoot_counts*normalization = 0.0
original average = -5.70 y pos [mm], reshoot average = nan y pos [m
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_19___reshoot_key=Y_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16.0, reshoot_counts = 0.0
normalization = 0.102, reshoot_counts*normalization = 0.0
original average = 0.19 y pos [mm], reshoot average = nan y pos [mm
2×10^0
1.8×10^0
1.6×10^0
1.4×10^0
1.2×10^0
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_20___reshoot_key=Y_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8.0, reshoot_counts = 0.0
normalization = 0.102, reshoot_counts*normalization = 0.0
original average = 6.97 y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_21___reshoot_key=Y_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10.0, reshoot_counts = 0.0
normalization = 0.102, reshoot_counts*normalization = 0.0
original average = 6.40 y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]


original_key=Y_1500_22___reshoot_key=Y_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8.0, reshoot_counts = 0.0
normalization = 0.102, reshoot_counts*normalization = 0.0
original average = 10.22 y pos [mm], reshoot average = nan y pos [m
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]


original_key=Y_1500_23___reshoot_key=Y_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.0, reshoot_counts = 0.0
normalization = 0.102, reshoot_counts*normalization = 0.0
original average = -23.12 y pos [mm], reshoot average = nan y pos [r
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]


original_key=Y_1500_24___reshoot_key=Y_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10.0, reshoot_counts = 0.0
normalization = 0.102, reshoot_counts*normalization = 0.0
original average = 5.33 y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]


original_key=Y_1500_25___reshoot_key=Y_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.102, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_1500_26___reshoot_key=Y_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.102, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
−400
−200
0
200
400
y pos [mm]