






original_key=Theta_wide_1500_0___reshoot_key=Theta_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 30111736.0, reshoot_counts = 164677140.0
normalization = 0.179, reshoot_counts*normalization = 29523229.6
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^8
10^7
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_1___reshoot_key=Theta_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11671967.0, reshoot_counts = 65104874.0
normalization = 0.179, reshoot_counts*normalization = 11671967.0
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^8
10^7
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_2___reshoot_key=Theta_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2340187.0, reshoot_counts = 13198218.0
normalization = 0.179, reshoot_counts*normalization = 2366169.5
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^7
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_3___reshoot_key=Theta_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 60574.0, reshoot_counts = 342392.0
normalization = 0.179, reshoot_counts*normalization = 61383.9
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_4___reshoot_key=Theta_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1594.0, reshoot_counts = 9136.0
normalization = 0.179, reshoot_counts*normalization = 1637.9
original average = 0.04 Theta [rad], reshoot average = 0.03 Theta [ra
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_5___reshoot_key=Theta_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 126.0, reshoot_counts = 666.0
normalization = 0.179, reshoot_counts*normalization = 119.4
original average = 0.22 Theta [rad], reshoot average = 0.19 Theta [ra
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_6___reshoot_key=Theta_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 185.0, reshoot_counts = 997.0
normalization = 0.179, reshoot_counts*normalization = 178.7
original average = 0.32 Theta [rad], reshoot average = 0.22 Theta [ra
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_7___reshoot_key=Theta_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 138.0, reshoot_counts = 667.0
normalization = 0.179, reshoot_counts*normalization = 119.6
original average = 0.39 Theta [rad], reshoot average = 0.17 Theta [ra
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_8___reshoot_key=Theta_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 88.0, reshoot_counts = 509.0
normalization = 0.179, reshoot_counts*normalization = 91.3
original average = 0.15 Theta [rad], reshoot average = 0.08 Theta [ra
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_9___reshoot_key=Theta_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 47.0, reshoot_counts = 273.0
normalization = 0.179, reshoot_counts*normalization = 48.9
original average = 0.05 Theta [rad], reshoot average = 0.05 Theta [ra
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_10___reshoot_key=Theta_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 73.0, reshoot_counts = 411.0
normalization = 0.179, reshoot_counts*normalization = 73.7
original average = 0.05 Theta [rad], reshoot average = 0.05 Theta [ra
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_11___reshoot_key=Theta_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 69.0, reshoot_counts = 405.0
normalization = 0.179, reshoot_counts*normalization = 72.6
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_12___reshoot_key=Theta_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 69.0, reshoot_counts = 381.0
normalization = 0.179, reshoot_counts*normalization = 68.3
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_13___reshoot_key=Theta_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 68.0, reshoot_counts = 391.0
normalization = 0.179, reshoot_counts*normalization = 70.1
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_14___reshoot_key=Theta_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 67.0, reshoot_counts = 391.0
normalization = 0.179, reshoot_counts*normalization = 70.1
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_15___reshoot_key=Theta_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 53.0, reshoot_counts = 275.0
normalization = 0.179, reshoot_counts*normalization = 49.3
original average = 0.05 Theta [rad], reshoot average = 0.05 Theta [ra
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_16___reshoot_key=Theta_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 50.0, reshoot_counts = 296.0
normalization = 0.179, reshoot_counts*normalization = 53.1
original average = 0.05 Theta [rad], reshoot average = 0.06 Theta [ra
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_17___reshoot_key=Theta_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 48.0, reshoot_counts = 287.0
normalization = 0.179, reshoot_counts*normalization = 51.5
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_18___reshoot_key=Theta_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24.0, reshoot_counts = 160.0
normalization = 0.179, reshoot_counts*normalization = 28.7
original average = 0.03 Theta [rad], reshoot average = 0.04 Theta [ra
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_19___reshoot_key=Theta_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 37.0, reshoot_counts = 199.0
normalization = 0.179, reshoot_counts*normalization = 35.7
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_20___reshoot_key=Theta_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26.0, reshoot_counts = 145.0
normalization = 0.179, reshoot_counts*normalization = 26.0
original average = 0.03 Theta [rad], reshoot average = 0.04 Theta [ra
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_21___reshoot_key=Theta_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24.0, reshoot_counts = 121.0
normalization = 0.179, reshoot_counts*normalization = 21.7
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_22___reshoot_key=Theta_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16.0, reshoot_counts = 0.0
normalization = 0.179, reshoot_counts*normalization = 0.0
original average = 0.03 Theta [rad], reshoot average = nan Theta [rad]
6×10^0
4×10^0
3×10^0
2×10^0
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_23___reshoot_key=Theta_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7.0, reshoot_counts = 0.0
normalization = 0.179, reshoot_counts*normalization = 0.0
original average = 0.02 Theta [rad], reshoot average = nan Theta [rad]
3×10^0
2×10^0
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_24___reshoot_key=Theta_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13.0, reshoot_counts = 0.0
normalization = 0.179, reshoot_counts*normalization = 0.0
original average = 0.03 Theta [rad], reshoot average = nan Theta [rad]
6×10^0
4×10^0
3×10^0
2×10^0
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_25___reshoot_key=Theta_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.0, reshoot_counts = 0.0
normalization = 0.179, reshoot_counts*normalization = 0.0
original average = 0.03 Theta [rad], reshoot average = nan Theta [rad
10^1
10^0
10^{-1}
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_26___reshoot_key=Theta_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.0, reshoot_counts = 0.0
normalization = 0.179, reshoot_counts*normalization = 0.0
original average = 0.01 Theta [rad], reshoot average = nan Theta [rad
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Phi_wide_1500_0___reshoot_key=Phi_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 30111736.0, reshoot_counts = 164677140.0
normalization = 0.179, reshoot_counts*normalization = 29523229.6
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_1___reshoot_key=Phi_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11671967.0, reshoot_counts = 65104874.0
normalization = 0.179, reshoot_counts*normalization = 11671967.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_2___reshoot_key=Phi_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2340187.0, reshoot_counts = 13198218.0
normalization = 0.179, reshoot_counts*normalization = 2366169.5
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_3___reshoot_key=Phi_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 60574.0, reshoot_counts = 342392.0
normalization = 0.179, reshoot_counts*normalization = 61383.9
original average = 3.15 Phi [rad], reshoot average = 3.14 Phi [rad]
10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_4___reshoot_key=Phi_1_4
original counts = 1594.0, reshoot_counts = 9136.0
normalization = 0.179, reshoot_counts*normalization = 1637.9
original average = 3.16 Phi [rad], reshoot average = 3.09 Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average



original_key=Phi_wide_1500_5___reshoot_key=Phi_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 126.0, reshoot_counts = 666.0
normalization = 0.179, reshoot_counts*normalization = 119.4
original average = 3.39 Phi [rad], reshoot average = 3.19 Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_6___reshoot_key=Phi_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 185.0, reshoot_counts = 997.0
normalization = 0.179, reshoot_counts*normalization = 178.7
original average = 3.17 Phi [rad], reshoot average = 3.24 Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_7___reshoot_key=Phi_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 138.0, reshoot counts = 667.0
normalization = 0.179, reshoot_counts*normalization = 119.6
original average = 3.36 Phi [rad], reshoot average = 3.27 Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_8___reshoot_key=Phi_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 88.0, reshoot_counts = 509.0
normalization = 0.179, reshoot_counts*normalization = 91.3
original average = 3.24 Phi [rad], reshoot average = 2.97 Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_9___reshoot_key=Phi_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 47.0, reshoot_counts = 273.0
normalization = 0.179, reshoot_counts*normalization = 48.9
original average = 3.15 Phi [rad], reshoot average = 3.24 Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_10___reshoot_key=Phi_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 73.0, reshoot_counts = 411.0
normalization = 0.179, reshoot_counts*normalization = 73.7
original average = 3.35 Phi [rad], reshoot average = 3.30 Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_11___reshoot_key=Phi_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 69.0, reshoot_counts = 405.0
normalization = 0.179, reshoot_counts*normalization = 72.6
original average = 3.15 Phi [rad], reshoot average = 3.03 Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_12___reshoot_key=Phi_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 69.0, reshoot_counts = 381.0
normalization = 0.179, reshoot_counts*normalization = 68.3
original average = 3.24 Phi [rad], reshoot average = 3.46 Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_13___reshoot_key=Phi_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 68.0, reshoot_counts = 391.0
normalization = 0.179, reshoot_counts*normalization = 70.1
original average = 3.28 Phi [rad], reshoot average = 3.30 Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_14___reshoot_key=Phi_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 67.0, reshoot_counts = 391.0
normalization = 0.179, reshoot_counts*normalization = 70.1
original average = 2.99 Phi [rad], reshoot average = 2.45 Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_15___reshoot_key=Phi_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 53.0, reshoot_counts = 275.0
normalization = 0.179, reshoot_counts*normalization = 49.3
original average = 3.17 Phi [rad], reshoot average = 3.22 Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_16___reshoot_key=Phi_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 50.0, reshoot_counts = 296.0
normalization = 0.179, reshoot_counts*normalization = 53.1
original average = 3.17 Phi [rad], reshoot average = 3.35 Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_17___reshoot_key=Phi_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 48.0, reshoot_counts = 287.0
normalization = 0.179, reshoot_counts*normalization = 51.5
original average = 3.22 Phi [rad], reshoot average = 3.26 Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_18___reshoot_key=Phi_1_18
original counts = 24.0, reshoot_counts = 160.0
normalization = 0.179, reshoot_counts*normalization = 28.7
original average = 3.39 Phi [rad], reshoot average = 3.13 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
Phi [rad]



original_key=Phi_wide_1500_19___reshoot_key=Phi_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 37.0, reshoot_counts = 199.0
normalization = 0.179, reshoot_counts*normalization = 35.7
original average = 3.31 Phi [rad], reshoot average = 3.19 Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_20___reshoot_key=Phi_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26.0, reshoot_counts = 145.0
normalization = 0.179, reshoot_counts*normalization = 26.0
original average = 2.83 Phi [rad], reshoot average = 3.02 Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_21___reshoot_key=Phi_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24.0, reshoot_counts = 121.0
normalization = 0.179, reshoot_counts*normalization = 21.7
original average = 3.21 Phi [rad], reshoot average = 2.68 Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_22___reshoot_key=Phi_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16.0, reshoot_counts = 0.0
normalization = 0.179, reshoot_counts*normalization = 0.0
original average = 3.21 Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
10^{-1}
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_23___reshoot_key=Phi_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7.0, reshoot_counts = 0.0
normalization = 0.179, reshoot_counts*normalization = 0.0
original average = 4.79 Phi [rad], reshoot average = nan Phi [rad]
2×10^0
1.8×10^0
1.6×10^0
1.4×10^0
1.2×10^0
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_24___reshoot_key=Phi_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13.0, reshoot_counts = 0.0
normalization = 0.179, reshoot_counts*normalization = 0.0
original average = 2.78 Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
10^{-1}
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_25___reshoot_key=Phi_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.0, reshoot_counts = 0.0
normalization = 0.179, reshoot_counts*normalization = 0.0
original average = 4.91 Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
10^{-1}
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_26___reshoot_key=Phi_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.0, reshoot_counts = 0.0
normalization = 0.179, reshoot_counts*normalization = 0.0
original average = 2.42 Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
10^{-1}
0
1
2
3
4
5
6
Phi [rad]



original_key=Ekin_wide_1500_0___reshoot_key=EkinU_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 30111736.0, reshoot_counts = 164677140.0
normalization = 0.179, reshoot_counts*normalization = 29523229.6
original average = 230.52 Ek [MeV/u], reshoot average = 228.69 Ek [
10^{6}
10^{5}
10^{4}
10^{3}
10^{2}
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_1___reshoot_key=EkinU_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11671967.0, reshoot_counts = 65104874.0
normalization = 0.179, reshoot_counts*normalization = 11671967.0
original average = 195.82 Ek [MeV/u], reshoot average = 194.65 Ek [
10^5
10^4
10^3
10^2
10^1
10^0
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_2___reshoot_key=EkinU_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2340187.0, reshoot_counts = 13198218.0
normalization = 0.179, reshoot_counts*normalization = 2366169.5
original average = 142.12 Ek [MeV/u], reshoot average = 142.64 Ek [
10^5
10^4
10^3
10^2
10^1
10^0
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_3___reshoot_key=EkinU_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 60574.0, reshoot_counts = 342392.0
normalization = 0.179, reshoot_counts*normalization = 61383.9
original average = 104.88 Ek [MeV/u], reshoot average = 105.33 Ek [
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_4___reshoot_key=EkinU_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1594.0, reshoot_counts = 9136.0
normalization = 0.179, reshoot_counts*normalization = 1637.9
original average = 85.40 Ek [MeV/u], reshoot average = 85.01 Ek [Me
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_5___reshoot_key=EkinU_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 126.0, reshoot_counts = 666.0
normalization = 0.179, reshoot_counts*normalization = 119.4
original average = 186.94 Ek [MeV/u], reshoot average = 183.15 Ek [
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_6___reshoot_key=EkinU_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 185.0, reshoot_counts = 997.0
normalization = 0.179, reshoot_counts*normalization = 178.7
original average = 213.14 Ek [MeV/u], reshoot average = 208.06 Ek [
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_7___reshoot_key=EkinU_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 138.0, reshoot_counts = 667.0
normalization = 0.179, reshoot_counts*normalization = 119.6
original average = 217.82 Ek [MeV/u], reshoot average = 228.54 Ek [
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_8___reshoot_key=EkinU_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 88.0, reshoot_counts = 509.0
normalization = 0.179, reshoot_counts*normalization = 91.3
original average = 265.43 Ek [MeV/u], reshoot average = 264.33 Ek [
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_9___reshoot_key=EkinU_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 47.0, reshoot_counts = 273.0
normalization = 0.179, reshoot_counts*normalization = 48.9
original average = 257.12 Ek [MeV/u], reshoot average = 259.99 Ek [
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_10___reshoot_key=EkinU_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 73.0, reshoot_counts = 411.0
normalization = 0.179, reshoot_counts*normalization = 73.7
original average = 267.50 Ek [MeV/u], reshoot average = 271.73 Ek [
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_11___reshoot_key=EkinU_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 69.0, reshoot_counts = 405.0
normalization = 0.179, reshoot_counts*normalization = 72.6
original average = 280.82 Ek [MeV/u], reshoot average = 284.33 Ek [
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_12___reshoot_key=EkinU_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 69.0, reshoot_counts = 381.0
normalization = 0.179, reshoot_counts*normalization = 68.3
original average = 279.85 Ek [MeV/u], reshoot average = 280.85 Ek [
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_13___reshoot_key=EkinU_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 68.0, reshoot_counts = 391.0
normalization = 0.179, reshoot_counts*normalization = 70.1
original average = 276.54 Ek [MeV/u], reshoot average = 279.19 Ek [
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_14___reshoot_key=EkinU_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 67.0, reshoot_counts = 391.0
normalization = 0.179, reshoot_counts*normalization = 70.1
original average = 275.41 Ek [MeV/u], reshoot average = 275.30 Ek [
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_15___reshoot_key=EkinU_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 53.0, reshoot_counts = 275.0
normalization = 0.179, reshoot_counts*normalization = 49.3
original average = 265.93 Ek [MeV/u], reshoot average = 265.47 Ek [
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_16___reshoot_key=EkinU_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 50.0, reshoot_counts = 296.0
normalization = 0.179, reshoot_counts*normalization = 53.1
original average = 285.47 Ek [MeV/u], reshoot average = 284.92 Ek [
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_17___reshoot_key=EkinU_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 48.0, reshoot_counts = 287.0
normalization = 0.179, reshoot_counts*normalization = 51.5
original average = 278.15 Ek [MeV/u], reshoot average = 281.06 Ek [
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_18___reshoot_key=EkinU_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24.0, reshoot_counts = 160.0
normalization = 0.179, reshoot_counts*normalization = 28.7
original average = 299.08 Ek [MeV/u], reshoot average = 299.42 Ek [
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_19___reshoot_key=EkinU_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 37.0, reshoot_counts = 199.0
normalization = 0.179, reshoot_counts*normalization = 35.7
original average = 291.99 Ek [MeV/u], reshoot average = 292.31 Ek [
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_20___reshoot_key=EkinU_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26.0, reshoot_counts = 145.0
normalization = 0.179, reshoot_counts*normalization = 26.0
original average = 261.12 Ek [MeV/u], reshoot average = 267.71 Ek [
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_21___reshoot_key=EkinU_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24.0, reshoot_counts = 121.0
normalization = 0.179, reshoot_counts*normalization = 21.7
original average = 289.12 Ek [MeV/u], reshoot average = 289.37 Ek [
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_22___reshoot_key=EkinU_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16.0, reshoot_counts = 0.0
normalization = 0.179, reshoot_counts*normalization = 0.0
original average = 254.69 Ek [MeV/u], reshoot average = nan Ek [MeV
2×10^0
1.8×10^0
1.6×10^0
1.4×10^0
1.2×10^0
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_23___reshoot_key=EkinU_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7.0, reshoot_counts = 0.0
normalization = 0.179, reshoot_counts*normalization = 0.0
original average = 271.50 Ek [MeV/u], reshoot average = nan Ek [MeV
10^1
10^0
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_24___reshoot_key=EkinU_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13.0, reshoot_counts = 0.0
normalization = 0.179, reshoot_counts*normalization = 0.0
original average = 260.42 Ek [MeV/u], reshoot average = nan Ek [MeV
2×10^0
1.8×10^0
1.6×10^0
1.4×10^0
1.2×10^0
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_25___reshoot_key=EkinU_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.0, reshoot_counts = 0.0
normalization = 0.179, reshoot_counts*normalization = 0.0
original average = 194.50 Ek [MeV/u], reshoot average = nan Ek [MeV
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_26___reshoot_key=EkinU_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.0, reshoot_counts = 0.0
normalization = 0.179, reshoot_counts*normalization = 0.0
original average = 215.17 Ek [MeV/u], reshoot average = nan Ek [MeV
10^1
10^0
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=X_wide_1500_0___reshoot_key=X_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 30103811.0, reshoot_counts = 164677140.0
normalization = 0.179, reshoot_counts*normalization = 29523229.6
original average = -0.00 x pos [mm], reshoot average = -0.12 x pos [
10^5
10^4
10^3
10^2
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_1___reshoot_key=X_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11668950.0, reshoot_counts = 65104874.0
normalization = 0.179, reshoot_counts*normalization = 11671967.0
original average = 0.01 x pos [mm], reshoot average = -0.11 x pos [m
10^5
10^4
10^3
10^2
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_2___reshoot_key=X_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2339651.0, reshoot_counts = 13198218.0
normalization = 0.179, reshoot_counts*normalization = 2366169.5
original average = -0.01 x pos [mm], reshoot average = -0.12 x pos [
10^4
10^3
10^2
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_3___reshoot_key=X_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 60561.0, reshoot_counts = 342392.0
normalization = 0.179, reshoot_counts*normalization = 61383.9
original average = 0.09 x pos [mm], reshoot average = -0.06 x pos [m
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_4___reshoot_key=X_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1594.0, reshoot_counts = 9136.0
normalization = 0.179, reshoot_counts*normalization = 1637.9
original average = -0.39 x pos [mm], reshoot average = -0.32 x pos [
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_5___reshoot_key=X_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 126.0, reshoot_counts = 666.0
normalization = 0.179, reshoot_counts*normalization = 119.4
original average = 2.95 x pos [mm], reshoot average = 6.19 x pos [m
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_6___reshoot_key=X_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 185.0, reshoot_counts = 997.0
normalization = 0.179, reshoot_counts*normalization = 178.7
original average = -2.32 x pos [mm], reshoot average = 2.37 x pos [m
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_7___reshoot_key=X_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 138.0, reshoot_counts = 667.0
normalization = 0.179, reshoot_counts*normalization = 119.6
original average = 0.76 x pos [mm], reshoot average = -0.70 x pos [m
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_8___reshoot_key=X_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 88.0, reshoot_counts = 509.0
normalization = 0.179, reshoot_counts*normalization = 91.3
original average = -5.48 x pos [mm], reshoot average = -13.19 x pos
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_9___reshoot_key=X_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 47.0, reshoot_counts = 273.0
normalization = 0.179, reshoot_counts*normalization = 48.9
original average = 0.23 x pos [mm], reshoot average = -2.25 x pos [m
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_10___reshoot_key=X_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 73.0, reshoot_counts = 411.0
normalization = 0.179, reshoot_counts*normalization = 73.7
original average = 6.25 x pos [mm], reshoot average = 3.84 x pos [m
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_11___reshoot_key=X_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 69.0, reshoot_counts = 405.0
normalization = 0.179, reshoot_counts*normalization = 72.6
original average = -2.97 x pos [mm], reshoot average = -5.57 x pos [
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_12___reshoot_key=X_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 69.0, reshoot_counts = 381.0
normalization = 0.179, reshoot_counts*normalization = 68.3
original average = -8.26 x pos [mm], reshoot average = -9.31 x pos [
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_13___reshoot_key=X_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 68.0, reshoot_counts = 391.0
normalization = 0.179, reshoot_counts*normalization = 70.1
original average = -6.62 x pos [mm], reshoot average = -6.07 x pos [
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_14___reshoot_key=X_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 67.0, reshoot_counts = 391.0
normalization = 0.179, reshoot_counts*normalization = 70.1
original average = 3.71 x pos [mm], reshoot average = 7.36 x pos [m
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_15___reshoot_key=X_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 53.0, reshoot_counts = 275.0
normalization = 0.179, reshoot_counts*normalization = 49.3
original average = -3.30 x pos [mm], reshoot average = -5.35 x pos [
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_16___reshoot_key=X_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 50.0, reshoot_counts = 296.0
normalization = 0.179, reshoot_counts*normalization = 53.1
original average = 9.60 x pos [mm], reshoot average = 7.96 x pos [m
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_17___reshoot_key=X_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 48.0, reshoot_counts = 287.0
normalization = 0.179, reshoot_counts*normalization = 51.5
original average = -0.01 x pos [mm], reshoot average = -1.16 x pos [
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_18___reshoot_key=X_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24.0, reshoot_counts = 160.0
normalization = 0.179, reshoot_counts*normalization = 28.7
original average = -4.84 x pos [mm], reshoot average = -5.38 x pos [
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_19___reshoot_key=X_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 37.0, reshoot_counts = 199.0
normalization = 0.179, reshoot_counts*normalization = 35.7
original average = -2.75 x pos [mm], reshoot average = -0.69 x pos [
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_20___reshoot_key=X_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26.0, reshoot_counts = 145.0
normalization = 0.179, reshoot_counts*normalization = 26.0
original average = 9.24 x pos [mm], reshoot average = 9.56 x pos [m
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_21___reshoot_key=X_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24.0, reshoot_counts = 121.0
normalization = 0.179, reshoot_counts*normalization = 21.7
original average = 12.50 x pos [mm], reshoot average = 13.70 x pos
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_22___reshoot_key=X_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16.0, reshoot_counts = 0.0
normalization = 0.179, reshoot_counts*normalization = 0.0
original average = -5.09 x pos [mm], reshoot average = nan x pos [m
2×10^0
1.8×10^0
1.6×10^0
1.4×10^0
1.2×10^0
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_23___reshoot_key=X_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7.0, reshoot_counts = 0.0
normalization = 0.179, reshoot_counts*normalization = 0.0
original average = 1.70 x pos [mm], reshoot average = nan x pos [mm
2×10^0
1.8×10^0
1.6×10^0
1.4×10^0
1.2×10^0
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_24___reshoot_key=X_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13.0, reshoot_counts = 0.0
normalization = 0.179, reshoot_counts*normalization = 0.0
original average = 1.86 x pos [mm], reshoot average = nan x pos [mm
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_25___reshoot_key=X_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.0, reshoot_counts = 0.0
normalization = 0.179, reshoot_counts*normalization = 0.0
original average = -46.62 x pos [mm], reshoot average = nan x pos [r
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_26___reshoot_key=X_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.0, reshoot_counts = 0.0
normalization = 0.179, reshoot_counts*normalization = 0.0
original average = -15.12 x pos [mm], reshoot average = nan x pos [r
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=Y_wide_1500_0___reshoot_key=Y_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 30103783.0, reshoot_counts = 164677140.0
normalization = 0.179, reshoot_counts*normalization = 29523229.6
original average = -0.01 y pos [mm], reshoot average = -0.14 y pos [
10^5
10^4
10^3
10^2
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_1___reshoot_key=Y_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11668954.0, reshoot_counts = 65104874.0
normalization = 0.179, reshoot_counts*normalization = 11671967.0
original average = -0.02 y pos [mm], reshoot average = -0.15 y pos [
10^5
10^4
10^3
10^2
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_2___reshoot_key=Y_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2339680.0, reshoot_counts = 13198218.0
normalization = 0.179, reshoot_counts*normalization = 2366169.5
original average = -0.03 y pos [mm], reshoot average = -0.18 y pos [
10^4
10^3
10^2
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_3___reshoot_key=Y_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 60561.0, reshoot_counts = 342392.0
normalization = 0.179, reshoot_counts*normalization = 61383.9
original average = 0.09 y pos [mm], reshoot average = -0.03 y pos [m
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_4___reshoot_key=Y_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1594.0, reshoot_counts = 9136.0
normalization = 0.179, reshoot_counts*normalization = 1637.9
original average = -0.31 y pos [mm], reshoot average = -0.17 y pos [
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_5___reshoot_key=Y_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 126.0, reshoot_counts = 666.0
normalization = 0.179, reshoot_counts*normalization = 119.4
original average = 3.59 y pos [mm], reshoot average = -2.24 y pos [m
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_6___reshoot_key=Y_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 185.0, reshoot_counts = 997.0
normalization = 0.179, reshoot_counts*normalization = 178.7
original average = -1.10 y pos [mm], reshoot average = -1.14 y pos [
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_7___reshoot_key=Y_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 138.0, reshoot_counts = 667.0
normalization = 0.179, reshoot_counts*normalization = 119.6
original average = 0.05 y pos [mm], reshoot average = -3.41 y pos [m
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_8___reshoot_key=Y_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 88.0, reshoot_counts = 509.0
normalization = 0.179, reshoot_counts*normalization = 91.3
original average = -2.78 y pos [mm], reshoot average = -1.75 y pos [
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_9___reshoot_key=Y_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 47.0, reshoot_counts = 273.0
normalization = 0.179, reshoot_counts*normalization = 48.9
original average = 8.05 y pos [mm], reshoot average = 5.66 y pos [m
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_10___reshoot_key=Y_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 73.0, reshoot_counts = 411.0
normalization = 0.179, reshoot_counts*normalization = 73.7
original average = -3.23 y pos [mm], reshoot average = -3.52 y pos [
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_11___reshoot_key=Y_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 69.0, reshoot_counts = 405.0
normalization = 0.179, reshoot_counts*normalization = 72.6
original average = -7.36 y pos [mm], reshoot average = -10.64 y pos
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_12___reshoot_key=Y_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 69.0, reshoot_counts = 381.0
normalization = 0.179, reshoot_counts*normalization = 68.3
original average = 3.23 y pos [mm], reshoot average = 1.78 y pos [m
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_13___reshoot_key=Y_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 68.0, reshoot_counts = 391.0
normalization = 0.179, reshoot_counts*normalization = 70.1
original average = -6.44 y pos [mm], reshoot average = -4.98 y pos [
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_14___reshoot_key=Y_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 67.0, reshoot_counts = 391.0
normalization = 0.179, reshoot_counts*normalization = 70.1
original average = 0.43 y pos [mm], reshoot average = 3.44 y pos [m
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_15___reshoot_key=Y_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 53.0, reshoot_counts = 275.0
normalization = 0.179, reshoot_counts*normalization = 49.3
original average = 10.34 y pos [mm], reshoot average = 7.49 y pos [r
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_16___reshoot_key=Y_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 50.0, reshoot_counts = 296.0
normalization = 0.179, reshoot_counts*normalization = 53.1
original average = -1.56 y pos [mm], reshoot average = -1.81 y pos [
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_17___reshoot_key=Y_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 48.0, reshoot_counts = 287.0
normalization = 0.179, reshoot_counts*normalization = 51.5
original average = -3.36 y pos [mm], reshoot average = -2.23 y pos [
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_18___reshoot_key=Y_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24.0, reshoot_counts = 160.0
normalization = 0.179, reshoot_counts*normalization = 28.7
original average = -2.20 y pos [mm], reshoot average = -4.92 y pos [
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_19___reshoot_key=Y_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 37.0, reshoot_counts = 199.0
normalization = 0.179, reshoot_counts*normalization = 35.7
original average = -1.13 y pos [mm], reshoot average = 0.27 y pos [m
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_20___reshoot_key=Y_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26.0, reshoot_counts = 145.0
normalization = 0.179, reshoot_counts*normalization = 26.0
original average = 16.90 y pos [mm], reshoot average = 12.43 y pos
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_21___reshoot_key=Y_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24.0, reshoot_counts = 121.0
normalization = 0.179, reshoot_counts*normalization = 21.7
original average = -0.88 y pos [mm], reshoot average = 1.46 y pos [m
10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_1500_22___reshoot_key=Y_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16.0, reshoot_counts = 0.0
normalization = 0.179, reshoot_counts*normalization = 0.0
original average = 0.92 y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_1500_23___reshoot_key=Y_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7.0, reshoot_counts = 0.0
normalization = 0.179, reshoot_counts*normalization = 0.0
original average = 20.80 y pos [mm], reshoot average = nan y pos [m
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_1500_24___reshoot_key=Y_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13.0, reshoot_counts = 0.0
normalization = 0.179, reshoot_counts*normalization = 0.0
original average = 6.91 y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_1500_25___reshoot_key=Y_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.0, reshoot_counts = 0.0
normalization = 0.179, reshoot_counts*normalization = 0.0
original average = -28.62 y pos [mm], reshoot average = nan y pos [r
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_1500_26___reshoot_key=Y_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.0, reshoot_counts = 0.0
normalization = 0.179, reshoot_counts*normalization = 0.0
original average = -9.68 y pos [mm], reshoot average = nan y pos [m
10^{1}
10^{0}
10^{-1}
−400
−200
0
200
400
y pos [mm]