






original_key=Theta_2000_0___reshoot_key=Theta_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10725703.0, reshoot_counts = 164270186.0
normalization = 0.064, reshoot_counts*normalization = 10497712.3
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
10^8
10^7
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_1___reshoot_key=Theta_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4147969.0, reshoot_counts = 64908203.0
normalization = 0.064, reshoot_counts*normalization = 4147969.0
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
10^8
10^6
10^4
10^2
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_2___reshoot_key=Theta_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 843521.0, reshoot_counts = 13356215.0
normalization = 0.064, reshoot_counts*normalization = 853531.0
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
10^7
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_3___reshoot_key=Theta_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 22046.0, reshoot_counts = 349798.0
normalization = 0.064, reshoot_counts*normalization = 22353.9
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_4___reshoot_key=Theta_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 592.0, reshoot_counts = 9586.0
normalization = 0.064, reshoot_counts*normalization = 612.6
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_5___reshoot_key=Theta_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 65.0, reshoot_counts = 1034.0
normalization = 0.064, reshoot_counts*normalization = 66.1
original average = 0.16 Theta [rad], reshoot average = 0.13 Theta [ra
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_6___reshoot_key=Theta_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 93.0, reshoot_counts = 1302.0
normalization = 0.064, reshoot_counts*normalization = 83.2
original average = 0.35 Theta [rad], reshoot average = 0.26 Theta [ra
10^2
10^1
10^0
10^{-1}
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_7___reshoot_key=Theta_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 63.0, reshoot_counts = 956.0
normalization = 0.064, reshoot_counts*normalization = 61.1
original average = 0.24 Theta [rad], reshoot average = 0.17 Theta [ra
10^3
10^2
10^1
10^0
10^{-1}
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_8___reshoot_key=Theta_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 46.0, reshoot_counts = 650.0
normalization = 0.064, reshoot_counts*normalization = 41.5
original average = 0.18 Theta [rad], reshoot average = 0.08 Theta [ra
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_9___reshoot_key=Theta_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 23.0, reshoot_counts = 413.0
normalization = 0.064, reshoot_counts*normalization = 26.4
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_10___reshoot_key=Theta_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34.0, reshoot_counts = 519.0
normalization = 0.064, reshoot_counts*normalization = 33.2
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_11___reshoot_key=Theta_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 31.0, reshoot_counts = 527.0
normalization = 0.064, reshoot_counts*normalization = 33.7
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_12___reshoot_key=Theta_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 45.0, reshoot_counts = 701.0
normalization = 0.064, reshoot_counts*normalization = 44.8
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_13___reshoot_key=Theta_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 38.0, reshoot_counts = 602.0
normalization = 0.064, reshoot_counts*normalization = 38.5
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_14___reshoot_key=Theta_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 28.0, reshoot_counts = 458.0
normalization = 0.064, reshoot_counts*normalization = 29.3
original average = 0.03 Theta [rad], reshoot average = 0.04 Theta [ra
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_15___reshoot_key=Theta_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 19.0, reshoot_counts = 0.0
normalization = 0.064, reshoot_counts*normalization = 0.0
original average = 0.04 Theta [rad], reshoot average = nan Theta [rad
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_16___reshoot_key=Theta_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26.0, reshoot_counts = 455.0
normalization = 0.064, reshoot_counts*normalization = 29.1
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_17___reshoot_key=Theta_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 29.0, reshoot_counts = 430.0
normalization = 0.064, reshoot_counts*normalization = 27.5
original average = 0.07 Theta [rad], reshoot average = 0.08 Theta [ra
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_18___reshoot_key=Theta_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8.0, reshoot_counts = 0.0
normalization = 0.064, reshoot_counts*normalization = 0.0
original average = 0.03 Theta [rad], reshoot average = nan Theta [rad
4 × 10^0
3 × 10^0
2 × 10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_19___reshoot_key=Theta_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 17.0, reshoot_counts = 0.0
normalization = 0.064, reshoot_counts*normalization = 0.0
original average = 0.03 Theta [rad], reshoot average = nan Theta [rad]
6×10^0
4×10^0
3×10^0
2×10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_20___reshoot_key=Theta_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10.0, reshoot_counts = 0.0
normalization = 0.064, reshoot_counts*normalization = 0.0
original average = 0.03 Theta [rad], reshoot average = nan Theta [rad
4 × 10^0
3 × 10^0
2 × 10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_21___reshoot_key=Theta_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13.0, reshoot_counts = 0.0
normalization = 0.064, reshoot_counts*normalization = 0.0
original average = 0.03 Theta [rad], reshoot average = nan Theta [rad]
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_22___reshoot_key=Theta_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7.0, reshoot_counts = 0.0
normalization = 0.064, reshoot_counts*normalization = 0.0
original average = 0.03 Theta [rad], reshoot average = nan Theta [rad]
3 × 10^0
2 × 10^0
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_23___reshoot_key=Theta_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.064, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_24___reshoot_key=Theta_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8.0, reshoot_counts = 0.0
normalization = 0.064, reshoot_counts*normalization = 0.0
original average = 0.03 Theta [rad], reshoot average = nan Theta [rad
3 × 10^0
2 × 10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_25___reshoot_key=Theta_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.064, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_26___reshoot_key=Theta_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.064, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Phi_2000_0___reshoot_key=Phi_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10725703.0, reshoot_counts = 164270186.0
normalization = 0.064, reshoot_counts*normalization = 10497712.3
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^6
10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_1___reshoot_key=Phi_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4147969.0, reshoot_counts = 64908203.0
normalization = 0.064, reshoot_counts*normalization = 4147969.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^5
10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_2___reshoot_key=Phi_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 843521.0, reshoot_counts = 13356215.0
normalization = 0.064, reshoot_counts*normalization = 853531.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_3___reshoot_key=Phi_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original_counts = 22046.0, reshoot_counts = 349798.0
normalization = 0.064, reshoot_counts*normalization = 22353.9
original average = 3.16 Phi [rad], reshoot average = 3.15 Phi [rad]
10^3
10^2
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_4___reshoot_key=Phi_1_4
original counts = 592.0, reshoot counts = 9586.0
normalization = 0.064, reshoot_counts*normalization = 612.6
original average = 3.16 Phi [rad], reshoot average = 3.18 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
Phi [rad]



original_key=Phi_2000_5___reshoot_key=Phi_1_5
original counts = 65.0, reshoot_counts = 1034.0
normalization = 0.064, reshoot_counts*normalization = 66.1
original average = 3.60 Phi [rad], reshoot average = 3.26 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
Phi [rad]



original_key=Phi_2000_6___reshoot_key=Phi_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 93.0, reshoot_counts = 1302.0
normalization = 0.064, reshoot_counts*normalization = 83.2
original average = 3.28 Phi [rad], reshoot average = 3.49 Phi [rad]
10^1
10^0
10^{-1}
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_7___reshoot_key=Phi_1_7
original counts = 63.0, reshoot_counts = 956.0
normalization = 0.064, reshoot_counts*normalization = 61.1
original average = 3.32 Phi [rad], reshoot average = 3.41 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
10^1
10^0
10^{-1}
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_8___reshoot_key=Phi_1_8
original counts = 46.0, reshoot_counts = 650.0
normalization = 0.064, reshoot_counts*normalization = 41.5
original average = 3.15 Phi [rad], reshoot average = 2.84 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_9___reshoot_key=Phi_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 23.0, reshoot_counts = 413.0
normalization = 0.064, reshoot_counts*normalization = 26.4
original average = 3.27 Phi [rad], reshoot average = 3.42 Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_10___reshoot_key=Phi_1_10
original counts = 34.0, reshoot_counts = 519.0
normalization = 0.064, reshoot_counts*normalization = 33.2
original average = 3.27 Phi [rad], reshoot average = 3.23 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_11___reshoot_key=Phi_1_11
original counts = 31.0, reshoot_counts = 527.0
normalization = 0.064, reshoot_counts*normalization = 33.7
original average = 2.51 Phi [rad], reshoot average = 2.65 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_12___reshoot_key=Phi_1_12
original counts = 45.0, reshoot counts = 701.0
normalization = 0.064, reshoot_counts*normalization = 44.8
original average = 3.01 Phi [rad], reshoot average = 3.25 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_13___reshoot_key=Phi_1_13
original counts = 38.0, reshoot_counts = 602.0
normalization = 0.064, reshoot_counts*normalization = 38.5
original average = 2.88 Phi [rad], reshoot average = 2.98 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_14___reshoot_key=Phi_1_14
original counts = 28.0, reshoot_counts = 458.0
normalization = 0.064, reshoot_counts*normalization = 29.3
original average = 2.80 Phi [rad], reshoot average = 2.37 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_15___reshoot_key=Phi_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 19.0, reshoot_counts = 0.0
normalization = 0.064, reshoot_counts*normalization = 0.0
original average = 2.66 Phi [rad], reshoot average = nan Phi [rad]
2×10^0
1.8×10^0
1.6×10^0
1.4×10^0
1.2×10^0
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_16___reshoot_key=Phi_1_16
original counts = 26.0, reshoot_counts = 455.0
normalization = 0.064, reshoot_counts*normalization = 29.1
original average = 2.91 Phi [rad], reshoot average = 3.61 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_17___reshoot_key=Phi_1_17
original counts = 29.0, reshoot_counts = 430.0
normalization = 0.064, reshoot_counts*normalization = 27.5
original average = 3.28 Phi [rad], reshoot average = 2.83 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_18___reshoot_key=Phi_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8.0, reshoot_counts = 0.0
normalization = 0.064, reshoot_counts*normalization = 0.0
original average = 3.05 Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
10^{-1}
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_19___reshoot_key=Phi_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 17.0, reshoot_counts = 0.0
normalization = 0.064, reshoot_counts*normalization = 0.0
original average = 3.24 Phi [rad], reshoot average = nan Phi [rad]
2×10^0
1.8×10^0
1.6×10^0
1.4×10^0
1.2×10^0
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_20___reshoot_key=Phi_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10.0, reshoot_counts = 0.0
normalization = 0.064, reshoot_counts*normalization = 0.0
original average = 3.54 Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
10^{-1}
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_21___reshoot_key=Phi_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13.0, reshoot_counts = 0.0
normalization = 0.064, reshoot_counts*normalization = 0.0
original average = 3.17 Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
10^{-1}
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_22___reshoot_key=Phi_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7.0, reshoot_counts = 0.0
normalization = 0.064, reshoot_counts*normalization = 0.0
original average = 3.07 Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
10^{-1}
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_23___reshoot_key=Phi_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.064, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_24___reshoot_key=Phi_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8.0, reshoot_counts = 0.0
normalization = 0.064, reshoot_counts*normalization = 0.0
original average = 3.16 Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
10^{-1}
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_25___reshoot_key=Phi_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.064, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_26___reshoot_key=Phi_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.064, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Ekin_2000_0___reshoot_key=EkinU_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10725703.0, reshoot_counts = 164270186.0
normalization = 0.064, reshoot_counts*normalization = 10497712.3
original average = 231.50 Ek [MeV/u], reshoot average = 229.67 Ek [
10^6
10^5
10^4
10^3
10^2
10^1
10^0
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_1___reshoot_key=EkinU_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4147969.0, reshoot_counts = 64908203.0
normalization = 0.064, reshoot_counts*normalization = 4147969.0
original average = 197.23 Ek [MeV/u], reshoot average = 196.02 Ek [
10^5
10^4
10^3
10^2
10^1
10^0
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_2___reshoot_key=EkinU_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 843521.0, reshoot_counts = 13356215.0
normalization = 0.064, reshoot_counts*normalization = 853531.0
original average = 143.28 Ek [MeV/u], reshoot average = 143.80 Ek [
10^5
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_3___reshoot_key=EkinU_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 22046.0, reshoot_counts = 349798.0
normalization = 0.064, reshoot_counts*normalization = 22353.9
original average = 105.45 Ek [MeV/u], reshoot average = 105.89 Ek [
10^3
10^2
10^1
10^0
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_4___reshoot_key=EkinU_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 592.0, reshoot_counts = 9586.0
normalization = 0.064, reshoot_counts*normalization = 612.6
original average = 89.31 Ek [MeV/u], reshoot average = 88.56 Ek [Me
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_5___reshoot_key=EkinU_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 65.0, reshoot_counts = 1034.0
normalization = 0.064, reshoot_counts*normalization = 66.1
original average = 217.71 Ek [MeV/u], reshoot average = 216.18 Ek [
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_6___reshoot_key=EkinU_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 93.0, reshoot_counts = 1302.0
normalization = 0.064, reshoot_counts*normalization = 83.2
original average = 207.76 Ek [MeV/u], reshoot average = 205.65 Ek [
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_7___reshoot_key=EkinU_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 63.0, reshoot_counts = 956.0
normalization = 0.064, reshoot_counts*normalization = 61.1
original average = 238.29 Ek [MeV/u], reshoot average = 237.04 Ek [
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_8___reshoot_key=EkinU_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 46.0, reshoot_counts = 650.0
normalization = 0.064, reshoot_counts*normalization = 41.5
original average = 263.90 Ek [MeV/u], reshoot average = 268.63 Ek [
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_9___reshoot_key=EkinU_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 23.0, reshoot_counts = 413.0
normalization = 0.064, reshoot_counts*normalization = 26.4
original average = 266.98 Ek [MeV/u], reshoot average = 270.59 Ek [
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_10___reshoot_key=EkinU_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34.0, reshoot_counts = 519.0
normalization = 0.064, reshoot_counts*normalization = 33.2
original average = 277.00 Ek [MeV/u], reshoot average = 278.72 Ek [
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_11___reshoot_key=EkinU_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 31.0, reshoot_counts = 527.0
normalization = 0.064, reshoot_counts*normalization = 33.7
original average = 272.18 Ek [MeV/u], reshoot average = 275.77 Ek [
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_12___reshoot_key=EkinU_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 45.0, reshoot_counts = 701.0
normalization = 0.064, reshoot_counts*normalization = 44.8
original average = 276.14 Ek [MeV/u], reshoot average = 277.97 Ek [
10^1
10^0
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_13___reshoot_key=EkinU_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 38.0, reshoot_counts = 602.0
normalization = 0.064, reshoot_counts*normalization = 38.5
original average = 272.42 Ek [MeV/u], reshoot average = 273.31 Ek [
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_14___reshoot_key=EkinU_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 28.0, reshoot_counts = 458.0
normalization = 0.064, reshoot_counts*normalization = 29.3
original average = 274.00 Ek [MeV/u], reshoot average = 277.81 Ek [
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_15___reshoot_key=EkinU_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 19.0, reshoot_counts = 0.0
normalization = 0.064, reshoot_counts*normalization = 0.0
original average = 240.97 Ek [MeV/u], reshoot average = nan Ek [MeV
2×10^0
1.8×10^0
1.6×10^0
1.4×10^0
1.2×10^0
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_16___reshoot_key=EkinU_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26.0, reshoot_counts = 455.0
normalization = 0.064, reshoot_counts*normalization = 29.1
original average = 297.12 Ek [MeV/u], reshoot average = 297.57 Ek [
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_17___reshoot_key=EkinU_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 29.0, reshoot_counts = 430.0
normalization = 0.064, reshoot_counts*normalization = 27.5
original average = 280.36 Ek [MeV/u], reshoot average = 277.33 Ek [
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_18___reshoot_key=EkinU_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8.0, reshoot_counts = 0.0
normalization = 0.064, reshoot_counts*normalization = 0.0
original average = 297.12 Ek [MeV/u], reshoot average = nan Ek [MeV
2×10^0
1.8×10^0
1.6×10^0
1.4×10^0
1.2×10^0
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_19___reshoot_key=EkinU_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 17.0, reshoot_counts = 0.0
normalization = 0.064, reshoot_counts*normalization = 0.0
original average = 268.62 Ek [MeV/u], reshoot average = nan Ek [MeV
2×10^0
1.8×10^0
1.6×10^0
1.4×10^0
1.2×10^0
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_20___reshoot_key=EkinU_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10.0, reshoot_counts = 0.0
normalization = 0.064, reshoot_counts*normalization = 0.0
original average = 282.80 Ek [MeV/u], reshoot average = nan Ek [MeV
2×10^0
1.8×10^0
1.6×10^0
1.4×10^0
1.2×10^0
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_21___reshoot_key=EkinU_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13.0, reshoot_counts = 0.0
normalization = 0.064, reshoot_counts*normalization = 0.0
original average = 289.12 Ek [MeV/u], reshoot average = nan Ek [MeV
2×10^0
1.8×10^0
1.6×10^0
1.4×10^0
1.2×10^0
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_22___reshoot_key=EkinU_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7.0, reshoot_counts = 0.0
normalization = 0.064, reshoot_counts*normalization = 0.0
original average = 270.36 Ek [MeV/u], reshoot average = nan Ek [MeV
10^1
10^0
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_23___reshoot_key=EkinU_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.064, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_24___reshoot_key=EkinU_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8.0, reshoot_counts = 0.0
normalization = 0.064, reshoot_counts*normalization = 0.0
original average = 230.50 Ek [MeV/u], reshoot average = nan Ek [MeV
2×10^0
1.8×10^0
1.6×10^0
1.4×10^0
1.2×10^0
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_25___reshoot_key=EkinU_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.064, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_26___reshoot_key=EkinU_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.064, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=X_2000_0___reshoot_key=X_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10723404.0, reshoot_counts = 164270186.0
normalization = 0.064, reshoot_counts*normalization = 10497712.3
original average = -0.01 x pos [mm], reshoot average = -0.12 x pos [
10^6
10^5
10^4
10^3
10^2
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_1___reshoot_key=X_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4147099.0, reshoot_counts = 64908203.0
normalization = 0.064, reshoot_counts*normalization = 4147969.0
original average = -0.00 x pos [mm], reshoot average = -0.12 x pos [
10^5
10^4
10^3
10^2
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_2___reshoot_key=X_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 843351.0, reshoot_counts = 13356215.0
normalization = 0.064, reshoot_counts*normalization = 853531.0
original average = -0.02 x pos [mm], reshoot average = -0.13 x pos [
10^4
10^3
10^2
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_3___reshoot_key=X_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 22041.0, reshoot_counts = 349798.0
normalization = 0.064, reshoot_counts*normalization = 22353.9
original average = 0.00 x pos [mm], reshoot average = -0.10 x pos [m
10^3
10^2
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_4___reshoot_key=X_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 592.0, reshoot_counts = 9586.0
normalization = 0.064, reshoot_counts*normalization = 612.6
original average = -0.13 x pos [mm], reshoot average = -0.36 x pos [
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_5___reshoot_key=X_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 65.0, reshoot_counts = 1034.0
normalization = 0.064, reshoot_counts*normalization = 66.1
original average = 3.66 x pos [mm], reshoot average = 1.75 x pos [m
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_6___reshoot_key=X_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 93.0, reshoot_counts = 1302.0
normalization = 0.064, reshoot_counts*normalization = 83.2
original average = 0.04 x pos [mm], reshoot average = 9.31 x pos [m
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_7___reshoot_key=X_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 63.0, reshoot_counts = 956.0
normalization = 0.064, reshoot_counts*normalization = 61.1
original average = 0.93 x pos [mm], reshoot average = 5.59 x pos [m
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_8___reshoot_key=X_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 46.0, reshoot_counts = 650.0
normalization = 0.064, reshoot_counts*normalization = 41.5
original average = -0.27 x pos [mm], reshoot average = -13.87 x pos
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_9___reshoot_key=X_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 23.0, reshoot_counts = 413.0
normalization = 0.064, reshoot_counts*normalization = 26.4
original average = -4.22 x pos [mm], reshoot average = -6.92 x pos [
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_10___reshoot_key=X_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34.0, reshoot_counts = 519.0
normalization = 0.064, reshoot_counts*normalization = 33.2
original average = 3.94 x pos [mm], reshoot average = 4.20 x pos [m
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_11___reshoot_key=X_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 31.0, reshoot_counts = 527.0
normalization = 0.064, reshoot_counts*normalization = 33.7
original average = 0.92 x pos [mm], reshoot average = -0.41 x pos [m
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_12___reshoot_key=X_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 45.0, reshoot_counts = 701.0
normalization = 0.064, reshoot_counts*normalization = 44.8
original average = -6.47 x pos [mm], reshoot average = -8.31 x pos [
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_13___reshoot_key=X_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 38.0, reshoot_counts = 602.0
normalization = 0.064, reshoot_counts*normalization = 38.5
original average = 1.83 x pos [mm], reshoot average = 4.97 x pos [m
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_14___reshoot_key=X_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 28.0, reshoot_counts = 458.0
normalization = 0.064, reshoot_counts*normalization = 29.3
original average = 3.55 x pos [mm], reshoot average = 1.94 x pos [m
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_15___reshoot_key=X_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 19.0, reshoot_counts = 0.0
normalization = 0.064, reshoot_counts*normalization = 0.0
original average = 2.34 x pos [mm], reshoot average = nan x pos [mm
2×10^0
1.8×10^0
1.6×10^0
1.4×10^0
1.2×10^0
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_16___reshoot_key=X_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26.0, reshoot_counts = 455.0
normalization = 0.064, reshoot_counts*normalization = 29.1
original average = 7.34 x pos [mm], reshoot average = 7.80 x pos [m
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_17___reshoot_key=X_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 29.0, reshoot_counts = 430.0
normalization = 0.064, reshoot_counts*normalization = 27.5
original average = 1.47 x pos [mm], reshoot average = -1.09 x pos [m
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_18___reshoot_key=X_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8.0, reshoot_counts = 0.0
normalization = 0.064, reshoot_counts*normalization = 0.0
original average = 2.28 x pos [mm], reshoot average = nan x pos [mm
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_19___reshoot_key=X_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 17.0, reshoot_counts = 0.0
normalization = 0.064, reshoot_counts*normalization = 0.0
original average = -0.35 x pos [mm], reshoot average = nan x pos [m
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_20___reshoot_key=X_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10.0, reshoot_counts = 0.0
normalization = 0.064, reshoot_counts*normalization = 0.0
original average = 13.35 x pos [mm], reshoot average = nan x pos [m
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_21___reshoot_key=X_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13.0, reshoot_counts = 0.0
normalization = 0.064, reshoot_counts*normalization = 0.0
original average = 11.09 x pos [mm], reshoot average = nan x pos [m
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_22___reshoot_key=X_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7.0, reshoot_counts = 0.0
normalization = 0.064, reshoot_counts*normalization = 0.0
original average = -16.16 x pos [mm], reshoot average = nan x pos [r
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_23___reshoot_key=X_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.064, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_24___reshoot_key=X_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8.0, reshoot_counts = 0.0
normalization = 0.064, reshoot_counts*normalization = 0.0
original average = 0.72 x pos [mm], reshoot average = nan x pos [mm
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_25___reshoot_key=X_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.064, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_26___reshoot_key=X_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.064, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=Y_2000_0___reshoot_key=Y_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10723312.0, reshoot_counts = 164270186.0
normalization = 0.064, reshoot_counts*normalization = 10497712.3
original average = -0.01 y pos [mm], reshoot average = -0.13 y pos [
10^6
10^5
10^4
10^3
10^2
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_1___reshoot_key=Y_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4147104.0, reshoot_counts = 64908203.0
normalization = 0.064, reshoot_counts*normalization = 4147969.0
original average = -0.02 y pos [mm], reshoot average = -0.15 y pos [
10^5
10^4
10^3
10^2
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_2___reshoot_key=Y_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 843361.0, reshoot_counts = 13356215.0
normalization = 0.064, reshoot_counts*normalization = 853531.0
original average = -0.01 y pos [mm], reshoot average = -0.15 y pos [
10^4
10^3
10^2
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_3___reshoot_key=Y_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 22043.0, reshoot_counts = 349798.0
normalization = 0.064, reshoot_counts*normalization = 22353.9
original average = -0.21 y pos [mm], reshoot average = -0.37 y pos [
10^3
10^2
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_4___reshoot_key=Y_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 592.0, reshoot_counts = 9586.0
normalization = 0.064, reshoot_counts*normalization = 612.6
original average = 0.28 y pos [mm], reshoot average = 0.46 y pos [m
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_5___reshoot_key=Y_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 65.0, reshoot_counts = 1034.0
normalization = 0.064, reshoot_counts*normalization = 66.1
original average = -2.42 y pos [mm], reshoot average = -5.24 y pos [
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_6___reshoot_key=Y_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 93.0, reshoot_counts = 1302.0
normalization = 0.064, reshoot_counts*normalization = 83.2
original average = 0.19 y pos [mm], reshoot average = -11.13 y pos [
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_7___reshoot_key=Y_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 63.0, reshoot_counts = 956.0
normalization = 0.064, reshoot_counts*normalization = 61.1
original average = 1.44 y pos [mm], reshoot average = -2.41 y pos [m
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_8___reshoot_key=Y_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 46.0, reshoot_counts = 650.0
normalization = 0.064, reshoot_counts*normalization = 41.5
original average = -1.23 y pos [mm], reshoot average = -0.54 y pos [
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_9___reshoot_key=Y_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 23.0, reshoot_counts = 413.0
normalization = 0.064, reshoot_counts*normalization = 26.4
original average = 4.42 y pos [mm], reshoot average = 2.55 y pos [m
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_10___reshoot_key=Y_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34.0, reshoot_counts = 519.0
normalization = 0.064, reshoot_counts*normalization = 33.2
original average = -3.07 y pos [mm], reshoot average = -4.32 y pos [
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_11___reshoot_key=Y_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 31.0, reshoot_counts = 527.0
normalization = 0.064, reshoot_counts*normalization = 33.7
original average = -3.58 y pos [mm], reshoot average = -2.64 y pos [
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_12___reshoot_key=Y_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 45.0, reshoot_counts = 701.0
normalization = 0.064, reshoot_counts*normalization = 44.8
original average = 1.82 y pos [mm], reshoot average = 1.83 y pos [m
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_13___reshoot_key=Y_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 38.0, reshoot_counts = 602.0
normalization = 0.064, reshoot_counts*normalization = 38.5
original average = -5.63 y pos [mm], reshoot average = -4.51 y pos [
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_14___reshoot_key=Y_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 28.0, reshoot_counts = 458.0
normalization = 0.064, reshoot_counts*normalization = 29.3
original average = -4.57 y pos [mm], reshoot average = -2.47 y pos [
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_15___reshoot_key=Y_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 19.0, reshoot_counts = 0.0
normalization = 0.064, reshoot_counts*normalization = 0.0
original average = -1.64 y pos [mm], reshoot average = nan y pos [m
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_16___reshoot_key=Y_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26.0, reshoot_counts = 455.0
normalization = 0.064, reshoot_counts*normalization = 29.1
original average = -1.58 y pos [mm], reshoot average = -2.39 y pos [
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_17___reshoot_key=Y_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 29.0, reshoot_counts = 430.0
normalization = 0.064, reshoot_counts*normalization = 27.5
original average = 0.51 y pos [mm], reshoot average = 0.64 y pos [m
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_18___reshoot_key=Y_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8.0, reshoot_counts = 0.0
normalization = 0.064, reshoot_counts*normalization = 0.0
original average = 0.62 y pos [mm], reshoot average = nan y pos [mm
2×10^0
1.8×10^0
1.6×10^0
1.4×10^0
1.2×10^0
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_19___reshoot_key=Y_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 17.0, reshoot_counts = 0.0
normalization = 0.064, reshoot_counts*normalization = 0.0
original average = 5.44 y pos [mm], reshoot average = nan y pos [mm
2×10^0
1.8×10^0
1.6×10^0
1.4×10^0
1.2×10^0
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_20___reshoot_key=Y_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10.0, reshoot_counts = 0.0
normalization = 0.064, reshoot_counts*normalization = 0.0
original average = 9.97 y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_21___reshoot_key=Y_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13.0, reshoot_counts = 0.0
normalization = 0.064, reshoot_counts*normalization = 0.0
original average = 4.95 y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]


original_key=Y_2000_22___reshoot_key=Y_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7.0, reshoot_counts = 0.0
normalization = 0.064, reshoot_counts*normalization = 0.0
original average = 10.84 y pos [mm], reshoot average = nan y pos [m
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]


original_key=Y_2000_23___reshoot_key=Y_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.064, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_2000_24___reshoot_key=Y_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8.0, reshoot_counts = 0.0
normalization = 0.064, reshoot_counts*normalization = 0.0
original average = 5.62 y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]


original_key=Y_2000_25___reshoot_key=Y_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.064, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_2000_26___reshoot_key=Y_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.064, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
−400
−200
0
200
400
y pos [mm]