






original_key=Theta_very_wide_2000_0___reshoot_key=Theta_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 72332527.0, reshoot_counts = 163039591.0
normalization = 0.434, reshoot_counts*normalization = 70815168.8
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
10^8
10^7
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_very_wide_2000_1___reshoot_key=Theta_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 28629203.0, reshoot_counts = 65913753.0
normalization = 0.434, reshoot_counts*normalization = 28629203.0
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
10^7
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_very_wide_2000_2___reshoot_key=Theta_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5767965.0, reshoot_counts = 13432294.0
normalization = 0.434, reshoot_counts*normalization = 5834228.1
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
10^7
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_very_wide_2000_3___reshoot_key=Theta_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 155520.0, reshoot_counts = 363854.0
normalization = 0.434, reshoot_counts*normalization = 158037.6
original average = 0.03 Theta [rad], reshoot average = 0.04 Theta [ra
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_very_wide_2000_4___reshoot_key=Theta_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5428.0, reshoot_counts = 12869.0
normalization = 0.434, reshoot_counts*normalization = 5589.6
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_very_wide_2000_5___reshoot_key=Theta_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1378.0, reshoot_counts = 3199.0
normalization = 0.434, reshoot_counts*normalization = 1389.5
original average = 0.08 Theta [rad], reshoot average = 0.07 Theta [ra
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_very_wide_2000_6___reshoot_key=Theta_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2026.0, reshoot_counts = 4605.0
normalization = 0.434, reshoot_counts*normalization = 2000.2
original average = 0.09 Theta [rad], reshoot average = 0.07 Theta [ra
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_very_wide_2000_7___reshoot_key=Theta_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1251.0, reshoot_counts = 2833.0
normalization = 0.434, reshoot_counts*normalization = 1230.5
original average = 0.12 Theta [rad], reshoot average = 0.06 Theta [ra
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_very_wide_2000_8___reshoot_key=Theta_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 872.0, reshoot_counts = 1971.0
normalization = 0.434, reshoot_counts*normalization = 856.1
original average = 0.07 Theta [rad], reshoot average = 0.05 Theta [ra
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_very_wide_2000_9___reshoot_key=Theta_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 615.0, reshoot_counts = 1419.0
normalization = 0.434, reshoot_counts*normalization = 616.3
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_very_wide_2000_10___reshoot_key=Theta_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 943.0, reshoot_counts = 2189.0
normalization = 0.434, reshoot_counts*normalization = 950.8
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_very_wide_2000_11___reshoot_key=Theta_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1313.0, reshoot_counts = 3071.0
normalization = 0.434, reshoot_counts*normalization = 1333.9
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_very_wide_2000_12___reshoot_key=Theta_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1286.0, reshoot_counts = 3078.0
normalization = 0.434, reshoot_counts*normalization = 1336.9
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_very_wide_2000_13___reshoot_key=Theta_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1623.0, reshoot_counts = 3787.0
normalization = 0.434, reshoot_counts*normalization = 1644.9
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_very_wide_2000_14___reshoot_key=Theta_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1888.0, reshoot_counts = 4398.0
normalization = 0.434, reshoot_counts*normalization = 1910.2
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_very_wide_2000_15___reshoot_key=Theta_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1930.0, reshoot_counts = 4522.0
normalization = 0.434, reshoot_counts*normalization = 1964.1
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_very_wide_2000_16___reshoot_key=Theta_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1873.0, reshoot_counts = 4427.0
normalization = 0.434, reshoot_counts*normalization = 1922.8
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_very_wide_2000_17___reshoot_key=Theta_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2380.0, reshoot_counts = 5601.0
normalization = 0.434, reshoot_counts*normalization = 2432.8
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_very_wide_2000_18___reshoot_key=Theta_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2106.0, reshoot_counts = 4954.0
normalization = 0.434, reshoot_counts*normalization = 2151.7
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_very_wide_2000_19___reshoot_key=Theta_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2941.0, reshoot_counts = 6876.0
normalization = 0.434, reshoot_counts*normalization = 2986.5
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_very_wide_2000_20___reshoot_key=Theta_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3779.0, reshoot_counts = 8787.0
normalization = 0.434, reshoot_counts*normalization = 3816.6
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_very_wide_2000_21___reshoot_key=Theta_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5351.0, reshoot_counts = 12495.0
normalization = 0.434, reshoot_counts*normalization = 5427.1
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_very_wide_2000_22___reshoot_key=Theta_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7648.0, reshoot_counts = 17820.0
normalization = 0.434, reshoot_counts*normalization = 7740.0
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_very_wide_2000_23___reshoot_key=Theta_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11790.0, reshoot_counts = 27445.0
normalization = 0.434, reshoot_counts*normalization = 11920.6
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_very_wide_2000_24___reshoot_key=Theta_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 17112.0, reshoot_counts = 40160.0
normalization = 0.434, reshoot_counts*normalization = 17443.2
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_very_wide_2000_25___reshoot_key=Theta_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24289.0, reshoot_counts = 56577.0
normalization = 0.434, reshoot_counts*normalization = 24573.8
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_very_wide_2000_26___reshoot_key=Theta_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 19730.0, reshoot_counts = 46073.0
normalization = 0.434, reshoot_counts*normalization = 20011.5
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Phi_very_wide_2000_0___reshoot_key=Phi_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 72332527.0, reshoot_counts = 163039591.0
normalization = 0.434, reshoot_counts*normalization = 70815168.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
6 × 10^5
4 × 10^5
3 × 10^5
2 × 10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_2000_1___reshoot_key=Phi_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 28629203.0, reshoot_counts = 65913753.0
normalization = 0.434, reshoot_counts*normalization = 28629203.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
3 × 10^5
2 × 10^5
10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_2000_2___reshoot_key=Phi_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5767965.0, reshoot_counts = 13432294.0
normalization = 0.434, reshoot_counts*normalization = 5834228.1
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_2000_3___reshoot_key=Phi_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 155520.0, reshoot_counts = 363854.0
normalization = 0.434, reshoot_counts*normalization = 158037.6
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^3
6×10^2
4×10^2
3×10^2
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_2000_4___reshoot_key=Phi_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5428.0, reshoot counts = 12869.0
normalization = 0.434, reshoot counts*normalization = 5589.6
original average = 3.15 Phi [rad], reshoot average = 3.13 Phi [rad]
10^2
10^1
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_2000_5___reshoot_key=Phi_1_5
original counts = 1378.0, reshoot counts = 3199.0
normalization = 0.434, reshoot_counts*normalization = 1389.5
original average = 3.24 Phi [rad], reshoot average = 3.25 Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average



original_key=Phi_very_wide_2000_6___reshoot_key=Phi_1_6
original counts = 2026.0, reshoot_counts = 4605.0
normalization = 0.434, reshoot_counts*normalization = 2000.2
original average = 3.10 Phi [rad], reshoot average = 3.09 Phi [rad]
10^1
10^0
output PS * normalization
output PS
input PS
original average
reshoot average
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_2000_7___reshoot_key=Phi_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1251.0, reshoot_counts = 2833.0
normalization = 0.434, reshoot_counts*normalization = 1230.5
original average = 3.13 Phi [rad], reshoot average = 3.15 Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_2000_8___reshoot_key=Phi_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8720, reshoot_counts = 1971.0
normalization = 0.434, reshoot_counts*normalization = 856.1
original average = 3.14 Phi [rad], reshoot average = 3.01 Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_2000_9___reshoot_key=Phi_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 615.0, reshoot_counts = 1419.0
normalization = 0.434, reshoot_counts*normalization = 616.3
original average = 3.14 Phi [rad], reshoot average = 3.11 Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_2000_10___reshoot_key=Phi_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 943.0, reshoot_counts = 2189.0
normalization = 0.434, reshoot_counts*normalization = 950.8
original average = 3.04 Phi [rad], reshoot average = 3.17 Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_2000_11___reshoot_key=Phi_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1313.0, reshoot_counts = 3071.0
normalization = 0.434, reshoot_counts*normalization = 1333.9
original average = 3.20 Phi [rad], reshoot average = 3.08 Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_2000_12___reshoot_key=Phi_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1286.0, reshoot_counts = 3078.0
normalization = 0.434, reshoot_counts*normalization = 1336.9
original average = 3.14 Phi [rad], reshoot average = 3.16 Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_2000_13___reshoot_key=Phi_1_13
original counts = 1623.0, reshoot_counts = 3787.0
normalization = 0.434, reshoot_counts*normalization = 1644.9
original average = 3.17 Phi [rad], reshoot average = 3.13 Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average



original_key=Phi_very_wide_2000_14___reshoot_key=Phi_1_14
original counts = 1888.0, reshoot counts = 4398.0
normalization = 0.434, reshoot counts*normalization = 1910.2
original average = 3.08 Phi [rad], reshoot average = 3.10 Phi [rad]
10^1
10^0
output PS * normalization
output PS
input PS
original average
reshoot average
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_2000_15___reshoot_key=Phi_1_15
original counts = 1930.0, reshoot_counts = 4522.0
normalization = 0.434, reshoot_counts*normalization = 1964.1
original average = 3.02 Phi [rad], reshoot average = 3.12 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_2000_16___reshoot_key=Phi_1_16
original counts = 1873.0, reshoot_counts = 4427.0
normalization = 0.434, reshoot_counts*normalization = 1922.8
original average = 3.11 Phi [rad], reshoot average = 3.10 Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average



original_key=Phi_very_wide_2000_17___reshoot_key=Phi_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2380.0, reshoot_counts = 5601.0
normalization = 0.434, reshoot_counts*normalization = 2432.8
original average = 3.12 Phi [rad], reshoot average = 3.19 Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_2000_18___reshoot_key=Phi_1_18
original counts = 2106.0, reshoot_counts = 4954.0
normalization = 0.434, reshoot_counts*normalization = 2151.7
original average = 3.12 Phi [rad], reshoot average = 3.14 Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average



original_key=Phi_very_wide_2000_19___reshoot_key=Phi_1_19
original counts = 2941.0, reshoot counts = 6876.0
normalization = 0.434, reshoot counts*normalization = 2986.5
original average = 3.13 Phi [rad], reshoot average = 3.16 Phi [rad]
10^1
10^0
output PS * normalization
output PS
input PS
original average
reshoot average
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_2000_20___reshoot_key=Phi_1_20
original counts = 3779.0, reshoot counts = 8787.0
normalization = 0.434, reshoot counts*normalization = 3816.6
original average = 3.16 Phi [rad], reshoot average = 3.14 Phi [rad]
10^1
10^0
output PS * normalization
output PS
input PS
original average
reshoot average
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_2000_21___reshoot_key=Phi_1_21
original counts = 5351.0, reshoot counts = 12495.0
normalization = 0.434, reshoot_counts*normalization = 5427.1
original average = 3.12 Phi [rad], reshoot average = 3.13 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
Phi [rad]



original_key=Phi_very_wide_2000_22___reshoot_key=Phi_1_22
original counts = 7648.0, reshoot counts = 17820.0
normalization = 0.434, reshoot_counts*normalization = 7740.0
original average = 3.13 Phi [rad], reshoot average = 3.14 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
Phi [rad]



original_key=Phi_very_wide_2000_23___reshoot_key=Phi_1_23
original counts = 11790.0, reshoot_counts = 27445.0
normalization = 0.434, reshoot_counts*normalization = 11920.6
original average = 3.14 Phi [rad], reshoot average = 3.12 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
10^2
10^1
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_2000_24___reshoot_key=Phi_1_24
original counts = 17112.0, reshoot_counts = 40160.0
normalization = 0.434, reshoot_counts*normalization = 17443.2
original average = 3.14 Phi [rad], reshoot average = 3.16 Phi [rad]
10^2
output PS * normalization
output PS
input PS
original average
reshoot average
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_2000_25___reshoot_key=Phi_1_25
original counts = 24289.0, reshoot counts = 56577.0
normalization = 0.434, reshoot_counts*normalization = 24573.8
original average = 3.17 Phi [rad], reshoot average = 3.17 Phi [rad]
10^2
output PS * normalization
output PS
input PS
original average
reshoot average
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_very_wide_2000_26___reshoot_key=Phi_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 19730.0, reshoot_counts = 46073.0
normalization = 0.434, reshoot_counts*normalization = 20011.5
original average = 3.15 Phi [rad], reshoot average = 3.15 Phi [rad]
2×10^2
10^2
6×10^1
4×10^1
3×10^1
0
1
2
3
4
5
6
Phi [rad]



original_key=Ekin_very_wide_2000_0___reshoot_key=EkinU_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 72332527.0, reshoot_counts = 163039591.0
normalization = 0.434, reshoot_counts*normalization = 70815168.8
original average = 230.00 Ek [MeV/u], reshoot average = 228.07 Ek [
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_2000_1___reshoot_key=EkinU_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 28629203.0, reshoot_counts = 65913753.0
normalization = 0.434, reshoot_counts*normalization = 28629203.0
original average = 196.79 Ek [MeV/u], reshoot average = 195.49 Ek [
10^5
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_2000_2___reshoot_key=EkinU_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5767965.0, reshoot_counts = 13432294.0
normalization = 0.434, reshoot_counts*normalization = 5834228.1
original average = 143.71 Ek [MeV/u], reshoot average = 144.24 Ek [
10^5
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_2000_3___reshoot_key=EkinU_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 155520.0, reshoot_counts = 363854.0
normalization = 0.434, reshoot_counts*normalization = 158037.6
original average = 109.65 Ek [MeV/u], reshoot average = 110.14 Ek [
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_2000_4___reshoot_key=EkinU_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5428.0, reshoot_counts = 12869.0
normalization = 0.434, reshoot_counts*normalization = 5589.6
original average = 125.46 Ek [MeV/u], reshoot average = 125.55 Ek [
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_2000_5___reshoot_key=EkinU_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1378.0, reshoot_counts = 3199.0
normalization = 0.434, reshoot_counts*normalization = 1389.5
original average = 250.66 Ek [MeV/u], reshoot average = 250.93 Ek [
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_2000_6___reshoot_key=EkinU_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2026.0, reshoot_counts = 4605.0
normalization = 0.434, reshoot_counts*normalization = 2000.2
original average = 263.94 Ek [MeV/u], reshoot average = 265.28 Ek [
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_2000_7___reshoot_key=EkinU_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1251.0, reshoot_counts = 2833.0
normalization = 0.434, reshoot_counts*normalization = 1230.5
original average = 263.80 Ek [MeV/u], reshoot average = 265.05 Ek [
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_2000_8___reshoot_key=EkinU_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 872.0, reshoot_counts = 1971.0
normalization = 0.434, reshoot_counts*normalization = 856.1
original average = 272.86 Ek [MeV/u], reshoot average = 270.48 Ek [
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_2000_9___reshoot_key=EkinU_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 615.0, reshoot_counts = 1419.0
normalization = 0.434, reshoot_counts*normalization = 616.3
original average = 278.55 Ek [MeV/u], reshoot average = 280.40 Ek [
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_2000_10___reshoot_key=EkinU_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 943.0, reshoot_counts = 2189.0
normalization = 0.434, reshoot_counts*normalization = 950.8
original average = 280.60 Ek [MeV/u], reshoot average = 280.27 Ek [
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_2000_11___reshoot_key=EkinU_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1313.0, reshoot_counts = 3071.0
normalization = 0.434, reshoot_counts*normalization = 1333.9
original average = 281.62 Ek [MeV/u], reshoot average = 281.63 Ek [
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_2000_12___reshoot_key=EkinU_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1286.0, reshoot_counts = 3078.0
normalization = 0.434, reshoot_counts*normalization = 1336.9
original average = 282.46 Ek [MeV/u], reshoot average = 283.06 Ek [
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_2000_13___reshoot_key=EkinU_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1623.0, reshoot_counts = 3787.0
normalization = 0.434, reshoot_counts*normalization = 1644.9
original average = 285.07 Ek [MeV/u], reshoot average = 286.29 Ek [
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_2000_14___reshoot_key=EkinU_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1888.0, reshoot_counts = 4398.0
normalization = 0.434, reshoot_counts*normalization = 1910.2
original average = 287.76 Ek [MeV/u], reshoot average = 288.28 Ek [
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_2000_15___reshoot_key=EkinU_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1930.0, reshoot_counts = 4522.0
normalization = 0.434, reshoot_counts*normalization = 1964.1
original average = 288.52 Ek [MeV/u], reshoot average = 287.66 Ek [
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_2000_16___reshoot_key=EkinU_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1873.0, reshoot_counts = 4427.0
normalization = 0.434, reshoot_counts*normalization = 1922.8
original average = 288.62 Ek [MeV/u], reshoot average = 289.55 Ek [
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_2000_17___reshoot_key=EkinU_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2380.0, reshoot_counts = 5601.0
normalization = 0.434, reshoot_counts*normalization = 2432.8
original average = 290.47 Ek [MeV/u], reshoot average = 291.95 Ek [
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_2000_18___reshoot_key=EkinU_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2106.0, reshoot_counts = 4954.0
normalization = 0.434, reshoot_counts*normalization = 2151.7
original average = 291.65 Ek [MeV/u], reshoot average = 290.92 Ek [
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_2000_19___reshoot_key=EkinU_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2941.0, reshoot_counts = 6876.0
normalization = 0.434, reshoot_counts*normalization = 2986.5
original average = 292.31 Ek [MeV/u], reshoot average = 293.39 Ek [
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_2000_20___reshoot_key=EkinU_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3779.0, reshoot_counts = 8787.0
normalization = 0.434, reshoot_counts*normalization = 3816.6
original average = 294.66 Ek [MeV/u], reshoot average = 294.56 Ek [
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_2000_21___reshoot_key=EkinU_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5351.0, reshoot_counts = 12495.0
normalization = 0.434, reshoot_counts*normalization = 5427.1
original average = 294.08 Ek [MeV/u], reshoot average = 295.08 Ek [
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_2000_22___reshoot_key=EkinU_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7648.0, reshoot_counts = 17820.0
normalization = 0.434, reshoot_counts*normalization = 7740.0
original average = 294.40 Ek [MeV/u], reshoot average = 295.36 Ek [
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_2000_23___reshoot_key=EkinU_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11790.0, reshoot_counts = 27445.0
normalization = 0.434, reshoot_counts*normalization = 11920.6
original average = 296.01 Ek [MeV/u], reshoot average = 296.70 Ek [
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_2000_24___reshoot_key=EkinU_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 17112.0, reshoot_counts = 40160.0
normalization = 0.434, reshoot_counts*normalization = 17443.2
original average = 296.99 Ek [MeV/u], reshoot average = 297.05 Ek [
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_2000_25___reshoot_key=EkinU_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24289.0, reshoot_counts = 56577.0
normalization = 0.434, reshoot_counts*normalization = 24573.8
original average = 297.58 Ek [MeV/u], reshoot average = 297.82 Ek [
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_very_wide_2000_26___reshoot_key=EkinU_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 19730.0, reshoot_counts = 46073.0
normalization = 0.434, reshoot_counts*normalization = 20011.5
original average = 297.75 Ek [MeV/u], reshoot average = 298.33 Ek [
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=X_very_wide_2000_0___reshoot_key=X_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 72317633.0, reshoot_counts = 163039591.0
normalization = 0.434, reshoot_counts*normalization = 70815168.8
original average = -0.01 x pos [mm], reshoot average = -0.13 x pos [
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_2000_1___reshoot_key=X_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 28623600.0, reshoot_counts = 65913752.0
normalization = 0.434, reshoot_counts*normalization = 28629202.6
original average = -0.01 x pos [mm], reshoot average = -0.12 x pos [
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_2000_2___reshoot_key=X_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5766976.0, reshoot_counts = 13432294.0
normalization = 0.434, reshoot_counts*normalization = 5834228.1
original average = -0.02 x pos [mm], reshoot average = -0.13 x pos [
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_2000_3___reshoot_key=X_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original_counts = 155496.0, reshoot_counts = 363854.0
normalization = 0.434, reshoot_counts*normalization = 158037.6
original average = -0.10 x pos [mm], reshoot average = -0.11 x pos [
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_2000_4___reshoot_key=X_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5428.0, reshoot_counts = 12869.0
normalization = 0.434, reshoot_counts*normalization = 5589.6
original average = -0.87 x pos [mm], reshoot average = -0.88 x pos [
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_2000_5___reshoot_key=X_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1377.0, reshoot_counts = 3199.0
normalization = 0.434, reshoot_counts*normalization = 1389.5
original average = 1.29 x pos [mm], reshoot average = 0.76 x pos [m
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_2000_6___reshoot_key=X_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2026.0, reshoot_counts = 4605.0
normalization = 0.434, reshoot_counts*normalization = 2000.2
original average = -1.20 x pos [mm], reshoot average = -0.48 x pos [
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_2000_7___reshoot_key=X_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1251.0, reshoot_counts = 2833.0
normalization = 0.434, reshoot_counts*normalization = 1230.5
original average = 1.80 x pos [mm], reshoot average = 0.59 x pos [m
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_2000_8___reshoot_key=X_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 872.0, reshoot_counts = 1971.0
normalization = 0.434, reshoot_counts*normalization = 856.1
original average = -4.26 x pos [mm], reshoot average = -5.18 x pos [
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_2000_9___reshoot_key=X_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 615.0, reshoot_counts = 1419.0
normalization = 0.434, reshoot_counts*normalization = 616.3
original average = -1.63 x pos [mm], reshoot average = -3.26 x pos [
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_2000_10___reshoot_key=X_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 942.0, reshoot_counts = 2189.0
normalization = 0.434, reshoot_counts*normalization = 950.8
original average = -1.31 x pos [mm], reshoot average = -2.67 x pos [
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_2000_11___reshoot_key=X_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1313.0, reshoot_counts = 3071.0
normalization = 0.434, reshoot_counts*normalization = 1333.9
original average = 2.19 x pos [mm], reshoot average = -0.16 x pos [m
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_2000_12___reshoot_key=X_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1286.0, reshoot_counts = 3078.0
normalization = 0.434, reshoot_counts*normalization = 1336.9
original average = 0.11 x pos [mm], reshoot average = 2.02 x pos [m
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_2000_13___reshoot_key=X_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1622.0, reshoot_counts = 3787.0
normalization = 0.434, reshoot_counts*normalization = 1644.9
original average = -0.30 x pos [mm], reshoot average = -0.68 x pos [
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_2000_14___reshoot_key=X_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1888.0, reshoot_counts = 4398.0
normalization = 0.434, reshoot_counts*normalization = 1910.2
original average = 1.40 x pos [mm], reshoot average = 0.30 x pos [m
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_2000_15___reshoot_key=X_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1930.0, reshoot_counts = 4522.0
normalization = 0.434, reshoot_counts*normalization = 1964.1
original average = -0.60 x pos [mm], reshoot average = -1.82 x pos [
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_2000_16___reshoot_key=X_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1873.0, reshoot_counts = 4427.0
normalization = 0.434, reshoot_counts*normalization = 1922.8
original average = 1.34 x pos [mm], reshoot average = -0.49 x pos [m
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_2000_17___reshoot_key=X_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2380.0, reshoot_counts = 5601.0
normalization = 0.434, reshoot_counts*normalization = 2432.8
original average = -0.09 x pos [mm], reshoot average = -2.22 x pos [
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_2000_18___reshoot_key=X_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2106.0, reshoot_counts = 4954.0
normalization = 0.434, reshoot_counts*normalization = 2151.7
original average = -1.48 x pos [mm], reshoot average = -1.08 x pos [
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_2000_19___reshoot_key=X_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2941.0, reshoot_counts = 6876.0
normalization = 0.434, reshoot_counts*normalization = 2986.5
original average = 0.18 x pos [mm], reshoot average = 0.02 x pos [m
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_2000_20___reshoot_key=X_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3778.0, reshoot_counts = 8787.0
normalization = 0.434, reshoot_counts*normalization = 3816.6
original average = -0.27 x pos [mm], reshoot average = -1.25 x pos [
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_2000_21___reshoot_key=X_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5351.0, reshoot_counts = 12495.0
normalization = 0.434, reshoot_counts*normalization = 5427.1
original average = -0.29 x pos [mm], reshoot average = -1.68 x pos [
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_2000_22___reshoot_key=X_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7647.0, reshoot_counts = 17820.0
normalization = 0.434, reshoot_counts*normalization = 7740.0
original average = -0.70 x pos [mm], reshoot average = -1.52 x pos [
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_2000_23___reshoot_key=X_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11789.0, reshoot_counts = 27445.0
normalization = 0.434, reshoot_counts*normalization = 11920.6
original average = -1.03 x pos [mm], reshoot average = -1.91 x pos [
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_2000_24___reshoot_key=X_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 17112.0, reshoot_counts = 40160.0
normalization = 0.434, reshoot_counts*normalization = 17443.2
original average = 0.13 x pos [mm], reshoot average = -0.72 x pos [m
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_2000_25___reshoot_key=X_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24288.0, reshoot_counts = 56577.0
normalization = 0.434, reshoot_counts*normalization = 24573.8
original average = -0.51 x pos [mm], reshoot average = -1.60 x pos [
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_very_wide_2000_26___reshoot_key=X_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 19730.0, reshoot_counts = 46073.0
normalization = 0.434, reshoot_counts*normalization = 20011.5
original average = 0.68 x pos [mm], reshoot average = -0.41 x pos [m
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=Y_very_wide_2000_0___reshoot_key=Y_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 72318063.0, reshoot_counts = 163039591.0
normalization = 0.434, reshoot_counts*normalization = 70815168.8
original average = -0.02 y pos [mm], reshoot average = -0.14 y pos [
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_2000_1___reshoot_key=Y_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 28623486.0, reshoot_counts = 65913753.0
normalization = 0.434, reshoot_counts*normalization = 28629203.0
original average = -0.04 y pos [mm], reshoot average = -0.17 y pos [
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_2000_2___reshoot_key=Y_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5766991.0, reshoot_counts = 13432294.0
normalization = 0.434, reshoot_counts*normalization = 5834228.1
original average = -0.02 y pos [mm], reshoot average = -0.17 y pos [
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_2000_3___reshoot_key=Y_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original_counts = 155502.0, reshoot_counts = 363854.0
normalization = 0.434, reshoot_counts*normalization = 158037.6
original average = 0.03 y pos [mm], reshoot average = -0.21 y pos [m
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_2000_4___reshoot_key=Y_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5428.0, reshoot_counts = 12869.0
normalization = 0.434, reshoot_counts*normalization = 5589.6
original average = -0.79 y pos [mm], reshoot average = -1.64 y pos [
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_2000_5___reshoot_key=Y_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1377.0, reshoot_counts = 3199.0
normalization = 0.434, reshoot_counts*normalization = 1389.5
original average = -3.56 y pos [mm], reshoot average = -4.48 y pos [
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_2000_6___reshoot_key=Y_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2026.0, reshoot_counts = 4605.0
normalization = 0.434, reshoot_counts*normalization = 2000.2
original average = 2.69 y pos [mm], reshoot average = 4.63 y pos [m
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_2000_7___reshoot_key=Y_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1250.0, reshoot_counts = 2833.0
normalization = 0.434, reshoot_counts*normalization = 1230.5
original average = 2.20 y pos [mm], reshoot average = 0.78 y pos [m
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_2000_8___reshoot_key=Y_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 872.0, reshoot_counts = 1971.0
normalization = 0.434, reshoot_counts*normalization = 856.1
original average = 2.08 y pos [mm], reshoot average = 1.54 y pos [m
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_2000_9___reshoot_key=Y_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 615.0, reshoot_counts = 1419.0
normalization = 0.434, reshoot_counts*normalization = 616.3
original average = 2.72 y pos [mm], reshoot average = -0.70 y pos [m
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_2000_10___reshoot_key=Y_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 943.0, reshoot_counts = 2189.0
normalization = 0.434, reshoot_counts*normalization = 950.8
original average = 4.21 y pos [mm], reshoot average = 1.55 y pos [m
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_2000_11___reshoot_key=Y_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1312.0, reshoot_counts = 3071.0
normalization = 0.434, reshoot_counts*normalization = 1333.9
original average = 0.25 y pos [mm], reshoot average = -1.41 y pos [m
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_2000_12___reshoot_key=Y_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1286.0, reshoot_counts = 3078.0
normalization = 0.434, reshoot_counts*normalization = 1336.9
original average = 0.23 y pos [mm], reshoot average = -0.07 y pos [m
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_2000_13___reshoot_key=Y_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1623.0, reshoot_counts = 3787.0
normalization = 0.434, reshoot_counts*normalization = 1644.9
original average = 0.46 y pos [mm], reshoot average = -1.37 y pos [m
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_2000_14___reshoot_key=Y_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1888.0, reshoot_counts = 4398.0
normalization = 0.434, reshoot_counts*normalization = 1910.2
original average = 1.06 y pos [mm], reshoot average = 2.15 y pos [m
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_2000_15___reshoot_key=Y_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1930.0, reshoot_counts = 4522.0
normalization = 0.434, reshoot_counts*normalization = 1964.1
original average = 5.75 y pos [mm], reshoot average = 6.28 y pos [m
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_2000_16___reshoot_key=Y_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1873.0, reshoot_counts = 4427.0
normalization = 0.434, reshoot_counts*normalization = 1922.8
original average = 2.25 y pos [mm], reshoot average = 2.27 y pos [m
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_2000_17___reshoot_key=Y_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2380.0, reshoot_counts = 5601.0
normalization = 0.434, reshoot_counts*normalization = 2432.8
original average = 0.44 y pos [mm], reshoot average = -0.56 y pos [m
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_2000_18___reshoot_key=Y_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2106.0, reshoot_counts = 4954.0
normalization = 0.434, reshoot_counts*normalization = 2151.7
original average = 1.00 y pos [mm], reshoot average = -1.49 y pos [m
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_2000_19___reshoot_key=Y_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2941.0, reshoot_counts = 6876.0
normalization = 0.434, reshoot_counts*normalization = 2986.5
original average = 0.84 y pos [mm], reshoot average = 0.66 y pos [m
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_2000_20___reshoot_key=Y_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3779.0, reshoot_counts = 8787.0
normalization = 0.434, reshoot_counts*normalization = 3816.6
original average = -0.77 y pos [mm], reshoot average = -2.33 y pos [
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_very_wide_2000_21___reshoot_key=Y_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5351.0, reshoot_counts = 12495.0
normalization = 0.434, reshoot_counts*normalization = 5427.1
original average = 1.18 y pos [mm], reshoot average = -1.02 y pos [m
10^1
10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_very_wide_2000_22___reshoot_key=Y_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7648.0, reshoot_counts = 17820.0
normalization = 0.434, reshoot_counts*normalization = 7740.0
original average = -0.16 y pos [mm], reshoot average = -0.77 y pos [
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_very_wide_2000_23___reshoot_key=Y_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11790.0, reshoot_counts = 27445.0
normalization = 0.434, reshoot_counts*normalization = 11920.6
original average = -0.11 y pos [mm], reshoot average = -0.63 y pos [
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_very_wide_2000_24___reshoot_key=Y_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 17112.0, reshoot_counts = 40160.0
normalization = 0.434, reshoot_counts*normalization = 17443.2
original average = -0.07 y pos [mm], reshoot average = -0.94 y pos [
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_very_wide_2000_25___reshoot_key=Y_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24288.0, reshoot_counts = 56577.0
normalization = 0.434, reshoot_counts*normalization = 24573.8
original average = -1.26 y pos [mm], reshoot average = -2.14 y pos [
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_very_wide_2000_26___reshoot_key=Y_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 19729.0, reshoot_counts = 46073.0
normalization = 0.434, reshoot_counts*normalization = 20011.5
original average = -0.23 y pos [mm], reshoot average = -0.85 y pos [
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]