






original_key=Theta_wide_2000_0___reshoot_key=Theta_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 18904644.0, reshoot_counts = 163985204.0
normalization = 0.113, reshoot_counts*normalization = 18490453.8
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
10^8
10^7
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_1___reshoot_key=Theta_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7338712.0, reshoot_counts = 65084405.0
normalization = 0.113, reshoot_counts*normalization = 7338712.0
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
10^8
10^6
10^4
10^2
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_2___reshoot_key=Theta_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1489577.0, reshoot_counts = 13366733.0
normalization = 0.113, reshoot_counts*normalization = 1507190.6
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
10^{7}
10^{6}
10^{5}
10^{4}
10^{3}
10^{2}
10^{1}
10^{0}
10^{-1}
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_3___reshoot_key=Theta_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 38771.0, reshoot_counts = 348637.0
normalization = 0.113, reshoot_counts*normalization = 39311.2
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_4___reshoot_key=Theta_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1064.0, reshoot_counts = 9755.0
normalization = 0.113, reshoot_counts*normalization = 1099.9
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_5___reshoot_key=Theta_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 111.0, reshoot_counts = 1007.0
normalization = 0.113, reshoot_counts*normalization = 113.5
original average = 0.19 Theta [rad], reshoot average = 0.18 Theta [ra
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_6___reshoot_key=Theta_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 185.0, reshoot_counts = 1580.0
normalization = 0.113, reshoot_counts*normalization = 178.2
original average = 0.29 Theta [rad], reshoot average = 0.23 Theta [ra
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_7___reshoot_key=Theta_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 113.0, reshoot_counts = 963.0
normalization = 0.113, reshoot_counts*normalization = 108.6
original average = 0.25 Theta [rad], reshoot average = 0.17 Theta [ra
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_8___reshoot_key=Theta_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 85.0, reshoot_counts = 706.0
normalization = 0.113, reshoot_counts*normalization = 79.6
original average = 0.13 Theta [rad], reshoot average = 0.10 Theta [ra
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_9___reshoot_key=Theta_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 43.0, reshoot_counts = 369.0
normalization = 0.113, reshoot_counts*normalization = 41.6
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_10___reshoot_key=Theta_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 75.0, reshoot_counts = 690.0
normalization = 0.113, reshoot_counts*normalization = 77.8
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_11___reshoot_key=Theta_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 84.0, reshoot_counts = 738.0
normalization = 0.113, reshoot_counts*normalization = 83.2
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_12___reshoot_key=Theta_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 85.0, reshoot_counts = 794.0
normalization = 0.113, reshoot_counts*normalization = 89.5
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_13___reshoot_key=Theta_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 68.0, reshoot_counts = 597.0
normalization = 0.113, reshoot_counts*normalization = 67.3
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_14___reshoot_key=Theta_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 68.0, reshoot_counts = 633.0
normalization = 0.113, reshoot_counts*normalization = 71.4
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_15___reshoot_key=Theta_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 57.0, reshoot_counts = 520.0
normalization = 0.113, reshoot_counts*normalization = 58.6
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_16___reshoot_key=Theta_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 52.0, reshoot_counts = 477.0
normalization = 0.113, reshoot_counts*normalization = 53.8
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_17___reshoot_key=Theta_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 53.0, reshoot_counts = 472.0
normalization = 0.113, reshoot_counts*normalization = 53.2
original average = 0.05 Theta [rad], reshoot average = 0.05 Theta [ra
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_18___reshoot_key=Theta_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 30.0, reshoot_counts = 272.0
normalization = 0.113, reshoot_counts*normalization = 30.7
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_19___reshoot_key=Theta_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34.0, reshoot_counts = 343.0
normalization = 0.113, reshoot_counts*normalization = 38.7
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_20___reshoot_key=Theta_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26.0, reshoot_counts = 230.0
normalization = 0.113, reshoot_counts*normalization = 25.9
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_21___reshoot_key=Theta_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 25.0, reshoot_counts = 199.0
normalization = 0.113, reshoot_counts*normalization = 22.4
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_22___reshoot_key=Theta_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 19.0, reshoot_counts = 0.0
normalization = 0.113, reshoot_counts*normalization = 0.0
original average = 0.03 Theta [rad], reshoot average = nan Theta [rad]
6 × 10^0
4 × 10^0
3 × 10^0
2 × 10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_23___reshoot_key=Theta_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6.0, reshoot_counts = 0.0
normalization = 0.113, reshoot_counts*normalization = 0.0
original average = 0.04 Theta [rad], reshoot average = nan Theta [rad]
3×10^0
2×10^0
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_24___reshoot_key=Theta_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12.0, reshoot_counts = 0.0
normalization = 0.113, reshoot_counts*normalization = 0.0
original average = 0.03 Theta [rad], reshoot average = nan Theta [rad]
6 × 10^0
5 × 10^0
4 × 10^0
3 × 10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_25___reshoot_key=Theta_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.0, reshoot_counts = 0.0
normalization = 0.113, reshoot_counts*normalization = 0.0
original average = 0.02 Theta [rad], reshoot average = nan Theta [rad
10^1
10^0
10^{-1}
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_26___reshoot_key=Theta_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.0, reshoot_counts = 0.0
normalization = 0.113, reshoot_counts*normalization = 0.0
original average = 0.01 Theta [rad], reshoot average = nan Theta [rad
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Phi_wide_2000_0___reshoot_key=Phi_1_0
10^6
10^5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 18904644.0, reshoot_counts = 163985204.0
normalization = 0.113, reshoot_counts*normalization = 18490453.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_1___reshoot_key=Phi_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7338712.0, reshoot_counts = 65084405.0
normalization = 0.113, reshoot_counts*normalization = 7338712.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_2___reshoot_key=Phi_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1489577.0, reshoot_counts = 13366733.0
normalization = 0.113, reshoot_counts*normalization = 1507190.6
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_3___reshoot_key=Phi_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 38771.0, reshoot_counts = 348637.0
normalization = 0.113, reshoot_counts*normalization = 39311.2
original average = 3.16 Phi [rad], reshoot average = 3.14 Phi [rad]
10^3
10^2
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_4___reshoot_key=Phi_1_4
original counts = 1064.0, reshoot_counts = 9755.0
normalization = 0.113, reshoot_counts*normalization = 1099.9
original average = 3.17 Phi [rad], reshoot average = 3.16 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
Phi [rad]



original_key=Phi_wide_2000_5___reshoot_key=Phi_1_5
original counts = 111.0, reshoot_counts = 1007.0
normalization = 0.113, reshoot_counts*normalization = 113.5
original average = 3.28 Phi [rad], reshoot average = 3.21 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_6___reshoot_key=Phi_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original_counts = 185.0, reshoot_counts = 1580.0
normalization = 0.113, reshoot_counts*normalization = 178.2
original average = 3.09 Phi [rad], reshoot average = 3.37 Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_7___reshoot_key=Phi_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 113.0, reshoot_counts = 963.0
normalization = 0.113, reshoot_counts*normalization = 108.6
original average = 3.18 Phi [rad], reshoot average = 3.41 Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_8___reshoot_key=Phi_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 85.0, reshoot_counts = 706.0
normalization = 0.113, reshoot_counts*normalization = 79.6
original average = 3.36 Phi [rad], reshoot average = 3.13 Phi [rad]
10^1
10^0
10^{-1}
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_9___reshoot_key=Phi_1_9
original counts = 43.0, reshoot_counts = 369.0
normalization = 0.113, reshoot_counts*normalization = 41.6
original average = 3.34 Phi [rad], reshoot average = 2.95 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
Phi [rad]



original_key=Phi_wide_2000_10___reshoot_key=Phi_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 75.0, reshoot_counts = 690.0
normalization = 0.113, reshoot_counts*normalization = 77.8
original average = 3.12 Phi [rad], reshoot average = 3.24 Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_11___reshoot_key=Phi_1_11
original counts = 84.0, reshoot_counts = 738.0
normalization = 0.113, reshoot_counts*normalization = 83.2
original average = 3.10 Phi [rad], reshoot average = 3.02 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_12___reshoot_key=Phi_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 85.0, reshoot_counts = 794.0
normalization = 0.113, reshoot_counts*normalization = 89.5
original average = 3.06 Phi [rad], reshoot average = 3.25 Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_13___reshoot_key=Phi_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 68.0, reshoot_counts = 597.0
normalization = 0.113, reshoot_counts*normalization = 67.3
original average = 3.15 Phi [rad], reshoot average = 3.28 Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_14___reshoot_key=Phi_1_14
original counts = 68.0, reshoot_counts = 633.0
normalization = 0.113, reshoot_counts*normalization = 71.4
original average = 2.87 Phi [rad], reshoot average = 2.34 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_15___reshoot_key=Phi_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 57.0, reshoot_counts = 520.0
normalization = 0.113, reshoot_counts*normalization = 58.6
original average = 3.00 Phi [rad], reshoot average = 2.93 Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_16___reshoot_key=Phi_1_16
original counts = 52.0, reshoot_counts = 477.0
normalization = 0.113, reshoot_counts*normalization = 53.8
original average = 3.20 Phi [rad], reshoot average = 3.61 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
10^1
10^0
10^{-1}
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_17___reshoot_key=Phi_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 53.0, reshoot_counts = 472.0
normalization = 0.113, reshoot_counts*normalization = 53.2
original average = 3.12 Phi [rad], reshoot average = 3.30 Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_18___reshoot_key=Phi_1_18
original counts = 30.0, reshoot_counts = 272.0
normalization = 0.113, reshoot_counts*normalization = 30.7
original average = 2.98 Phi [rad], reshoot average = 2.92 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_19___reshoot_key=Phi_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34.0, reshoot_counts = 343.0
normalization = 0.113, reshoot_counts*normalization = 38.7
original average = 3.13 Phi [rad], reshoot average = 3.38 Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_20___reshoot_key=Phi_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26.0, reshoot_counts = 230.0
normalization = 0.113, reshoot_counts*normalization = 25.9
original average = 2.91 Phi [rad], reshoot average = 2.64 Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_21___reshoot_key=Phi_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 25.0, reshoot_counts = 199.0
normalization = 0.113, reshoot_counts*normalization = 22.4
original average = 3.40 Phi [rad], reshoot average = 2.91 Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_22___reshoot_key=Phi_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 19.0, reshoot_counts = 0.0
normalization = 0.113, reshoot_counts*normalization = 0.0
original average = 3.83 Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
10^{-1}
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_23___reshoot_key=Phi_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6.0, reshoot_counts = 0.0
normalization = 0.113, reshoot_counts*normalization = 0.0
original average = 3.79 Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
10^{-1}
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_24___reshoot_key=Phi_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12.0, reshoot_counts = 0.0
normalization = 0.113, reshoot_counts*normalization = 0.0
original average = 2.97 Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
10^{-1}
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_25___reshoot_key=Phi_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.0, reshoot_counts = 0.0
normalization = 0.113, reshoot_counts*normalization = 0.0
original average = 5.26 Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
10^{-1}
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_26___reshoot_key=Phi_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.0, reshoot_counts = 0.0
normalization = 0.113, reshoot_counts*normalization = 0.0
original average = 2.00 Phi [rad], reshoot average = nan Phi [rad]
10^{1}
10^{0}
10^{-1}
0
1
2
3
4
5
6
Phi [rad]



original_key=Ekin_wide_2000_0___reshoot_key=EkinU_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 18904644.0, reshoot_counts = 163985204.0
normalization = 0.113, reshoot_counts*normalization = 18490453.8
original average = 231.31 Ek [MeV/u], reshoot average = 229.47 Ek [
10^{6}
10^{5}
10^{4}
10^{3}
10^{2}
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_1___reshoot_key=EkinU_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7338712.0, reshoot_counts = 65084405.0
normalization = 0.113, reshoot_counts*normalization = 7338712.0
original average = 197.15 Ek [MeV/u], reshoot average = 195.95 Ek [
10^5
10^4
10^3
10^2
10^1
10^0
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_2___reshoot_key=EkinU_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1489577.0, reshoot_counts = 13366733.0
normalization = 0.113, reshoot_counts*normalization = 1507190.6
original average = 143.24 Ek [MeV/u], reshoot average = 143.76 Ek [
10^5
10^4
10^3
10^2
10^1
10^0
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_3___reshoot_key=EkinU_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 38771.0, reshoot_counts = 348637.0
normalization = 0.113, reshoot_counts*normalization = 39311.2
original average = 105.57 Ek [MeV/u], reshoot average = 106.03 Ek [
10^3
10^2
10^1
10^0
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_4___reshoot_key=EkinU_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1064.0, reshoot_counts = 9755.0
normalization = 0.113, reshoot_counts*normalization = 1099.9
original average = 90.20 Ek [MeV/u], reshoot average = 89.60 Ek [Me
10^2
10^1
10^0
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_5___reshoot_key=EkinU_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 111.0, reshoot_counts = 1007.0
normalization = 0.113, reshoot_counts*normalization = 113.5
original average = 212.04 Ek [MeV/u], reshoot average = 214.67 Ek [
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_6___reshoot_key=EkinU_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 185.0, reshoot_counts = 1580.0
normalization = 0.113, reshoot_counts*normalization = 178.2
original average = 222.52 Ek [MeV/u], reshoot average = 223.87 Ek [
10^2
10^1
10^0
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_7___reshoot_key=EkinU_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 113.0, reshoot_counts = 963.0
normalization = 0.113, reshoot_counts*normalization = 108.6
original average = 237.38 Ek [MeV/u], reshoot average = 240.47 Ek [
10^2
10^1
10^0
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_8___reshoot_key=EkinU_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 85.0, reshoot_counts = 706.0
normalization = 0.113, reshoot_counts*normalization = 79.6
original average = 268.99 Ek [MeV/u], reshoot average = 268.84 Ek [
10^1
10^0
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_9___reshoot_key=EkinU_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 43.0, reshoot_counts = 369.0
normalization = 0.113, reshoot_counts*normalization = 41.6
original average = 266.01 Ek [MeV/u], reshoot average = 267.91 Ek [
10^1
10^0
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_10___reshoot_key=EkinU_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 75.0, reshoot_counts = 690.0
normalization = 0.113, reshoot_counts*normalization = 77.8
original average = 273.23 Ek [MeV/u], reshoot average = 273.44 Ek [
10^1
10^0
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_11___reshoot_key=EkinU_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 84.0, reshoot_counts = 738.0
normalization = 0.113, reshoot_counts*normalization = 83.2
original average = 275.38 Ek [MeV/u], reshoot average = 278.59 Ek [
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_12___reshoot_key=EkinU_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 85.0, reshoot_counts = 794.0
normalization = 0.113, reshoot_counts*normalization = 89.5
original average = 278.90 Ek [MeV/u], reshoot average = 280.82 Ek [
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_13___reshoot_key=EkinU_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 68.0, reshoot_counts = 597.0
normalization = 0.113, reshoot_counts*normalization = 67.3
original average = 272.88 Ek [MeV/u], reshoot average = 276.59 Ek [
10^1
10^0
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_14___reshoot_key=EkinU_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 68.0, reshoot_counts = 633.0
normalization = 0.113, reshoot_counts*normalization = 71.4
original average = 278.29 Ek [MeV/u], reshoot average = 281.67 Ek [
10^1
10^0
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_15___reshoot_key=EkinU_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 57.0, reshoot_counts = 520.0
normalization = 0.113, reshoot_counts*normalization = 58.6
original average = 265.43 Ek [MeV/u], reshoot average = 268.64 Ek [
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_16___reshoot_key=EkinU_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 52.0, reshoot_counts = 477.0
normalization = 0.113, reshoot_counts*normalization = 53.8
original average = 283.42 Ek [MeV/u], reshoot average = 285.63 Ek [
10^1
10^0
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_17___reshoot_key=EkinU_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 53.0, reshoot_counts = 472.0
normalization = 0.113, reshoot_counts*normalization = 53.2
original average = 277.95 Ek [MeV/u], reshoot average = 274.78 Ek [
10^1
10^0
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_18___reshoot_key=EkinU_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 30.0, reshoot_counts = 272.0
normalization = 0.113, reshoot_counts*normalization = 30.7
original average = 298.80 Ek [MeV/u], reshoot average = 300.01 Ek [
10^1
10^0
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_19___reshoot_key=EkinU_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34.0, reshoot_counts = 343.0
normalization = 0.113, reshoot_counts*normalization = 38.7
original average = 283.85 Ek [MeV/u], reshoot average = 285.85 Ek [
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_20___reshoot_key=EkinU_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26.0, reshoot_counts = 230.0
normalization = 0.113, reshoot_counts*normalization = 25.9
original average = 277.23 Ek [MeV/u], reshoot average = 279.67 Ek [
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_21___reshoot_key=EkinU_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 25.0, reshoot_counts = 199.0
normalization = 0.113, reshoot_counts*normalization = 22.4
original average = 282.14 Ek [MeV/u], reshoot average = 283.60 Ek [
10^1
10^0
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_22___reshoot_key=EkinU_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 19.0, reshoot_counts = 0.0
normalization = 0.113, reshoot_counts*normalization = 0.0
original average = 270.97 Ek [MeV/u], reshoot average = nan Ek [MeV
3 × 10^0
2 × 10^0
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_23___reshoot_key=EkinU_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6.0, reshoot_counts = 0.0
normalization = 0.113, reshoot_counts*normalization = 0.0
original average = 296.67 Ek [MeV/u], reshoot average = nan Ek [MeV
2×10^0
1.8×10^0
1.6×10^0
1.4×10^0
1.2×10^0
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_24___reshoot_key=EkinU_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12.0, reshoot_counts = 0.0
normalization = 0.113, reshoot_counts*normalization = 0.0
original average = 252.75 Ek [MeV/u], reshoot average = nan Ek [MeV
2×10^0
1.8×10^0
1.6×10^0
1.4×10^0
1.2×10^0
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_25___reshoot_key=EkinU_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.0, reshoot_counts = 0.0
normalization = 0.113, reshoot_counts*normalization = 0.0
original average = 248.00 Ek [MeV/u], reshoot average = nan Ek [MeV
10^1
10^0
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_26___reshoot_key=EkinU_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.0, reshoot_counts = 0.0
normalization = 0.113, reshoot_counts*normalization = 0.0
original average = 161.00 Ek [MeV/u], reshoot average = nan Ek [MeV
10^1
10^0
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=X_wide_2000_0___reshoot_key=X_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 18900598.0, reshoot_counts = 163985202.0
normalization = 0.113, reshoot_counts*normalization = 18490453.6
original average = -0.00 x pos [mm], reshoot average = -0.12 x pos [
10^5
10^4
10^3
10^2
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_1___reshoot_key=X_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7337163.0, reshoot_counts = 65084405.0
normalization = 0.113, reshoot_counts*normalization = 7338712.0
original average = -0.00 x pos [mm], reshoot average = -0.12 x pos [
10^5
10^4
10^3
10^2
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_2___reshoot_key=X_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1489309.0, reshoot_counts = 13366733.0
normalization = 0.113, reshoot_counts*normalization = 1507190.6
original average = -0.00 x pos [mm], reshoot average = -0.11 x pos [
10^4
10^3
10^2
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_3___reshoot_key=X_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 38765.0, reshoot_counts = 348637.0
normalization = 0.113, reshoot_counts*normalization = 39311.2
original average = 0.14 x pos [mm], reshoot average = 0.01 x pos [m
10^3
10^2
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_4___reshoot_key=X_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1063.0, reshoot_counts = 9755.0
normalization = 0.113, reshoot_counts*normalization = 1099.9
original average = -0.51 x pos [mm], reshoot average = -0.91 x pos [
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_5___reshoot_key=X_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 111.0, reshoot_counts = 1007.0
normalization = 0.113, reshoot_counts*normalization = 113.5
original average = 4.72 x pos [mm], reshoot average = 5.96 x pos [m
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_6___reshoot_key=X_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 185.0, reshoot_counts = 1580.0
normalization = 0.113, reshoot_counts*normalization = 178.2
original average = 3.89 x pos [mm], reshoot average = 6.29 x pos [m
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_7___reshoot_key=X_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 113.0, reshoot_counts = 963.0
normalization = 0.113, reshoot_counts*normalization = 108.6
original average = 1.47 x pos [mm], reshoot average = 4.92 x pos [m
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_8___reshoot_key=X_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 85.0, reshoot_counts = 706.0
normalization = 0.113, reshoot_counts*normalization = 79.6
original average = -0.65 x pos [mm], reshoot average = 5.57 x pos [m
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_9___reshoot_key=X_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 43.0, reshoot_counts = 369.0
normalization = 0.113, reshoot_counts*normalization = 41.6
original average = 8.53 x pos [mm], reshoot average = 4.94 x pos [m
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_10___reshoot_key=X_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 75.0, reshoot_counts = 690.0
normalization = 0.113, reshoot_counts*normalization = 77.8
original average = 2.89 x pos [mm], reshoot average = 3.05 x pos [m
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_11___reshoot_key=X_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 84.0, reshoot_counts = 738.0
normalization = 0.113, reshoot_counts*normalization = 83.2
original average = 2.32 x pos [mm], reshoot average = 2.66 x pos [m
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_12___reshoot_key=X_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 85.0, reshoot_counts = 794.0
normalization = 0.113, reshoot_counts*normalization = 89.5
original average = -7.47 x pos [mm], reshoot average = -8.57 x pos [
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_13___reshoot_key=X_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 68.0, reshoot_counts = 597.0
normalization = 0.113, reshoot_counts*normalization = 67.3
original average = -3.35 x pos [mm], reshoot average = -5.21 x pos [
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_14___reshoot_key=X_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 68.0, reshoot_counts = 633.0
normalization = 0.113, reshoot_counts*normalization = 71.4
original average = 0.63 x pos [mm], reshoot average = -0.78 x pos [m
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_15___reshoot_key=X_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 57.0, reshoot_counts = 520.0
normalization = 0.113, reshoot_counts*normalization = 58.6
original average = -1.71 x pos [mm], reshoot average = -3.23 x pos [
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_16___reshoot_key=X_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 52.0, reshoot_counts = 477.0
normalization = 0.113, reshoot_counts*normalization = 53.8
original average = 2.75 x pos [mm], reshoot average = 6.94 x pos [m
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_17___reshoot_key=X_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 53.0, reshoot_counts = 472.0
normalization = 0.113, reshoot_counts*normalization = 53.2
original average = 4.06 x pos [mm], reshoot average = 0.63 x pos [m
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_18___reshoot_key=X_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 30.0, reshoot_counts = 272.0
normalization = 0.113, reshoot_counts*normalization = 30.7
original average = -10.73 x pos [mm], reshoot average = -11.94 x pos
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_19___reshoot_key=X_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34.0, reshoot_counts = 343.0
normalization = 0.113, reshoot_counts*normalization = 38.7
original average = -2.11 x pos [mm], reshoot average = -3.82 x pos [
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_20___reshoot_key=X_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26.0, reshoot_counts = 230.0
normalization = 0.113, reshoot_counts*normalization = 25.9
original average = 12.38 x pos [mm], reshoot average = 15.25 x pos
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_21___reshoot_key=X_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 25.0, reshoot_counts = 199.0
normalization = 0.113, reshoot_counts*normalization = 22.4
original average = 11.81 x pos [mm], reshoot average = 12.08 x pos
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_22___reshoot_key=X_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 19.0, reshoot_counts = 0.0
normalization = 0.113, reshoot_counts*normalization = 0.0
original average = -11.74 x pos [mm], reshoot average = nan x pos [r
2×10^0
1.8×10^0
1.6×10^0
1.4×10^0
1.2×10^0
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_23___reshoot_key=X_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6.0, reshoot_counts = 0.0
normalization = 0.113, reshoot_counts*normalization = 0.0
original average = 25.06 x pos [mm], reshoot average = nan x pos [m
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_24___reshoot_key=X_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12.0, reshoot_counts = 0.0
normalization = 0.113, reshoot_counts*normalization = 0.0
original average = 0.83 x pos [mm], reshoot average = nan x pos [mm
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_25___reshoot_key=X_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.0, reshoot_counts = 0.0
normalization = 0.113, reshoot_counts*normalization = 0.0
original average = -45.38 x pos [mm], reshoot average = nan x pos [r
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_26___reshoot_key=X_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.0, reshoot_counts = 0.0
normalization = 0.113, reshoot_counts*normalization = 0.0
original average = -2.12 x pos [mm], reshoot average = nan x pos [m
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=Y_wide_2000_0___reshoot_key=Y_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 18900711.0, reshoot_counts = 163985204.0
normalization = 0.113, reshoot_counts*normalization = 18490453.8
original average = -0.01 y pos [mm], reshoot average = -0.13 y pos [
10^5
10^4
10^3
10^2
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_1___reshoot_key=Y_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7337202.0, reshoot_counts = 65084405.0
normalization = 0.113, reshoot_counts*normalization = 7338712.0
original average = -0.03 y pos [mm], reshoot average = -0.16 y pos [
10^5
10^4
10^3
10^2
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_2___reshoot_key=Y_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1489316.0, reshoot_counts = 13366733.0
normalization = 0.113, reshoot_counts*normalization = 1507190.6
original average = -0.04 y pos [mm], reshoot average = -0.18 y pos [
10^4
10^3
10^2
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_3___reshoot_key=Y_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 38769.0, reshoot_counts = 348637.0
normalization = 0.113, reshoot_counts*normalization = 39311.2
original average = -0.10 y pos [mm], reshoot average = -0.22 y pos [
10^3
10^2
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_4___reshoot_key=Y_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1064.0, reshoot_counts = 9755.0
normalization = 0.113, reshoot_counts*normalization = 1099.9
original average = -1.01 y pos [mm], reshoot average = -1.28 y pos [
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_5___reshoot_key=Y_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 110.0, reshoot_counts = 1007.0
normalization = 0.113, reshoot_counts*normalization = 113.5
original average = 0.15 y pos [mm], reshoot average = -2.49 y pos [m
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_6___reshoot_key=Y_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 185.0, reshoot_counts = 1580.0
normalization = 0.113, reshoot_counts*normalization = 178.2
original average = -2.61 y pos [mm], reshoot average = -6.40 y pos [
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_7___reshoot_key=Y_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 113.0, reshoot_counts = 963.0
normalization = 0.113, reshoot_counts*normalization = 108.6
original average = 1.03 y pos [mm], reshoot average = -3.76 y pos [m
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_8___reshoot_key=Y_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 85.0, reshoot_counts = 706.0
normalization = 0.113, reshoot_counts*normalization = 79.6
original average = -1.99 y pos [mm], reshoot average = -0.85 y pos [
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_9___reshoot_key=Y_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 43.0, reshoot_counts = 369.0
normalization = 0.113, reshoot_counts*normalization = 41.6
original average = 5.62 y pos [mm], reshoot average = 7.80 y pos [m
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_10___reshoot_key=Y_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 75.0, reshoot_counts = 690.0
normalization = 0.113, reshoot_counts*normalization = 77.8
original average = -0.36 y pos [mm], reshoot average = -0.76 y pos [
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_11___reshoot_key=Y_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 84.0, reshoot_counts = 738.0
normalization = 0.113, reshoot_counts*normalization = 83.2
original average = 2.84 y pos [mm], reshoot average = 3.70 y pos [m
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_12___reshoot_key=Y_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 85.0, reshoot_counts = 794.0
normalization = 0.113, reshoot_counts*normalization = 89.5
original average = -0.14 y pos [mm], reshoot average = -1.41 y pos [
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_13___reshoot_key=Y_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 68.0, reshoot_counts = 597.0
normalization = 0.113, reshoot_counts*normalization = 67.3
original average = -5.34 y pos [mm], reshoot average = -6.26 y pos [
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_14___reshoot_key=Y_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 68.0, reshoot_counts = 633.0
normalization = 0.113, reshoot_counts*normalization = 71.4
original average = -1.17 y pos [mm], reshoot average = -0.71 y pos [
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_15___reshoot_key=Y_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 57.0, reshoot_counts = 520.0
normalization = 0.113, reshoot_counts*normalization = 58.6
original average = 4.24 y pos [mm], reshoot average = 4.31 y pos [m
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_16___reshoot_key=Y_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 52.0, reshoot_counts = 477.0
normalization = 0.113, reshoot_counts*normalization = 53.8
original average = -0.38 y pos [mm], reshoot average = -1.82 y pos [
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_17___reshoot_key=Y_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 53.0, reshoot_counts = 472.0
normalization = 0.113, reshoot_counts*normalization = 53.2
original average = 0.43 y pos [mm], reshoot average = -2.00 y pos [m
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_18___reshoot_key=Y_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 30.0, reshoot_counts = 272.0
normalization = 0.113, reshoot_counts*normalization = 30.7
original average = -2.81 y pos [mm], reshoot average = -0.22 y pos [
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_19___reshoot_key=Y_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34.0, reshoot_counts = 343.0
normalization = 0.113, reshoot_counts*normalization = 38.7
original average = 1.66 y pos [mm], reshoot average = 0.73 y pos [m
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_20___reshoot_key=Y_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26.0, reshoot_counts = 230.0
normalization = 0.113, reshoot_counts*normalization = 25.9
original average = 10.37 y pos [mm], reshoot average = 13.46 y pos
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_21___reshoot_key=Y_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 25.0, reshoot_counts = 199.0
normalization = 0.113, reshoot_counts*normalization = 22.4
original average = 5.43 y pos [mm], reshoot average = 3.29 y pos [m
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_2000_22___reshoot_key=Y_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 19.0, reshoot_counts = 0.0
normalization = 0.113, reshoot_counts*normalization = 0.0
original average = 10.59 y pos [mm], reshoot average = nan y pos [m
2×10^0
1.8×10^0
1.6×10^0
1.4×10^0
1.2×10^0
10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_2000_23___reshoot_key=Y_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6.0, reshoot_counts = 0.0
normalization = 0.113, reshoot_counts*normalization = 0.0
original average = 4.75 y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_2000_24___reshoot_key=Y_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12.0, reshoot_counts = 0.0
normalization = 0.113, reshoot_counts*normalization = 0.0
original average = 14.69 y pos [mm], reshoot average = nan y pos [m
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_2000_25___reshoot_key=Y_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.0, reshoot_counts = 0.0
normalization = 0.113, reshoot_counts*normalization = 0.0
original average = -10.62 y pos [mm], reshoot average = nan y pos [r
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_2000_26___reshoot_key=Y_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.0, reshoot_counts = 0.0
normalization = 0.113, reshoot_counts*normalization = 0.0
original average = 1.12 y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]