






original_key=Theta_100_0___reshoot_key=Theta_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1109022346.0, reshoot_counts = 115539481.0
normalization = 9.588, reshoot_counts*normalization = 1107767150.
original average = 0.10 Theta [rad], reshoot average = 0.10 Theta [ra
10^8
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_1___reshoot_key=Theta_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 965084917.0, reshoot_counts = 100655237.0
normalization = 9.588, reshoot_counts*normalization = 965060290.0
original average = 0.09 Theta [rad], reshoot average = 0.09 Theta [ra
10^8
10^7
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_2___reshoot_key=Theta_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 215954496.0, reshoot_counts = 22947830.0
normalization = 9.588, reshoot_counts*normalization = 220018750.5
original average = 0.07 Theta [rad], reshoot average = 0.07 Theta [ra
10^8
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_3___reshoot_key=Theta_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 14591085.0, reshoot_counts = 1559340.0
normalization = 9.588, reshoot_counts*normalization = 14950609.2
original average = 0.07 Theta [rad], reshoot average = 0.07 Theta [ra
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_4___reshoot_key=Theta_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4591632.0, reshoot_counts = 490375.0
normalization = 9.588, reshoot_counts*normalization = 4701607.7
original average = 0.06 Theta [rad], reshoot average = 0.06 Theta [ra
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_5___reshoot_key=Theta_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5420534.0, reshoot_counts = 579750.0
normalization = 9.588, reshoot_counts*normalization = 5558515.6
original average = 0.06 Theta [rad], reshoot average = 0.06 Theta [ra
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_6___reshoot_key=Theta_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8165160.0, reshoot_counts = 872772.0
normalization = 9.588, reshoot_counts*normalization = 8367946.1
original average = 0.06 Theta [rad], reshoot average = 0.06 Theta [ra
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_7___reshoot_key=Theta_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4808044.0, reshoot_counts = 514397.0
normalization = 9.588, reshoot_counts*normalization = 4931925.4
original average = 0.06 Theta [rad], reshoot average = 0.06 Theta [ra
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_8___reshoot_key=Theta_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3137825.0, reshoot_counts = 335104.0
normalization = 9.588, reshoot_counts*normalization = 3212903.5
original average = 0.06 Theta [rad], reshoot average = 0.06 Theta [ra
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_9___reshoot_key=Theta_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2039520.0, reshoot_counts = 218491.0
normalization = 9.588, reshoot_counts*normalization = 2094843.7
original average = 0.06 Theta [rad], reshoot average = 0.06 Theta [ra
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_10___reshoot_key=Theta_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2516794.0, reshoot_counts = 269376.0
normalization = 9.588, reshoot_counts*normalization = 2582717.9
original average = 0.05 Theta [rad], reshoot average = 0.05 Theta [ra
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_11___reshoot_key=Theta_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2319363.0, reshoot_counts = 248202.0
normalization = 9.588, reshoot_counts*normalization = 2379706.2
original average = 0.05 Theta [rad], reshoot average = 0.05 Theta [ra
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_12___reshoot_key=Theta_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1287959.0, reshoot_counts = 137315.0
normalization = 9.588, reshoot_counts*normalization = 1316546.0
original average = 0.05 Theta [rad], reshoot average = 0.05 Theta [ra
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_13___reshoot_key=Theta_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 547946.0, reshoot_counts = 58567.0
normalization = 9.588, reshoot_counts*normalization = 561527.5
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_14___reshoot_key=Theta_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 115291.0, reshoot_counts = 12402.0
normalization = 9.588, reshoot_counts*normalization = 118907.7
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_15___reshoot_key=Theta_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10201.0, reshoot_counts = 1113.0
normalization = 9.588, reshoot_counts*normalization = 10671.2
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_16___reshoot_key=Theta_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 537.0, reshoot_counts = 54.0
normalization = 9.588, reshoot_counts*normalization = 517.7
original average = 0.06 Theta [rad], reshoot average = 0.06 Theta [ra
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_17___reshoot_key=Theta_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34.0, reshoot_counts = 5.0
normalization = 9.588, reshoot_counts*normalization = 47.9
original average = 0.34 Theta [rad], reshoot average = 0.22 Theta [ra
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_18___reshoot_key=Theta_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 18.0, reshoot_counts = 0.0
normalization = 9.588, reshoot_counts*normalization = 0.0
original average = 1.18 Theta [rad], reshoot average = nan Theta [rad
2×10^0
1.8×10^0
1.6×10^0
1.4×10^0
1.2×10^0
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_19___reshoot_key=Theta_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.0, reshoot_counts = 0.0
normalization = 9.588, reshoot_counts*normalization = 0.0
original average = 0.42 Theta [rad], reshoot average = nan Theta [rad]
10^1
10^0
10^{-1}
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_20___reshoot_key=Theta_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 9.588, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_21___reshoot_key=Theta_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 9.588, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_22___reshoot_key=Theta_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 9.588, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_23___reshoot_key=Theta_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 9.588, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_24___reshoot_key=Theta_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 9.588, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_25___reshoot_key=Theta_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 9.588, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_26___reshoot_key=Theta_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 9.588, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Phi_100_0___reshoot_key=Phi_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1109022346.0, reshoot_counts = 115539481.0
normalization = 9.588, reshoot_counts*normalization = 1107767150.2
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^6
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_1___reshoot_key=Phi_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 965084917.0, reshoot_counts = 100655237.0
normalization = 9.588, reshoot_counts*normalization = 965060290.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^6
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_2___reshoot_key=Phi_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 215954496.0, reshoot_counts = 22947830.0
normalization = 9.588, reshoot_counts*normalization = 220018750.5
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^6
10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_3___reshoot_key=Phi_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 14591085.0, reshoot_counts = 1559340.0
normalization = 9.588, reshoot_counts*normalization = 14950609.2
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^5
10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_4___reshoot_key=Phi_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4591632.0, reshoot_counts = 490375.0
normalization = 9.588, reshoot_counts*normalization = 4701607.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_5___reshoot_key=Phi_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5420534.0, reshoot_counts = 579750.0
normalization = 9.588, reshoot_counts*normalization = 5558515.6
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_6___reshoot_key=Phi_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8165160.0, reshoot_counts = 872772.0
normalization = 9.588, reshoot_counts*normalization = 8367946.1
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_7___reshoot_key=Phi_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4808044.0, reshoot_counts = 514397.0
normalization = 9.588, reshoot_counts*normalization = 4931925.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_8___reshoot_key=Phi_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3137825.0, reshoot_counts = 335104.0
normalization = 9.588, reshoot_counts*normalization = 3212903.5
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^4
10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_9___reshoot_key=Phi_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2039520.0, reshoot_counts = 218491.0
normalization = 9.586, reshoot_counts*normalization = 2094843.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^4
10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_10___reshoot_key=Phi_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2516794.0, reshoot_counts = 269376.0
normalization = 9.588, reshoot_counts*normalization = 2582717.9
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^4
10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_11___reshoot_key=Phi_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2319363.0, reshoot_counts = 248202.0
normalization = 9.588, reshoot_counts*normalization = 2379706.2
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
10^4
10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_12___reshoot_key=Phi_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1287959.0, reshoot_counts = 137315.0
normalization = 9.588, reshoot_counts*normalization = 1316546.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_13___reshoot_key=Phi_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 547946.0, reshoot counts = 58567.0
normalization = 9.588, reshoot counts*normalization = 561527.5
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_14___reshoot_key=Phi_1_14
original counts = 115291.0, reshoot counts = 12402.0
normalization = 9.588, reshoot counts*normalization = 118907.7
original average = 3.14 Phi [rad], reshoot average = 3.12 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
10^2
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_15___reshoot_key=Phi_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10201.0, reshoot_counts = 1113.0
normalization = 9.588, reshoot_counts*normalization = 10671.2
original average = 3.14 Phi [rad], reshoot average = 3.17 Phi [rad]
10^2
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_16___reshoot_key=Phi_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 537.0, reshoot_counts = 54.0
normalization = 9.588, reshoot_counts*normalization = 517.7
original average = 3.26 Phi [rad], reshoot average = 3.06 Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_17___reshoot_key=Phi_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34.0, reshoot_counts = 5.0
normalization = 9.588, reshoot_counts*normalization = 47.9
original average = 3.34 Phi [rad], reshoot average = 4.32 Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_18___reshoot_key=Phi_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 18.0, reshoot_counts = 0.0
normalization = 9.588, reshoot_counts*normalization = 0.0
original average = 3.21 Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
10^{-1}
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_19___reshoot_key=Phi_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.0, reshoot_counts = 0.0
normalization = 9.588, reshoot_counts*normalization = 0.0
original average = 3.98 Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
10^{-1}
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_20___reshoot_key=Phi_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 9.588, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_21___reshoot_key=Phi_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 9.588, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_22___reshoot_key=Phi_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 9.588, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_23___reshoot_key=Phi_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 9.588, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_24___reshoot_key=Phi_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 9.588, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_25___reshoot_key=Phi_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 9.588, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_26___reshoot_key=Phi_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 9.588, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Ekin_100_0___reshoot_key=EkinU_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1108979895.0, reshoot_counts = 115539481.0
normalization = 9.588, reshoot_counts*normalization = 1107767150.
original average = 570.10 Ek [MeV/u], reshoot average = 565.16 Ek [
10^6
10^5
10^4
10^3
10^2
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_1___reshoot_key=EkinU_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 965060290.0, reshoot_counts = 100655237.0
normalization = 9.588, reshoot_counts*normalization = 965060290.0
original average = 549.63 Ek [MeV/u], reshoot average = 545.69 Ek [
10^6
10^5
10^4
10^3
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_2___reshoot_key=EkinU_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 215954496.0, reshoot_counts = 22947830.0
normalization = 9.588, reshoot_counts*normalization = 220018750.5
original average = 537.43 Ek [MeV/u], reshoot average = 537.62 Ek [
10^5
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_3___reshoot_key=EkinU_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 14591085.0, reshoot_counts = 1559340.0
normalization = 9.588, reshoot_counts*normalization = 14950609.2
original average = 495.86 Ek [MeV/u], reshoot average = 496.28 Ek [
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_4___reshoot_key=EkinU_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4591632.0, reshoot_counts = 490375.0
normalization = 9.588, reshoot_counts*normalization = 4701607.7
original average = 447.77 Ek [MeV/u], reshoot average = 448.20 Ek [
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_5___reshoot_key=EkinU_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5420534.0, reshoot_counts = 579750.0
normalization = 9.588, reshoot_counts*normalization = 5558515.6
original average = 413.45 Ek [MeV/u], reshoot average = 414.17 Ek [
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_6___reshoot_key=EkinU_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8165160.0, reshoot_counts = 872772.0
normalization = 9.588, reshoot_counts*normalization = 8367946.1
original average = 365.35 Ek [MeV/u], reshoot average = 365.78 Ek [
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_7___reshoot_key=EkinU_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4808044.0, reshoot_counts = 514397.0
normalization = 9.588, reshoot_counts*normalization = 4931925.4
original average = 332.11 Ek [MeV/u], reshoot average = 332.63 Ek [
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_8___reshoot_key=EkinU_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3137825.0, reshoot_counts = 335104.0
normalization = 9.588, reshoot_counts*normalization = 3212903.5
original average = 297.98 Ek [MeV/u], reshoot average = 298.33 Ek [
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_9___reshoot_key=EkinU_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2039520.0, reshoot_counts = 218491.0
normalization = 9.588, reshoot_counts*normalization = 2094843.7
original average = 269.99 Ek [MeV/u], reshoot average = 270.41 Ek [
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_10___reshoot_key=EkinU_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2516794.0, reshoot_counts = 269376.0
normalization = 9.588, reshoot_counts*normalization = 2582717.9
original average = 229.84 Ek [MeV/u], reshoot average = 230.29 Ek [
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_11___reshoot_key=EkinU_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2319363.0, reshoot_counts = 248202.0
normalization = 9.588, reshoot_counts*normalization = 2379706.2
original average = 192.64 Ek [MeV/u], reshoot average = 193.26 Ek [
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_12___reshoot_key=EkinU_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1287959.0, reshoot_counts = 137315.0
normalization = 9.588, reshoot_counts*normalization = 1316546.0
original average = 155.54 Ek [MeV/u], reshoot average = 156.02 Ek [
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_13___reshoot_key=EkinU_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 547946.0, reshoot_counts = 58567.0
normalization = 9.588, reshoot_counts*normalization = 561527.5
original average = 120.61 Ek [MeV/u], reshoot average = 120.80 Ek [
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_14___reshoot_key=EkinU_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 115291.0, reshoot_counts = 12402.0
normalization = 9.588, reshoot_counts*normalization = 118907.7
original average = 96.33 Ek [MeV/u], reshoot average = 96.74 Ek [Me
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_15___reshoot_key=EkinU_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10201.0, reshoot_counts = 1113.0
normalization = 9.588, reshoot_counts*normalization = 10671.2
original average = 79.12 Ek [MeV/u], reshoot average = 79.24 Ek [Me
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_16___reshoot_key=EkinU_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 537.0, reshoot_counts = 54.0
normalization = 9.588, reshoot_counts*normalization = 517.7
original average = 75.43 Ek [MeV/u], reshoot average = 86.96 Ek [Me
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_17___reshoot_key=EkinU_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34.0, reshoot_counts = 5.0
normalization = 9.588, reshoot_counts*normalization = 47.9
original average = 39.57 Ek [MeV/u], reshoot average = 62.90 Ek [Me
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_18___reshoot_key=EkinU_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 18.0, reshoot_counts = 0.0
normalization = 9.588, reshoot_counts*normalization = 0.0
original average = 1.55 Ek [MeV/u], reshoot average = nan Ek [MeV/u
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_19___reshoot_key=EkinU_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.0, reshoot_counts = 0.0
normalization = 9.588, reshoot_counts*normalization = 0.0
original average = 2.90 Ek [MeV/u], reshoot average = nan Ek [MeV/u
2×10^0
1.8×10^0
1.6×10^0
1.4×10^0
1.2×10^0
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_20___reshoot_key=EkinU_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 9.588, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_21___reshoot_key=EkinU_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 9.588, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_22___reshoot_key=EkinU_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 9.588, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_23___reshoot_key=EkinU_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 9.588, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_24___reshoot_key=EkinU_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 9.588, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_25___reshoot_key=EkinU_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 9.588, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_26___reshoot_key=EkinU_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 9.588, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=X_100_0___reshoot_key=X_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1108013688.0, reshoot_counts = 115539481.0
normalization = 9.588, reshoot_counts*normalization = 1107767150.
original average = -0.02 x pos [mm], reshoot average = -0.07 x pos [
10^6
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_100_1___reshoot_key=X_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 964292385.0, reshoot_counts = 100655237.0
normalization = 9.588, reshoot_counts*normalization = 965060290.0
original average = -0.01 x pos [mm], reshoot average = -0.07 x pos [
10^6
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_100_2___reshoot_key=X_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 215851589.0, reshoot_counts = 22947830.0
normalization = 9.588, reshoot_counts*normalization = 220018750.5
original average = -0.01 x pos [mm], reshoot average = -0.07 x pos [
10^6
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_100_3___reshoot_key=X_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 14585163.0, reshoot_counts = 1559340.0
normalization = 9.588, reshoot_counts*normalization = 14950609.2
original average = -0.01 x pos [mm], reshoot average = -0.07 x pos [
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_100_4___reshoot_key=X_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4590012.0, reshoot_counts = 490375.0
normalization = 9.588, reshoot_counts*normalization = 4701607.7
original average = -0.02 x pos [mm], reshoot average = -0.11 x pos [
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_100_5___reshoot_key=X_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5418845.0, reshoot_counts = 579750.0
normalization = 9.588, reshoot_counts*normalization = 5558515.6
original average = -0.00 x pos [mm], reshoot average = 0.01 x pos [m
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_100_6___reshoot_key=X_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8163169.0, reshoot_counts = 872772.0
normalization = 9.588, reshoot_counts*normalization = 8367946.1
original average = -0.00 x pos [mm], reshoot average = -0.08 x pos [
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_100_7___reshoot_key=X_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4807026.0, reshoot_counts = 514397.0
normalization = 9.588, reshoot_counts*normalization = 4931925.4
original average = -0.01 x pos [mm], reshoot average = -0.05 x pos [
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_100_8___reshoot_key=X_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3137377.0, reshoot_counts = 335104.0
normalization = 9.588, reshoot_counts*normalization = 3212903.5
original average = 0.01 x pos [mm], reshoot average = -0.04 x pos [m
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_100_9___reshoot_key=X_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2039269.0, reshoot_counts = 218491.0
normalization = 9.588, reshoot_counts*normalization = 2094843.7
original average = -0.01 x pos [mm], reshoot average = -0.09 x pos [
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_100_10___reshoot_key=X_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2516581.0, reshoot_counts = 269376.0
normalization = 9.588, reshoot_counts*normalization = 2582717.9
original average = -0.01 x pos [mm], reshoot average = 0.01 x pos [m
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_100_11___reshoot_key=X_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2319224.0, reshoot_counts = 248202.0
normalization = 9.588, reshoot_counts*normalization = 2379706.2
original average = -0.00 x pos [mm], reshoot average = -0.05 x pos [
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_100_12___reshoot_key=X_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1287906.0, reshoot_counts = 137315.0
normalization = 9.588, reshoot_counts*normalization = 1316546.0
original average = 0.06 x pos [mm], reshoot average = 0.01 x pos [m
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_100_13___reshoot_key=X_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 547928.0, reshoot_counts = 58567.0
normalization = 9.588, reshoot_counts*normalization = 561527.5
original average = -0.02 x pos [mm], reshoot average = -0.12 x pos [
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_100_14___reshoot_key=X_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 115290.0, reshoot_counts = 12402.0
normalization = 9.588, reshoot_counts*normalization = 118907.7
original average = 0.03 x pos [mm], reshoot average = 0.04 x pos [m
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_100_15___reshoot_key=X_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10201.0, reshoot_counts = 1113.0
normalization = 9.588, reshoot_counts*normalization = 10671.2
original average = 0.08 x pos [mm], reshoot average = -0.52 x pos [m
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_100_16___reshoot_key=X_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 537.0, reshoot_counts = 54.0
normalization = 9.588, reshoot_counts*normalization = 517.7
original average = 0.57 x pos [mm], reshoot average = 1.25 x pos [m
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_100_17___reshoot_key=X_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34.0, reshoot_counts = 5.0
normalization = 9.588, reshoot_counts*normalization = 47.9
original average = -5.43 x pos [mm], reshoot average = -35.67 x pos
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_100_18___reshoot_key=X_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 18.0, reshoot_counts = 0.0
normalization = 9.588, reshoot_counts*normalization = 0.0
original average = -7.47 x pos [mm], reshoot average = nan x pos [m
2×10^0
1.8×10^0
1.6×10^0
1.4×10^0
1.2×10^0
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_100_19___reshoot_key=X_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.0, reshoot_counts = 0.0
normalization = 9.588, reshoot_counts*normalization = 0.0
original average = 0.21 x pos [mm], reshoot average = nan x pos [mm
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_100_20___reshoot_key=X_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 9.588, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_100_21___reshoot_key=X_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 9.588, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_100_22___reshoot_key=X_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 9.588, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_100_23___reshoot_key=X_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 9.588, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_100_24___reshoot_key=X_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 9.588, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_100_25___reshoot_key=X_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 9.588, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_100_26___reshoot_key=X_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 9.588, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=Y_100_0___reshoot_key=Y_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1108013596.0, reshoot_counts = 115539481.0
normalization = 9.588, reshoot_counts*normalization = 1107767150.
original average = -0.02 y pos [mm], reshoot average = -0.14 y pos [
10^6
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_1___reshoot_key=Y_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 964293749.0, reshoot_counts = 100655237.0
normalization = 9.588, reshoot_counts*normalization = 965060290.0
original average = -0.02 y pos [mm], reshoot average = -0.13 y pos [
10^6
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_2___reshoot_key=Y_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 215851468.0, reshoot_counts = 22947830.0
normalization = 9.588, reshoot_counts*normalization = 220018750.5
original average = -0.01 y pos [mm], reshoot average = -0.12 y pos [
10^6
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_3___reshoot_key=Y_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 14585195.0, reshoot_counts = 1559340.0
normalization = 9.588, reshoot_counts*normalization = 14950609.2
original average = -0.02 y pos [mm], reshoot average = -0.11 y pos [
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_4___reshoot_key=Y_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4590018.0, reshoot_counts = 490375.0
normalization = 9.588, reshoot_counts*normalization = 4701607.7
original average = -0.01 y pos [mm], reshoot average = -0.07 y pos [
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_5___reshoot_key=Y_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5418946.0, reshoot_counts = 579750.0
normalization = 9.588, reshoot_counts*normalization = 5558515.6
original average = -0.01 y pos [mm], reshoot average = -0.15 y pos [
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_6___reshoot_key=Y_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8163110.0, reshoot_counts = 872772.0
normalization = 9.588, reshoot_counts*normalization = 8367946.1
original average = -0.00 y pos [mm], reshoot average = -0.13 y pos [
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_7___reshoot_key=Y_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4807057.0, reshoot_counts = 514397.0
normalization = 9.588, reshoot_counts*normalization = 4931925.4
original average = 0.00 y pos [mm], reshoot average = -0.12 y pos [m
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_8___reshoot_key=Y_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3137315.0, reshoot_counts = 335104.0
normalization = 9.588, reshoot_counts*normalization = 3212903.5
original average = 0.01 y pos [mm], reshoot average = -0.04 y pos [m
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_9___reshoot_key=Y_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2039270.0, reshoot_counts = 218491.0
normalization = 9.588, reshoot_counts*normalization = 2094843.7
original average = -0.00 y pos [mm], reshoot average = -0.17 y pos [
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_10___reshoot_key=Y_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2516566.0, reshoot_counts = 269376.0
normalization = 9.588, reshoot_counts*normalization = 2582717.9
original average = 0.01 y pos [mm], reshoot average = -0.11 y pos [m
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_11___reshoot_key=Y_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2319231.0, reshoot_counts = 248202.0
normalization = 9.588, reshoot_counts*normalization = 2379706.2
original average = 0.01 y pos [mm], reshoot average = -0.10 y pos [m
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_12___reshoot_key=Y_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1287904.0, reshoot_counts = 137315.0
normalization = 9.588, reshoot_counts*normalization = 1316546.0
original average = 0.00 y pos [mm], reshoot average = -0.05 y pos [m
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_13___reshoot_key=Y_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 547939.0, reshoot_counts = 58567.0
normalization = 9.588, reshoot_counts*normalization = 561527.5
original average = -0.05 y pos [mm], reshoot average = -0.02 y pos [
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_14___reshoot_key=Y_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 115290.0, reshoot_counts = 12402.0
normalization = 9.588, reshoot_counts*normalization = 118907.7
original average = -0.05 y pos [mm], reshoot average = 0.03 y pos [m
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_15___reshoot_key=Y_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10201.0, reshoot_counts = 1113.0
normalization = 9.588, reshoot_counts*normalization = 10671.2
original average = 0.07 y pos [mm], reshoot average = 0.43 y pos [m
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_16___reshoot_key=Y_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 537.0, reshoot_counts = 54.0
normalization = 9.588, reshoot_counts*normalization = 517.7
original average = -1.73 y pos [mm], reshoot average = 1.39 y pos [m
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_17___reshoot_key=Y_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34.0, reshoot_counts = 5.0
normalization = 9.588, reshoot_counts*normalization = 47.9
original average = -5.63 y pos [mm], reshoot average = -17.62 y pos
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_18___reshoot_key=Y_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 18.0, reshoot_counts = 0.0
normalization = 9.588, reshoot_counts*normalization = 0.0
original average = 9.40 y pos [mm], reshoot average = nan y pos [mm
3 × 10^0
2 × 10^0
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_19___reshoot_key=Y_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.0, reshoot_counts = 0.0
normalization = 9.588, reshoot_counts*normalization = 0.0
original average = -4.62 y pos [mm], reshoot average = nan y pos [m
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_20___reshoot_key=Y_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 9.588, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_21___reshoot_key=Y_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 9.588, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_100_22___reshoot_key=Y_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 9.588, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_100_23___reshoot_key=Y_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 9.588, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_100_24___reshoot_key=Y_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 9.588, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_100_25___reshoot_key=Y_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 9.588, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_100_26___reshoot_key=Y_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 9.588, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
−400
−200
0
200
400
y pos [mm]