






original_key=Theta_wide_100_0___reshoot_key=Theta_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1701381234.0, reshoot_counts = 116161548.0
normalization = 14.632, reshoot_counts*normalization = 1699691328
original average = 0.11 Theta [rad], reshoot average = 0.11 Theta [ra
10^8
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_1___reshoot_key=Theta_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1490128106.0, reshoot_counts = 101836851.0
normalization = 14.632, reshoot_counts*normalization = 1490090443
original average = 0.10 Theta [rad], reshoot average = 0.10 Theta [ra
10^8
10^7
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_2___reshoot_key=Theta_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 313194827.0, reshoot_counts = 21791284.0
normalization = 14.632, reshoot_counts*normalization = 318852986.0
original average = 0.07 Theta [rad], reshoot average = 0.07 Theta [ra
10^8
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_3___reshoot_key=Theta_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 20958436.0, reshoot_counts = 1465735.0
normalization = 14.632, reshoot_counts*normalization = 21446830.8
original average = 0.07 Theta [rad], reshoot average = 0.07 Theta [ra
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_4___reshoot_key=Theta_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6538126.0, reshoot_counts = 456610.0
normalization = 14.632, reshoot_counts*normalization = 6681178.7
original average = 0.07 Theta [rad], reshoot average = 0.07 Theta [ra
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_5___reshoot_key=Theta_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7715388.0, reshoot_counts = 539947.0
normalization = 14.632, reshoot_counts*normalization = 7900576.8
original average = 0.07 Theta [rad], reshoot average = 0.07 Theta [ra
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_6___reshoot_key=Theta_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11585632.0, reshoot_counts = 810703.0
normalization = 14.632, reshoot_counts*normalization = 11862314.9
original average = 0.07 Theta [rad], reshoot average = 0.07 Theta [ra
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_7___reshoot_key=Theta_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6786226.0, reshoot_counts = 474740.0
normalization = 14.632, reshoot_counts*normalization = 6946459.3
original average = 0.06 Theta [rad], reshoot average = 0.06 Theta [ra
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_8___reshoot_key=Theta_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4397313.0, reshoot_counts = 308188.0
normalization = 14.632, reshoot_counts*normalization = 4509448.1
original average = 0.06 Theta [rad], reshoot average = 0.06 Theta [ra
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_9___reshoot_key=Theta_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2839492.0, reshoot_counts = 198392.0
normalization = 14.632, reshoot_counts*normalization = 2902898.3
original average = 0.06 Theta [rad], reshoot average = 0.06 Theta [ra
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_10___reshoot_key=Theta_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3476527.0, reshoot_counts = 243848.0
normalization = 14.632, reshoot_counts*normalization = 3568016.6
original average = 0.06 Theta [rad], reshoot average = 0.05 Theta [ra
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_11___reshoot_key=Theta_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3181308.0, reshoot_counts = 222637.0
normalization = 14.632, reshoot_counts*normalization = 3257654.4
original average = 0.05 Theta [rad], reshoot average = 0.05 Theta [ra
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_12___reshoot_key=Theta_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1755096.0, reshoot_counts = 122549.0
normalization = 14.632, reshoot_counts*normalization = 1793153.4
original average = 0.05 Theta [rad], reshoot average = 0.05 Theta [ra
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_13___reshoot_key=Theta_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 744244.0, reshoot_counts = 52036.0
normalization = 14.632, reshoot_counts*normalization = 761397.7
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_14___reshoot_key=Theta_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 156063.0, reshoot_counts = 10980.0
normalization = 14.632, reshoot_counts*normalization = 160660.8
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_15___reshoot_key=Theta_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13816.0, reshoot_counts = 977.0
normalization = 14.632, reshoot_counts*normalization = 14295.6
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_16___reshoot_key=Theta_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 698.0, reshoot_counts = 47.0
normalization = 14.632, reshoot_counts*normalization = 687.7
original average = 0.07 Theta [rad], reshoot average = 0.07 Theta [ra
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_17___reshoot_key=Theta_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 57.0, reshoot_counts = 3.0
normalization = 14.632, reshoot_counts*normalization = 43.9
original average = 0.46 Theta [rad], reshoot average = 0.25 Theta [ra
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_18___reshoot_key=Theta_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34.0, reshoot_counts = 1.0
normalization = 14.632, reshoot_counts*normalization = 14.6
original average = 1.14 Theta [rad], reshoot average = 0.57 Theta [ra
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_19___reshoot_key=Theta_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.0, reshoot_counts = 0.0
normalization = 14.632, reshoot_counts*normalization = 0.0
original average = 0.05 Theta [rad], reshoot average = nan Theta [rad
10^1
10^0
10^{-1}
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_20___reshoot_key=Theta_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 14.632, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_21___reshoot_key=Theta_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 14.632, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_22___reshoot_key=Theta_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 14.632, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_23___reshoot_key=Theta_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 14.632, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_24___reshoot_key=Theta_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 14.632, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_25___reshoot_key=Theta_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 14.632, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_26___reshoot_key=Theta_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 14.632, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Phi_wide_100_0___reshoot_key=Phi_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1701381234.0, reshoot_counts = 116161548.0
normalization = 14.632, reshoot_counts*normalization = 1699691328
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^7
10^6
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_1___reshoot_key=Phi_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1490128106.0, reshoot_counts = 101836851.0
normalization = 14.632, reshoot_counts*normalization = 1490090443
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^6
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_2___reshoot_key=Phi_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 313194827.0, reshoot_counts = 21791284.0
normalization = 14.632, reshoot_counts*normalization = 318852986.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^6
10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_3___reshoot_key=Phi_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 20958436.0, reshoot_counts = 1465735.0
normalization = 14.632, reshoot_counts*normalization = 21446830.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^5
10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_4___reshoot_key=Phi_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6538126.0, reshoot_counts = 456610.0
normalization = 14.632, reshoot_counts*normalization = 6681178.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^4
10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_5___reshoot_key=Phi_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7715388.0, reshoot_counts = 539947.0
normalization = 14.632, reshoot_counts*normalization = 7900576.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_6___reshoot_key=Phi_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11585632.0, reshoot_counts = 810703.0
normalization = 14.632, reshoot_counts*normalization = 11862314.9
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_7___reshoot_key=Phi_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6786226.0, reshoot_counts = 474740.0
normalization = 14.632, reshoot_counts*normalization = 6946459.3
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_8___reshoot_key=Phi_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4397313.0, reshoot_counts = 308188.0
normalization = 14.632, reshoot_counts*normalization = 4509448.1
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
10^4
10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_9___reshoot_key=Phi_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2839492.0, reshoot_counts = 198392.0
normalization = 14.632, reshoot_counts*normalization = 2902898.3
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^4
10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_10___reshoot_key=Phi_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3476527.0, reshoot_counts = 243848.0
normalization = 14.632, reshoot_counts*normalization = 3568016.6
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^4
10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_11___reshoot_key=Phi_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3181308.0, reshoot_counts = 222637.0
normalization = 14.632, reshoot_counts*normalization = 3257654.4
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
10^4
10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_12___reshoot_key=Phi_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1755096.0, reshoot_counts = 122549.0
normalization = 14.632, reshoot_counts*normalization = 1793153.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^4
10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_13___reshoot_key=Phi_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original_counts = 744244.0, reshoot_counts = 52036.0
normalization = 14.632, reshoot_counts*normalization = 761397.7
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
10^3
10^2
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_14___reshoot_key=Phi_1_14
10^3
10^2
normalization = 14.632, reshoot_counts*normalization = 160660.8
original average = 3.14 Phi [rad], reshoot average = 3.13 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_15___reshoot_key=Phi_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13816.0, reshoot_counts = 977.0
normalization = 14.632, reshoot_counts*normalization = 14295.6
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^2
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_16___reshoot_key=Phi_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 698.0, reshoot_counts = 47.0
normalization = 14.632, reshoot_counts*normalization = 687.7
original average = 3.20 Phi [rad], reshoot average = 2.99 Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_17___reshoot_key=Phi_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 57.0, reshoot_counts = 3.0
normalization = 14.632, reshoot_counts*normalization = 43.9
original average = 3.16 Phi [rad], reshoot average = 4.95 Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_18___reshoot_key=Phi_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34.0, reshoot_counts = 1.0
normalization = 14.632, reshoot_counts*normalization = 14.6
original average = 3.57 Phi [rad], reshoot average = 3.66 Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_19___reshoot_key=Phi_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.0, reshoot_counts = 0.0
normalization = 14.632, reshoot_counts*normalization = 0.0
original average = 4.05 Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
10^{-1}
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_20___reshoot_key=Phi_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 14.632, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_21___reshoot_key=Phi_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 14.632, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_22___reshoot_key=Phi_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 14.632, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_23___reshoot_key=Phi_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 14.632, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_24___reshoot_key=Phi_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 14.632, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_25___reshoot_key=Phi_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 14.632, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_26___reshoot_key=Phi_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 14.632, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Ekin_wide_100_0___reshoot_key=EkinU_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1701316384.0, reshoot_counts = 116161548.0
normalization = 14.632, reshoot_counts*normalization = 1699691328
original average = 555.44 Ek [MeV/u], reshoot average = 550.60 Ek [
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_1___reshoot_key=EkinU_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1490090443.0, reshoot_counts = 101836851.0
normalization = 14.632, reshoot_counts*normalization = 1490090443
original average = 539.34 Ek [MeV/u], reshoot average = 535.48 Ek [
10^6
10^5
10^4
10^3
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_2___reshoot_key=EkinU_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 313194827.0, reshoot_counts = 21791284.0
normalization = 14.632, reshoot_counts*normalization = 318852986.
original average = 529.30 Ek [MeV/u], reshoot average = 529.44 Ek [
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_3___reshoot_key=EkinU_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 20958436.0, reshoot_counts = 1465735.0
normalization = 14.632, reshoot_counts*normalization = 21446830.8
original average = 488.12 Ek [MeV/u], reshoot average = 488.37 Ek [
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_4___reshoot_key=EkinU_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6538126.0, reshoot_counts = 456610.0
normalization = 14.632, reshoot_counts*normalization = 6681178.7
original average = 441.44 Ek [MeV/u], reshoot average = 442.21 Ek [
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_5___reshoot_key=EkinU_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7715388.0, reshoot_counts = 539947.0
normalization = 14.632, reshoot_counts*normalization = 7900576.8
original average = 408.22 Ek [MeV/u], reshoot average = 408.84 Ek [
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_6___reshoot_key=EkinU_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11585632.0, reshoot_counts = 810703.0
normalization = 14.632, reshoot_counts*normalization = 11862314.9
original average = 361.56 Ek [MeV/u], reshoot average = 361.75 Ek [
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_7___reshoot_key=EkinU_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6786226.0, reshoot_counts = 474740.0
normalization = 14.632, reshoot_counts*normalization = 6946459.3
original average = 329.29 Ek [MeV/u], reshoot average = 330.18 Ek [
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_8___reshoot_key=EkinU_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4397313.0, reshoot_counts = 308188.0
normalization = 14.632, reshoot_counts*normalization = 4509448.1
original average = 296.11 Ek [MeV/u], reshoot average = 296.58 Ek [
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_9___reshoot_key=EkinU_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2839492.0, reshoot_counts = 198392.0
normalization = 14.632, reshoot_counts*normalization = 2902898.3
original average = 268.68 Ek [MeV/u], reshoot average = 268.63 Ek [
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_10___reshoot_key=EkinU_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3476527.0, reshoot_counts = 243848.0
normalization = 14.632, reshoot_counts*normalization = 3568016.6
original average = 229.25 Ek [MeV/u], reshoot average = 229.81 Ek [
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_11___reshoot_key=EkinU_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3181308.0, reshoot_counts = 222637.0
normalization = 14.632, reshoot_counts*normalization = 3257654.4
original average = 192.47 Ek [MeV/u], reshoot average = 193.08 Ek [
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_12___reshoot_key=EkinU_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1755096.0, reshoot_counts = 122549.0
normalization = 14.632, reshoot_counts*normalization = 1793153.4
original average = 155.70 Ek [MeV/u], reshoot average = 156.13 Ek [
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_13___reshoot_key=EkinU_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 744244.0, reshoot_counts = 52036.0
normalization = 14.632, reshoot_counts*normalization = 761397.7
original average = 120.80 Ek [MeV/u], reshoot average = 121.03 Ek [
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_14___reshoot_key=EkinU_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 156063.0, reshoot_counts = 10980.0
normalization = 14.632, reshoot_counts*normalization = 160660.8
original average = 96.38 Ek [MeV/u], reshoot average = 96.59 Ek [Me
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_15___reshoot_key=EkinU_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13816.0, reshoot_counts = 977.0
normalization = 14.632, reshoot_counts*normalization = 14295.6
original average = 79.32 Ek [MeV/u], reshoot average = 79.34 Ek [Me
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_16___reshoot_key=EkinU_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 698.0, reshoot_counts = 47.0
normalization = 14.632, reshoot_counts*normalization = 687.7
original average = 75.92 Ek [MeV/u], reshoot average = 88.95 Ek [Me
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_17___reshoot_key=EkinU_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 57.0, reshoot_counts = 3.0
normalization = 14.632, reshoot_counts*normalization = 43.9
original average = 40.10 Ek [MeV/u], reshoot average = 73.17 Ek [Me
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_18___reshoot_key=EkinU_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34.0, reshoot_counts = 1.0
normalization = 14.632, reshoot_counts*normalization = 14.6
original average = 2.13 Ek [MeV/u], reshoot average = 7.50 Ek [MeV/u]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_19___reshoot_key=EkinU_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.0, reshoot_counts = 0.0
normalization = 14.632, reshoot_counts*normalization = 0.0
original average = 3.00 Ek [MeV/u], reshoot average = nan Ek [MeV/u
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_20___reshoot_key=EkinU_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 14.632, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_21___reshoot_key=EkinU_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 14.632, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_22___reshoot_key=EkinU_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 14.632, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_23___reshoot_key=EkinU_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 14.632, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_24___reshoot_key=EkinU_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 14.632, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_25___reshoot_key=EkinU_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 14.632, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_26___reshoot_key=EkinU_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 14.632, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=X_wide_100_0___reshoot_key=X_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1699947853.0, reshoot_counts = 116161548.0
normalization = 14.632, reshoot_counts*normalization = 1699691328
original average = -0.02 x pos [mm], reshoot average = -0.06 x pos [
10^7
10^6
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_1___reshoot_key=X_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1489029769.0, reshoot_counts = 101836851.0
normalization = 14.632, reshoot_counts*normalization = 1490090443
original average = -0.02 x pos [mm], reshoot average = -0.06 x pos [
10^6
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_2___reshoot_key=X_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 313072979.0, reshoot_counts = 21791284.0
normalization = 14.632, reshoot_counts*normalization = 318852986.
original average = -0.01 x pos [mm], reshoot average = -0.04 x pos [
10^6
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_3___reshoot_key=X_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 20951589.0, reshoot_counts = 1465735.0
normalization = 14.632, reshoot_counts*normalization = 21446830.8
original average = -0.02 x pos [mm], reshoot average = -0.07 x pos [
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_4___reshoot_key=X_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6536310.0, reshoot_counts = 456610.0
normalization = 14.632, reshoot_counts*normalization = 6681178.7
original average = -0.03 x pos [mm], reshoot average = -0.06 x pos [
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_5___reshoot_key=X_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7713574.0, reshoot_counts = 539947.0
normalization = 14.632, reshoot_counts*normalization = 7900576.8
original average = 0.01 x pos [mm], reshoot average = 0.01 x pos [m
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_6___reshoot_key=X_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11583393.0, reshoot_counts = 810703.0
normalization = 14.632, reshoot_counts*normalization = 11862314.9
original average = -0.01 x pos [mm], reshoot average = -0.08 x pos [
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_7___reshoot_key=X_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6785197.0, reshoot_counts = 474740.0
normalization = 14.632, reshoot_counts*normalization = 6946459.3
original average = -0.01 x pos [mm], reshoot average = 0.04 x pos [m
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_8___reshoot_key=X_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4396824.0, reshoot_counts = 308188.0
normalization = 14.632, reshoot_counts*normalization = 4509448.1
original average = -0.00 x pos [mm], reshoot average = -0.06 x pos [
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_9___reshoot_key=X_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2839209.0, reshoot_counts = 198392.0
normalization = 14.632, reshoot_counts*normalization = 2902898.3
original average = -0.01 x pos [mm], reshoot average = 0.02 x pos [m
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_10___reshoot_key=X_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3476303.0, reshoot_counts = 243848.0
normalization = 14.632, reshoot_counts*normalization = 3568016.6
original average = 0.00 x pos [mm], reshoot average = 0.04 x pos [m
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_11___reshoot_key=X_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3181182.0, reshoot_counts = 222637.0
normalization = 14.632, reshoot_counts*normalization = 3257654.4
original average = -0.00 x pos [mm], reshoot average = -0.06 x pos [
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_12___reshoot_key=X_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1755052.0, reshoot_counts = 122549.0
normalization = 14.632, reshoot_counts*normalization = 1793153.4
original average = 0.05 x pos [mm], reshoot average = 0.04 x pos [m
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_13___reshoot_key=X_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 744229.0, reshoot_counts = 52036.0
normalization = 14.632, reshoot_counts*normalization = 761397.7
original average = -0.02 x pos [mm], reshoot average = -0.14 x pos [
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_14___reshoot_key=X_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 156063.0, reshoot_counts = 10980.0
normalization = 14.632, reshoot_counts*normalization = 160660.8
original average = -0.00 x pos [mm], reshoot average = 0.12 x pos [m
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_15___reshoot_key=X_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13816.0, reshoot_counts = 977.0
normalization = 14.632, reshoot_counts*normalization = 14295.6
original average = -0.13 x pos [mm], reshoot average = -0.78 x pos [
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_16___reshoot_key=X_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 698.0, reshoot_counts = 47.0
normalization = 14.632, reshoot_counts*normalization = 687.7
original average = 0.65 x pos [mm], reshoot average = 5.56 x pos [m
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_17___reshoot_key=X_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 57.0, reshoot_counts = 3.0
normalization = 14.632, reshoot_counts*normalization = 43.9
original average = -0.75 x pos [mm], reshoot average = 38.46 x pos [
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_18___reshoot_key=X_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34.0, reshoot_counts = 1.0
normalization = 14.632, reshoot_counts*normalization = 14.6
original average = 2.56 x pos [mm], reshoot average = -112.38 x pos
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_19___reshoot_key=X_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.0, reshoot_counts = 0.0
normalization = 14.632, reshoot_counts*normalization = 0.0
original average = -8.12 x pos [mm], reshoot average = nan x pos [m
10^{1}
10^{0}
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_20___reshoot_key=X_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 14.632, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_21___reshoot_key=X_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 14.632, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_22___reshoot_key=X_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 14.632, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_23___reshoot_key=X_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 14.632, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_24___reshoot_key=X_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 14.632, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_25___reshoot_key=X_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 14.632, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_26___reshoot_key=X_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 14.632, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=Y_wide_100_0___reshoot_key=Y_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1699948061.0, reshoot_counts = 116161548.0
normalization = 14.632, reshoot_counts*normalization = 1699691328
original average = -0.02 y pos [mm], reshoot average = -0.13 y pos [
10^7
10^6
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_1___reshoot_key=Y_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1489027859.0, reshoot_counts = 101836851.0
normalization = 14.632, reshoot_counts*normalization = 1490090443
original average = -0.02 y pos [mm], reshoot average = -0.12 y pos [
10^6
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_2___reshoot_key=Y_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 313073183.0, reshoot_counts = 21791284.0
normalization = 14.632, reshoot_counts*normalization = 318852986.0
original average = -0.01 y pos [mm], reshoot average = -0.09 y pos [m
10^6
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_3___reshoot_key=Y_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 20951507.0, reshoot_counts = 1465735.0
normalization = 14.632, reshoot_counts*normalization = 21446830.8
original average = -0.02 y pos [mm], reshoot average = -0.08 y pos [
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_4___reshoot_key=Y_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6536389.0, reshoot_counts = 456610.0
normalization = 14.632, reshoot_counts*normalization = 6681178.7
original average = -0.01 y pos [mm], reshoot average = -0.11 y pos [
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_5___reshoot_key=Y_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7713499.0, reshoot_counts = 539947.0
normalization = 14.632, reshoot_counts*normalization = 7900576.8
original average = -0.01 y pos [mm], reshoot average = -0.10 y pos [
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_6___reshoot_key=Y_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11583324.0, reshoot_counts = 810703.0
normalization = 14.632, reshoot_counts*normalization = 11862314.9
original average = -0.00 y pos [mm], reshoot average = -0.13 y pos [
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_7___reshoot_key=Y_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6785153.0, reshoot_counts = 474740.0
normalization = 14.632, reshoot_counts*normalization = 6946459.3
original average = -0.00 y pos [mm], reshoot average = -0.08 y pos [
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_8___reshoot_key=Y_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4396771.0, reshoot_counts = 308188.0
normalization = 14.632, reshoot_counts*normalization = 4509448.1
original average = 0.00 y pos [mm], reshoot average = -0.08 y pos [m
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_9___reshoot_key=Y_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2839256.0, reshoot_counts = 198392.0
normalization = 14.632, reshoot_counts*normalization = 2902898.3
original average = -0.00 y pos [mm], reshoot average = -0.06 y pos [
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_10___reshoot_key=Y_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3476329.0, reshoot_counts = 243848.0
normalization = 14.632, reshoot_counts*normalization = 3568016.6
original average = -0.01 y pos [mm], reshoot average = -0.13 y pos [
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_11___reshoot_key=Y_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3181180.0, reshoot_counts = 222637.0
normalization = 14.632, reshoot_counts*normalization = 3257654.4
original average = -0.00 y pos [mm], reshoot average = -0.13 y pos [
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_12___reshoot_key=Y_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1755040.0, reshoot_counts = 122549.0
normalization = 14.632, reshoot_counts*normalization = 1793153.4
original average = 0.01 y pos [mm], reshoot average = 0.07 y pos [m
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_13___reshoot_key=Y_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 744234.0, reshoot_counts = 52036.0
normalization = 14.632, reshoot_counts*normalization = 761397.7
original average = -0.04 y pos [mm], reshoot average = 0.06 y pos [m
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_14___reshoot_key=Y_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 156061.0, reshoot_counts = 10980.0
normalization = 14.632, reshoot_counts*normalization = 160660.8
original average = -0.04 y pos [mm], reshoot average = 0.04 y pos [m
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_15___reshoot_key=Y_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13815.0, reshoot_counts = 977.0
normalization = 14.632, reshoot_counts*normalization = 14295.6
original average = 0.13 y pos [mm], reshoot average = 0.10 y pos [m
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_16___reshoot_key=Y_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 698.0, reshoot_counts = 47.0
normalization = 14.632, reshoot_counts*normalization = 687.7
original average = -1.95 y pos [mm], reshoot average = 3.58 y pos [m
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_17___reshoot_key=Y_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 57.0, reshoot_counts = 3.0
normalization = 14.632, reshoot_counts*normalization = 43.9
original average = -0.26 y pos [mm], reshoot average = 4.46 y pos [m
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_18___reshoot_key=Y_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34.0, reshoot_counts = 1.0
normalization = 14.632, reshoot_counts*normalization = 14.6
original average = 3.38 y pos [mm], reshoot average = -62.12 y pos [
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_19___reshoot_key=Y_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.0, reshoot_counts = 0.0
normalization = 14.632, reshoot_counts*normalization = 0.0
original average = 3.50 y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_20___reshoot_key=Y_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 14.632, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_21___reshoot_key=Y_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 14.632, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_100_22___reshoot_key=Y_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 14.632, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_100_23___reshoot_key=Y_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 14.632, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_100_24___reshoot_key=Y_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 14.632, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_100_25___reshoot_key=Y_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 14.632, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_100_26___reshoot_key=Y_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 14.632, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
−400
−200
0
200
400
y pos [mm]