






original_key=Theta_1500_0___reshoot_key=Theta_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 110731731.0, reshoot_counts = 120010510.0
normalization = 0.918, reshoot_counts*normalization = 110183143.2
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^8
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_1___reshoot_key=Theta_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 81686262.0, reshoot_counts = 88969152.0
normalization = 0.918, reshoot_counts*normalization = 81683686.0
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^8
10^7
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_2___reshoot_key=Theta_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26279851.0, reshoot_counts = 28984014.0
normalization = 0.918, reshoot_counts*normalization = 26610584.1
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^7
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_3___reshoot_key=Theta_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1817051.0, reshoot_counts = 2017803.0
normalization = 0.918, reshoot_counts*normalization = 1852570.1
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_4___reshoot_key=Theta_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 594175.0, reshoot_counts = 660596.0
normalization = 0.918, reshoot_counts*normalization = 606501.4
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_5___reshoot_key=Theta_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 650563.0, reshoot_counts = 722104.0
normalization = 0.918, reshoot_counts*normalization = 662972.7
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_6___reshoot_key=Theta_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 949878.0, reshoot_counts = 1055088.0
normalization = 0.918, reshoot_counts*normalization = 968689.4
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_7___reshoot_key=Theta_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 559577.0, reshoot_counts = 622358.0
normalization = 0.918, reshoot_counts*normalization = 571394.6
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_8___reshoot_key=Theta_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 390209.0, reshoot_counts = 433263.0
normalization = 0.918, reshoot_counts*normalization = 397784.2
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_9___reshoot_key=Theta_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 271647.0, reshoot_counts = 301981.0
normalization = 0.918, reshoot_counts*normalization = 277252.5
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_10___reshoot_key=Theta_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 374608.0, reshoot_counts = 416569.0
normalization = 0.918, reshoot_counts*normalization = 382457.2
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_11___reshoot_key=Theta_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 390236.0, reshoot_counts = 434005.0
normalization = 0.918, reshoot_counts*normalization = 398465.4
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_12___reshoot_key=Theta_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 245583.0, reshoot_counts = 272810.0
normalization = 0.918, reshoot_counts*normalization = 250470.3
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_13___reshoot_key=Theta_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 116941.0, reshoot_counts = 129579.0
normalization = 0.918, reshoot_counts*normalization = 118968.1
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_14___reshoot_key=Theta_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26805.0, reshoot_counts = 29966.0
normalization = 0.918, reshoot_counts*normalization = 27512.2
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_15___reshoot_key=Theta_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2591.0, reshoot_counts = 2922.0
normalization = 0.918, reshoot_counts*normalization = 2682.7
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_16___reshoot_key=Theta_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 137.0, reshoot_counts = 134.0
normalization = 0.918, reshoot_counts*normalization = 123.0
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_17___reshoot_key=Theta_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6.0, reshoot_counts = 0.0
normalization = 0.918, reshoot_counts*normalization = 0.0
original average = 0.26 Theta [rad], reshoot average = nan Theta [rad]
2×10^0
1.8×10^0
1.6×10^0
1.4×10^0
1.2×10^0
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_18___reshoot_key=Theta_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.918, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_19___reshoot_key=Theta_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.918, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_20___reshoot_key=Theta_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.918, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_21___reshoot_key=Theta_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.918, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_22___reshoot_key=Theta_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.918, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_23___reshoot_key=Theta_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.918, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_24___reshoot_key=Theta_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.918, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_25___reshoot_key=Theta_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.918, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_26___reshoot_key=Theta_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.918, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Phi_1500_0___reshoot_key=Phi_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 110731731.0, reshoot_counts = 120010510.0
normalization = 0.918, reshoot_counts*normalization = 110183143.2
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
7 × 10^5
6 × 10^5
5 × 10^5
4 × 10^5
3 × 10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_1___reshoot_key=Phi_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 81686262.0, reshoot_counts = 88969152.0
normalization = 0.918, reshoot_counts*normalization = 81683686.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
5 × 10^5
4 × 10^5
3 × 10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_2___reshoot_key=Phi_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26279851.0, reshoot_counts = 28984014.0
normalization = 0.918, reshoot_counts*normalization = 26610584.1
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_3___reshoot_key=Phi_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1817051.0, reshoot_counts = 2017803.0
normalization = 0.918, reshoot_counts*normalization = 1852570.1
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^4
6×10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_4___reshoot_key=Phi_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 594175.0, reshoot_counts = 660596.0
normalization = 0.918, reshoot_counts*normalization = 606501.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
3×10^3
2×10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_5___reshoot_key=Phi_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 650563.0, reshoot_counts = 722104.0
normalization = 0.918, reshoot_counts*normalization = 662972.7
original average = 3.15 Phi [rad], reshoot average = 3.15 Phi [rad]
4×10^3
3×10^3
2×10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_6___reshoot_key=Phi_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 949878.0, reshoot_counts = 1055088.0
normalization = 0.918, reshoot_counts*normalization = 968689.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
6×10^3
4×10^3
3×10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_7___reshoot_key=Phi_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 559577.0, reshoot_counts = 622358.0
normalization = 0.918, reshoot_counts*normalization = 571394.6
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
3 × 10^3
2 × 10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_8___reshoot_key=Phi_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 390209.0, reshoot_counts = 433263.0
normalization = 0.918, reshoot_counts*normalization = 397784.2
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
2.4×10^3
2.2×10^3
2×10^3
1.8×10^3
1.6×10^3
1.4×10^3
1.2×10^3
10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_9___reshoot_key=Phi_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 271647.0, reshoot_counts = 301981.0
normalization = 0.918, reshoot_counts*normalization = 277252.5
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_10___reshoot_key=Phi_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 374608.0, reshoot_counts = 416569.0
normalization = 0.918, reshoot_counts*normalization = 382457.2
original average = 3.15 Phi [rad], reshoot average = 3.15 Phi [rad]
2×10^3
10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_11___reshoot_key=Phi_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 390236.0, reshoot_counts = 434005.0
normalization = 0.918, reshoot_counts*normalization = 398465.4
original average = 3.15 Phi [rad], reshoot average = 3.14 Phi [rad]
2.4×10^3
2.2×10^3
2×10^3
1.8×10^3
1.6×10^3
1.4×10^3
1.2×10^3
10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_12___reshoot_key=Phi_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 245583.0, reshoot_counts = 272810.0
normalization = 0.918, reshoot_counts*normalization = 250470.3
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
10^3
6×10^2
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_13___reshoot_key=Phi_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 116941.0, reshoot_counts = 129579.0
normalization = 0.918, reshoot_counts*normalization = 118968.1
original average = 3.13 Phi [rad], reshoot average = 3.15 Phi [rad]
6×10^2
4×10^2
3×10^2
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_14___reshoot_key=Phi_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26805.0, reshoot_counts = 29966.0
normalization = 0.918, reshoot_counts*normalization = 27512.2
original average = 3.13 Phi [rad], reshoot average = 3.13 Phi [rad]
10^2
6×10^1
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_15___reshoot_key=Phi_1_15
original counts = 2591.0, reshoot_counts = 2922.0
normalization = 0.918, reshoot_counts/normalization = 2682.7
original average = 3.14 Phi [rad], reshoot average = 3.20 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_16___reshoot_key=Phi_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 137.0, reshoot_counts = 134.0
normalization = 0.918, reshoot_counts*normalization = 123.0
original average = 3.42 Phi [rad], reshoot average = 3.34 Phi [rad]
6×10^0
4×10^0
3×10^0
2×10^0
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_17___reshoot_key=Phi_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6.0, reshoot_counts = 0.0
normalization = 0.918, reshoot_counts*normalization = 0.0
original average = 3.29 Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
10^{-1}
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_18___reshoot_key=Phi_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.918, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_19___reshoot_key=Phi_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.918, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_20___reshoot_key=Phi_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.918, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_21___reshoot_key=Phi_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.918, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_22___reshoot_key=Phi_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.918, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_23___reshoot_key=Phi_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.918, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_24___reshoot_key=Phi_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.918, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_25___reshoot_key=Phi_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.918, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_26___reshoot_key=Phi_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.918, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Ekin_1500_0___reshoot_key=EkinU_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 110727567.0, reshoot_counts = 120010510.0
normalization = 0.918, reshoot_counts*normalization = 110183143.2
original average = 685.70 Ek [MeV/u], reshoot average = 679.81 Ek [
10^5
10^4
10^3
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_1___reshoot_key=EkinU_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 81683686.0, reshoot_counts = 88969152.0
normalization = 0.918, reshoot_counts*normalization = 81683686.0
original average = 625.52 Ek [MeV/u], reshoot average = 620.99 Ek [
10^5
10^4
10^3
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_2___reshoot_key=EkinU_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26279851.0, reshoot_counts = 28984014.0
normalization = 0.918, reshoot_counts*normalization = 26610584.1
original average = 602.76 Ek [MeV/u], reshoot average = 602.98 Ek [
10^5
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_3___reshoot_key=EkinU_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1817051.0, reshoot_counts = 2017803.0
normalization = 0.918, reshoot_counts*normalization = 1852570.1
original average = 566.59 Ek [MeV/u], reshoot average = 567.14 Ek [
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_4___reshoot_key=EkinU_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 594175.0, reshoot_counts = 660596.0
normalization = 0.918, reshoot_counts*normalization = 606501.4
original average = 511.09 Ek [MeV/u], reshoot average = 511.73 Ek [
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_5___reshoot_key=EkinU_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 650563.0, reshoot_counts = 722104.0
normalization = 0.918, reshoot_counts*normalization = 662972.7
original average = 471.55 Ek [MeV/u], reshoot average = 472.00 Ek [
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_6___reshoot_key=EkinU_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 949878.0, reshoot_counts = 1055088.0
normalization = 0.918, reshoot_counts*normalization = 968689.4
original average = 411.93 Ek [MeV/u], reshoot average = 412.60 Ek [
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_7___reshoot_key=EkinU_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 559577.0, reshoot_counts = 622358.0
normalization = 0.918, reshoot_counts*normalization = 571394.6
original average = 370.18 Ek [MeV/u], reshoot average = 370.72 Ek [
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_8___reshoot_key=EkinU_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 390209.0, reshoot_counts = 433263.0
normalization = 0.918, reshoot_counts*normalization = 397784.2
original average = 326.45 Ek [MeV/u], reshoot average = 326.46 Ek [
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_9___reshoot_key=EkinU_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 271647.0, reshoot_counts = 301981.0
normalization = 0.918, reshoot_counts*normalization = 277252.5
original average = 291.86 Ek [MeV/u], reshoot average = 292.81 Ek [
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_10___reshoot_key=EkinU_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 374608.0, reshoot_counts = 416569.0
normalization = 0.918, reshoot_counts*normalization = 382457.2
original average = 243.61 Ek [MeV/u], reshoot average = 244.11 Ek [
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_11___reshoot_key=EkinU_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 390236.0, reshoot_counts = 434005.0
normalization = 0.918, reshoot_counts*normalization = 398465.4
original average = 200.11 Ek [MeV/u], reshoot average = 200.48 Ek [
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_12___reshoot_key=EkinU_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 245583.0, reshoot_counts = 272810.0
normalization = 0.918, reshoot_counts*normalization = 250470.3
original average = 159.24 Ek [MeV/u], reshoot average = 159.94 Ek [
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_13___reshoot_key=EkinU_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 116941.0, reshoot_counts = 129579.0
normalization = 0.918, reshoot_counts*normalization = 118968.1
original average = 122.11 Ek [MeV/u], reshoot average = 122.33 Ek [
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_14___reshoot_key=EkinU_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26805.0, reshoot_counts = 29966.0
normalization = 0.918, reshoot_counts*normalization = 27512.2
original average = 98.01 Ek [MeV/u], reshoot average = 98.16 Ek [Me
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_15___reshoot_key=EkinU_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2591.0, reshoot_counts = 2922.0
normalization = 0.918, reshoot_counts*normalization = 2682.7
original average = 79.03 Ek [MeV/u], reshoot average = 79.43 Ek [Me
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_16___reshoot_key=EkinU_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 137.0, reshoot_counts = 134.0
normalization = 0.918, reshoot_counts*normalization = 123.0
original average = 79.89 Ek [MeV/u], reshoot average = 84.08 Ek [Me
4 × 10^0
3 × 10^0
2 × 10^0
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_17___reshoot_key=EkinU_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6.0, reshoot_counts = 0.0
normalization = 0.918, reshoot_counts*normalization = 0.0
original average = 27.59 Ek [MeV/u], reshoot average = nan Ek [MeV/
10^1
10^0
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_18___reshoot_key=EkinU_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.918, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_19___reshoot_key=EkinU_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.918, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_20___reshoot_key=EkinU_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.918, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_21___reshoot_key=EkinU_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.918, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_22___reshoot_key=EkinU_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.918, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_23___reshoot_key=EkinU_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.918, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_24___reshoot_key=EkinU_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.918, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_25___reshoot_key=EkinU_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.918, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_26___reshoot_key=EkinU_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.918, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=X_1500_0___reshoot_key=X_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 110703873.0, reshoot_counts = 120010510.0
normalization = 0.918, reshoot_counts*normalization = 110183143.2
original average = -0.00 x pos [mm], reshoot average = -0.11 x pos [
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_1___reshoot_key=X_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 81664562.0, reshoot_counts = 88969152.0
normalization = 0.918, reshoot_counts*normalization = 81683686.0
original average = -0.01 x pos [mm], reshoot average = -0.12 x pos [
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_2___reshoot_key=X_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26273355.0, reshoot_counts = 28984014.0
normalization = 0.918, reshoot_counts*normalization = 26610584.1
original average = -0.01 x pos [mm], reshoot average = -0.12 x pos [
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_3___reshoot_key=X_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1816597.0, reshoot_counts = 2017803.0
normalization = 0.918, reshoot_counts*normalization = 1852570.1
original average = -0.01 x pos [mm], reshoot average = -0.13 x pos [
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_4___reshoot_key=X_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 594036.0, reshoot_counts = 660596.0
normalization = 0.918, reshoot_counts*normalization = 606501.4
original average = -0.02 x pos [mm], reshoot average = -0.15 x pos [
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_5___reshoot_key=X_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 650432.0, reshoot_counts = 722104.0
normalization = 0.918, reshoot_counts*normalization = 662972.7
original average = 0.01 x pos [mm], reshoot average = -0.11 x pos [m
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_6___reshoot_key=X_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 949722.0, reshoot_counts = 1055088.0
normalization = 0.918, reshoot_counts*normalization = 968689.4
original average = 0.01 x pos [mm], reshoot average = -0.09 x pos [m
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_7___reshoot_key=X_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 559488.0, reshoot_counts = 622358.0
normalization = 0.918, reshoot_counts*normalization = 571394.6
original average = -0.03 x pos [mm], reshoot average = -0.17 x pos [
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_8___reshoot_key=X_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 390151.0, reshoot_counts = 433263.0
normalization = 0.918, reshoot_counts*normalization = 397784.2
original average = 0.02 x pos [mm], reshoot average = -0.13 x pos [m
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_9___reshoot_key=X_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 271616.0, reshoot_counts = 301981.0
normalization = 0.918, reshoot_counts*normalization = 277252.5
original average = 0.02 x pos [mm], reshoot average = -0.07 x pos [m
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_10___reshoot_key=X_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 374582.0, reshoot_counts = 416569.0
normalization = 0.918, reshoot_counts*normalization = 382457.2
original average = -0.03 x pos [mm], reshoot average = -0.14 x pos [
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_11___reshoot_key=X_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 390216.0, reshoot_counts = 434005.0
normalization = 0.918, reshoot_counts*normalization = 398465.4
original average = 0.02 x pos [mm], reshoot average = -0.04 x pos [m
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_12___reshoot_key=X_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 245576.0, reshoot_counts = 272810.0
normalization = 0.918, reshoot_counts*normalization = 250470.3
original average = -0.06 x pos [mm], reshoot average = -0.17 x pos [
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_13___reshoot_key=X_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 116938.0, reshoot_counts = 129579.0
normalization = 0.918, reshoot_counts*normalization = 118968.1
original average = 0.08 x pos [mm], reshoot average = -0.08 x pos [m
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_14___reshoot_key=X_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26805.0, reshoot_counts = 29966.0
normalization = 0.918, reshoot_counts*normalization = 27512.2
original average = 0.04 x pos [mm], reshoot average = -0.03 x pos [m
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_15___reshoot_key=X_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2591.0, reshoot_counts = 2922.0
normalization = 0.918, reshoot_counts*normalization = 2682.7
original average = 0.05 x pos [mm], reshoot average = -0.16 x pos [m
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_16___reshoot_key=X_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 137.0, reshoot_counts = 134.0
normalization = 0.918, reshoot_counts*normalization = 123.0
original average = 1.02 x pos [mm], reshoot average = 0.55 x pos [m
3 × 10^0
2 × 10^0
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_17___reshoot_key=X_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6.0, reshoot_counts = 0.0
normalization = 0.918, reshoot_counts*normalization = 0.0
original average = -3.29 x pos [mm], reshoot average = nan x pos [m
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_18___reshoot_key=X_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.918, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_19___reshoot_key=X_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.918, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_20___reshoot_key=X_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.918, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_21___reshoot_key=X_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.918, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_22___reshoot_key=X_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.918, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_23___reshoot_key=X_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.918, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_24___reshoot_key=X_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.918, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_25___reshoot_key=X_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.918, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_26___reshoot_key=X_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.918, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=Y_1500_0___reshoot_key=Y_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 110703887.0, reshoot_counts = 120010510.0
normalization = 0.918, reshoot_counts*normalization = 110183143.2
original average = -0.00 y pos [mm], reshoot average = -0.13 y pos [
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_1___reshoot_key=Y_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 81664262.0, reshoot_counts = 88969152.0
normalization = 0.918, reshoot_counts*normalization = 81683686.0
original average = -0.00 y pos [mm], reshoot average = -0.13 y pos [
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_2___reshoot_key=Y_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26273476.0, reshoot_counts = 28984014.0
normalization = 0.918, reshoot_counts*normalization = 26610584.1
original average = -0.01 y pos [mm], reshoot average = -0.14 y pos [
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_3___reshoot_key=Y_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1816580.0, reshoot_counts = 2017803.0
normalization = 0.918, reshoot_counts*normalization = 1852570.1
original average = -0.00 y pos [mm], reshoot average = -0.12 y pos [
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_4___reshoot_key=Y_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 594046.0, reshoot_counts = 660596.0
normalization = 0.918, reshoot_counts*normalization = 606501.4
original average = 0.00 y pos [mm], reshoot average = -0.14 y pos [m
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_5___reshoot_key=Y_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 650409.0, reshoot_counts = 722104.0
normalization = 0.918, reshoot_counts*normalization = 662972.7
original average = -0.06 y pos [mm], reshoot average = -0.20 y pos [
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_6___reshoot_key=Y_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 949693.0, reshoot_counts = 1055088.0
normalization = 0.918, reshoot_counts*normalization = 968689.4
original average = 0.01 y pos [mm], reshoot average = -0.12 y pos [m
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_7___reshoot_key=Y_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 559503.0, reshoot_counts = 622358.0
normalization = 0.918, reshoot_counts*normalization = 571394.6
original average = 0.01 y pos [mm], reshoot average = -0.15 y pos [m
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_8___reshoot_key=Y_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 390154.0, reshoot_counts = 433263.0
normalization = 0.918, reshoot_counts*normalization = 397784.2
original average = -0.04 y pos [mm], reshoot average = -0.18 y pos [
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_9___reshoot_key=Y_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 271609.0, reshoot_counts = 301981.0
normalization = 0.918, reshoot_counts*normalization = 277252.5
original average = 0.02 y pos [mm], reshoot average = -0.16 y pos [m
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_10___reshoot_key=Y_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 374574.0, reshoot_counts = 416569.0
normalization = 0.918, reshoot_counts*normalization = 382457.2
original average = -0.02 y pos [mm], reshoot average = -0.14 y pos [
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_11___reshoot_key=Y_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 390202.0, reshoot_counts = 434005.0
normalization = 0.918, reshoot_counts*normalization = 398465.4
original average = -0.06 y pos [mm], reshoot average = -0.23 y pos [
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_12___reshoot_key=Y_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 245575.0, reshoot_counts = 272810.0
normalization = 0.918, reshoot_counts*normalization = 250470.3
original average = 0.02 y pos [mm], reshoot average = -0.14 y pos [m
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_13___reshoot_key=Y_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 116939.0, reshoot_counts = 129579.0
normalization = 0.918, reshoot_counts*normalization = 118968.1
original average = 0.04 y pos [mm], reshoot average = -0.02 y pos [m
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_14___reshoot_key=Y_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26805.0, reshoot_counts = 29966.0
normalization = 0.918, reshoot_counts*normalization = 27512.2
original average = 0.04 y pos [mm], reshoot average = 0.14 y pos [m
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_15___reshoot_key=Y_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2591.0, reshoot_counts = 2922.0
normalization = 0.918, reshoot_counts*normalization = 2682.7
original average = 0.03 y pos [mm], reshoot average = -0.31 y pos [m
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_16___reshoot_key=Y_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 137.0, reshoot_counts = 134.0
normalization = 0.918, reshoot_counts*normalization = 123.0
original average = -4.83 y pos [mm], reshoot average = -4.78 y pos [
4×10^0
3×10^0
2×10^0
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_17___reshoot_key=Y_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6.0, reshoot_counts = 0.0
normalization = 0.918, reshoot_counts*normalization = 0.0
original average = -3.58 y pos [mm], reshoot average = nan y pos [m
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_18___reshoot_key=Y_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.918, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_19___reshoot_key=Y_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.918, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_20___reshoot_key=Y_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.918, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_21___reshoot_key=Y_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.918, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_1500_22___reshoot_key=Y_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.918, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_1500_23___reshoot_key=Y_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.918, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_1500_24___reshoot_key=Y_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.918, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_1500_25___reshoot_key=Y_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.918, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_1500_26___reshoot_key=Y_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.918, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
−400
−200
0
200
400
y pos [mm]