






original_key=Theta_wide_1500_0___reshoot_key=Theta_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 189918682.0, reshoot_counts = 118786060.0
normalization = 1.591, reshoot_counts*normalization = 188960750.5
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^8
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_1___reshoot_key=Theta_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 142915670.0, reshoot_counts = 89837976.0
normalization = 1.591, reshoot_counts*normalization = 142911141.0
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^8
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_2___reshoot_key=Theta_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 45520499.0, reshoot_counts = 29004970.0
normalization = 1.591, reshoot_counts*normalization = 46140101.8
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^7
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_3___reshoot_key=Theta_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3165644.0, reshoot_counts = 2031295.0
normalization = 1.591, reshoot_counts*normalization = 3231313.7
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_4___reshoot_key=Theta_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1038427.0, reshoot_counts = 667308.0
normalization = 1.591, reshoot_counts*normalization = 1061530.5
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_5___reshoot_key=Theta_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1152832.0, reshoot_counts = 739073.0
normalization = 1.591, reshoot_counts*normalization = 1175691.7
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_6___reshoot_key=Theta_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1696611.0, reshoot_counts = 1088433.0
normalization = 1.591, reshoot_counts*normalization = 1731441.5
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_7___reshoot_key=Theta_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1010960.0, reshoot_counts = 649267.0
normalization = 1.591, reshoot_counts*normalization = 1032831.5
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_8___reshoot_key=Theta_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 705547.0, reshoot_counts = 452587.0
normalization = 1.591, reshoot_counts*normalization = 719959.7
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_9___reshoot_key=Theta_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 489641.0, reshoot_counts = 314577.0
normalization = 1.591, reshoot_counts*normalization = 500418.2
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_10___reshoot_key=Theta_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 669388.0, reshoot_counts = 429923.0
normalization = 1.591, reshoot_counts*normalization = 683906.6
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_11___reshoot_key=Theta_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 693323.0, reshoot_counts = 445627.0
normalization = 1.591, reshoot_counts*normalization = 708888.0
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_12___reshoot_key=Theta_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 429717.0, reshoot_counts = 275725.0
normalization = 1.591, reshoot_counts*normalization = 438613.8
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_13___reshoot_key=Theta_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 201859.0, reshoot_counts = 129169.0
normalization = 1.591, reshoot_counts*normalization = 205477.6
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_14___reshoot_key=Theta_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 45545.0, reshoot_counts = 29451.0
normalization = 1.591, reshoot_counts*normalization = 46849.6
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_15___reshoot_key=Theta_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4282.0, reshoot_counts = 2786.0
normalization = 1.591, reshoot_counts*normalization = 4431.9
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_16___reshoot_key=Theta_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 227.0, reshoot_counts = 126.0
normalization = 1.591, reshoot_counts*normalization = 200.4
original average = 0.05 Theta [rad], reshoot average = 0.04 Theta [ra
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_17___reshoot_key=Theta_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10.0, reshoot_counts = 0.0
normalization = 1.591, reshoot_counts*normalization = 0.0
original average = 0.08 Theta [rad], reshoot average = nan Theta [rad]
4×10^0
3×10^0
2×10^0
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_18___reshoot_key=Theta_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5.0, reshoot_counts = 0.0
normalization = 1.591, reshoot_counts*normalization = 0.0
original average = 1.13 Theta [rad], reshoot average = nan Theta [rad
10^1
10^0
10^{-1}
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_19___reshoot_key=Theta_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.0, reshoot_counts = 0.0
normalization = 1.591, reshoot_counts*normalization = 0.0
original average = 0.06 Theta [rad], reshoot average = nan Theta [rad
10^1
10^0
10^{-1}
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_20___reshoot_key=Theta_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.0, reshoot_counts = 0.0
normalization = 1.591, reshoot_counts*normalization = 0.0
original average = 0.51 Theta [rad], reshoot average = nan Theta [rad
10^1
10^0
10^{-1}
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_21___reshoot_key=Theta_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.0, reshoot_counts = 0.0
normalization = 1.591, reshoot_counts*normalization = 0.0
original average = 0.01 Theta [rad], reshoot average = nan Theta [rad
10^1
10^0
10^{-1}
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_22___reshoot_key=Theta_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.591, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_23___reshoot_key=Theta_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.591, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_24___reshoot_key=Theta_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.591, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_25___reshoot_key=Theta_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.591, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_26___reshoot_key=Theta_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.591, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Phi_wide_1500_0___reshoot_key=Phi_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 189918682.0, reshoot_counts = 118786060.0
normalization = 1.591, reshoot_counts*normalization = 188960750.5
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^6
6×10^5
4×10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_1___reshoot_key=Phi_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 142915670.0, reshoot_counts = 89837976.0
normalization = 1.591, reshoot_counts*normalization = 142911141.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
6×10^5
4×10^5
3×10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_2___reshoot_key=Phi_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 45520499.0, reshoot_counts = 29004970.0
normalization = 1.591, reshoot_counts*normalization = 46140101.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
2×10^5
10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_3___reshoot_key=Phi_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3165644.0, reshoot_counts = 2031295.0
normalization = 1.591, reshoot_counts*normalization = 3231313.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^4
6×10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_4___reshoot_key=Phi_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1038427.0, reshoot_counts = 667308.0
normalization = 1.591, reshoot_counts*normalization = 1061530.5
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_5___reshoot_key=Phi_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1152832.0, reshoot_counts = 739073.0
normalization = 1.591, reshoot_counts*normalization = 1175691.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_6___reshoot_key=Phi_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1696611.0, reshoot_counts = 1088433.0
normalization = 1.591, reshoot_counts*normalization = 1731441.5
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
6×10^3
4×10^3
3×10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_7___reshoot_key=Phi_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1010960.0, reshoot_counts = 649267.0
normalization = 1.591, reshoot_counts*normalization = 1032831.5
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
4 × 10^3
3 × 10^3
2 × 10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_8___reshoot_key=Phi_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 705547.0, reshoot_counts = 452587.0
normalization = 1.591, reshoot_counts*normalization = 719959.7
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
4 × 10^3
3 × 10^3
2 × 10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_9___reshoot_key=Phi_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 489641.0, reshoot_counts = 314577.0
normalization = 1.591, reshoot_counts*normalization = 500418.2
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
2×10^3
10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_10___reshoot_key=Phi_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 669388.0, reshoot_counts = 429923.0
normalization = 1.591, reshoot_counts*normalization = 683906.6
original average = 3.15 Phi [rad], reshoot average = 3.15 Phi [rad]
3×10^3
2×10^3
10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_11___reshoot_key=Phi_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 693323.0, reshoot_counts = 445627.0
normalization = 1.591, reshoot_counts*normalization = 708888.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
3×10^3
2×10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_12___reshoot_key=Phi_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 429717.0, reshoot_counts = 275725.0
normalization = 1.591, reshoot_counts*normalization = 438613.8
original average = 3.15 Phi [rad], reshoot average = 3.15 Phi [rad]
2×10^3
10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_13___reshoot_key=Phi_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 201859.0, reshoot_counts = 129169.0
normalization = 1.591, reshoot_counts*normalization = 205477.6
original average = 3.13 Phi [rad], reshoot average = 3.14 Phi [rad]
10^3
6×10^2
4×10^2
3×10^2
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_14___reshoot_key=Phi_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 45545.0, reshoot_counts = 29451.0
normalization = 1.591, reshoot_counts*normalization = 46849.6
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
2×10^2
10^2
6×10^1
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_15___reshoot_key=Phi_1_15
original counts = 4282.0, reshoot_counts = 2786.0
normalization = 1.591, reshoot_counts*normalization = 4431.9
original average = 3.15 Phi [rad], reshoot average = 3.18 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_16___reshoot_key=Phi_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 227.0, reshoot_counts = 126.0
normalization = 1.591, reshoot_counts*normalization = 200.4
original average = 3.43 Phi [rad], reshoot average = 3.45 Phi [rad]
6×10^0
4×10^0
3×10^0
2×10^0
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_17___reshoot_key=Phi_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10.0, reshoot_counts = 0.0
normalization = 1.591, reshoot_counts*normalization = 0.0
original average = 3.75 Phi [rad], reshoot average = nan Phi [rad]
2×10^0
1.8×10^0
1.6×10^0
1.4×10^0
1.2×10^0
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_18___reshoot_key=Phi_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5.0, reshoot_counts = 0.0
normalization = 1.591, reshoot_counts*normalization = 0.0
original average = 2.61 Phi [rad], reshoot average = nan Phi [rad]
10^{1}
10^{0}
10^{-1}
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_19___reshoot_key=Phi_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.0, reshoot_counts = 0.0
normalization = 1.591, reshoot_counts*normalization = 0.0
original average = 2.85 Phi [rad], reshoot average = nan Phi [rad]
10^{1}
10^{0}
10^{-1}
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_20___reshoot_key=Phi_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.0, reshoot_counts = 0.0
normalization = 1.591, reshoot_counts*normalization = 0.0
original average = 1.95 Phi [rad], reshoot average = nan Phi [rad]
10^{1}
10^{0}
10^{-1}
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_21___reshoot_key=Phi_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.0, reshoot_counts = 0.0
normalization = 1.591, reshoot_counts*normalization = 0.0
original average = 2.00 Phi [rad], reshoot average = nan Phi [rad]
10^{1}
10^{0}
10^{-1}
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_22___reshoot_key=Phi_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.591, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_23___reshoot_key=Phi_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.591, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_24___reshoot_key=Phi_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.591, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_25___reshoot_key=Phi_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.591, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_26___reshoot_key=Phi_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.591, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Ekin_wide_1500_0___reshoot_key=EkinU_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 189911490.0, reshoot_counts = 118786060.0
normalization = 1.591, reshoot_counts*normalization = 188960750.5
original average = 682.12 Ek [MeV/u], reshoot average = 676.25 Ek [
10^5
10^4
10^3
10^2
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_1___reshoot_key=EkinU_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 142911141.0, reshoot_counts = 89837976.0
normalization = 1.591, reshoot_counts*normalization = 142911141.0
original average = 623.85 Ek [MeV/u], reshoot average = 619.33 Ek [
10^5
10^4
10^3
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_2___reshoot_key=EkinU_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 45520499.0, reshoot_counts = 29004970.0
normalization = 1.591, reshoot_counts*normalization = 46140101.8
original average = 600.75 Ek [MeV/u], reshoot average = 600.98 Ek [
10^5
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_3___reshoot_key=EkinU_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3165644.0, reshoot_counts = 2031295.0
normalization = 1.591, reshoot_counts*normalization = 3231313.7
original average = 564.50 Ek [MeV/u], reshoot average = 565.23 Ek [
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_4___reshoot_key=EkinU_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1038427.0, reshoot_counts = 667308.0
normalization = 1.591, reshoot_counts*normalization = 1061530.5
original average = 509.59 Ek [MeV/u], reshoot average = 509.99 Ek [
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_5___reshoot_key=EkinU_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1152832.0, reshoot_counts = 739073.0
normalization = 1.591, reshoot_counts*normalization = 1175691.7
original average = 470.73 Ek [MeV/u], reshoot average = 471.42 Ek [
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_6___reshoot_key=EkinU_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1696611.0, reshoot_counts = 1088433.0
normalization = 1.591, reshoot_counts*normalization = 1731441.5
original average = 411.97 Ek [MeV/u], reshoot average = 412.48 Ek [
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_7___reshoot_key=EkinU_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1010960.0, reshoot_counts = 649267.0
normalization = 1.591, reshoot_counts*normalization = 1032831.5
original average = 370.88 Ek [MeV/u], reshoot average = 371.56 Ek [
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_8___reshoot_key=EkinU_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 705547.0, reshoot_counts = 452587.0
normalization = 1.591, reshoot_counts*normalization = 719959.7
original average = 327.49 Ek [MeV/u], reshoot average = 327.46 Ek [
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_9___reshoot_key=EkinU_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 489641.0, reshoot_counts = 314577.0
normalization = 1.591, reshoot_counts*normalization = 500418.2
original average = 292.85 Ek [MeV/u], reshoot average = 293.70 Ek [
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_10___reshoot_key=EkinU_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 669388.0, reshoot_counts = 429923.0
normalization = 1.591, reshoot_counts*normalization = 683906.6
original average = 244.49 Ek [MeV/u], reshoot average = 244.98 Ek [
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_11___reshoot_key=EkinU_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 693323.0, reshoot_counts = 445627.0
normalization = 1.591, reshoot_counts*normalization = 708888.0
original average = 200.99 Ek [MeV/u], reshoot average = 201.40 Ek [
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_12___reshoot_key=EkinU_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 429717.0, reshoot_counts = 275725.0
normalization = 1.591, reshoot_counts*normalization = 438613.8
original average = 159.79 Ek [MeV/u], reshoot average = 160.48 Ek [
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_13___reshoot_key=EkinU_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 201859.0, reshoot_counts = 129169.0
normalization = 1.591, reshoot_counts*normalization = 205477.6
original average = 122.52 Ek [MeV/u], reshoot average = 122.72 Ek [
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_14___reshoot_key=EkinU_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 45545.0, reshoot_counts = 29451.0
normalization = 1.591, reshoot_counts*normalization = 46849.6
original average = 97.87 Ek [MeV/u], reshoot average = 98.05 Ek [Me
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_15___reshoot_key=EkinU_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4282.0, reshoot_counts = 2786.0
normalization = 1.591, reshoot_counts*normalization = 4431.9
original average = 79.46 Ek [MeV/u], reshoot average = 79.93 Ek [Me
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_16___reshoot_key=EkinU_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 227.0, reshoot_counts = 126.0
normalization = 1.591, reshoot_counts*normalization = 200.4
original average = 84.35 Ek [MeV/u], reshoot average = 88.20 Ek [Me
6 × 10^0
4 × 10^0
3 × 10^0
2 × 10^0
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_17___reshoot_key=EkinU_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10.0, reshoot_counts = 0.0
normalization = 1.591, reshoot_counts*normalization = 0.0
original average = 44.60 Ek [MeV/u], reshoot average = nan Ek [MeV/
10^1
10^0
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_18___reshoot_key=EkinU_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5.0, reshoot_counts = 0.0
normalization = 1.591, reshoot_counts*normalization = 0.0
original average = 1.83 Ek [MeV/u], reshoot average = nan Ek [MeV/u
4 × 10^0
3 × 10^0
2 × 10^0
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_19___reshoot_key=EkinU_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.0, reshoot_counts = 0.0
normalization = 1.591, reshoot_counts*normalization = 0.0
original average = 385.83 Ek [MeV/u], reshoot average = nan Ek [MeV
10^1
10^0
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_20___reshoot_key=EkinU_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.0, reshoot_counts = 0.0
normalization = 1.591, reshoot_counts*normalization = 0.0
original average = 1.50 Ek [MeV/u], reshoot average = nan Ek [MeV/u
10^1
10^0
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_21___reshoot_key=EkinU_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.0, reshoot_counts = 0.0
normalization = 1.591, reshoot_counts*normalization = 0.0
original average = 88.50 Ek [MeV/u], reshoot average = nan Ek [MeV/
10^1
10^0
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_22___reshoot_key=EkinU_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.591, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_23___reshoot_key=EkinU_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.591, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_24___reshoot_key=EkinU_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.591, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_25___reshoot_key=EkinU_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.591, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_26___reshoot_key=EkinU_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.591, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=X_wide_1500_0___reshoot_key=X_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 189872401.0, reshoot_counts = 118786060.0
normalization = 1.591, reshoot_counts*normalization = 188960750.5
original average = -0.01 x pos [mm], reshoot average = -0.11 x pos [
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_1___reshoot_key=X_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 142878667.0, reshoot_counts = 89837976.0
normalization = 1.591, reshoot_counts*normalization = 142911141.0
original average = -0.01 x pos [mm], reshoot average = -0.12 x pos [
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_2___reshoot_key=X_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 45509391.0, reshoot_counts = 29004970.0
normalization = 1.591, reshoot_counts*normalization = 46140101.8
original average = -0.01 x pos [mm], reshoot average = -0.11 x pos [
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_3___reshoot_key=X_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3164896.0, reshoot_counts = 2031295.0
normalization = 1.591, reshoot_counts*normalization = 3231313.7
original average = -0.02 x pos [mm], reshoot average = -0.14 x pos [
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_4___reshoot_key=X_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1038201.0, reshoot_counts = 667308.0
normalization = 1.591, reshoot_counts*normalization = 1061530.5
original average = -0.00 x pos [mm], reshoot average = -0.13 x pos [
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_5___reshoot_key=X_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1152591.0, reshoot_counts = 739073.0
normalization = 1.591, reshoot_counts*normalization = 1175691.7
original average = 0.01 x pos [mm], reshoot average = -0.08 x pos [m
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_6___reshoot_key=X_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1696320.0, reshoot_counts = 1088433.0
normalization = 1.591, reshoot_counts*normalization = 1731441.5
original average = -0.04 x pos [mm], reshoot average = -0.17 x pos [
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_7___reshoot_key=X_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1010798.0, reshoot_counts = 649267.0
normalization = 1.591, reshoot_counts*normalization = 1032831.5
original average = 0.01 x pos [mm], reshoot average = -0.11 x pos [m
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_8___reshoot_key=X_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 705455.0, reshoot_counts = 452587.0
normalization = 1.591, reshoot_counts*normalization = 719959.7
original average = 0.08 x pos [mm], reshoot average = -0.15 x pos [m
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_9___reshoot_key=X_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 489585.0, reshoot_counts = 314577.0
normalization = 1.591, reshoot_counts*normalization = 500418.2
original average = 0.07 x pos [mm], reshoot average = 0.03 x pos [m
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_10___reshoot_key=X_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 669341.0, reshoot_counts = 429923.0
normalization = 1.591, reshoot_counts*normalization = 683906.6
original average = -0.01 x pos [mm], reshoot average = -0.10 x pos [
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_11___reshoot_key=X_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 693280.0, reshoot_counts = 445627.0
normalization = 1.591, reshoot_counts*normalization = 708888.0
original average = 0.03 x pos [mm], reshoot average = -0.03 x pos [m
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_12___reshoot_key=X_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 429698.0, reshoot_counts = 275725.0
normalization = 1.591, reshoot_counts*normalization = 438613.8
original average = -0.01 x pos [mm], reshoot average = -0.12 x pos [
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_13___reshoot_key=X_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 201853.0, reshoot_counts = 129169.0
normalization = 1.591, reshoot_counts*normalization = 205477.6
original average = 0.11 x pos [mm], reshoot average = -0.04 x pos [m
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_14___reshoot_key=X_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 45545.0, reshoot_counts = 29451.0
normalization = 1.591, reshoot_counts*normalization = 46849.6
original average = -0.05 x pos [mm], reshoot average = -0.16 x pos [
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_15___reshoot_key=X_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4282.0, reshoot_counts = 2786.0
normalization = 1.591, reshoot_counts*normalization = 4431.9
original average = 0.59 x pos [mm], reshoot average = 0.74 x pos [m
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_16___reshoot_key=X_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 227.0, reshoot_counts = 126.0
normalization = 1.591, reshoot_counts*normalization = 200.4
original average = 0.50 x pos [mm], reshoot average = 3.09 x pos [m
4×10^0
3×10^0
2×10^0
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_17___reshoot_key=X_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10.0, reshoot_counts = 0.0
normalization = 1.591, reshoot_counts*normalization = 0.0
original average = 11.18 x pos [mm], reshoot average = nan x pos [m
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_18___reshoot_key=X_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5.0, reshoot_counts = 0.0
normalization = 1.591, reshoot_counts*normalization = 0.0
original average = 1.68 x pos [mm], reshoot average = nan x pos [mm
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_19___reshoot_key=X_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.0, reshoot_counts = 0.0
normalization = 1.591, reshoot_counts*normalization = 0.0
original average = 23.29 x pos [mm], reshoot average = nan x pos [m
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_20___reshoot_key=X_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.0, reshoot_counts = 0.0
normalization = 1.591, reshoot_counts*normalization = 0.0
original average = 42.38 x pos [mm], reshoot average = nan x pos [m
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_21___reshoot_key=X_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.0, reshoot_counts = 0.0
normalization = 1.591, reshoot_counts*normalization = 0.0
original average = 48.88 x pos [mm], reshoot average = nan x pos [m
10^{1}
10^{0}
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_22___reshoot_key=X_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.591, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_23___reshoot_key=X_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.591, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_24___reshoot_key=X_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.591, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_25___reshoot_key=X_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.591, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_26___reshoot_key=X_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.591, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=Y_wide_1500_0___reshoot_key=Y_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 189872011.0, reshoot_counts = 118786060.0
normalization = 1.591, reshoot_counts*normalization = 188960750.5
original average = -0.01 y pos [mm], reshoot average = -0.13 y pos [
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_1___reshoot_key=Y_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 142878991.0, reshoot_counts = 89837976.0
normalization = 1.591, reshoot_counts*normalization = 142911141.0
original average = -0.01 y pos [mm], reshoot average = -0.13 y pos [
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_2___reshoot_key=Y_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 45509343.0, reshoot_counts = 29004970.0
normalization = 1.591, reshoot_counts*normalization = 46140101.8
original average = -0.01 y pos [mm], reshoot average = -0.14 y pos [
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_3___reshoot_key=Y_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3164960.0, reshoot_counts = 2031295.0
normalization = 1.591, reshoot_counts*normalization = 3231313.7
original average = -0.03 y pos [mm], reshoot average = -0.14 y pos [
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_4___reshoot_key=Y_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1038195.0, reshoot_counts = 667308.0
normalization = 1.591, reshoot_counts*normalization = 1061530.5
original average = -0.00 y pos [mm], reshoot average = -0.12 y pos [
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_5___reshoot_key=Y_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1152568.0, reshoot_counts = 739073.0
normalization = 1.591, reshoot_counts*normalization = 1175691.7
original average = -0.05 y pos [mm], reshoot average = -0.18 y pos [
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_6___reshoot_key=Y_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1696291.0, reshoot_counts = 1088433.0
normalization = 1.591, reshoot_counts*normalization = 1731441.5
original average = 0.02 y pos [mm], reshoot average = -0.11 y pos [m
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_7___reshoot_key=Y_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1010782.0, reshoot_counts = 649267.0
normalization = 1.591, reshoot_counts*normalization = 1032831.5
original average = -0.03 y pos [mm], reshoot average = -0.18 y pos [
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_8___reshoot_key=Y_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 705450.0, reshoot_counts = 452587.0
normalization = 1.591, reshoot_counts*normalization = 719959.7
original average = -0.02 y pos [mm], reshoot average = -0.19 y pos [
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_9___reshoot_key=Y_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 489591.0, reshoot_counts = 314577.0
normalization = 1.591, reshoot_counts*normalization = 500418.2
original average = -0.01 y pos [mm], reshoot average = -0.18 y pos [
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_10___reshoot_key=Y_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 669333.0, reshoot_counts = 429923.0
normalization = 1.591, reshoot_counts*normalization = 683906.6
original average = -0.05 y pos [mm], reshoot average = -0.17 y pos [
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_11___reshoot_key=Y_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 693291.0, reshoot_counts = 445627.0
normalization = 1.591, reshoot_counts*normalization = 708888.0
original average = 0.01 y pos [mm], reshoot average = -0.19 y pos [m
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_12___reshoot_key=Y_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 429702.0, reshoot_counts = 275725.0
normalization = 1.591, reshoot_counts*normalization = 438613.8
original average = -0.03 y pos [mm], reshoot average = -0.20 y pos [
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_13___reshoot_key=Y_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 201856.0, reshoot_counts = 129169.0
normalization = 1.591, reshoot_counts*normalization = 205477.6
original average = 0.09 y pos [mm], reshoot average = 0.07 y pos [m
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_14___reshoot_key=Y_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 45544.0, reshoot_counts = 29451.0
normalization = 1.591, reshoot_counts*normalization = 46849.6
original average = -0.11 y pos [mm], reshoot average = -0.03 y pos [
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_15___reshoot_key=Y_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4282.0, reshoot_counts = 2786.0
normalization = 1.591, reshoot_counts*normalization = 4431.9
original average = 0.25 y pos [mm], reshoot average = -0.10 y pos [m
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_16___reshoot_key=Y_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 227.0, reshoot_counts = 126.0
normalization = 1.591, reshoot_counts*normalization = 200.4
original average = -5.23 y pos [mm], reshoot average = -5.80 y pos [
4×10^0
3×10^0
2×10^0
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_17___reshoot_key=Y_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10.0, reshoot_counts = 0.0
normalization = 1.591, reshoot_counts*normalization = 0.0
original average = -1.88 y pos [mm], reshoot average = nan y pos [m
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_18___reshoot_key=Y_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5.0, reshoot_counts = 0.0
normalization = 1.591, reshoot_counts*normalization = 0.0
original average = 6.08 y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_19___reshoot_key=Y_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.0, reshoot_counts = 0.0
normalization = 1.591, reshoot_counts*normalization = 0.0
original average = -1.21 y pos [mm], reshoot average = nan y pos [m
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_20___reshoot_key=Y_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.0, reshoot_counts = 0.0
normalization = 1.591, reshoot_counts*normalization = 0.0
original average = -30.38 y pos [mm], reshoot average = nan y pos [r
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_21___reshoot_key=Y_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.0, reshoot_counts = 0.0
normalization = 1.591, reshoot_counts*normalization = 0.0
original average = 13.62 y pos [mm], reshoot average = nan y pos [m
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_1500_22___reshoot_key=Y_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.591, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_1500_23___reshoot_key=Y_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.591, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_1500_24___reshoot_key=Y_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.591, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_1500_25___reshoot_key=Y_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.591, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_1500_26___reshoot_key=Y_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.591, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
−400
−200
0
200
400
y pos [mm]