






original_key=Theta_2000_0___reshoot_key=Theta_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 70778743.0, reshoot_counts = 121228890.0
normalization = 0.581, reshoot_counts*normalization = 70401073.8
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
10^8
10^7
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_1___reshoot_key=Theta_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 51050543.0, reshoot_counts = 87904913.0
normalization = 0.581, reshoot_counts*normalization = 51048890.0
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
10^8
10^7
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_2___reshoot_key=Theta_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16610760.0, reshoot_counts = 28973048.0
normalization = 0.581, reshoot_counts*normalization = 16825475.3
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
10^7
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_3___reshoot_key=Theta_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1139338.0, reshoot_counts = 2000427.0
normalization = 0.581, reshoot_counts*normalization = 1161705.0
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_4___reshoot_key=Theta_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 371810.0, reshoot_counts = 653096.0
normalization = 0.581, reshoot_counts*normalization = 379271.5
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_5___reshoot_key=Theta_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 399897.0, reshoot_counts = 702526.0
normalization = 0.581, reshoot_counts*normalization = 407976.9
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_6___reshoot_key=Theta_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 574569.0, reshoot_counts = 1008647.0
normalization = 0.581, reshoot_counts*normalization = 585750.1
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_7___reshoot_key=Theta_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 333974.0, reshoot_counts = 587057.0
normalization = 0.581, reshoot_counts*normalization = 340920.7
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_8___reshoot_key=Theta_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 233267.0, reshoot_counts = 409803.0
normalization = 0.581, reshoot_counts*normalization = 237984.3
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_9___reshoot_key=Theta_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 161999.0, reshoot_counts = 284974.0
normalization = 0.581, reshoot_counts*normalization = 165492.5
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_10___reshoot_key=Theta_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 224843.0, reshoot_counts = 395314.0
normalization = 0.581, reshoot_counts*normalization = 229570.1
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_11___reshoot_key=Theta_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 236227.0, reshoot_counts = 415369.0
normalization = 0.581, reshoot_counts*normalization = 241216.6
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_12___reshoot_key=Theta_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 150541.0, reshoot_counts = 264429.0
normalization = 0.581, reshoot_counts*normalization = 153561.5
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_13___reshoot_key=Theta_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 72554.0, reshoot_counts = 127109.0
normalization = 0.581, reshoot_counts*normalization = 73815.8
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_14___reshoot_key=Theta_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16851.0, reshoot_counts = 29772.0
normalization = 0.581, reshoot_counts*normalization = 17289.4
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_15___reshoot_key=Theta_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1653.0, reshoot_counts = 2959.0
normalization = 0.581, reshoot_counts*normalization = 1718.4
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_16___reshoot_key=Theta_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 91.0, reshoot_counts = 132.0
normalization = 0.581, reshoot_counts*normalization = 76.7
original average = 0.04 Theta [rad], reshoot average = 0.03 Theta [ra
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_17___reshoot_key=Theta_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5.0, reshoot_counts = 0.0
normalization = 0.581, reshoot_counts*normalization = 0.0
original average = 0.17 Theta [rad], reshoot average = nan Theta [rad]
2×10^0
1.8×10^0
1.6×10^0
1.4×10^0
1.2×10^0
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_18___reshoot_key=Theta_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.0, reshoot_counts = 0.0
normalization = 0.581, reshoot_counts*normalization = 0.0
original average = 0.75 Theta [rad], reshoot average = nan Theta [rad]
10^1
10^0
10^{-1}
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_19___reshoot_key=Theta_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.0, reshoot_counts = 0.0
normalization = 0.581, reshoot_counts*normalization = 0.0
original average = 0.04 Theta [rad], reshoot average = nan Theta [rad]
10^{1}
10^{0}
10^{-1}
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_20___reshoot_key=Theta_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.581, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_21___reshoot_key=Theta_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.581, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_22___reshoot_key=Theta_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.581, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_23___reshoot_key=Theta_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.581, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_24___reshoot_key=Theta_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.581, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_25___reshoot_key=Theta_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.581, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_26___reshoot_key=Theta_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.581, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Phi_2000_0___reshoot_key=Phi_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 70778743.0, reshoot_counts = 121228890.0
normalization = 0.581, reshoot_counts*normalization = 70401073.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
6 × 10^5
4 × 10^5
3 × 10^5
2 × 10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_1___reshoot_key=Phi_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 51050543.0, reshoot_counts = 87904913.0
normalization = 0.581, reshoot_counts*normalization = 51048890.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
4×10^5
3×10^5
2×10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_2___reshoot_key=Phi_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16610760.0, reshoot_counts = 28973048.0
normalization = 0.581, reshoot_counts*normalization = 16825475.3
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^5
6×10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_3___reshoot_key=Phi_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1139338.0, reshoot_counts = 2000427.0
normalization = 0.581, reshoot_counts*normalization = 1161705.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^4
6×10^3
4×10^3
3×10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_4___reshoot_key=Phi_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 371810.0, reshoot_counts = 653096.0
normalization = 0.581, reshoot_counts*normalization = 379271.5
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
3×10^3
2×10^3
10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_5___reshoot_key=Phi_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 399897.0, reshoot_counts = 702526.0
normalization = 0.581, reshoot_counts*normalization = 407976.9
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
4×10^3
3×10^3
2×10^3
10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_6___reshoot_key=Phi_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 574569.0, reshoot_counts = 1008647.0
normalization = 0.581, reshoot_counts*normalization = 585750.1
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_7___reshoot_key=Phi_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 333974.0, reshoot_counts = 587057.0
normalization = 0.581, reshoot_counts*normalization = 340920.7
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
3×10^3
2×10^3
10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_8___reshoot_key=Phi_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 233267.0, reshoot_counts = 409803.0
normalization = 0.581, reshoot_counts*normalization = 237984.3
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
2×10^3
10^3
6×10^2
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_9___reshoot_key=Phi_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 161999.0, reshoot_counts = 284974.0
normalization = 0.581, reshoot_counts*normalization = 165492.5
original average = 3.13 Phi [rad], reshoot average = 3.14 Phi [rad]
10^3
6×10^2
4×10^2
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_10___reshoot_key=Phi_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 224843.0, reshoot_counts = 395314.0
normalization = 0.581, reshoot_counts*normalization = 229570.1
original average = 3.15 Phi [rad], reshoot average = 3.14 Phi [rad]
2×10^3
10^3
6×10^2
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_11___reshoot_key=Phi_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 236227.0, reshoot_counts = 415369.0
normalization = 0.581, reshoot_counts*normalization = 241216.6
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
2×10^3
10^3
6×10^2
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_12___reshoot_key=Phi_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 150541.0, reshoot_counts = 264429.0
normalization = 0.581, reshoot_counts*normalization = 153561.5
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
10^3
6×10^2
4×10^2
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_13___reshoot_key=Phi_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 72554.0, reshoot_counts = 127109.0
normalization = 0.581, reshoot_counts*normalization = 73815.8
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
6×10^2
4×10^2
3×10^2
2×10^2
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_14___reshoot_key=Phi_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16851.0, reshoot_counts = 29772.0
normalization = 0.581, reshoot_counts*normalization = 17289.4
original average = 3.14 Phi [rad], reshoot average = 3.13 Phi [rad]
10^2
6×10^1
4×10^1
3×10^1
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_15___reshoot_key=Phi_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1653.0, reshoot_counts = 2959.0
normalization = 0.581, reshoot_counts*normalization = 1718.4
original average = 3.19 Phi [rad], reshoot average = 3.19 Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_16___reshoot_key=Phi_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 91.0, reshoot_counts = 132.0
normalization = 0.581, reshoot_counts*normalization = 76.7
original average = 3.15 Phi [rad], reshoot average = 2.89 Phi [rad]
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_17___reshoot_key=Phi_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5.0, reshoot_counts = 0.0
normalization = 0.581, reshoot_counts*normalization = 0.0
original average = 4.32 Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
10^{-1}
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_18___reshoot_key=Phi_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.0, reshoot_counts = 0.0
normalization = 0.581, reshoot_counts*normalization = 0.0
original average = 1.72 Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
10^{-1}
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_19___reshoot_key=Phi_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.0, reshoot_counts = 0.0
normalization = 0.581, reshoot_counts*normalization = 0.0
original average = 5.89 Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
10^{-1}
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_20___reshoot_key=Phi_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.581, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_21___reshoot_key=Phi_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.581, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_22___reshoot_key=Phi_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.581, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_23___reshoot_key=Phi_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.581, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_24___reshoot_key=Phi_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.581, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_25___reshoot_key=Phi_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.581, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_26___reshoot_key=Phi_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.581, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Ekin_2000_0___reshoot_key=EkinU_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 70776185.0, reshoot_counts = 121228890.0
normalization = 0.581, reshoot_counts*normalization = 70401073.8
original average = 690.76 Ek [MeV/u], reshoot average = 684.82 Ek [
10^5
10^4
10^3
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_1___reshoot_key=EkinU_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 51048890.0, reshoot_counts = 87904913.0
normalization = 0.581, reshoot_counts*normalization = 51048890.0
original average = 628.73 Ek [MeV/u], reshoot average = 624.22 Ek [
10^5
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_2___reshoot_key=EkinU_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16610760.0, reshoot_counts = 28973048.0
normalization = 0.581, reshoot_counts*normalization = 16825475.3
original average = 606.08 Ek [MeV/u], reshoot average = 606.34 Ek [
10^5
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_3___reshoot_key=EkinU_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1139338.0, reshoot_counts = 2000427.0
normalization = 0.581, reshoot_counts*normalization = 1161705.0
original average = 569.98 Ek [MeV/u], reshoot average = 570.59 Ek [
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_4___reshoot_key=EkinU_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 371810.0, reshoot_counts = 653096.0
normalization = 0.581, reshoot_counts*normalization = 379271.5
original average = 513.81 Ek [MeV/u], reshoot average = 514.08 Ek [
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_5___reshoot_key=EkinU_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 399897.0, reshoot_counts = 702526.0
normalization = 0.581, reshoot_counts*normalization = 407976.9
original average = 472.86 Ek [MeV/u], reshoot average = 473.23 Ek [
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_6___reshoot_key=EkinU_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 574569.0, reshoot_counts = 1008647.0
normalization = 0.581, reshoot_counts*normalization = 585750.1
original average = 411.71 Ek [MeV/u], reshoot average = 412.41 Ek [
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_7___reshoot_key=EkinU_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 333974.0, reshoot_counts = 587057.0
normalization = 0.581, reshoot_counts*normalization = 340920.7
original average = 368.96 Ek [MeV/u], reshoot average = 369.48 Ek [
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_8___reshoot_key=EkinU_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 233267.0, reshoot_counts = 409803.0
normalization = 0.581, reshoot_counts*normalization = 237984.3
original average = 324.49 Ek [MeV/u], reshoot average = 324.50 Ek [
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_9___reshoot_key=EkinU_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 161999.0, reshoot_counts = 284974.0
normalization = 0.581, reshoot_counts*normalization = 165492.5
original average = 289.98 Ek [MeV/u], reshoot average = 290.88 Ek [
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_10___reshoot_key=EkinU_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 224843.0, reshoot_counts = 395314.0
normalization = 0.581, reshoot_counts*normalization = 229570.1
original average = 241.81 Ek [MeV/u], reshoot average = 242.37 Ek [
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_11___reshoot_key=EkinU_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 236227.0, reshoot_counts = 415369.0
normalization = 0.581, reshoot_counts*normalization = 241216.6
original average = 198.68 Ek [MeV/u], reshoot average = 199.02 Ek [
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_12___reshoot_key=EkinU_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 150541.0, reshoot_counts = 264429.0
normalization = 0.581, reshoot_counts*normalization = 153561.5
original average = 158.14 Ek [MeV/u], reshoot average = 158.84 Ek [
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_13___reshoot_key=EkinU_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 72554.0, reshoot_counts = 127109.0
normalization = 0.581, reshoot_counts*normalization = 73815.8
original average = 121.92 Ek [MeV/u], reshoot average = 122.11 Ek [
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_14___reshoot_key=EkinU_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16851.0, reshoot_counts = 29772.0
normalization = 0.581, reshoot_counts*normalization = 17289.4
original average = 97.62 Ek [MeV/u], reshoot average = 97.83 Ek [Me
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_15___reshoot_key=EkinU_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1653.0, reshoot_counts = 2959.0
normalization = 0.581, reshoot_counts*normalization = 1718.4
original average = 78.77 Ek [MeV/u], reshoot average = 79.03 Ek [Me
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_16___reshoot_key=EkinU_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 91.0, reshoot_counts = 132.0
normalization = 0.581, reshoot_counts*normalization = 76.7
original average = 78.74 Ek [MeV/u], reshoot average = 83.56 Ek [Me
4×10^0
3×10^0
2×10^0
10^0
6×10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_17___reshoot_key=EkinU_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5.0, reshoot_counts = 0.0
normalization = 0.581, reshoot_counts*normalization = 0.0
original average = 28.72 Ek [MeV/u], reshoot average = nan Ek [MeV/
10^1
10^0
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_18___reshoot_key=EkinU_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.0, reshoot_counts = 0.0
normalization = 0.581, reshoot_counts*normalization = 0.0
original average = 239.83 Ek [MeV/u], reshoot average = nan Ek [MeV
10^1
10^0
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_19___reshoot_key=EkinU_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.0, reshoot_counts = 0.0
normalization = 0.581, reshoot_counts*normalization = 0.0
original average = 191.50 Ek [MeV/u], reshoot average = nan Ek [MeV
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_20___reshoot_key=EkinU_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.581, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_21___reshoot_key=EkinU_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.581, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_22___reshoot_key=EkinU_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.581, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_23___reshoot_key=EkinU_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.581, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_24___reshoot_key=EkinU_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.581, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_25___reshoot_key=EkinU_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.581, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_26___reshoot_key=EkinU_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.581, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=X_2000_0___reshoot_key=X_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 70764303.0, reshoot_counts = 121228890.0
normalization = 0.581, reshoot_counts*normalization = 70401073.8
original average = -0.00 x pos [mm], reshoot average = -0.11 x pos [
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_1___reshoot_key=X_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 51039841.0, reshoot_counts = 87904913.0
normalization = 0.581, reshoot_counts*normalization = 51048890.0
original average = -0.01 x pos [mm], reshoot average = -0.12 x pos [
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_2___reshoot_key=X_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16607392.0, reshoot_counts = 28973048.0
normalization = 0.581, reshoot_counts*normalization = 16825475.3
original average = -0.00 x pos [mm], reshoot average = -0.11 x pos [
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_3___reshoot_key=X_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1139121.0, reshoot_counts = 2000427.0
normalization = 0.581, reshoot_counts*normalization = 1161705.0
original average = 0.02 x pos [mm], reshoot average = -0.10 x pos [m
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_4___reshoot_key=X_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 371737.0, reshoot_counts = 653096.0
normalization = 0.581, reshoot_counts*normalization = 379271.5
original average = -0.00 x pos [mm], reshoot average = -0.15 x pos [
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_5___reshoot_key=X_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 399829.0, reshoot_counts = 702526.0
normalization = 0.581, reshoot_counts*normalization = 407976.9
original average = -0.01 x pos [mm], reshoot average = -0.12 x pos [
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_6___reshoot_key=X_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 574482.0, reshoot_counts = 1008647.0
normalization = 0.581, reshoot_counts*normalization = 585750.1
original average = -0.02 x pos [mm], reshoot average = -0.13 x pos [
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_7___reshoot_key=X_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 333923.0, reshoot_counts = 587057.0
normalization = 0.581, reshoot_counts*normalization = 340920.7
original average = -0.10 x pos [mm], reshoot average = -0.22 x pos [
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_8___reshoot_key=X_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 233237.0, reshoot_counts = 409803.0
normalization = 0.581, reshoot_counts*normalization = 237984.3
original average = 0.04 x pos [mm], reshoot average = -0.12 x pos [m
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_9___reshoot_key=X_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 161987.0, reshoot_counts = 284974.0
normalization = 0.581, reshoot_counts*normalization = 165492.5
original average = 0.09 x pos [mm], reshoot average = 0.00 x pos [m
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_10___reshoot_key=X_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 224826.0, reshoot_counts = 395314.0
normalization = 0.581, reshoot_counts*normalization = 229570.1
original average = 0.01 x pos [mm], reshoot average = -0.12 x pos [m
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_11___reshoot_key=X_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 236215.0, reshoot_counts = 415369.0
normalization = 0.581, reshoot_counts*normalization = 241216.6
original average = -0.05 x pos [mm], reshoot average = -0.10 x pos [
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_12___reshoot_key=X_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 150536.0, reshoot_counts = 264429.0
normalization = 0.581, reshoot_counts*normalization = 153561.5
original average = -0.05 x pos [mm], reshoot average = -0.19 x pos [
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_13___reshoot_key=X_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 72554.0, reshoot_counts = 127109.0
normalization = 0.581, reshoot_counts*normalization = 73815.8
original average = 0.01 x pos [mm], reshoot average = -0.12 x pos [m
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_14___reshoot_key=X_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16850.0, reshoot_counts = 29772.0
normalization = 0.581, reshoot_counts*normalization = 17289.4
original average = -0.09 x pos [mm], reshoot average = -0.18 x pos [
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_15___reshoot_key=X_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1653.0, reshoot_counts = 2959.0
normalization = 0.581, reshoot_counts*normalization = 1718.4
original average = -0.19 x pos [mm], reshoot average = -0.27 x pos [
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_16___reshoot_key=X_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 91.0, reshoot_counts = 132.0
normalization = 0.581, reshoot_counts*normalization = 76.7
original average = 0.30 x pos [mm], reshoot average = -1.32 x pos [m
3 × 10^0
2 × 10^0
10^0
6 × 10^−1
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_17___reshoot_key=X_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5.0, reshoot_counts = 0.0
normalization = 0.581, reshoot_counts*normalization = 0.0
original average = -7.42 x pos [mm], reshoot average = nan x pos [m
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_18___reshoot_key=X_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.0, reshoot_counts = 0.0
normalization = 0.581, reshoot_counts*normalization = 0.0
original average = -35.25 x pos [mm], reshoot average = nan x pos [r
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_19___reshoot_key=X_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.0, reshoot_counts = 0.0
normalization = 0.581, reshoot_counts*normalization = 0.0
original average = 32.38 x pos [mm], reshoot average = nan x pos [m
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_20___reshoot_key=X_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.581, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_21___reshoot_key=X_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.581, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_22___reshoot_key=X_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.581, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_23___reshoot_key=X_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.581, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_24___reshoot_key=X_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.581, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_25___reshoot_key=X_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.581, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_26___reshoot_key=X_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.581, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=Y_2000_0___reshoot_key=Y_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 70764146.0, reshoot_counts = 121228890.0
normalization = 0.581, reshoot_counts*normalization = 70401073.8
original average = -0.01 y pos [mm], reshoot average = -0.13 y pos [
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_1___reshoot_key=Y_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 51039879.0, reshoot_counts = 87904913.0
normalization = 0.581, reshoot_counts*normalization = 51048890.0
original average = -0.01 y pos [mm], reshoot average = -0.13 y pos [
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_2___reshoot_key=Y_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16607413.0, reshoot_counts = 28973048.0
normalization = 0.581, reshoot_counts*normalization = 16825475.3
original average = -0.01 y pos [mm], reshoot average = -0.14 y pos [
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_3___reshoot_key=Y_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1139130.0, reshoot_counts = 2000427.0
normalization = 0.581, reshoot_counts*normalization = 1161705.0
original average = -0.03 y pos [mm], reshoot average = -0.15 y pos [
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_4___reshoot_key=Y_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 371748.0, reshoot_counts = 653096.0
normalization = 0.581, reshoot_counts*normalization = 379271.5
original average = 0.02 y pos [mm], reshoot average = -0.11 y pos [m
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_5___reshoot_key=Y_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 399828.0, reshoot_counts = 702526.0
normalization = 0.581, reshoot_counts*normalization = 407976.9
original average = -0.04 y pos [mm], reshoot average = -0.16 y pos [
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_6___reshoot_key=Y_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 574468.0, reshoot_counts = 1008647.0
normalization = 0.581, reshoot_counts*normalization = 585750.1
original average = 0.02 y pos [mm], reshoot average = -0.12 y pos [m
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_7___reshoot_key=Y_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 333918.0, reshoot_counts = 587057.0
normalization = 0.581, reshoot_counts*normalization = 340920.7
original average = 0.04 y pos [mm], reshoot average = -0.10 y pos [m
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_8___reshoot_key=Y_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 233237.0, reshoot_counts = 409803.0
normalization = 0.581, reshoot_counts*normalization = 237984.3
original average = -0.00 y pos [mm], reshoot average = -0.16 y pos [
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_9___reshoot_key=Y_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 161990.0, reshoot_counts = 284974.0
normalization = 0.581, reshoot_counts*normalization = 165492.5
original average = -0.01 y pos [mm], reshoot average = -0.18 y pos [
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_10___reshoot_key=Y_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 224824.0, reshoot_counts = 395314.0
normalization = 0.581, reshoot_counts*normalization = 229570.1
original average = -0.05 y pos [mm], reshoot average = -0.18 y pos [
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_11___reshoot_key=Y_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 236216.0, reshoot_counts = 415369.0
normalization = 0.581, reshoot_counts*normalization = 241216.6
original average = -0.06 y pos [mm], reshoot average = -0.24 y pos [
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_12___reshoot_key=Y_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 150538.0, reshoot_counts = 264429.0
normalization = 0.581, reshoot_counts*normalization = 153561.5
original average = 0.01 y pos [mm], reshoot average = -0.15 y pos [m
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_13___reshoot_key=Y_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 72551.0, reshoot_counts = 127109.0
normalization = 0.581, reshoot_counts*normalization = 73815.8
original average = -0.03 y pos [mm], reshoot average = -0.11 y pos [
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_14___reshoot_key=Y_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16851.0, reshoot_counts = 29772.0
normalization = 0.581, reshoot_counts*normalization = 17289.4
original average = 0.12 y pos [mm], reshoot average = 0.18 y pos [m
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_15___reshoot_key=Y_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1653.0, reshoot_counts = 2959.0
normalization = 0.581, reshoot_counts*normalization = 1718.4
original average = -0.12 y pos [mm], reshoot average = -0.59 y pos [
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_16___reshoot_key=Y_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 91.0, reshoot_counts = 132.0
normalization = 0.581, reshoot_counts*normalization = 76.7
original average = -0.23 y pos [mm], reshoot average = -0.03 y pos [
4×10^0
3×10^0
2×10^0
10^0
6×10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_17___reshoot_key=Y_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5.0, reshoot_counts = 0.0
normalization = 0.581, reshoot_counts*normalization = 0.0
original average = 0.28 y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_18___reshoot_key=Y_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.0, reshoot_counts = 0.0
normalization = 0.581, reshoot_counts*normalization = 0.0
original average = 1.75 y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_19___reshoot_key=Y_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.0, reshoot_counts = 0.0
normalization = 0.581, reshoot_counts*normalization = 0.0
original average = 32.38 y pos [mm], reshoot average = nan y pos [m
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_20___reshoot_key=Y_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.581, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_21___reshoot_key=Y_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.581, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_2000_22___reshoot_key=Y_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.581, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_2000_23___reshoot_key=Y_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.581, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_2000_24___reshoot_key=Y_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.581, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_2000_25___reshoot_key=Y_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.581, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_2000_26___reshoot_key=Y_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.581, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
−400
−200
0
200
400
y pos [mm]