






original_key=Theta_wide_2000_0___reshoot_key=Theta_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 122721124.0, reshoot_counts = 120173985.0
normalization = 1.014, reshoot_counts*normalization = 121835059.4
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
10^8
10^7
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_1___reshoot_key=Theta_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 89805786.0, reshoot_counts = 88578515.0
normalization = 1.014, reshoot_counts*normalization = 89802869.0
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
10^8
10^7
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_2___reshoot_key=Theta_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 29049394.0, reshoot_counts = 29008004.0
normalization = 1.014, reshoot_counts*normalization = 29408959.8
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
10^7
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_3___reshoot_key=Theta_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2003996.0, reshoot_counts = 2015755.0
normalization = 1.014, reshoot_counts*normalization = 2043617.3
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_4___reshoot_key=Theta_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 654518.0, reshoot_counts = 658567.0
normalization = 1.014, reshoot_counts*normalization = 667669.9
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_5___reshoot_key=Theta_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 710890.0, reshoot_counts = 714735.0
normalization = 1.014, reshoot_counts*normalization = 724614.2
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_6___reshoot_key=Theta_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1032289.0, reshoot_counts = 1038191.0
normalization = 1.014, reshoot_counts*normalization = 1052541.1
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_7___reshoot_key=Theta_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 605955.0, reshoot_counts = 610213.0
normalization = 1.014, reshoot_counts*normalization = 618647.5
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
10^6
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_8___reshoot_key=Theta_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 422938.0, reshoot_counts = 425329.0
normalization = 1.014, reshoot_counts*normalization = 431208.0
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_9___reshoot_key=Theta_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 293774.0, reshoot_counts = 295740.0
normalization = 1.014, reshoot_counts*normalization = 299827.8
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_10___reshoot_key=Theta_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 406638.0, reshoot_counts = 409403.0
normalization = 1.014, reshoot_counts*normalization = 415061.9
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_11___reshoot_key=Theta_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 425318.0, reshoot_counts = 428379.0
normalization = 1.014, reshoot_counts*normalization = 434300.2
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_12___reshoot_key=Theta_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 268851.0, reshoot_counts = 270481.0
normalization = 1.014, reshoot_counts*normalization = 274219.7
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_13___reshoot_key=Theta_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 128322.0, reshoot_counts = 128759.0
normalization = 1.014, reshoot_counts*normalization = 130538.7
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
10^5
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_14___reshoot_key=Theta_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 29415.0, reshoot_counts = 29780.0
normalization = 1.014, reshoot_counts*normalization = 30191.6
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
10^4
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_15___reshoot_key=Theta_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2781.0, reshoot_counts = 2838.0
normalization = 1.014, reshoot_counts*normalization = 2877.2
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
10^3
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_16___reshoot_key=Theta_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 153.0, reshoot_counts = 130.0
normalization = 1.014, reshoot_counts*normalization = 131.8
original average = 0.05 Theta [rad], reshoot average = 0.03 Theta [ra
10^2
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_17___reshoot_key=Theta_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11.0, reshoot_counts = 0.0
normalization = 1.014, reshoot_counts*normalization = 0.0
original average = 0.54 Theta [rad], reshoot average = nan Theta [rad]
4×10^0
3×10^0
2×10^0
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_18___reshoot_key=Theta_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5.0, reshoot_counts = 0.0
normalization = 1.014, reshoot_counts*normalization = 0.0
original average = 1.16 Theta [rad], reshoot average = nan Theta [rad]
10^{1}
10^{0}
10^{-1}
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_19___reshoot_key=Theta_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.0, reshoot_counts = 0.0
normalization = 1.014, reshoot_counts*normalization = 0.0
original average = 0.03 Theta [rad], reshoot average = nan Theta [rad
10^1
10^0
10^{-1}
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_20___reshoot_key=Theta_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.014, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_21___reshoot_key=Theta_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.0, reshoot_counts = 0.0
normalization = 1.014, reshoot_counts*normalization = 0.0
original average = 0.01 Theta [rad], reshoot average = nan Theta [rad
10^1
10^0
10^{-1}
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_22___reshoot_key=Theta_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.014, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_23___reshoot_key=Theta_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.014, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_24___reshoot_key=Theta_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.014, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_25___reshoot_key=Theta_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.014, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_26___reshoot_key=Theta_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.014, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
10^1
10^0
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Phi_wide_2000_0___reshoot_key=Phi_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 122721124.0, reshoot_counts = 120173985.0
normalization = 1.014, reshoot_counts*normalization = 121835059.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
6 × 10^5
5 × 10^5
4 × 10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_1___reshoot_key=Phi_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 89805786.0, reshoot_counts = 88578515.0
normalization = 1.014, reshoot_counts*normalization = 89802869.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
5 × 10^5
4 × 10^5
3 × 10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_2___reshoot_key=Phi_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 29049394.0, reshoot_counts = 29008004.0
normalization = 1.014, reshoot_counts*normalization = 29408959.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^5
9×10^4
8×10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_3___reshoot_key=Phi_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2003996.0, reshoot_counts = 2015755.0
normalization = 1.014, reshoot_counts*normalization = 2043617.3
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^4
9×10^3
8×10^3
7×10^3
6×10^3
5×10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_4___reshoot_key=Phi_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 654518.0, reshoot_counts = 658567.0
normalization = 1.014, reshoot_counts*normalization = 667669.9
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
3×10^3
2×10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_5___reshoot_key=Phi_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 710890.0, reshoot_counts = 714735.0
normalization = 1.014, reshoot_counts*normalization = 724614.2
original average = 3.15 Phi [rad], reshoot average = 3.15 Phi [rad]
3×10^3
2×10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_6___reshoot_key=Phi_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1032289.0, reshoot_counts = 1038191.0
normalization = 1.014, reshoot_counts*normalization = 1052541.1
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
6 × 10^3
5 × 10^3
4 × 10^3
3 × 10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_7___reshoot_key=Phi_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 605955.0, reshoot_counts = 610213.0
normalization = 1.014, reshoot_counts*normalization = 618647.5
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
3×10^3
2×10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_8___reshoot_key=Phi_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 422938.0, reshoot_counts = 425329.0
normalization = 1.014, reshoot_counts*normalization = 431208.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
2.4×10^3
2.2×10^3
2×10^3
1.8×10^3
1.6×10^3
1.4×10^3
1.2×10^3
10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_9___reshoot_key=Phi_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 293774.0, reshoot_counts = 295740.0
normalization = 1.014, reshoot_counts*normalization = 299827.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^3
9×10^2
8×10^2
7×10^2
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_10___reshoot_key=Phi_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 406638.0, reshoot_counts = 409403.0
normalization = 1.014, reshoot_counts*normalization = 415061.9
original average = 3.15 Phi [rad], reshoot average = 3.14 Phi [rad]
2.2×10^3
2×10^3
1.8×10^3
1.6×10^3
1.4×10^3
1.2×10^3
10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_11___reshoot_key=Phi_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 425318.0, reshoot_counts = 428379.0
normalization = 1.014, reshoot_counts*normalization = 434300.2
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
2.2×10^3
2×10^3
1.8×10^3
1.6×10^3
1.4×10^3
1.2×10^3
10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_12___reshoot_key=Phi_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 268851.0, reshoot_counts = 270481.0
normalization = 1.014, reshoot_counts*normalization = 274219.7
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
10^3
9×10^2
8×10^2
7×10^2
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_13___reshoot_key=Phi_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 128322.0, reshoot_counts = 128759.0
normalization = 1.014, reshoot_counts*normalization = 130538.7
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
6×10^2
4×10^2
3×10^2
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_14___reshoot_key=Phi_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 29415.0, reshoot_counts = 29780.0
normalization = 1.014, reshoot_counts*normalization = 30191.6
original average = 3.15 Phi [rad], reshoot average = 3.14 Phi [rad]
10^2
6×10^1
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_15___reshoot_key=Phi_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2781.0, reshoot_counts = 2838.0
normalization = 1.014, reshoot_counts*normalization = 2877.2
original average = 3.14 Phi [rad], reshoot average = 3.19 Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_16___reshoot_key=Phi_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 153.0, reshoot_counts = 130.0
normalization = 1.014, reshoot_counts*normalization = 131.8
original average = 3.36 Phi [rad], reshoot average = 3.32 Phi [rad]
4×10^0
3×10^0
2×10^0
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_17___reshoot_key=Phi_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11.0, reshoot_counts = 0.0
normalization = 1.014, reshoot_counts*normalization = 0.0
original average = 3.73 Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
10^{-1}
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_18___reshoot_key=Phi_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5.0, reshoot_counts = 0.0
normalization = 1.014, reshoot_counts*normalization = 0.0
original average = 2.26 Phi [rad], reshoot average = nan Phi [rad]
2×10^0
1.8×10^0
1.6×10^0
1.4×10^0
1.2×10^0
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_19___reshoot_key=Phi_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.0, reshoot_counts = 0.0
normalization = 1.014, reshoot_counts*normalization = 0.0
original average = 4.08 Phi [rad], reshoot average = nan Phi [rad]
10^{1}
10^{0}
10^{-1}
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_20___reshoot_key=Phi_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.014, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_21___reshoot_key=Phi_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.0, reshoot_counts = 0.0
normalization = 1.014, reshoot_counts*normalization = 0.0
original average = 1.93 Phi [rad], reshoot average = nan Phi [rad]
10^{1}
10^{0}
10^{-1}
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_22___reshoot_key=Phi_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.014, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_23___reshoot_key=Phi_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.014, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_24___reshoot_key=Phi_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.014, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_25___reshoot_key=Phi_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.014, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_26___reshoot_key=Phi_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.014, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
10^1
10^0
0
1
2
3
4
5
6
Phi [rad]



original_key=Ekin_wide_2000_0___reshoot_key=EkinU_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 122716447.0, reshoot_counts = 120173985.0
normalization = 1.014, reshoot_counts*normalization = 121835059.4
original average = 688.36 Ek [MeV/u], reshoot average = 682.44 Ek [
10^5
10^4
10^3
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_1___reshoot_key=EkinU_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 89802869.0, reshoot_counts = 88578515.0
normalization = 1.014, reshoot_counts*normalization = 89802869.0
original average = 627.64 Ek [MeV/u], reshoot average = 623.11 Ek [
10^5
10^4
10^3
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_2___reshoot_key=EkinU_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 29049394.0, reshoot_counts = 29008004.0
normalization = 1.014, reshoot_counts*normalization = 29408959.8
original average = 604.79 Ek [MeV/u], reshoot average = 605.04 Ek [
10^5
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_3___reshoot_key=EkinU_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2003996.0, reshoot_counts = 2015755.0
normalization = 1.014, reshoot_counts*normalization = 2043617.3
original average = 568.68 Ek [MeV/u], reshoot average = 569.30 Ek [
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_4___reshoot_key=EkinU_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 654518.0, reshoot_counts = 658567.0
normalization = 1.014, reshoot_counts*normalization = 667669.9
original average = 512.87 Ek [MeV/u], reshoot average = 513.31 Ek [
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_5___reshoot_key=EkinU_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 710890.0, reshoot_counts = 714735.0
normalization = 1.014, reshoot_counts*normalization = 724614.2
original average = 472.75 Ek [MeV/u], reshoot average = 473.08 Ek [
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_6___reshoot_key=EkinU_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1032289.0, reshoot_counts = 1038191.0
normalization = 1.014, reshoot_counts*normalization = 1052541.1
original average = 412.56 Ek [MeV/u], reshoot average = 413.25 Ek [
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_7___reshoot_key=EkinU_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 605955.0, reshoot_counts = 610213.0
normalization = 1.014, reshoot_counts*normalization = 618647.5
original average = 370.47 Ek [MeV/u], reshoot average = 371.03 Ek [
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_8___reshoot_key=EkinU_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 422938.0, reshoot_counts = 425329.0
normalization = 1.014, reshoot_counts*normalization = 431208.0
original average = 326.27 Ek [MeV/u], reshoot average = 326.26 Ek [
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_9___reshoot_key=EkinU_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 293774.0, reshoot_counts = 295740.0
normalization = 1.014, reshoot_counts*normalization = 299827.8
original average = 291.34 Ek [MeV/u], reshoot average = 292.22 Ek [
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_10___reshoot_key=EkinU_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 406638.0, reshoot_counts = 409403.0
normalization = 1.014, reshoot_counts*normalization = 415061.9
original average = 243.24 Ek [MeV/u], reshoot average = 243.80 Ek [
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_11___reshoot_key=EkinU_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 425318.0, reshoot_counts = 428379.0
normalization = 1.014, reshoot_counts*normalization = 434300.2
original average = 199.89 Ek [MeV/u], reshoot average = 200.25 Ek [
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_12___reshoot_key=EkinU_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 268851.0, reshoot_counts = 270481.0
normalization = 1.014, reshoot_counts*normalization = 274219.7
original average = 158.94 Ek [MeV/u], reshoot average = 159.63 Ek [
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_13___reshoot_key=EkinU_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 128322.0, reshoot_counts = 128759.0
normalization = 1.014, reshoot_counts*normalization = 130538.7
original average = 122.01 Ek [MeV/u], reshoot average = 122.21 Ek [
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_14___reshoot_key=EkinU_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 29415.0, reshoot_counts = 29780.0
normalization = 1.014, reshoot_counts*normalization = 30191.6
original average = 97.97 Ek [MeV/u], reshoot average = 98.17 Ek [Me
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_15___reshoot_key=EkinU_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2781.0, reshoot_counts = 2838.0
normalization = 1.014, reshoot_counts*normalization = 2877.2
original average = 79.40 Ek [MeV/u], reshoot average = 79.90 Ek [Me
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_16___reshoot_key=EkinU_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 153.0, reshoot_counts = 130.0
normalization = 1.014, reshoot_counts*normalization = 131.8
original average = 86.18 Ek [MeV/u], reshoot average = 86.48 Ek [Me
4 × 10^0
3 × 10^0
2 × 10^0
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_17___reshoot_key=EkinU_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11.0, reshoot_counts = 0.0
normalization = 1.014, reshoot_counts*normalization = 0.0
original average = 32.17 Ek [MeV/u], reshoot average = nan Ek [MeV/
4 × 10^0
3 × 10^0
2 × 10^0
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_18___reshoot_key=EkinU_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5.0, reshoot_counts = 0.0
normalization = 1.014, reshoot_counts*normalization = 0.0
original average = 120.17 Ek [MeV/u], reshoot average = nan Ek [MeV
4 × 10^0
3 × 10^0
2 × 10^0
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_19___reshoot_key=EkinU_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.0, reshoot_counts = 0.0
normalization = 1.014, reshoot_counts*normalization = 0.0
original average = 554.50 Ek [MeV/u], reshoot average = nan Ek [MeV
10^1
10^0
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_20___reshoot_key=EkinU_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.014, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_21___reshoot_key=EkinU_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.0, reshoot_counts = 0.0
normalization = 1.014, reshoot_counts*normalization = 0.0
original average = 84.50 Ek [MeV/u], reshoot average = nan Ek [MeV/
10^1
10^0
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_22___reshoot_key=EkinU_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.014, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_23___reshoot_key=EkinU_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.014, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_24___reshoot_key=EkinU_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.014, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_25___reshoot_key=EkinU_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.014, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_26___reshoot_key=EkinU_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.014, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=X_wide_2000_0___reshoot_key=X_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 122696527.0, reshoot_counts = 120173985.0
normalization = 1.014, reshoot_counts*normalization = 121835059.4
original average = -0.00 x pos [mm], reshoot average = -0.11 x pos [
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_1___reshoot_key=X_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 89787144.0, reshoot_counts = 88578515.0
normalization = 1.014, reshoot_counts*normalization = 89802869.0
original average = -0.01 x pos [mm], reshoot average = -0.12 x pos [
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_2___reshoot_key=X_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 29043737.0, reshoot_counts = 29008004.0
normalization = 1.014, reshoot_counts*normalization = 29408959.8
original average = -0.01 x pos [mm], reshoot average = -0.12 x pos [
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_3___reshoot_key=X_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2003601.0, reshoot_counts = 2015755.0
normalization = 1.014, reshoot_counts*normalization = 2043617.3
original average = -0.01 x pos [mm], reshoot average = -0.13 x pos [
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_4___reshoot_key=X_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 654401.0, reshoot_counts = 658567.0
normalization = 1.014, reshoot_counts*normalization = 667669.9
original average = -0.03 x pos [mm], reshoot average = -0.19 x pos [
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_5___reshoot_key=X_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 710777.0, reshoot_counts = 714735.0
normalization = 1.014, reshoot_counts*normalization = 724614.2
original average = 0.02 x pos [mm], reshoot average = -0.08 x pos [m
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_6___reshoot_key=X_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1032136.0, reshoot_counts = 1038191.0
normalization = 1.014, reshoot_counts*normalization = 1052541.1
original average = -0.02 x pos [mm], reshoot average = -0.13 x pos [
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_7___reshoot_key=X_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 605881.0, reshoot_counts = 610213.0
normalization = 1.014, reshoot_counts*normalization = 618647.5
original average = -0.02 x pos [mm], reshoot average = -0.18 x pos [
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_8___reshoot_key=X_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 422896.0, reshoot_counts = 425329.0
normalization = 1.014, reshoot_counts*normalization = 431208.0
original average = 0.02 x pos [mm], reshoot average = -0.16 x pos [m
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_9___reshoot_key=X_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 293749.0, reshoot_counts = 295740.0
normalization = 1.014, reshoot_counts*normalization = 299827.8
original average = 0.07 x pos [mm], reshoot average = 0.00 x pos [m
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_10___reshoot_key=X_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 406610.0, reshoot_counts = 409403.0
normalization = 1.014, reshoot_counts*normalization = 415061.9
original average = -0.06 x pos [mm], reshoot average = -0.16 x pos [
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_11___reshoot_key=X_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 425296.0, reshoot_counts = 428379.0
normalization = 1.014, reshoot_counts*normalization = 434300.2
original average = -0.00 x pos [mm], reshoot average = -0.05 x pos [
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_12___reshoot_key=X_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 268839.0, reshoot_counts = 270481.0
normalization = 1.014, reshoot_counts*normalization = 274219.7
original average = -0.09 x pos [mm], reshoot average = -0.21 x pos [
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_13___reshoot_key=X_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 128318.0, reshoot_counts = 128759.0
normalization = 1.014, reshoot_counts*normalization = 130538.7
original average = 0.16 x pos [mm], reshoot average = 0.01 x pos [m
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_14___reshoot_key=X_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 29415.0, reshoot_counts = 29780.0
normalization = 1.014, reshoot_counts*normalization = 30191.6
original average = -0.11 x pos [mm], reshoot average = -0.21 x pos [
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_15___reshoot_key=X_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2781.0, reshoot_counts = 2838.0
normalization = 1.014, reshoot_counts*normalization = 2877.2
original average = 0.27 x pos [mm], reshoot average = 0.21 x pos [m
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_16___reshoot_key=X_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 153.0, reshoot_counts = 130.0
normalization = 1.014, reshoot_counts*normalization = 131.8
original average = -0.68 x pos [mm], reshoot average = -0.86 x pos [
4 × 10^0
3 × 10^0
2 × 10^0
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_17___reshoot_key=X_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11.0, reshoot_counts = 0.0
normalization = 1.014, reshoot_counts*normalization = 0.0
original average = -1.19 x pos [mm], reshoot average = nan x pos [m
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_18___reshoot_key=X_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5.0, reshoot_counts = 0.0
normalization = 1.014, reshoot_counts*normalization = 0.0
original average = -26.52 x pos [mm], reshoot average = nan x pos [r
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_19___reshoot_key=X_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.0, reshoot_counts = 0.0
normalization = 1.014, reshoot_counts*normalization = 0.0
original average = 37.75 x pos [mm], reshoot average = nan x pos [m
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_20___reshoot_key=X_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.014, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_21___reshoot_key=X_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.0, reshoot_counts = 0.0
normalization = 1.014, reshoot_counts*normalization = 0.0
original average = 46.62 x pos [mm], reshoot average = nan x pos [m
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_22___reshoot_key=X_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.014, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_23___reshoot_key=X_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.014, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_24___reshoot_key=X_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.014, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_25___reshoot_key=X_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.014, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_26___reshoot_key=X_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.014, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=Y_wide_2000_0___reshoot_key=Y_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 122696653.0, reshoot_counts = 120173985.0
normalization = 1.014, reshoot_counts*normalization = 121835059.4
original average = -0.01 y pos [mm], reshoot average = -0.13 y pos [
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_1___reshoot_key=Y_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 89786894.0, reshoot_counts = 88578515.0
normalization = 1.014, reshoot_counts*normalization = 89802869.0
original average = -0.00 y pos [mm], reshoot average = -0.13 y pos [
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_2___reshoot_key=Y_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 29043753.0, reshoot_counts = 29008004.0
normalization = 1.014, reshoot_counts*normalization = 29408959.8
original average = -0.01 y pos [mm], reshoot average = -0.14 y pos [
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_3___reshoot_key=Y_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2003619.0, reshoot_counts = 2015755.0
normalization = 1.014, reshoot_counts*normalization = 2043617.3
original average = -0.01 y pos [mm], reshoot average = -0.12 y pos [
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_4___reshoot_key=Y_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 654390.0, reshoot_counts = 658567.0
normalization = 1.014, reshoot_counts*normalization = 667669.9
original average = -0.00 y pos [mm], reshoot average = -0.14 y pos [
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_5___reshoot_key=Y_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 710777.0, reshoot_counts = 714735.0
normalization = 1.014, reshoot_counts*normalization = 724614.2
original average = -0.10 y pos [mm], reshoot average = -0.23 y pos [
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_6___reshoot_key=Y_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1032137.0, reshoot_counts = 1038191.0
normalization = 1.014, reshoot_counts*normalization = 1052541.1
original average = 0.02 y pos [mm], reshoot average = -0.12 y pos [m
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_7___reshoot_key=Y_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 605882.0, reshoot_counts = 610213.0
normalization = 1.014, reshoot_counts*normalization = 618647.5
original average = 0.03 y pos [mm], reshoot average = -0.12 y pos [m
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_8___reshoot_key=Y_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 422892.0, reshoot_counts = 425329.0
normalization = 1.014, reshoot_counts*normalization = 431208.0
original average = -0.03 y pos [mm], reshoot average = -0.19 y pos [
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_9___reshoot_key=Y_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 293749.0, reshoot_counts = 295740.0
normalization = 1.014, reshoot_counts*normalization = 299827.8
original average = -0.03 y pos [mm], reshoot average = -0.24 y pos [
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_10___reshoot_key=Y_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 406609.0, reshoot_counts = 409403.0
normalization = 1.014, reshoot_counts*normalization = 415061.9
original average = -0.07 y pos [mm], reshoot average = -0.20 y pos [
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_11___reshoot_key=Y_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 425304.0, reshoot_counts = 428379.0
normalization = 1.014, reshoot_counts*normalization = 434300.2
original average = -0.06 y pos [mm], reshoot average = -0.24 y pos [
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_12___reshoot_key=Y_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 268841.0, reshoot_counts = 270481.0
normalization = 1.014, reshoot_counts*normalization = 274219.7
original average = -0.01 y pos [mm], reshoot average = -0.19 y pos [
10^3
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_13___reshoot_key=Y_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 128319.0, reshoot_counts = 128759.0
normalization = 1.014, reshoot_counts*normalization = 130538.7
original average = -0.04 y pos [mm], reshoot average = -0.09 y pos [
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_14___reshoot_key=Y_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 29414.0, reshoot_counts = 29780.0
normalization = 1.014, reshoot_counts*normalization = 30191.6
original average = -0.16 y pos [mm], reshoot average = -0.08 y pos [
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_15___reshoot_key=Y_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2781.0, reshoot_counts = 2838.0
normalization = 1.014, reshoot_counts*normalization = 2877.2
original average = 0.10 y pos [mm], reshoot average = -0.33 y pos [m
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_16___reshoot_key=Y_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 153.0, reshoot_counts = 130.0
normalization = 1.014, reshoot_counts*normalization = 131.8
original average = -5.19 y pos [mm], reshoot average = -5.97 y pos [
4×10^0
3×10^0
2×10^0
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_17___reshoot_key=Y_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11.0, reshoot_counts = 0.0
normalization = 1.014, reshoot_counts*normalization = 0.0
original average = 0.49 y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_18___reshoot_key=Y_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5.0, reshoot_counts = 0.0
normalization = 1.014, reshoot_counts*normalization = 0.0
original average = -2.17 y pos [mm], reshoot average = nan y pos [m
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_19___reshoot_key=Y_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.0, reshoot_counts = 0.0
normalization = 1.014, reshoot_counts*normalization = 0.0
original average = 19.38 y pos [mm], reshoot average = nan y pos [m
10^1
10^0
10^{-1}
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_20___reshoot_key=Y_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.014, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_21___reshoot_key=Y_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.0, reshoot_counts = 0.0
normalization = 1.014, reshoot_counts*normalization = 0.0
original average = 19.12 y pos [mm], reshoot average = nan y pos [m
10^{1}
10^{0}
10^{-1}
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_2000_22___reshoot_key=Y_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.014, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_2000_23___reshoot_key=Y_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.014, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_2000_24___reshoot_key=Y_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.014, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_2000_25___reshoot_key=Y_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.014, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_2000_26___reshoot_key=Y_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 1.014, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
10^1
10^0
−400
−200
0
200
400
y pos [mm]