






original_key=Theta_1500_0___reshoot_key=Theta_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 93664722.0, reshoot_counts = 101511297.0
normalization = 0.922, reshoot_counts*normalization = 93544360.9
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
$10^8$
$10^7$
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_1___reshoot_key=Theta_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 82024046.0, reshoot_counts = 89006270.0
normalization = 0.922, reshoot_counts*normalization = 82020769.0
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
$10^8$
$10^7$
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_2___reshoot_key=Theta_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 28083039.0, reshoot_counts = 30859228.0
normalization = 0.922, reshoot_counts*normalization = 28437295.6
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
$10^7$
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_3___reshoot_key=Theta_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2123999.0, reshoot_counts = 2350547.0
normalization = 0.922, reshoot_counts*normalization = 2166068.4
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_4___reshoot_key=Theta_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 714703.0, reshoot_counts = 789883.0
normalization = 0.922, reshoot_counts*normalization = 727890.4
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_5___reshoot_key=Theta_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 737500.0, reshoot_counts = 815935.0
normalization = 0.922, reshoot_counts*normalization = 751897.8
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_6___reshoot_key=Theta_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1106147.0, reshoot_counts = 1223588.0
normalization = 0.922, reshoot_counts*normalization = 1127556.8
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_7___reshoot_key=Theta_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 680889.0, reshoot_counts = 753442.0
normalization = 0.922, reshoot_counts*normalization = 694309.4
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_8___reshoot_key=Theta_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 510129.0, reshoot_counts = 565863.0
normalization = 0.922, reshoot_counts*normalization = 521452.2
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_9___reshoot_key=Theta_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 378852.0, reshoot_counts = 419679.0
normalization = 0.922, reshoot_counts*normalization = 386741.2
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_10___reshoot_key=Theta_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 631934.0, reshoot_counts = 698763.0
normalization = 0.922, reshoot_counts*normalization = 643921.8
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_11___reshoot_key=Theta_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 926234.0, reshoot_counts = 1024896.0
normalization = 0.922, reshoot_counts*normalization = 944458.8
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_12___reshoot_key=Theta_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 983824.0, reshoot_counts = 1089111.0
normalization = 0.922, reshoot_counts*normalization = 1003634.0
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_13___reshoot_key=Theta_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1253175.0, reshoot_counts = 1385742.0
normalization = 0.922, reshoot_counts*normalization = 1276984.5
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_14___reshoot_key=Theta_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1578364.0, reshoot_counts = 1742865.0
normalization = 0.922, reshoot_counts*normalization = 1606079.3
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_15___reshoot_key=Theta_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1649714.0, reshoot_counts = 1824325.0
normalization = 0.922, reshoot_counts*normalization = 1681146.1
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_16___reshoot_key=Theta_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1559370.0, reshoot_counts = 1723693.0
normalization = 0.922, reshoot_counts*normalization = 1588412.0
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_17___reshoot_key=Theta_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1746486.0, reshoot_counts = 1934601.0
normalization = 0.922, reshoot_counts*normalization = 1782767.2
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_18___reshoot_key=Theta_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1402388.0, reshoot_counts = 1553707.0
normalization = 0.922, reshoot_counts*normalization = 1431767.0
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_19___reshoot_key=Theta_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1472721.0, reshoot_counts = 1629145.0
normalization = 0.922, reshoot_counts*normalization = 1501284.4
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_20___reshoot_key=Theta_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1261255.0, reshoot_counts = 1397250.0
normalization = 0.922, reshoot_counts*normalization = 1287589.3
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_21___reshoot_key=Theta_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 860715.0, reshoot_counts = 953614.0
normalization = 0.922, reshoot_counts*normalization = 878771.3
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_22___reshoot_key=Theta_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 384241.0, reshoot_counts = 426113.0
normalization = 0.922, reshoot_counts*normalization = 392670.3
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_23___reshoot_key=Theta_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 96745.0, reshoot_counts = 106839.0
normalization = 0.922, reshoot_counts*normalization = 98453.9
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_24___reshoot_key=Theta_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2167.0, reshoot_counts = 2419.0
normalization = 0.922, reshoot_counts*normalization = 2229.1
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_25___reshoot_key=Theta_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 66.0, reshoot_counts = 71.0
normalization = 0.922, reshoot_counts*normalization = 65.4
original average = 0.05 Theta [rad], reshoot average = 0.05 Theta [ra
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_1500_26___reshoot_key=Theta_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8.0, reshoot_counts = 0.0
normalization = 0.922, reshoot_counts*normalization = 0.0
original average = 0.07 Theta [rad], reshoot average = nan Theta [rad
$4 \times 10^0$
$3 \times 10^0$
$2 \times 10^0$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Phi_1500_0___reshoot_key=Phi_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 93664722.0, reshoot_counts = 101511297.0
normalization = 0.922, reshoot_counts*normalization = 93544360.9
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
6 × 10^5
5 × 10^5
4 × 10^5
3 × 10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_1___reshoot_key=Phi_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 82024046.0, reshoot_counts = 89006270.0
normalization = 0.922, reshoot_counts*normalization = 82020769.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
5 × 10^5
4 × 10^5
3 × 10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_2___reshoot_key=Phi_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 28083039.0, reshoot_counts = 30859228.0
normalization = 0.922, reshoot_counts*normalization = 28437295.6
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
$10^5$
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_3___reshoot_key=Phi_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2123999.0, reshoot_counts = 2350547.0
normalization = 0.922, reshoot_counts*normalization = 2166068.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
$10^4$
$6 \times 10^3$
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_4___reshoot_key=Phi_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 714703.0, reshoot_counts = 789883.0
normalization = 0.922, reshoot_counts*normalization = 727890.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
$4 \times 10^3$
$3 \times 10^3$
$2 \times 10^3$
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_5___reshoot_key=Phi_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 737500.0, reshoot_counts = 815935.0
normalization = 0.922, reshoot_counts*normalization = 751897.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
$4 \times 10^3$
$3 \times 10^3$
$2 \times 10^3$
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_6___reshoot_key=Phi_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1106147.0, reshoot_counts = 1223588.0
normalization = 0.922, reshoot_counts*normalization = 1127556.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
$6 \times 10^3$
$4 \times 10^3$
$3 \times 10^3$
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_7___reshoot_key=Phi_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 680889.0, reshoot_counts = 753442.0
normalization = 0.922, reshoot_counts*normalization = 694309.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
$4 \times 10^3$
$3 \times 10^3$
$2 \times 10^3$
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_8___reshoot_key=Phi_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 510129.0, reshoot_counts = 565863.0
normalization = 0.922, reshoot_counts*normalization = 521452.2
original average = 3.14 Phi [rad], reshoot average = 3.13 Phi [rad]
$3 \times 10^3$
$2 \times 10^3$
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_9___reshoot_key=Phi_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 378852.0, reshoot_counts = 419679.0
normalization = 0.922, reshoot_counts*normalization = 386741.2
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
$2.4 \times 10^3$
$2.2 \times 10^3$
$2 \times 10^3$
$1.8 \times 10^3$
$1.6 \times 10^3$
$1.4 \times 10^3$
$1.2 \times 10^3$
$10^3$
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_10___reshoot_key=Phi_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 631934.0, reshoot_counts = 698763.0
normalization = 0.922, reshoot_counts*normalization = 643921.8
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
4 × 10^3
3 × 10^3
2 × 10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_11___reshoot_key=Phi_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 926234.0, reshoot_counts = 1024896.0
normalization = 0.922, reshoot_counts*normalization = 944458.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
$4 \times 10^3$
$3 \times 10^3$
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_12___reshoot_key=Phi_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 983824.0, reshoot_counts = 1089111.0
normalization = 0.922, reshoot_counts*normalization = 1003634.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
$6 \times 10^3$
$4 \times 10^3$
$3 \times 10^3$
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_13___reshoot_key=Phi_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1253175.0, reshoot_counts = 1385742.0
normalization = 0.922, reshoot_counts*normalization = 1276984.5
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
$6 \times 10^3$
$4 \times 10^3$
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_14___reshoot_key=Phi_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1578364.0, reshoot_counts = 1742865.0
normalization = 0.922, reshoot_counts*normalization = 1606079.3
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
$10^4$
$6 \times 10^3$
$4 \times 10^3$
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_15___reshoot_key=Phi_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1649714.0, reshoot_counts = 1824325.0
normalization = 0.922, reshoot_counts*normalization = 1681146.1
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
$10^4$
$6 \times 10^3$
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_16___reshoot_key=Phi_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1559370.0, reshoot_counts = 1723693.0
normalization = 0.922, reshoot_counts*normalization = 1588412.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
$10^4$
$6 \times 10^3$
$4 \times 10^3$
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_17___reshoot_key=Phi_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1746486.0, reshoot_counts = 1934601.0
normalization = 0.922, reshoot_counts*normalization = 1782767.2
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
$10^4$
$6 \times 10^3$
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_18___reshoot_key=Phi_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1402388.0, reshoot_counts = 1553707.0
normalization = 0.922, reshoot_counts*normalization = 1431767.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
$6 \times 10^3$
$4 \times 10^3$
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_19___reshoot_key=Phi_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1472721.0, reshoot_counts = 1629145.0
normalization = 0.922, reshoot_counts*normalization = 1501284.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
$10^4$
$6 \times 10^3$
$4 \times 10^3$
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_20___reshoot_key=Phi_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1261255.0, reshoot_counts = 1397250.0
normalization = 0.922, reshoot_counts*normalization = 1287589.3
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
$6 \times 10^3$
$4 \times 10^3$
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_21___reshoot_key=Phi_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 860715.0, reshoot_counts = 953614.0
normalization = 0.922, reshoot_counts*normalization = 878771.3
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
$4 \times 10^3$
$3 \times 10^3$
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_22___reshoot_key=Phi_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 384241.0, reshoot_counts = 426113.0
normalization = 0.922, reshoot_counts*normalization = 392670.3
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
$2 \times 10^3$
$10^3$
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_23___reshoot_key=Phi_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 96745.0, reshoot_counts = 106839.0
normalization = 0.922, reshoot_counts*normalization = 98453.9
original average = 3.15 Phi [rad], reshoot average = 3.15 Phi [rad]
6 × 10^2
4 × 10^2
3 × 10^2
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_24___reshoot_key=Phi_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2167.0, reshoot_counts = 2419.0
normalization = 0.922, reshoot_counts*normalization = 2229.1
original average = 3.16 Phi [rad], reshoot average = 3.17 Phi [rad]
$10^1$
$10^0$
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_25___reshoot_key=Phi_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 66.0, reshoot_counts = 71.0
normalization = 0.922, reshoot_counts*normalization = 65.4
original average = 3.20 Phi [rad], reshoot average = 3.24 Phi [rad]
$6 \times 10^0$
$4 \times 10^0$
$3 \times 10^0$
$2 \times 10^0$
$10^0$
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_1500_26___reshoot_key=Phi_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8.0, reshoot_counts = 0.0
normalization = 0.922, reshoot_counts*normalization = 0.0
original average = 2.88 Phi [rad], reshoot average = nan Phi [rad]
$10^1$
$10^0$
$10^{-1}$
0
1
2
3
4
5
6
Phi [rad]



original_key=Ekin_1500_0___reshoot_key=EkinU_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 93661105.0, reshoot_counts = 101511297.0
normalization = 0.922, reshoot_counts*normalization = 93544360.9
original average = 690.85 Ek [MeV/u], reshoot average = 684.91 Ek [
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_1___reshoot_key=EkinU_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 82020769.0, reshoot_counts = 89006270.0
normalization = 0.922, reshoot_counts*normalization = 82020769.0
original average = 653.10 Ek [MeV/u], reshoot average = 648.37 Ek [
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_2___reshoot_key=EkinU_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 28083039.0, reshoot_counts = 30859228.0
normalization = 0.922, reshoot_counts*normalization = 28437295.6
original average = 648.24 Ek [MeV/u], reshoot average = 648.44 Ek [
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_3___reshoot_key=EkinU_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2123999.0, reshoot_counts = 2350547.0
normalization = 0.922, reshoot_counts*normalization = 2166068.4
original average = 627.33 Ek [MeV/u], reshoot average = 627.39 Ek [
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_4___reshoot_key=EkinU_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 714703.0, reshoot_counts = 789883.0
normalization = 0.922, reshoot_counts*normalization = 727890.4
original average = 595.02 Ek [MeV/u], reshoot average = 595.53 Ek [
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_5___reshoot_key=EkinU_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 737500.0, reshoot_counts = 815935.0
normalization = 0.922, reshoot_counts*normalization = 751897.8
original average = 574.98 Ek [MeV/u], reshoot average = 575.12 Ek [
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_6___reshoot_key=EkinU_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1106147.0, reshoot_counts = 1223588.0
normalization = 0.922, reshoot_counts*normalization = 1127556.8
original average = 538.48 Ek [MeV/u], reshoot average = 539.04 Ek [
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_7___reshoot_key=EkinU_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 680889.0, reshoot_counts = 753442.0
normalization = 0.922, reshoot_counts*normalization = 694309.4
original average = 514.83 Ek [MeV/u], reshoot average = 515.42 Ek [
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_8___reshoot_key=EkinU_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 510129.0, reshoot_counts = 565863.0
normalization = 0.922, reshoot_counts*normalization = 521452.2
original average = 487.29 Ek [MeV/u], reshoot average = 487.88 Ek [
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_9___reshoot_key=EkinU_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 378852.0, reshoot_counts = 419679.0
normalization = 0.922, reshoot_counts*normalization = 386741.2
original average = 468.02 Ek [MeV/u], reshoot average = 468.55 Ek [
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_10___reshoot_key=EkinU_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 631934.0, reshoot_counts = 698763.0
normalization = 0.922, reshoot_counts*normalization = 643921.8
original average = 437.39 Ek [MeV/u], reshoot average = 437.64 Ek [
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_11___reshoot_key=EkinU_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 926234.0, reshoot_counts = 1024896.0
normalization = 0.922, reshoot_counts*normalization = 944458.8
original average = 407.81 Ek [MeV/u], reshoot average = 408.44 Ek [
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_12___reshoot_key=EkinU_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 983824.0, reshoot_counts = 1089111.0
normalization = 0.922, reshoot_counts*normalization = 1003634.0
original average = 378.54 Ek [MeV/u], reshoot average = 379.15 Ek [
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_13___reshoot_key=EkinU_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1253175.0, reshoot_counts = 1385742.0
normalization = 0.922, reshoot_counts*normalization = 1276984.5
original average = 347.10 Ek [MeV/u], reshoot average = 347.62 Ek [
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_14___reshoot_key=EkinU_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1578364.0, reshoot_counts = 1742865.0
normalization = 0.922, reshoot_counts*normalization = 1606079.3
original average = 315.06 Ek [MeV/u], reshoot average = 315.55 Ek [
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_15___reshoot_key=EkinU_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1649714.0, reshoot_counts = 1824325.0
normalization = 0.922, reshoot_counts*normalization = 1681146.1
original average = 285.42 Ek [MeV/u], reshoot average = 285.91 Ek [
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_16___reshoot_key=EkinU_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1559370.0, reshoot_counts = 1723693.0
normalization = 0.922, reshoot_counts*normalization = 1588412.0
original average = 253.93 Ek [MeV/u], reshoot average = 254.43 Ek [
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_17___reshoot_key=EkinU_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1746486.0, reshoot_counts = 1934601.0
normalization = 0.922, reshoot_counts*normalization = 1782767.2
original average = 222.35 Ek [MeV/u], reshoot average = 223.03 Ek [
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_18___reshoot_key=EkinU_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1402388.0, reshoot_counts = 1553707.0
normalization = 0.922, reshoot_counts*normalization = 1431767.0
original average = 191.91 Ek [MeV/u], reshoot average = 192.40 Ek [
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_19___reshoot_key=EkinU_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1472721.0, reshoot_counts = 1629145.0
normalization = 0.922, reshoot_counts*normalization = 1501284.4
original average = 162.70 Ek [MeV/u], reshoot average = 163.25 Ek [
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_20___reshoot_key=EkinU_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1261255.0, reshoot_counts = 1397250.0
normalization = 0.922, reshoot_counts*normalization = 1287589.3
original average = 137.83 Ek [MeV/u], reshoot average = 138.31 Ek [
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_21___reshoot_key=EkinU_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 860715.0, reshoot_counts = 953614.0
normalization = 0.922, reshoot_counts*normalization = 878771.3
original average = 112.16 Ek [MeV/u], reshoot average = 112.71 Ek [
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_22___reshoot_key=EkinU_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 384241.0, reshoot_counts = 426113.0
normalization = 0.922, reshoot_counts*normalization = 392670.3
original average = 87.33 Ek [MeV/u], reshoot average = 87.90 Ek [Me
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_23___reshoot_key=EkinU_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 96745.0, reshoot_counts = 106839.0
normalization = 0.922, reshoot_counts*normalization = 98453.9
original average = 64.37 Ek [MeV/u], reshoot average = 64.78 Ek [Me
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_24___reshoot_key=EkinU_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2167.0, reshoot_counts = 2419.0
normalization = 0.922, reshoot_counts*normalization = 2229.1
original average = 33.51 Ek [MeV/u], reshoot average = 33.92 Ek [Me
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_25___reshoot_key=EkinU_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 66.0, reshoot_counts = 71.0
normalization = 0.922, reshoot_counts*normalization = 65.4
original average = 11.82 Ek [MeV/u], reshoot average = 14.16 Ek [Me
6 × 10^0
4 × 10^0
3 × 10^0
2 × 10^0
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_1500_26___reshoot_key=EkinU_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8.0, reshoot_counts = 0.0
normalization = 0.922, reshoot_counts*normalization = 0.0
original average = 7.30 Ek [MeV/u], reshoot average = nan Ek [MeV/u
$2 \times 10^0$
$1.8 \times 10^0$
$1.6 \times 10^0$
$1.4 \times 10^0$
$1.2 \times 10^0$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=X_1500_0___reshoot_key=X_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 93640796.0, reshoot_counts = 101511297.0
normalization = 0.922, reshoot_counts*normalization = 93544360.9
original average = -0.00 x pos [mm], reshoot average = -0.11 x pos [
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_1___reshoot_key=X_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 82002149.0, reshoot_counts = 89006270.0
normalization = 0.922, reshoot_counts*normalization = 82020769.0
original average = -0.00 x pos [mm], reshoot average = -0.12 x pos [
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_2___reshoot_key=X_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 28076077.0, reshoot_counts = 30859228.0
normalization = 0.922, reshoot_counts*normalization = 28437295.6
original average = -0.00 x pos [mm], reshoot average = -0.11 x pos [
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_3___reshoot_key=X_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2123507.0, reshoot_counts = 2350547.0
normalization = 0.922, reshoot_counts*normalization = 2166068.4
original average = -0.04 x pos [mm], reshoot average = -0.17 x pos [
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_4___reshoot_key=X_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 714546.0, reshoot_counts = 789883.0
normalization = 0.922, reshoot_counts*normalization = 727890.4
original average = -0.02 x pos [mm], reshoot average = -0.14 x pos [
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_5___reshoot_key=X_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 737330.0, reshoot_counts = 815935.0
normalization = 0.922, reshoot_counts*normalization = 751897.8
original average = 0.02 x pos [mm], reshoot average = -0.07 x pos [m
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_6___reshoot_key=X_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1105894.0, reshoot_counts = 1223588.0
normalization = 0.922, reshoot_counts*normalization = 1127556.8
original average = -0.01 x pos [mm], reshoot average = -0.11 x pos [
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_7___reshoot_key=X_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 680736.0, reshoot_counts = 753442.0
normalization = 0.922, reshoot_counts*normalization = 694309.4
original average = 0.03 x pos [mm], reshoot average = -0.05 x pos [m
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_8___reshoot_key=X_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 510043.0, reshoot_counts = 565863.0
normalization = 0.922, reshoot_counts*normalization = 521452.2
original average = -0.01 x pos [mm], reshoot average = -0.14 x pos [
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_9___reshoot_key=X_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 378778.0, reshoot_counts = 419679.0
normalization = 0.922, reshoot_counts*normalization = 386741.2
original average = -0.03 x pos [mm], reshoot average = -0.11 x pos [
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_10___reshoot_key=X_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 631845.0, reshoot_counts = 698763.0
normalization = 0.922, reshoot_counts*normalization = 643921.8
original average = 0.01 x pos [mm], reshoot average = -0.12 x pos [m
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_11___reshoot_key=X_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 926140.0, reshoot_counts = 1024896.0
normalization = 0.922, reshoot_counts*normalization = 944458.8
original average = 0.00 x pos [mm], reshoot average = -0.08 x pos [m
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_12___reshoot_key=X_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 983738.0, reshoot_counts = 1089111.0
normalization = 0.922, reshoot_counts*normalization = 1003634.0
original average = 0.02 x pos [mm], reshoot average = -0.11 x pos [m
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_13___reshoot_key=X_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1253098.0, reshoot_counts = 1385742.0
normalization = 0.922, reshoot_counts*normalization = 1276984.5
original average = 0.00 x pos [mm], reshoot average = -0.11 x pos [m
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_14___reshoot_key=X_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1578271.0, reshoot_counts = 1742865.0
normalization = 0.922, reshoot_counts*normalization = 1606079.3
original average = 0.00 x pos [mm], reshoot average = -0.10 x pos [m
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_15___reshoot_key=X_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1649635.0, reshoot_counts = 1824325.0
normalization = 0.922, reshoot_counts*normalization = 1681146.1
original average = -0.00 x pos [mm], reshoot average = -0.09 x pos [
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_16___reshoot_key=X_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1559324.0, reshoot_counts = 1723693.0
normalization = 0.922, reshoot_counts*normalization = 1588412.0
original average = -0.03 x pos [mm], reshoot average = -0.13 x pos [
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_17___reshoot_key=X_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1746444.0, reshoot_counts = 1934601.0
normalization = 0.922, reshoot_counts*normalization = 1782767.2
original average = 0.00 x pos [mm], reshoot average = -0.11 x pos [m
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_18___reshoot_key=X_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1402364.0, reshoot_counts = 1553707.0
normalization = 0.922, reshoot_counts*normalization = 1431767.0
original average = -0.01 x pos [mm], reshoot average = -0.10 x pos [
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_19___reshoot_key=X_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1472702.0, reshoot_counts = 1629145.0
normalization = 0.922, reshoot_counts*normalization = 1501284.4
original average = 0.02 x pos [mm], reshoot average = -0.08 x pos [m
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_20___reshoot_key=X_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1261248.0, reshoot_counts = 1397250.0
normalization = 0.922, reshoot_counts*normalization = 1287589.3
original average = 0.01 x pos [mm], reshoot average = -0.09 x pos [m
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_21___reshoot_key=X_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 860708.0, reshoot_counts = 953614.0
normalization = 0.922, reshoot_counts*normalization = 878771.3
original average = 0.00 x pos [mm], reshoot average = -0.06 x pos [m
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_22___reshoot_key=X_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 384241.0, reshoot_counts = 426113.0
normalization = 0.922, reshoot_counts*normalization = 392670.3
original average = 0.07 x pos [mm], reshoot average = 0.01 x pos [m
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_23___reshoot_key=X_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 96744.0, reshoot_counts = 106839.0
normalization = 0.922, reshoot_counts*normalization = 98453.9
original average = -0.04 x pos [mm], reshoot average = -0.18 x pos [
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_24___reshoot_key=X_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2167.0, reshoot_counts = 2419.0
normalization = 0.922, reshoot_counts*normalization = 2229.1
original average = -0.24 x pos [mm], reshoot average = 0.01 x pos [m
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_25___reshoot_key=X_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 66.0, reshoot_counts = 71.0
normalization = 0.922, reshoot_counts*normalization = 65.4
original average = -1.27 x pos [mm], reshoot average = -5.04 x pos [
3 × 10^0
2 × 10^0
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_1500_26___reshoot_key=X_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8.0, reshoot_counts = 0.0
normalization = 0.922, reshoot_counts*normalization = 0.0
original average = -8.94 x pos [mm], reshoot average = nan x pos [m
$10^1$
$10^0$
$10^{-1}$
−400
−200
0
200
400
x pos [mm]



original_key=Y_1500_0___reshoot_key=Y_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 93640733.0, reshoot_counts = 101511296.0
normalization = 0.922, reshoot_counts*normalization = 93544360.0
original average = -0.01 y pos [mm], reshoot average = -0.13 y pos [
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_1___reshoot_key=Y_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 82002139.0, reshoot_counts = 89006270.0
normalization = 0.922, reshoot_counts*normalization = 82020769.0
original average = -0.00 y pos [mm], reshoot average = -0.13 y pos [
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_2___reshoot_key=Y_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 28076105.0, reshoot_counts = 30859228.0
normalization = 0.922, reshoot_counts*normalization = 28437295.6
original average = -0.01 y pos [mm], reshoot average = -0.13 y pos [
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_3___reshoot_key=Y_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2123496.0, reshoot_counts = 2350547.0
normalization = 0.922, reshoot_counts*normalization = 2166068.4
original average = 0.01 y pos [mm], reshoot average = -0.12 y pos [m
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_4___reshoot_key=Y_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 714545.0, reshoot_counts = 789883.0
normalization = 0.922, reshoot_counts*normalization = 727890.4
original average = 0.01 y pos [mm], reshoot average = -0.10 y pos [m
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_5___reshoot_key=Y_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 737325.0, reshoot_counts = 815935.0
normalization = 0.922, reshoot_counts*normalization = 751897.8
original average = -0.03 y pos [mm], reshoot average = -0.17 y pos [
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_6___reshoot_key=Y_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1105914.0, reshoot_counts = 1223588.0
normalization = 0.922, reshoot_counts*normalization = 1127556.8
original average = -0.00 y pos [mm], reshoot average = -0.13 y pos [
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_7___reshoot_key=Y_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 680741.0, reshoot_counts = 753442.0
normalization = 0.922, reshoot_counts*normalization = 694309.4
original average = -0.04 y pos [mm], reshoot average = -0.15 y pos [
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_8___reshoot_key=Y_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 510021.0, reshoot_counts = 565863.0
normalization = 0.922, reshoot_counts*normalization = 521452.2
original average = -0.04 y pos [mm], reshoot average = -0.11 y pos [
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_9___reshoot_key=Y_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 378784.0, reshoot_counts = 419679.0
normalization = 0.922, reshoot_counts*normalization = 386741.2
original average = 0.03 y pos [mm], reshoot average = -0.14 y pos [m
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_10___reshoot_key=Y_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 631847.0, reshoot_counts = 698763.0
normalization = 0.922, reshoot_counts*normalization = 643921.8
original average = -0.03 y pos [mm], reshoot average = -0.23 y pos [
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_11___reshoot_key=Y_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 926133.0, reshoot_counts = 1024896.0
normalization = 0.922, reshoot_counts*normalization = 944458.8
original average = 0.02 y pos [mm], reshoot average = -0.12 y pos [m
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_12___reshoot_key=Y_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 983731.0, reshoot_counts = 1089111.0
normalization = 0.922, reshoot_counts*normalization = 1003634.0
original average = -0.00 y pos [mm], reshoot average = -0.15 y pos [
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_13___reshoot_key=Y_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1253095.0, reshoot_counts = 1385742.0
normalization = 0.922, reshoot_counts*normalization = 1276984.5
original average = 0.04 y pos [mm], reshoot average = -0.08 y pos [m
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_14___reshoot_key=Y_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1578263.0, reshoot_counts = 1742865.0
normalization = 0.922, reshoot_counts*normalization = 1606079.3
original average = 0.01 y pos [mm], reshoot average = -0.12 y pos [m
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_15___reshoot_key=Y_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1649633.0, reshoot_counts = 1824325.0
normalization = 0.922, reshoot_counts*normalization = 1681146.1
original average = 0.01 y pos [mm], reshoot average = -0.10 y pos [m
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_16___reshoot_key=Y_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1559319.0, reshoot_counts = 1723693.0
normalization = 0.922, reshoot_counts*normalization = 1588412.0
original average = 0.00 y pos [mm], reshoot average = -0.13 y pos [m
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_17___reshoot_key=Y_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1746455.0, reshoot_counts = 1934601.0
normalization = 0.922, reshoot_counts*normalization = 1782767.2
original average = -0.01 y pos [mm], reshoot average = -0.14 y pos [
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_18___reshoot_key=Y_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1402367.0, reshoot_counts = 1553707.0
normalization = 0.922, reshoot_counts*normalization = 1431767.0
original average = -0.01 y pos [mm], reshoot average = -0.11 y pos [
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_19___reshoot_key=Y_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1472708.0, reshoot_counts = 1629145.0
normalization = 0.922, reshoot_counts*normalization = 1501284.4
original average = 0.01 y pos [mm], reshoot average = -0.09 y pos [m
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_20___reshoot_key=Y_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1261241.0, reshoot_counts = 1397250.0
normalization = 0.922, reshoot_counts*normalization = 1287589.3
original average = 0.02 y pos [mm], reshoot average = -0.11 y pos [m
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]



original_key=Y_1500_21___reshoot_key=Y_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 860710.0, reshoot_counts = 953614.0
normalization = 0.922, reshoot_counts*normalization = 878771.3
original average = 0.03 y pos [mm], reshoot average = -0.10 y pos [m
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]


original_key=Y_1500_22___reshoot_key=Y_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 384241.0, reshoot_counts = 426113.0
normalization = 0.922, reshoot_counts*normalization = 392670.3
original average = 0.03 y pos [mm], reshoot average = -0.08 y pos [m
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]


original_key=Y_1500_23___reshoot_key=Y_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 96745.0, reshoot_counts = 106839.0
normalization = 0.922, reshoot_counts*normalization = 98453.9
original average = -0.14 y pos [mm], reshoot average = -0.17 y pos [
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]


original_key=Y_1500_24___reshoot_key=Y_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2167.0, reshoot_counts = 2419.0
normalization = 0.922, reshoot_counts*normalization = 2229.1
original average = -0.05 y pos [mm], reshoot average = -0.22 y pos [
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]


original_key=Y_1500_25___reshoot_key=Y_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 66.0, reshoot_counts = 71.0
normalization = 0.922, reshoot_counts*normalization = 65.4
original average = 0.95 y pos [mm], reshoot average = 3.45 y pos [m
3 × 10^0
2 × 10^0
10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_1500_26___reshoot_key=Y_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8.0, reshoot_counts = 0.0
normalization = 0.922, reshoot_counts*normalization = 0.0
original average = -2.09 y pos [mm], reshoot average = nan y pos [m
$10^1$
$10^0$
$10^{-1}$
−400
−200
0
200
400
y pos [mm]