






original_key=Theta_wide_100_0___reshoot_key=Theta_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 53611953.0, reshoot_counts = 78926598.0
normalization = 0.679, reshoot_counts*normalization = 53590156.8
original average = 0.05 Theta [rad], reshoot average = 0.05 Theta [ra
$10^7$
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_1___reshoot_key=Theta_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 50239677.0, reshoot_counts = 73976784.0
normalization = 0.679, reshoot_counts*normalization = 50229296.0
original average = 0.05 Theta [rad], reshoot average = 0.05 Theta [ra
$10^7$
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_2___reshoot_key=Theta_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 14971687.0, reshoot_counts = 22311624.0
normalization = 0.679, reshoot_counts*normalization = 15149309.1
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
$10^7$
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_3___reshoot_key=Theta_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1202098.0, reshoot_counts = 1798843.0
normalization = 0.679, reshoot_counts*normalization = 1221391.5
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_4___reshoot_key=Theta_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 418046.0, reshoot_counts = 626093.0
normalization = 0.679, reshoot_counts*normalization = 425109.2
original average = 0.03 Theta [rad], reshoot average = 0.04 Theta [ra
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_5___reshoot_key=Theta_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 449834.0, reshoot_counts = 672759.0
normalization = 0.679, reshoot_counts*normalization = 456794.8
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_6___reshoot_key=Theta_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 747036.0, reshoot_counts = 1117909.0
normalization = 0.679, reshoot_counts*normalization = 759046.0
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_7___reshoot_key=Theta_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 491580.0, reshoot_counts = 736040.0
normalization = 0.679, reshoot_counts*normalization = 499761.8
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_8___reshoot_key=Theta_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 361979.0, reshoot_counts = 541826.0
normalization = 0.679, reshoot_counts*normalization = 367893.0
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_9___reshoot_key=Theta_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 262037.0, reshoot_counts = 392827.0
normalization = 0.679, reshoot_counts*normalization = 266724.5
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_10___reshoot_key=Theta_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 419469.0, reshoot_counts = 628956.0
normalization = 0.679, reshoot_counts*normalization = 427053.1
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_11___reshoot_key=Theta_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 601380.0, reshoot_counts = 900552.0
normalization = 0.679, reshoot_counts*normalization = 611463.4
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_12___reshoot_key=Theta_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 589458.0, reshoot_counts = 883257.0
normalization = 0.679, reshoot_counts*normalization = 599720.3
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_13___reshoot_key=Theta_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 718533.0, reshoot_counts = 1075546.0
normalization = 0.679, reshoot_counts*normalization = 730282.1
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_14___reshoot_key=Theta_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 842454.0, reshoot_counts = 1260513.0
normalization = 0.679, reshoot_counts*normalization = 855872.3
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_15___reshoot_key=Theta_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 836294.0, reshoot_counts = 1253433.0
normalization = 0.679, reshoot_counts*normalization = 851065.1
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_16___reshoot_key=Theta_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 768036.0, reshoot_counts = 1149283.0
normalization = 0.679, reshoot_counts*normalization = 780348.5
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_17___reshoot_key=Theta_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 890099.0, reshoot_counts = 1330151.0
normalization = 0.679, reshoot_counts*normalization = 903155.6
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_18___reshoot_key=Theta_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 764295.0, reshoot_counts = 1144660.0
normalization = 0.679, reshoot_counts*normalization = 777209.6
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_19___reshoot_key=Theta_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 958889.0, reshoot_counts = 1435434.0
normalization = 0.679, reshoot_counts*normalization = 974641.4
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_20___reshoot_key=Theta_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1073092.0, reshoot_counts = 1606228.0
normalization = 0.679, reshoot_counts*normalization = 1090608.4
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_21___reshoot_key=Theta_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1221225.0, reshoot_counts = 1825841.0
normalization = 0.679, reshoot_counts*normalization = 1239722.8
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_22___reshoot_key=Theta_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1482712.0, reshoot_counts = 2218828.0
normalization = 0.679, reshoot_counts*normalization = 1506556.0
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_23___reshoot_key=Theta_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1833606.0, reshoot_counts = 2746439.0
normalization = 0.679, reshoot_counts*normalization = 1864797.2
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_24___reshoot_key=Theta_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2233042.0, reshoot_counts = 3340375.0
normalization = 0.679, reshoot_counts*normalization = 2268072.2
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_25___reshoot_key=Theta_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3020772.0, reshoot_counts = 4518789.0
normalization = 0.679, reshoot_counts*normalization = 3068200.3
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_100_26___reshoot_key=Theta_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 25910018.0, reshoot_counts = 38491639.0
normalization = 0.679, reshoot_counts*normalization = 26135333.6
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
$10^7$
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Phi_wide_100_0___reshoot_key=Phi_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 53611953.0, reshoot_counts = 78926598.0
normalization = 0.679, reshoot_counts*normalization = 53590156.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
4 × 10^5
3 × 10^5
2 × 10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_1___reshoot_key=Phi_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 50239677.0, reshoot_counts = 73976784.0
normalization = 0.679, reshoot_counts*normalization = 50229296.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
4 × 10^5
3 × 10^5
2 × 10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_2___reshoot_key=Phi_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 14971687.0, reshoot_counts = 22311624.0
normalization = 0.679, reshoot_counts*normalization = 15149309.1
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
$10^5$
$6 \times 10^4$
$4 \times 10^4$
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_3___reshoot_key=Phi_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1202098.0, reshoot_counts = 1798843.0
normalization = 0.679, reshoot_counts*normalization = 1221391.5
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
$10^4$
$6 \times 10^3$
$4 \times 10^3$
$3 \times 10^3$
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_4___reshoot_key=Phi_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 418046.0, reshoot_counts = 626093.0
normalization = 0.679, reshoot_counts*normalization = 425109.2
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
$3 \times 10^3$
$2 \times 10^3$
$10^3$
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_5___reshoot_key=Phi_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 449834.0, reshoot_counts = 672759.0
normalization = 0.679, reshoot_counts*normalization = 456794.8
original average = 3.15 Phi [rad], reshoot average = 3.14 Phi [rad]
$3 \times 10^3$
$2 \times 10^3$
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_6___reshoot_key=Phi_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 747036.0, reshoot_counts = 1117909.0
normalization = 0.679, reshoot_counts*normalization = 759046.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_7___reshoot_key=Phi_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 491580.0, reshoot_counts = 736040.0
normalization = 0.679, reshoot_counts*normalization = 499761.8
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
4 × 10^3
3 × 10^3
2 × 10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_8___reshoot_key=Phi_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 361979.0, reshoot_counts = 541826.0
normalization = 0.679, reshoot_counts*normalization = 367893.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
$3 \times 10^3$
$2 \times 10^3$
$10^3$
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_9___reshoot_key=Phi_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 262037.0, reshoot_counts = 392827.0
normalization = 0.679, reshoot_counts*normalization = 266724.5
original average = 3.15 Phi [rad], reshoot average = 3.14 Phi [rad]
$2 \times 10^3$
$10^3$
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_10___reshoot_key=Phi_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 419469.0, reshoot_counts = 628956.0
normalization = 0.679, reshoot_counts*normalization = 427053.1
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
$3 \times 10^3$
$2 \times 10^3$
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_11___reshoot_key=Phi_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 601380.0, reshoot_counts = 900552.0
normalization = 0.679, reshoot_counts*normalization = 611463.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
4 × 10^3
3 × 10^3
2 × 10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_12___reshoot_key=Phi_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 589458.0, reshoot_counts = 883257.0
normalization = 0.679, reshoot_counts*normalization = 599720.3
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
4 × 10^3
3 × 10^3
2 × 10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_13___reshoot_key=Phi_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 718533.0, reshoot_counts = 1075546.0
normalization = 0.679, reshoot_counts*normalization = 730282.1
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_14___reshoot_key=Phi_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 842454.0, reshoot_counts = 1260513.0
normalization = 0.679, reshoot_counts*normalization = 855872.3
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
6 × 10^3
4 × 10^3
3 × 10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_15___reshoot_key=Phi_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 836294.0, reshoot_counts = 1253433.0
normalization = 0.679, reshoot_counts*normalization = 851065.1
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
6 × 10^3
4 × 10^3
3 × 10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_16___reshoot_key=Phi_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 768036.0, reshoot_counts = 1149283.0
normalization = 0.679, reshoot_counts*normalization = 780348.5
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_17___reshoot_key=Phi_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 890099.0, reshoot_counts = 1330151.0
normalization = 0.679, reshoot_counts*normalization = 903155.6
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
6 × 10^3
4 × 10^3
3 × 10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_18___reshoot_key=Phi_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 764295.0, reshoot_counts = 1144660.0
normalization = 0.679, reshoot_counts*normalization = 777209.6
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_19___reshoot_key=Phi_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 958889.0, reshoot_counts = 1435434.0
normalization = 0.679, reshoot_counts*normalization = 974641.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
$6 \times 10^3$
$4 \times 10^3$
$3 \times 10^3$
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_20___reshoot_key=Phi_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1073092.0, reshoot_counts = 1606228.0
normalization = 0.679, reshoot_counts*normalization = 1090608.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
6 × 10^3
4 × 10^3
3 × 10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_21___reshoot_key=Phi_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1221225.0, reshoot_counts = 1825841.0
normalization = 0.679, reshoot_counts*normalization = 1239722.8
original average = 3.15 Phi [rad], reshoot average = 3.14 Phi [rad]
$10^4$
$6 \times 10^3$
$4 \times 10^3$
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_22___reshoot_key=Phi_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1482712.0, reshoot_counts = 2218828.0
normalization = 0.679, reshoot_counts*normalization = 1506556.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
$10^4$
$6 \times 10^3$
$4 \times 10^3$
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_23___reshoot_key=Phi_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1833606.0, reshoot_counts = 2746439.0
normalization = 0.679, reshoot_counts*normalization = 1864797.2
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
$10^4$
$6 \times 10^3$
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_24___reshoot_key=Phi_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2233042.0, reshoot_counts = 3340375.0
normalization = 0.679, reshoot_counts*normalization = 2268072.2
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
$10^4$
$6 \times 10^3$
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_25___reshoot_key=Phi_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3020772.0, reshoot_counts = 4518789.0
normalization = 0.679, reshoot_counts*normalization = 3068200.3
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
$2 \times 10^4$
$10^4$
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_100_26___reshoot_key=Phi_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 25910018.0, reshoot_counts = 38491639.0
normalization = 0.679, reshoot_counts*normalization = 26135333.6
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
$2 \times 10^5$
$10^5$
0
1
2
3
4
5
6
Phi [rad]



original_key=Ekin_wide_100_0___reshoot_key=EkinU_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 53602997.0, reshoot_counts = 78926598.0
normalization = 0.679, reshoot_counts*normalization = 53590156.8
original average = 833.10 Ek [MeV/u], reshoot average = 825.96 Ek [
$10^5$
$10^4$
$10^3$
$10^2$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_1___reshoot_key=EkinU_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 50229296.0, reshoot_counts = 73976784.0
normalization = 0.679, reshoot_counts*normalization = 50229296.0
original average = 826.13 Ek [MeV/u], reshoot average = 820.17 Ek [
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_2___reshoot_key=EkinU_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 14971687.0, reshoot_counts = 22311624.0
normalization = 0.679, reshoot_counts*normalization = 15149309.1
original average = 815.95 Ek [MeV/u], reshoot average = 816.17 Ek [
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_3___reshoot_key=EkinU_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1202098.0, reshoot_counts = 1798843.0
normalization = 0.679, reshoot_counts*normalization = 1221391.5
original average = 803.81 Ek [MeV/u], reshoot average = 804.07 Ek [
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_4___reshoot_key=EkinU_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 418046.0, reshoot_counts = 626093.0
normalization = 0.679, reshoot_counts*normalization = 425109.2
original average = 798.21 Ek [MeV/u], reshoot average = 798.63 Ek [
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_5___reshoot_key=EkinU_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 449834.0, reshoot_counts = 672759.0
normalization = 0.679, reshoot_counts*normalization = 456794.8
original average = 784.50 Ek [MeV/u], reshoot average = 784.91 Ek [
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_6___reshoot_key=EkinU_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 747036.0, reshoot_counts = 1117909.0
normalization = 0.679, reshoot_counts*normalization = 759046.0
original average = 774.71 Ek [MeV/u], reshoot average = 775.06 Ek [
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_7___reshoot_key=EkinU_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 491580.0, reshoot_counts = 736040.0
normalization = 0.679, reshoot_counts*normalization = 499761.8
original average = 770.38 Ek [MeV/u], reshoot average = 770.64 Ek [
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_8___reshoot_key=EkinU_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 361979.0, reshoot_counts = 541826.0
normalization = 0.679, reshoot_counts*normalization = 367893.0
original average = 768.91 Ek [MeV/u], reshoot average = 769.30 Ek [
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_9___reshoot_key=EkinU_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 262037.0, reshoot_counts = 392827.0
normalization = 0.679, reshoot_counts*normalization = 266724.5
original average = 767.97 Ek [MeV/u], reshoot average = 768.26 Ek [
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_10___reshoot_key=EkinU_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 419469.0, reshoot_counts = 628956.0
normalization = 0.679, reshoot_counts*normalization = 427053.1
original average = 765.98 Ek [MeV/u], reshoot average = 766.54 Ek [
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_11___reshoot_key=EkinU_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 601380.0, reshoot_counts = 900552.0
normalization = 0.679, reshoot_counts*normalization = 611463.4
original average = 765.54 Ek [MeV/u], reshoot average = 765.91 Ek [
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_12___reshoot_key=EkinU_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 589458.0, reshoot_counts = 883257.0
normalization = 0.679, reshoot_counts*normalization = 599720.3
original average = 765.02 Ek [MeV/u], reshoot average = 765.55 Ek [
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_13___reshoot_key=EkinU_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 718533.0, reshoot_counts = 1075546.0
normalization = 0.679, reshoot_counts*normalization = 730282.1
original average = 765.39 Ek [MeV/u], reshoot average = 765.86 Ek [
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_14___reshoot_key=EkinU_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 842454.0, reshoot_counts = 1260513.0
normalization = 0.679, reshoot_counts*normalization = 855872.3
original average = 765.43 Ek [MeV/u], reshoot average = 765.86 Ek [
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_15___reshoot_key=EkinU_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 836294.0, reshoot_counts = 1253433.0
normalization = 0.679, reshoot_counts*normalization = 851065.1
original average = 766.07 Ek [MeV/u], reshoot average = 766.56 Ek [
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_16___reshoot_key=EkinU_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 768036.0, reshoot_counts = 1149283.0
normalization = 0.679, reshoot_counts*normalization = 780348.5
original average = 765.31 Ek [MeV/u], reshoot average = 765.73 Ek [
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_17___reshoot_key=EkinU_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 890099.0, reshoot_counts = 1330151.0
normalization = 0.679, reshoot_counts*normalization = 903155.6
original average = 764.73 Ek [MeV/u], reshoot average = 765.20 Ek [
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_18___reshoot_key=EkinU_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 764295.0, reshoot_counts = 1144660.0
normalization = 0.679, reshoot_counts*normalization = 777209.6
original average = 763.14 Ek [MeV/u], reshoot average = 763.61 Ek [
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_19___reshoot_key=EkinU_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 958889.0, reshoot_counts = 1435434.0
normalization = 0.679, reshoot_counts*normalization = 974641.4
original average = 762.40 Ek [MeV/u], reshoot average = 762.95 Ek [
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_20___reshoot_key=EkinU_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1073092.0, reshoot_counts = 1606228.0
normalization = 0.679, reshoot_counts*normalization = 1090608.4
original average = 761.82 Ek [MeV/u], reshoot average = 762.23 Ek [
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_21___reshoot_key=EkinU_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1221225.0, reshoot_counts = 1825841.0
normalization = 0.679, reshoot_counts*normalization = 1239722.8
original average = 761.39 Ek [MeV/u], reshoot average = 761.90 Ek [
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_22___reshoot_key=EkinU_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1482712.0, reshoot_counts = 2218828.0
normalization = 0.679, reshoot_counts*normalization = 1506556.0
original average = 760.45 Ek [MeV/u], reshoot average = 760.99 Ek [
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_23___reshoot_key=EkinU_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1833606.0, reshoot_counts = 2746439.0
normalization = 0.679, reshoot_counts*normalization = 1864797.2
original average = 760.64 Ek [MeV/u], reshoot average = 761.18 Ek [
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_24___reshoot_key=EkinU_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2233042.0, reshoot_counts = 3340375.0
normalization = 0.679, reshoot_counts*normalization = 2268072.2
original average = 760.34 Ek [MeV/u], reshoot average = 760.77 Ek [
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_25___reshoot_key=EkinU_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3020772.0, reshoot_counts = 4518789.0
normalization = 0.679, reshoot_counts*normalization = 3068200.3
original average = 761.61 Ek [MeV/u], reshoot average = 762.14 Ek [
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_100_26___reshoot_key=EkinU_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 25910018.0, reshoot_counts = 38491639.0
normalization = 0.679, reshoot_counts*normalization = 26135333.6
original average = 804.03 Ek [MeV/u], reshoot average = 804.54 Ek [
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=X_wide_100_0___reshoot_key=X_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 53593240.0, reshoot_counts = 78926598.0
normalization = 0.679, reshoot_counts*normalization = 53590156.8
original average = -0.01 x pos [mm], reshoot average = -0.07 x pos [
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_1___reshoot_key=X_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 50219359.0, reshoot_counts = 73976784.0
normalization = 0.679, reshoot_counts*normalization = 50229296.0
original average = -0.01 x pos [mm], reshoot average = -0.08 x pos [
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_2___reshoot_key=X_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 14968338.0, reshoot_counts = 22311623.0
normalization = 0.679, reshoot_counts*normalization = 15149308.4
original average = -0.00 x pos [mm], reshoot average = -0.05 x pos [
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_3___reshoot_key=X_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1201932.0, reshoot_counts = 1798843.0
normalization = 0.679, reshoot_counts*normalization = 1221391.5
original average = -0.02 x pos [mm], reshoot average = -0.04 x pos [
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_4___reshoot_key=X_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 417991.0, reshoot_counts = 626093.0
normalization = 0.679, reshoot_counts*normalization = 425109.2
original average = 0.01 x pos [mm], reshoot average = -0.05 x pos [m
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_5___reshoot_key=X_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 449788.0, reshoot_counts = 672759.0
normalization = 0.679, reshoot_counts*normalization = 456794.8
original average = 0.05 x pos [mm], reshoot average = -0.02 x pos [m
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_6___reshoot_key=X_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 746969.0, reshoot_counts = 1117909.0
normalization = 0.679, reshoot_counts*normalization = 759046.0
original average = -0.02 x pos [mm], reshoot average = -0.00 x pos [
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_7___reshoot_key=X_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 491541.0, reshoot_counts = 736040.0
normalization = 0.679, reshoot_counts*normalization = 499761.8
original average = -0.09 x pos [mm], reshoot average = -0.13 x pos [
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_8___reshoot_key=X_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 361952.0, reshoot_counts = 541826.0
normalization = 0.679, reshoot_counts*normalization = 367893.0
original average = -0.01 x pos [mm], reshoot average = -0.11 x pos [
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_9___reshoot_key=X_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 262020.0, reshoot_counts = 392827.0
normalization = 0.679, reshoot_counts*normalization = 266724.5
original average = 0.01 x pos [mm], reshoot average = -0.04 x pos [m
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_10___reshoot_key=X_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 419449.0, reshoot_counts = 628956.0
normalization = 0.679, reshoot_counts*normalization = 427053.1
original average = 0.07 x pos [mm], reshoot average = 0.04 x pos [m
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_11___reshoot_key=X_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 601353.0, reshoot_counts = 900552.0
normalization = 0.679, reshoot_counts*normalization = 611463.4
original average = 0.00 x pos [mm], reshoot average = -0.01 x pos [m
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_12___reshoot_key=X_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 589430.0, reshoot_counts = 883257.0
normalization = 0.679, reshoot_counts*normalization = 599720.3
original average = 0.03 x pos [mm], reshoot average = -0.02 x pos [m
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_13___reshoot_key=X_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 718514.0, reshoot_counts = 1075546.0
normalization = 0.679, reshoot_counts*normalization = 730282.1
original average = 0.02 x pos [mm], reshoot average = -0.00 x pos [m
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_14___reshoot_key=X_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 842435.0, reshoot_counts = 1260513.0
normalization = 0.679, reshoot_counts*normalization = 855872.3
original average = -0.03 x pos [mm], reshoot average = -0.07 x pos [
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_15___reshoot_key=X_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 836278.0, reshoot_counts = 1253433.0
normalization = 0.679, reshoot_counts*normalization = 851065.1
original average = -0.02 x pos [mm], reshoot average = -0.03 x pos [
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_16___reshoot_key=X_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 768022.0, reshoot_counts = 1149283.0
normalization = 0.679, reshoot_counts*normalization = 780348.5
original average = -0.02 x pos [mm], reshoot average = -0.06 x pos [
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_17___reshoot_key=X_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 890085.0, reshoot_counts = 1330151.0
normalization = 0.679, reshoot_counts*normalization = 903155.6
original average = 0.00 x pos [mm], reshoot average = -0.03 x pos [m
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_18___reshoot_key=X_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 764287.0, reshoot_counts = 1144660.0
normalization = 0.679, reshoot_counts*normalization = 777209.6
original average = 0.01 x pos [mm], reshoot average = -0.05 x pos [m
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_19___reshoot_key=X_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 958886.0, reshoot_counts = 1435434.0
normalization = 0.679, reshoot_counts*normalization = 974641.4
original average = -0.02 x pos [mm], reshoot average = -0.03 x pos [
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_20___reshoot_key=X_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1073087.0, reshoot_counts = 1606228.0
normalization = 0.679, reshoot_counts*normalization = 1090608.4
original average = 0.03 x pos [mm], reshoot average = -0.00 x pos [m
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_21___reshoot_key=X_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1221220.0, reshoot_counts = 1825841.0
normalization = 0.679, reshoot_counts*normalization = 1239722.8
original average = -0.02 x pos [mm], reshoot average = -0.02 x pos [
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_22___reshoot_key=X_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1482710.0, reshoot_counts = 2218828.0
normalization = 0.679, reshoot_counts*normalization = 1506556.0
original average = -0.01 x pos [mm], reshoot average = -0.03 x pos [
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_23___reshoot_key=X_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1833601.0, reshoot_counts = 2746439.0
normalization = 0.679, reshoot_counts*normalization = 1864797.2
original average = 0.01 x pos [mm], reshoot average = 0.03 x pos [m
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_24___reshoot_key=X_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2233039.0, reshoot_counts = 3340375.0
normalization = 0.679, reshoot_counts*normalization = 2268072.2
original average = -0.01 x pos [mm], reshoot average = 0.00 x pos [m
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_25___reshoot_key=X_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3020771.0, reshoot_counts = 4518789.0
normalization = 0.679, reshoot_counts*normalization = 3068200.3
original average = 0.01 x pos [mm], reshoot average = 0.03 x pos [m
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_100_26___reshoot_key=X_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 25910018.0, reshoot_counts = 38491639.0
normalization = 0.679, reshoot_counts*normalization = 26135333.6
original average = 0.00 x pos [mm], reshoot average = 0.01 x pos [m
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=Y_wide_100_0___reshoot_key=Y_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 53593121.0, reshoot_counts = 78926598.0
normalization = 0.679, reshoot_counts*normalization = 53590156.8
original average = -0.00 y pos [mm], reshoot average = -0.10 y pos [
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_1___reshoot_key=Y_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 50219286.0, reshoot_counts = 73976784.0
normalization = 0.679, reshoot_counts*normalization = 50229296.0
original average = -0.01 y pos [mm], reshoot average = -0.11 y pos [
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_2___reshoot_key=Y_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 14968378.0, reshoot_counts = 22311624.0
normalization = 0.679, reshoot_counts*normalization = 15149309.1
original average = -0.02 y pos [mm], reshoot average = -0.10 y pos [
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_3___reshoot_key=Y_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1201889.0, reshoot_counts = 1798843.0
normalization = 0.679, reshoot_counts*normalization = 1221391.5
original average = -0.01 y pos [mm], reshoot average = -0.09 y pos [
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_4___reshoot_key=Y_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 417971.0, reshoot_counts = 626093.0
normalization = 0.679, reshoot_counts*normalization = 425109.2
original average = -0.09 y pos [mm], reshoot average = -0.12 y pos [
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_5___reshoot_key=Y_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 449784.0, reshoot_counts = 672759.0
normalization = 0.679, reshoot_counts*normalization = 456794.8
original average = 0.01 y pos [mm], reshoot average = -0.10 y pos [m
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_6___reshoot_key=Y_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 746971.0, reshoot_counts = 1117909.0
normalization = 0.679, reshoot_counts*normalization = 759046.0
original average = 0.01 y pos [mm], reshoot average = -0.04 y pos [m
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_7___reshoot_key=Y_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 491534.0, reshoot_counts = 736040.0
normalization = 0.679, reshoot_counts*normalization = 499761.8
original average = 0.01 y pos [mm], reshoot average = -0.09 y pos [m
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_8___reshoot_key=Y_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 361952.0, reshoot_counts = 541826.0
normalization = 0.679, reshoot_counts*normalization = 367893.0
original average = 0.08 y pos [mm], reshoot average = -0.00 y pos [m
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_9___reshoot_key=Y_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 262016.0, reshoot_counts = 392827.0
normalization = 0.679, reshoot_counts*normalization = 266724.5
original average = -0.03 y pos [mm], reshoot average = 0.01 y pos [m
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_10___reshoot_key=Y_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 419435.0, reshoot_counts = 628956.0
normalization = 0.679, reshoot_counts*normalization = 427053.1
original average = -0.02 y pos [mm], reshoot average = -0.08 y pos [
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_11___reshoot_key=Y_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 601352.0, reshoot_counts = 900552.0
normalization = 0.679, reshoot_counts*normalization = 611463.4
original average = -0.00 y pos [mm], reshoot average = -0.07 y pos [
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_12___reshoot_key=Y_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 589428.0, reshoot_counts = 883257.0
normalization = 0.679, reshoot_counts*normalization = 599720.3
original average = -0.02 y pos [mm], reshoot average = -0.04 y pos [
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_13___reshoot_key=Y_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 718513.0, reshoot_counts = 1075546.0
normalization = 0.679, reshoot_counts*normalization = 730282.1
original average = 0.00 y pos [mm], reshoot average = -0.03 y pos [m
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_14___reshoot_key=Y_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 842425.0, reshoot_counts = 1260513.0
normalization = 0.679, reshoot_counts*normalization = 855872.3
original average = -0.02 y pos [mm], reshoot average = -0.06 y pos [
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_15___reshoot_key=Y_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 836282.0, reshoot_counts = 1253433.0
normalization = 0.679, reshoot_counts*normalization = 851065.1
original average = -0.00 y pos [mm], reshoot average = -0.08 y pos [
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_16___reshoot_key=Y_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 768028.0, reshoot_counts = 1149283.0
normalization = 0.679, reshoot_counts*normalization = 780348.5
original average = 0.03 y pos [mm], reshoot average = 0.02 y pos [m
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_17___reshoot_key=Y_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 890087.0, reshoot_counts = 1330151.0
normalization = 0.679, reshoot_counts*normalization = 903155.6
original average = -0.02 y pos [mm], reshoot average = -0.06 y pos [
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_18___reshoot_key=Y_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 764287.0, reshoot_counts = 1144660.0
normalization = 0.679, reshoot_counts*normalization = 777209.6
original average = 0.01 y pos [mm], reshoot average = -0.00 y pos [m
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_19___reshoot_key=Y_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 958881.0, reshoot_counts = 1435434.0
normalization = 0.679, reshoot_counts*normalization = 974641.4
original average = -0.00 y pos [mm], reshoot average = 0.02 y pos [m
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_20___reshoot_key=Y_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1073090.0, reshoot_counts = 1606228.0
normalization = 0.679, reshoot_counts*normalization = 1090608.4
original average = 0.00 y pos [mm], reshoot average = -0.02 y pos [m
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_100_21___reshoot_key=Y_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1221221.0, reshoot_counts = 1825841.0
normalization = 0.679, reshoot_counts*normalization = 1239722.8
original average = -0.06 y pos [mm], reshoot average = -0.10 y pos [
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_100_22___reshoot_key=Y_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1482711.0, reshoot_counts = 2218828.0
normalization = 0.679, reshoot_counts*normalization = 1506556.0
original average = 0.02 y pos [mm], reshoot average = -0.00 y pos [m
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_100_23___reshoot_key=Y_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1833604.0, reshoot_counts = 2746439.0
normalization = 0.679, reshoot_counts*normalization = 1864797.2
original average = 0.00 y pos [mm], reshoot average = 0.00 y pos [m
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_100_24___reshoot_key=Y_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2233040.0, reshoot_counts = 3340375.0
normalization = 0.679, reshoot_counts*normalization = 2268072.2
original average = -0.01 y pos [mm], reshoot average = -0.01 y pos [
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_100_25___reshoot_key=Y_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3020772.0, reshoot_counts = 4518789.0
normalization = 0.679, reshoot_counts*normalization = 3068200.3
original average = 0.01 y pos [mm], reshoot average = 0.02 y pos [m
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_100_26___reshoot_key=Y_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 25910017.0, reshoot_counts = 38491639.0
normalization = 0.679, reshoot_counts*normalization = 26135333.6
original average = 0.00 y pos [mm], reshoot average = -0.00 y pos [m
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
−400
−200
0
200
400
y pos [mm]