






original_key=Theta_wide_2000_0___reshoot_key=Theta_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2727257.0, reshoot_counts = 10451038.0
normalization = 0.261, reshoot_counts*normalization = 2728555.7
original average = 0.08 Theta [rad], reshoot average = 0.07 Theta [ra
$10^7$
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_1___reshoot_key=Theta_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1887442.0, reshoot_counts = 7229366.0
normalization = 0.261, reshoot_counts*normalization = 1887442.0
original average = 0.11 Theta [rad], reshoot average = 0.10 Theta [ra
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_2___reshoot_key=Theta_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 721501.0, reshoot_counts = 2763545.0
normalization = 0.261, reshoot_counts*normalization = 721506.0
original average = 0.06 Theta [rad], reshoot average = 0.06 Theta [ra
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_3___reshoot_key=Theta_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 78059.0, reshoot_counts = 299748.0
normalization = 0.261, reshoot_counts*normalization = 78258.2
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_4___reshoot_key=Theta_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 30769.0, reshoot_counts = 118226.0
normalization = 0.261, reshoot_counts*normalization = 30866.4
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_5___reshoot_key=Theta_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 32436.0, reshoot_counts = 124516.0
normalization = 0.261, reshoot_counts*normalization = 32508.6
original average = 0.04 Theta [rad], reshoot average = 0.03 Theta [ra
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_6___reshoot_key=Theta_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 58630.0, reshoot_counts = 223542.0
normalization = 0.261, reshoot_counts*normalization = 58362.3
original average = 0.04 Theta [rad], reshoot average = 0.03 Theta [ra
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_7___reshoot_key=Theta_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 42284.0, reshoot_counts = 161907.0
normalization = 0.261, reshoot_counts*normalization = 42270.7
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_8___reshoot_key=Theta_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 32778.0, reshoot_counts = 125550.0
normalization = 0.261, reshoot_counts*normalization = 32778.6
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_9___reshoot_key=Theta_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24383.0, reshoot_counts = 93747.0
normalization = 0.261, reshoot_counts*normalization = 24475.5
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_10___reshoot_key=Theta_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 42347.0, reshoot_counts = 162672.0
normalization = 0.261, reshoot_counts*normalization = 42470.4
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_11___reshoot_key=Theta_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 64387.0, reshoot_counts = 247224.0
normalization = 0.261, reshoot_counts*normalization = 64545.2
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_12___reshoot_key=Theta_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 61839.0, reshoot_counts = 236932.0
normalization = 0.261, reshoot_counts*normalization = 61858.2
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_13___reshoot_key=Theta_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 75052.0, reshoot_counts = 288925.0
normalization = 0.261, reshoot_counts*normalization = 75432.5
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_14___reshoot_key=Theta_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 83784.0, reshoot_counts = 322125.0
normalization = 0.261, reshoot_counts*normalization = 84100.4
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_15___reshoot_key=Theta_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 81309.0, reshoot_counts = 312574.0
normalization = 0.261, reshoot_counts*normalization = 81606.8
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_16___reshoot_key=Theta_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 74228.0, reshoot_counts = 285702.0
normalization = 0.261, reshoot_counts*normalization = 74591.0
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_17___reshoot_key=Theta_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 94461.0, reshoot_counts = 363754.0
normalization = 0.261, reshoot_counts*normalization = 94968.9
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_18___reshoot_key=Theta_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 88559.0, reshoot_counts = 339321.0
normalization = 0.261, reshoot_counts*normalization = 88589.9
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_19___reshoot_key=Theta_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 138335.0, reshoot_counts = 530485.0
normalization = 0.261, reshoot_counts*normalization = 138499.0
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_20___reshoot_key=Theta_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 200833.0, reshoot_counts = 771936.0
normalization = 0.261, reshoot_counts*normalization = 201537.0
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_21___reshoot_key=Theta_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 323871.0, reshoot_counts = 1243153.0
normalization = 0.261, reshoot_counts*normalization = 324562.2
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_22___reshoot_key=Theta_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 558669.0, reshoot_counts = 2145930.0
normalization = 0.261, reshoot_counts*normalization = 560259.1
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_23___reshoot_key=Theta_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 961297.0, reshoot_counts = 3689866.0
normalization = 0.261, reshoot_counts*normalization = 963349.8
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_24___reshoot_key=Theta_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1409497.0, reshoot_counts = 5407129.0
normalization = 0.261, reshoot_counts*normalization = 1411692.6
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
$10^7$
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_25___reshoot_key=Theta_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2132333.0, reshoot_counts = 8175802.0
normalization = 0.261, reshoot_counts*normalization = 2134537.4
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
$10^7$
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_2000_26___reshoot_key=Theta_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 53047718.0, reshoot_counts = 194866847.0
normalization = 0.261, reshoot_counts*normalization = 50875812.8
original average = 0.01 Theta [rad], reshoot average = 0.03 Theta [ra
$10^8$
$10^6$
$10^4$
$10^2$
$10^0$
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Phi_wide_2000_0___reshoot_key=Phi_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2727257.0, reshoot_counts = 10451038.0
normalization = 0.261, reshoot_counts*normalization = 2728555.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_1___reshoot_key=Phi_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1887442.0, reshoot_counts = 7229366.0
normalization = 0.261, reshoot_counts*normalization = 1887442.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_2___reshoot_key=Phi_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 721501.0, reshoot_counts = 2763545.0
normalization = 0.261, reshoot_counts*normalization = 721506.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
$10^4$
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_3___reshoot_key=Phi_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 78059.0, reshoot_counts = 299748.0
normalization = 0.261, reshoot_counts*normalization = 78258.2
original average = 3.14 Phi [rad], reshoot average = 3.13 Phi [rad]
$10^3$
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_4___reshoot_key=Phi_1_4
original counts = 30769.0, reshoot counts = 118226.0
normalization = 0.261, reshoot counts*normalization = 30866.4
original average = 3.15 Phi [rad], reshoot average = 3.14 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
$10^2$
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_5___reshoot_key=Phi_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 32436.0, reshoot_counts = 124516.0
normalization = 0.261, reshoot_counts*normalization = 32508.6
original average = 3.17 Phi [rad], reshoot average = 3.15 Phi [rad]
$10^2$
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_6___reshoot_key=Phi_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 58630.0, reshoot_counts = 223542.0
normalization = 0.261, reshoot_counts*normalization = 58362.3
original average = 3.15 Phi [rad], reshoot average = 3.15 Phi [rad]
$10^3$
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_7___reshoot_key=Phi_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 42284.0, reshoot_counts = 161907.0
normalization = 0.261, reshoot_counts*normalization = 42270.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
$10^3$
$10^2$
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_8___reshoot_key=Phi_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 32778.0, reshoot_counts = 125550.0
normalization = 0.261, reshoot_counts*normalization = 32778.6
original average = 3.15 Phi [rad], reshoot average = 3.15 Phi [rad]
$10^2$
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_9___reshoot_key=Phi_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24383.0, reshoot counts = 93747.0
normalization = 0.261, reshoot_counts*normalization = 24475.5
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
$10^2$
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_10___reshoot_key=Phi_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 42347.0, reshoot_counts = 162672.0
normalization = 0.261, reshoot_counts*normalization = 42470.4
original average = 3.15 Phi [rad], reshoot average = 3.16 Phi [rad]
$10^2$
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_11___reshoot_key=Phi_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
$10^3$
original counts = 64387.0, reshoot_counts = 247224.0
normalization = 0.261, reshoot_counts*normalization = 64545.2
original average = 3.13 Phi [rad], reshoot average = 3.13 Phi [rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_12___reshoot_key=Phi_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
$10^3$
original counts = 61839.0, reshoot_counts = 236932.0
normalization = 0.261, reshoot_counts*normalization = 61858.2
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_13___reshoot_key=Phi_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 75052.0, reshoot_counts = 288925.0
normalization = 0.261, reshoot_counts*normalization = 75432.5
original average = 3.13 Phi [rad], reshoot average = 3.14 Phi [rad]
$10^3$
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_14___reshoot_key=Phi_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 83784.0, reshoot_counts = 322125.0
normalization = 0.261, reshoot_counts*normalization = 84100.4
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
$10^3$
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_15___reshoot_key=Phi_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 81309.0, reshoot_counts = 312574.0
normalization = 0.261, reshoot_counts*normalization = 81606.8
original average = 3.15 Phi [rad], reshoot average = 3.15 Phi [rad]
$10^3$
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_16___reshoot_key=Phi_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 74228.0, reshoot_counts = 285702.0
normalization = 0.261, reshoot_counts*normalization = 74591.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
$10^3$
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_17___reshoot_key=Phi_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 94461.0, reshoot_counts = 363754.0
normalization = 0.261, reshoot_counts*normalization = 94968.9
original average = 3.15 Phi [rad], reshoot average = 3.15 Phi [rad]
$10^3$
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_18___reshoot_key=Phi_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 88559.0, reshoot_counts = 339321.0
normalization = 0.261, reshoot_counts*normalization = 88589.9
original average = 3.13 Phi [rad], reshoot average = 3.13 Phi [rad]
$10^3$
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_19___reshoot_key=Phi_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 138335.0, reshoot_counts = 530485.0
normalization = 0.261, reshoot_counts*normalization = 138499.0
original average = 3.15 Phi [rad], reshoot average = 3.14 Phi [rad]
$10^3$
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_20___reshoot_key=Phi_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 200833.0, reshoot_counts = 771936.0
normalization = 0.261, reshoot_counts*normalization = 201537.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
$10^3$
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_21___reshoot_key=Phi_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 323871.0, reshoot_counts = 1243153.0
normalization = 0.261, reshoot_counts*normalization = 324562.2
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
$6 \times 10^3$
$4 \times 10^3$
$3 \times 10^3$
$2 \times 10^3$
$10^3$
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_22___reshoot_key=Phi_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 558669.0, reshoot_counts = 2145930.0
normalization = 0.261, reshoot_counts*normalization = 560259.1
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
$10^4$
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_23___reshoot_key=Phi_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 961297.0, reshoot_counts = 3689866.0
normalization = 0.261, reshoot_counts*normalization = 963349.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
$2 \times 10^4$
$10^4$
$6 \times 10^3$
$4 \times 10^3$
$3 \times 10^3$
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_24___reshoot_key=Phi_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1409497.0, reshoot_counts = 5407129.0
normalization = 0.261, reshoot_counts*normalization = 1411692.6
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_25___reshoot_key=Phi_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2132333.0, reshoot_counts = 8175802.0
normalization = 0.261, reshoot_counts*normalization = 2134537.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_2000_26___reshoot_key=Phi_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 53047718.0, reshoot_counts = 194866847.0
normalization = 0.261, reshoot_counts*normalization = 50875812.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
$10^6$
$6 \times 10^5$
$4 \times 10^5$
$3 \times 10^5$
$2 \times 10^5$
0
1
2
3
4
5
6
Phi [rad]



original_key=Ekin_wide_2000_0___reshoot_key=EkinU_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2727257.0, reshoot_counts = 10451038.0
normalization = 0.261, reshoot_counts*normalization = 2728555.7
original average = 216.72 Ek [MeV/u], reshoot average = 215.30 Ek [
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_1___reshoot_key=EkinU_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1887442.0, reshoot_counts = 7229366.0
normalization = 0.261, reshoot_counts*normalization = 1887442.0
original average = 210.02 Ek [MeV/u], reshoot average = 208.95 Ek [
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_2___reshoot_key=EkinU_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 721501.0, reshoot_counts = 2763545.0
normalization = 0.261, reshoot_counts*normalization = 721506.0
original average = 208.68 Ek [MeV/u], reshoot average = 209.22 Ek [
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_3___reshoot_key=EkinU_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 78059.0, reshoot_counts = 299748.0
normalization = 0.261, reshoot_counts*normalization = 78258.2
original average = 207.11 Ek [MeV/u], reshoot average = 207.59 Ek [
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_4___reshoot_key=EkinU_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 30769.0, reshoot_counts = 118226.0
normalization = 0.261, reshoot_counts*normalization = 30866.4
original average = 201.44 Ek [MeV/u], reshoot average = 202.08 Ek [
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_5___reshoot_key=EkinU_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 32436.0, reshoot_counts = 124516.0
normalization = 0.261, reshoot_counts*normalization = 32508.6
original average = 197.78 Ek [MeV/u], reshoot average = 198.17 Ek [
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_6___reshoot_key=EkinU_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 58630.0, reshoot_counts = 223542.0
normalization = 0.261, reshoot_counts*normalization = 58362.3
original average = 190.86 Ek [MeV/u], reshoot average = 191.18 Ek [
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_7___reshoot_key=EkinU_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 42284.0, reshoot_counts = 161907.0
normalization = 0.261, reshoot_counts*normalization = 42270.7
original average = 186.81 Ek [MeV/u], reshoot average = 187.28 Ek [
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_8___reshoot_key=EkinU_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 32778.0, reshoot_counts = 125550.0
normalization = 0.261, reshoot_counts*normalization = 32778.6
original average = 181.06 Ek [MeV/u], reshoot average = 181.59 Ek [
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_9___reshoot_key=EkinU_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24383.0, reshoot_counts = 93747.0
normalization = 0.261, reshoot_counts*normalization = 24475.5
original average = 177.49 Ek [MeV/u], reshoot average = 178.08 Ek [
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_10___reshoot_key=EkinU_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 42347.0, reshoot_counts = 162672.0
normalization = 0.261, reshoot_counts*normalization = 42470.4
original average = 171.10 Ek [MeV/u], reshoot average = 171.60 Ek [
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_11___reshoot_key=EkinU_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 64387.0, reshoot_counts = 247224.0
normalization = 0.261, reshoot_counts*normalization = 64545.2
original average = 165.50 Ek [MeV/u], reshoot average = 166.09 Ek [
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_12___reshoot_key=EkinU_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 61839.0, reshoot_counts = 236932.0
normalization = 0.261, reshoot_counts*normalization = 61858.2
original average = 160.70 Ek [MeV/u], reshoot average = 161.36 Ek [
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_13___reshoot_key=EkinU_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 75052.0, reshoot_counts = 288925.0
normalization = 0.261, reshoot_counts*normalization = 75432.5
original average = 156.86 Ek [MeV/u], reshoot average = 157.22 Ek [
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_14___reshoot_key=EkinU_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 83784.0, reshoot_counts = 322125.0
normalization = 0.261, reshoot_counts*normalization = 84100.4
original average = 154.89 Ek [MeV/u], reshoot average = 155.33 Ek [
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_15___reshoot_key=EkinU_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 81309.0, reshoot_counts = 312574.0
normalization = 0.261, reshoot_counts*normalization = 81606.8
original average = 154.77 Ek [MeV/u], reshoot average = 155.28 Ek [
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_16___reshoot_key=EkinU_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 74228.0, reshoot_counts = 285702.0
normalization = 0.261, reshoot_counts*normalization = 74591.0
original average = 154.25 Ek [MeV/u], reshoot average = 154.63 Ek [
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_17___reshoot_key=EkinU_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 94461.0, reshoot_counts = 363754.0
normalization = 0.261, reshoot_counts*normalization = 94968.9
original average = 154.45 Ek [MeV/u], reshoot average = 154.98 Ek [
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_18___reshoot_key=EkinU_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 88559.0, reshoot_counts = 339321.0
normalization = 0.261, reshoot_counts*normalization = 88589.9
original average = 153.19 Ek [MeV/u], reshoot average = 153.70 Ek [
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_19___reshoot_key=EkinU_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 138335.0, reshoot_counts = 530485.0
normalization = 0.261, reshoot_counts*normalization = 138499.0
original average = 151.22 Ek [MeV/u], reshoot average = 151.79 Ek [
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_20___reshoot_key=EkinU_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 200833.0, reshoot_counts = 771936.0
normalization = 0.261, reshoot_counts*normalization = 201537.0
original average = 148.80 Ek [MeV/u], reshoot average = 149.12 Ek [
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_21___reshoot_key=EkinU_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 323871.0, reshoot_counts = 1243153.0
normalization = 0.261, reshoot_counts*normalization = 324562.2
original average = 144.54 Ek [MeV/u], reshoot average = 145.13 Ek [
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_22___reshoot_key=EkinU_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 558669.0, reshoot_counts = 2145930.0
normalization = 0.261, reshoot_counts*normalization = 560259.1
original average = 138.51 Ek [MeV/u], reshoot average = 139.07 Ek [
$10^4$
$10^3$
$10^2$
$10^1$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_23___reshoot_key=EkinU_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 961297.0, reshoot_counts = 3689866.0
normalization = 0.261, reshoot_counts*normalization = 963349.8
original average = 133.04 Ek [MeV/u], reshoot average = 133.50 Ek [
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_24___reshoot_key=EkinU_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1409497.0, reshoot_counts = 5407129.0
normalization = 0.261, reshoot_counts*normalization = 1411692.6
original average = 128.42 Ek [MeV/u], reshoot average = 128.94 Ek [
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_25___reshoot_key=EkinU_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2132333.0, reshoot_counts = 8175802.0
normalization = 0.261, reshoot_counts*normalization = 2134537.4
original average = 127.27 Ek [MeV/u], reshoot average = 127.76 Ek [
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_2000_26___reshoot_key=EkinU_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 53047718.0, reshoot_counts = 194866847.0
normalization = 0.261, reshoot_counts*normalization = 50875812.8
original average = 143.76 Ek [MeV/u], reshoot average = 144.29 Ek [
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=X_wide_2000_0___reshoot_key=X_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2726058.0, reshoot_counts = 10451038.0
normalization = 0.261, reshoot_counts*normalization = 2728555.7
original average = -0.02 x pos [mm], reshoot average = -0.08 x pos [
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_1___reshoot_key=X_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1886408.0, reshoot_counts = 7229364.0
normalization = 0.261, reshoot_counts*normalization = 1887441.5
original average = -0.01 x pos [mm], reshoot average = -0.05 x pos [
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_2___reshoot_key=X_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 721309.0, reshoot_counts = 2763545.0
normalization = 0.261, reshoot_counts*normalization = 721506.0
original average = 0.04 x pos [mm], reshoot average = -0.03 x pos [m
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_3___reshoot_key=X_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 78041.0, reshoot_counts = 299748.0
normalization = 0.261, reshoot_counts*normalization = 78258.2
original average = 0.08 x pos [mm], reshoot average = -0.09 x pos [m
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_4___reshoot_key=X_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 30767.0, reshoot_counts = 118226.0
normalization = 0.261, reshoot_counts*normalization = 30866.4
original average = 0.01 x pos [mm], reshoot average = 0.02 x pos [m
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_5___reshoot_key=X_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 32434.0, reshoot_counts = 124516.0
normalization = 0.261, reshoot_counts*normalization = 32508.6
original average = -0.04 x pos [mm], reshoot average = -0.14 x pos [
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_6___reshoot_key=X_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 58626.0, reshoot_counts = 223542.0
normalization = 0.261, reshoot_counts*normalization = 58362.3
original average = 0.10 x pos [mm], reshoot average = -0.10 x pos [m
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_7___reshoot_key=X_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 42282.0, reshoot_counts = 161907.0
normalization = 0.261, reshoot_counts*normalization = 42270.7
original average = 0.33 x pos [mm], reshoot average = 0.14 x pos [m
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_8___reshoot_key=X_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 32775.0, reshoot_counts = 125550.0
normalization = 0.261, reshoot_counts*normalization = 32778.6
original average = -0.13 x pos [mm], reshoot average = -0.27 x pos [
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_9___reshoot_key=X_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24381.0, reshoot_counts = 93747.0
normalization = 0.261, reshoot_counts*normalization = 24475.5
original average = 0.01 x pos [mm], reshoot average = 0.05 x pos [m
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_10___reshoot_key=X_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 42344.0, reshoot_counts = 162672.0
normalization = 0.261, reshoot_counts*normalization = 42470.4
original average = 0.02 x pos [mm], reshoot average = -0.17 x pos [m
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_11___reshoot_key=X_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 64386.0, reshoot_counts = 247224.0
normalization = 0.261, reshoot_counts*normalization = 64545.2
original average = 0.10 x pos [mm], reshoot average = -0.01 x pos [m
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_12___reshoot_key=X_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 61838.0, reshoot_counts = 236932.0
normalization = 0.261, reshoot_counts*normalization = 61858.2
original average = -0.05 x pos [mm], reshoot average = -0.12 x pos [
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_13___reshoot_key=X_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 75050.0, reshoot_counts = 288925.0
normalization = 0.261, reshoot_counts*normalization = 75432.5
original average = 0.01 x pos [mm], reshoot average = -0.08 x pos [m
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_14___reshoot_key=X_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 83781.0, reshoot_counts = 322125.0
normalization = 0.261, reshoot_counts*normalization = 84100.4
original average = -0.01 x pos [mm], reshoot average = -0.12 x pos [
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_15___reshoot_key=X_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 81306.0, reshoot_counts = 312574.0
normalization = 0.261, reshoot_counts*normalization = 81606.8
original average = 0.02 x pos [mm], reshoot average = -0.08 x pos [m
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_16___reshoot_key=X_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 74226.0, reshoot_counts = 285702.0
normalization = 0.261, reshoot_counts*normalization = 74591.0
original average = -0.01 x pos [mm], reshoot average = -0.17 x pos [
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_17___reshoot_key=X_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 94461.0, reshoot_counts = 363754.0
normalization = 0.261, reshoot_counts*normalization = 94968.9
original average = -0.02 x pos [mm], reshoot average = -0.08 x pos [
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_18___reshoot_key=X_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 88558.0, reshoot_counts = 339321.0
normalization = 0.261, reshoot_counts*normalization = 88589.9
original average = -0.05 x pos [mm], reshoot average = -0.09 x pos [
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_19___reshoot_key=X_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 138334.0, reshoot_counts = 530485.0
normalization = 0.261, reshoot_counts*normalization = 138499.0
original average = -0.05 x pos [mm], reshoot average = -0.12 x pos [
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_20___reshoot_key=X_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 200833.0, reshoot_counts = 771936.0
normalization = 0.261, reshoot_counts*normalization = 201537.0
original average = 0.12 x pos [mm], reshoot average = -0.05 x pos [m
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_21___reshoot_key=X_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 323869.0, reshoot_counts = 1243153.0
normalization = 0.261, reshoot_counts*normalization = 324562.2
original average = 0.05 x pos [mm], reshoot average = -0.01 x pos [m
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_22___reshoot_key=X_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 558666.0, reshoot_counts = 2145930.0
normalization = 0.261, reshoot_counts*normalization = 560259.1
original average = -0.01 x pos [mm], reshoot average = -0.07 x pos [
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_23___reshoot_key=X_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 961295.0, reshoot_counts = 3689866.0
normalization = 0.261, reshoot_counts*normalization = 963349.8
original average = -0.01 x pos [mm], reshoot average = -0.09 x pos [
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_24___reshoot_key=X_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1409495.0, reshoot_counts = 5407129.0
normalization = 0.261, reshoot_counts*normalization = 1411692.6
original average = 0.01 x pos [mm], reshoot average = -0.03 x pos [m
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_25___reshoot_key=X_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2132329.0, reshoot_counts = 8175802.0
normalization = 0.261, reshoot_counts*normalization = 2134537.4
original average = -0.01 x pos [mm], reshoot average = -0.05 x pos [
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_2000_26___reshoot_key=X_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 53047702.0, reshoot_counts = 194866847.0
normalization = 0.261, reshoot_counts*normalization = 50875812.8
original average = 0.00 x pos [mm], reshoot average = -0.02 x pos [m
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
x pos [mm]



original_key=Y_wide_2000_0___reshoot_key=Y_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2726021.0, reshoot_counts = 10451038.0
normalization = 0.261, reshoot_counts*normalization = 2728555.7
original average = 0.02 y pos [mm], reshoot average = -0.11 y pos [m
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_1___reshoot_key=Y_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1886434.0, reshoot_counts = 7229365.0
normalization = 0.261, reshoot_counts*normalization = 1887441.7
original average = -0.01 y pos [mm], reshoot average = -0.14 y pos [
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_2___reshoot_key=Y_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 721272.0, reshoot_counts = 2763545.0
normalization = 0.261, reshoot_counts*normalization = 721506.0
original average = -0.01 y pos [mm], reshoot average = -0.10 y pos [
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_3___reshoot_key=Y_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 78042.0, reshoot_counts = 299748.0
normalization = 0.261, reshoot_counts*normalization = 78258.2
original average = 0.02 y pos [mm], reshoot average = -0.09 y pos [m
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_4___reshoot_key=Y_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 30765.0, reshoot_counts = 118226.0
normalization = 0.261, reshoot_counts*normalization = 30866.4
original average = -0.19 y pos [mm], reshoot average = -0.41 y pos [
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_5___reshoot_key=Y_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 32431.0, reshoot_counts = 124516.0
normalization = 0.261, reshoot_counts*normalization = 32508.6
original average = -0.18 y pos [mm], reshoot average = -0.48 y pos [
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_6___reshoot_key=Y_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 58625.0, reshoot_counts = 223542.0
normalization = 0.261, reshoot_counts*normalization = 58362.3
original average = -0.14 y pos [mm], reshoot average = -0.37 y pos [
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_7___reshoot_key=Y_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 42278.0, reshoot_counts = 161907.0
normalization = 0.261, reshoot_counts*normalization = 42270.7
original average = 0.13 y pos [mm], reshoot average = 0.09 y pos [m
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_8___reshoot_key=Y_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 32774.0, reshoot_counts = 125550.0
normalization = 0.261, reshoot_counts*normalization = 32778.6
original average = -0.24 y pos [mm], reshoot average = -0.33 y pos [
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_9___reshoot_key=Y_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24382.0, reshoot_counts = 93747.0
normalization = 0.261, reshoot_counts*normalization = 24475.5
original average = 0.09 y pos [mm], reshoot average = -0.06 y pos [m
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_10___reshoot_key=Y_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 42346.0, reshoot_counts = 162672.0
normalization = 0.261, reshoot_counts*normalization = 42470.4
original average = -0.11 y pos [mm], reshoot average = -0.44 y pos [
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_11___reshoot_key=Y_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 64384.0, reshoot_counts = 247224.0
normalization = 0.261, reshoot_counts*normalization = 64545.2
original average = 0.27 y pos [mm], reshoot average = 0.26 y pos [m
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_12___reshoot_key=Y_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 61838.0, reshoot_counts = 236932.0
normalization = 0.261, reshoot_counts*normalization = 61858.2
original average = -0.04 y pos [mm], reshoot average = -0.18 y pos [
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_13___reshoot_key=Y_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 75049.0, reshoot_counts = 288925.0
normalization = 0.261, reshoot_counts*normalization = 75432.5
original average = 0.07 y pos [mm], reshoot average = 0.02 y pos [m
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_14___reshoot_key=Y_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 83779.0, reshoot_counts = 322125.0
normalization = 0.261, reshoot_counts*normalization = 84100.4
original average = -0.03 y pos [mm], reshoot average = -0.04 y pos [
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_15___reshoot_key=Y_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 81304.0, reshoot_counts = 312574.0
normalization = 0.261, reshoot_counts*normalization = 81606.8
original average = -0.15 y pos [mm], reshoot average = -0.37 y pos [
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_16___reshoot_key=Y_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 74224.0, reshoot_counts = 285702.0
normalization = 0.261, reshoot_counts*normalization = 74591.0
original average = -0.16 y pos [mm], reshoot average = -0.28 y pos [
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_17___reshoot_key=Y_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 94459.0, reshoot_counts = 363754.0
normalization = 0.261, reshoot_counts*normalization = 94968.9
original average = -0.08 y pos [mm], reshoot average = -0.25 y pos [
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_18___reshoot_key=Y_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 88557.0, reshoot_counts = 339321.0
normalization = 0.261, reshoot_counts*normalization = 88589.9
original average = 0.05 y pos [mm], reshoot average = 0.00 y pos [m
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_19___reshoot_key=Y_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 138333.0, reshoot_counts = 530485.0
normalization = 0.261, reshoot_counts*normalization = 138499.0
original average = -0.03 y pos [mm], reshoot average = -0.11 y pos [
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_20___reshoot_key=Y_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 200830.0, reshoot_counts = 771936.0
normalization = 0.261, reshoot_counts*normalization = 201537.0
original average = 0.06 y pos [mm], reshoot average = -0.07 y pos [m
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_2000_21___reshoot_key=Y_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 323869.0, reshoot_counts = 1243153.0
normalization = 0.261, reshoot_counts*normalization = 324562.2
original average = -0.02 y pos [mm], reshoot average = -0.12 y pos [
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_2000_22___reshoot_key=Y_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 558666.0, reshoot_counts = 2145930.0
normalization = 0.261, reshoot_counts*normalization = 560259.1
original average = -0.01 y pos [mm], reshoot average = -0.07 y pos [
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_2000_23___reshoot_key=Y_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 961296.0, reshoot_counts = 3689866.0
normalization = 0.261, reshoot_counts*normalization = 963349.8
original average = -0.01 y pos [mm], reshoot average = -0.09 y pos [
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_2000_24___reshoot_key=Y_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1409495.0, reshoot_counts = 5407129.0
normalization = 0.261, reshoot_counts*normalization = 1411692.6
original average = -0.02 y pos [mm], reshoot average = -0.08 y pos [
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_2000_25___reshoot_key=Y_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2132325.0, reshoot_counts = 8175802.0
normalization = 0.261, reshoot_counts*normalization = 2134537.4
original average = 0.02 y pos [mm], reshoot average = -0.04 y pos [m
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_2000_26___reshoot_key=Y_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 53047702.0, reshoot_counts = 194866847.0
normalization = 0.261, reshoot_counts*normalization = 50875812.8
original average = 0.00 y pos [mm], reshoot average = -0.02 y pos [m
$10^6$
$10^5$
$10^4$
$10^3$
$10^2$
$10^1$
$10^0$
−400
−200
0
200
400
y pos [mm]