






original_key=Theta_100_0___reshoot_key=Theta_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5699362.8, reshoot_counts = 2046594.1
normalization = 0.775, reshoot_counts*normalization = 1585519.3
original average = 0.09 Theta [rad], reshoot average = 0.08 Theta [ra
counts [1/rad]
Theta [rad]
10^9
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_1___reshoot_key=Theta_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2219003.6, reshoot_counts = 897093.6
normalization = 0.775, reshoot_counts*normalization = 694988.4
original average = 0.09 Theta [rad], reshoot average = 0.08 Theta [ra
counts [1/rad]
Theta [rad]
10^9
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_2___reshoot_key=Theta_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 554977.3, reshoot_counts = 179525.3
normalization = 0.775, reshoot_counts*normalization = 139080.3
original average = 0.08 Theta [rad], reshoot average = 0.07 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_3___reshoot_key=Theta_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9236.2, reshoot_counts = 2636.9
normalization = 0.775, reshoot_counts*normalization = 2042.9
original average = 0.08 Theta [rad], reshoot average = 0.07 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_4___reshoot_key=Theta_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 522.6, reshoot_counts = 139.1
normalization = 0.775, reshoot_counts*normalization = 107.8
original average = 0.08 Theta [rad], reshoot average = 0.07 Theta [ra
counts [1/rad]
Theta [rad]
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_5___reshoot_key=Theta_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 97.2, reshoot_counts = 28.5
normalization = 0.775, reshoot_counts*normalization = 22.1
original average = 0.29 Theta [rad], reshoot average = 0.28 Theta [ra
counts [1/rad]
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_6___reshoot_key=Theta_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11.0, reshoot_counts = 14.6
normalization = 0.775, reshoot_counts*normalization = 11.3
original average = 0.83 Theta [rad], reshoot average = 0.80 Theta [ra
10^3
10^2
counts [1/rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_7___reshoot_key=Theta_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7.1, reshoot_counts = 8.8
normalization = 0.775, reshoot_counts*normalization = 6.8
original average = 1.10 Theta [rad], reshoot average = 1.09 Theta [ra
counts [1/rad]
Theta [rad]
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_8___reshoot_key=Theta_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.4, reshoot_counts = 1.7
normalization = 0.775, reshoot_counts*normalization = 1.3
original average = 1.12 Theta [rad], reshoot average = 1.18 Theta [ra
counts [1/rad]
Theta [rad]
3 × 10^2
2 × 10^2
10^2
6 × 10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_9___reshoot_key=Theta_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_10___reshoot_key=Theta_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = 0.06 Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
Theta [rad]
0
10
20
30
40
50
60
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_11___reshoot_key=Theta_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = 0.47 Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
Theta [rad]
0
10
20
30
40
50
60
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_12___reshoot_key=Theta_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = 0.64 Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
Theta [rad]
0
10
20
30
40
50
60
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_13___reshoot_key=Theta_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = 0.09 Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
Theta [rad]
0
10
20
30
40
50
60
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_14___reshoot_key=Theta_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = 0.67 Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
Theta [rad]
0
10
20
30
40
50
60
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_15___reshoot_key=Theta_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = 0.06 Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
Theta [rad]
0
10
20
30
40
50
60
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_16___reshoot_key=Theta_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.1, reshoot_counts = 0.1
normalization = 0.775, reshoot_counts*normalization = 0.1
original average = 0.88 Theta [rad], reshoot average = 0.97 Theta [ra
10^2
6×10^1
counts [1/rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_17___reshoot_key=Theta_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = 1.12 Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
Theta [rad]
0
10
20
30
40
50
60
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_18___reshoot_key=Theta_1_18
original counts = 0.1, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = 1.68 Theta [rad], reshoot average = nan Theta [rad
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Theta [rad]
0
10
20
30
40
50
60
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_19___reshoot_key=Theta_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_20___reshoot_key=Theta_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_21___reshoot_key=Theta_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_22___reshoot_key=Theta_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_23___reshoot_key=Theta_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_24___reshoot_key=Theta_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_25___reshoot_key=Theta_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_26___reshoot_key=Theta_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_e-___reshoot_key=Theta_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 346310.2, reshoot_counts = 429281.1
normalization = 0.775, reshoot_counts*normalization = 332568.9
original average = 0.56 Theta [rad], reshoot average = 0.55 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_e+___reshoot_key=Theta_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 179.9, reshoot_counts = 156.1
normalization = 0.775, reshoot_counts*normalization = 121.0
original average = 0.22 Theta [rad], reshoot average = 0.21 Theta [ra
counts [1/rad]
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_gamma___reshoot_key=Theta_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 349881.8, reshoot_counts = 202794.9
normalization = 0.775, reshoot_counts*normalization = 157107.5
original average = 0.12 Theta [rad], reshoot average = 0.11 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_mu-___reshoot_key=Theta_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4.2, reshoot_counts = 4.1
normalization = 0.775, reshoot_counts*normalization = 3.2
original average = 0.16 Theta [rad], reshoot average = 0.15 Theta [ra
10^3
10^2
counts [1/rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_mu+___reshoot_key=Theta_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.8, reshoot_counts = 3.4
normalization = 0.775, reshoot_counts*normalization = 2.6
original average = 0.16 Theta [rad], reshoot average = 0.15 Theta [ra
10^3
10^2
counts [1/rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_pi-___reshoot_key=Theta_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 126.7, reshoot_counts = 74.9
normalization = 0.775, reshoot_counts*normalization = 58.0
original average = 0.14 Theta [rad], reshoot average = 0.13 Theta [ra
counts [1/rad]
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_pi+___reshoot_key=Theta_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 78.7, reshoot_counts = 47.7
normalization = 0.775, reshoot_counts*normalization = 36.9
original average = 0.12 Theta [rad], reshoot average = 0.11 Theta [ra
counts [1/rad]
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Phi_100_0___reshoot_key=Phi_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2314337.9, reshoot_counts = 2989863.2
normalization = 0.775, reshoot_counts*normalization = 2316280.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
4 × 10^7
3 × 10^7
2 × 10^7
0
1
2
3
4
5
6



original_key=Phi_100_1___reshoot_key=Phi_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1001879.3, reshoot_counts = 1293896.3
normalization = 0.775, reshoot_counts*normalization = 1002396.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
10^7
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_2___reshoot_key=Phi_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 206782.8, reshoot_counts = 266969.1
normalization = 0.775, reshoot_counts*normalization = 206824.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
4 × 10^6
3 × 10^6
2 × 10^6
0
1
2
3
4
5
6



original_key=Phi_100_3___reshoot_key=Phi_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3116.4, reshoot_counts = 4043.6
normalization = 0.775, reshoot_counts*normalization = 3132.6
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
0
1
2
3
4
5
6



original_key=Phi_100_4___reshoot_key=Phi_1_4
original counts = 157.7, reshoot_counts = 218.4
normalization = 0.775, reshoot_counts*normalization = 169.2
original average = 3.15 Phi [rad], reshoot average = 3.11 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
3×10^3
2×10^3
10^3
6×10^2
4×10^2
3×10^2
0
1
2
3
4
5
6



original_key=Phi_100_5___reshoot_key=Phi_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 31.0, reshoot_counts = 33.8
normalization = 0.775, reshoot_counts*normalization = 26.2
original average = 3.13 Phi [rad], reshoot average = 3.09 Phi [rad]
counts [1/rad]
Phi [rad]
10^3
10^2
0
1
2
3
4
5
6



original_key=Phi_100_6___reshoot_key=Phi_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 15.0, reshoot_counts = 19.5
normalization = 0.775, reshoot_counts*normalization = 15.1
original average = 2.97 Phi [rad], reshoot average = 3.03 Phi [rad]
counts [1/rad]
Phi [rad]
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
10^2
6 × 10^1
4 × 10^1
0
1
2
3
4
5
6



original_key=Phi_100_7___reshoot_key=Phi_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8.1, reshoot_counts = 13.7
normalization = 0.775, reshoot_counts*normalization = 10.6
original average = 3.04 Phi [rad], reshoot average = 3.04 Phi [rad]
counts [1/rad]
Phi [rad]
4×10^2
3×10^2
2×10^2
10^2
6×10^1
4×10^1
0
1
2
3
4
5
6



original_key=Phi_100_8___reshoot_key=Phi_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.4, reshoot_counts = 1.7
normalization = 0.775, reshoot_counts*normalization = 1.3
original average = 3.23 Phi [rad], reshoot average = 3.21 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_100_9___reshoot_key=Phi_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_10___reshoot_key=Phi_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = 0.72 Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
Phi [rad]
0
10
20
30
40
50
60
0
1
2
3
4
5
6



original_key=Phi_100_11___reshoot_key=Phi_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = 5.72 Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
Phi [rad]
0
10
20
30
40
50
60
0
1
2
3
4
5
6



original_key=Phi_100_12___reshoot_key=Phi_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = 6.07 Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
Phi [rad]
0
10
20
30
40
50
60
0
1
2
3
4
5
6



original_key=Phi_100_13___reshoot_key=Phi_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = 3.35 Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
Phi [rad]
0
10
20
30
40
50
60
0
1
2
3
4
5
6



original_key=Phi_100_14___reshoot_key=Phi_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = 3.76 Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
Phi [rad]
0
10
20
30
40
50
60
0
1
2
3
4
5
6



original_key=Phi_100_15___reshoot_key=Phi_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = 4.46 Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
Phi [rad]
0
10
20
30
40
50
60
0
1
2
3
4
5
6



original_key=Phi_100_16___reshoot_key=Phi_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.1, reshoot_counts = 0.1
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = 2.53 Phi [rad], reshoot average = 1.46 Phi [rad]
10^2
6×10^1
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_17___reshoot_key=Phi_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = 3.27 Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
Phi [rad]
0
10
20
30
40
50
60
0
1
2
3
4
5
6



original_key=Phi_100_18___reshoot_key=Phi_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.1, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = 3.56 Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
Phi [rad]
0
10
20
30
40
50
60
0
1
2
3
4
5
6



original_key=Phi_100_19___reshoot_key=Phi_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_20___reshoot_key=Phi_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_21___reshoot_key=Phi_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_22___reshoot_key=Phi_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_23___reshoot_key=Phi_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_24___reshoot_key=Phi_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_25___reshoot_key=Phi_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_26___reshoot_key=Phi_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_e-___reshoot_key=Phi_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 435761.8, reshoot_counts = 563015.0
normalization = 0.775, reshoot_counts*normalization = 436174.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
6×10^6
4×10^6
3×10^6
0
1
2
3
4
5
6



original_key=Phi_100_e+___reshoot_key=Phi_1_e+
original counts = 155.5, reshoot_counts = 195.9
normalization = 0.775, reshoot_counts*normalization = 151.8
original average = 3.12 Phi [rad], reshoot average = 3.09 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
2×10^3
10^3
6×10^2
4×10^2
0
1
2
3
4
5
6



original_key=Phi_100_gamma___reshoot_key=Phi_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 216776.0, reshoot_counts = 280031.3
normalization = 0.775, reshoot_counts*normalization = 216943.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
4 × 10^6
3 × 10^6
2 × 10^6
0
1
2
3
4
5
6



original_key=Phi_100_mu-___reshoot_key=Phi_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.3, reshoot_counts = 4.3
normalization = 0.775, reshoot_counts*normalization = 3.4
original average = 3.24 Phi [rad], reshoot average = 3.39 Phi [rad]
counts [1/rad]
Phi [rad]
3×10^2
2×10^2
10^2
6×10^1
0
1
2
3
4
5
6



original_key=Phi_100_mu+___reshoot_key=Phi_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.8, reshoot_counts = 4.4
normalization = 0.775, reshoot_counts*normalization = 3.4
original average = 3.16 Phi [rad], reshoot average = 3.37 Phi [rad]
counts [1/rad]
Phi [rad]
3×10^2
2×10^2
10^2
6×10^1
0
1
2
3
4
5
6



original_key=Phi_100_pi-___reshoot_key=Phi_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 78.9, reshoot_counts = 101.3
normalization = 0.775, reshoot_counts*normalization = 78.4
original average = 3.14 Phi [rad], reshoot average = 3.10 Phi [rad]
counts [1/rad]
10^3
10^2
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_pi+___reshoot_key=Phi_1_pi+
original counts = 50.4, reshoot counts = 57.4
normalization = 0.775, reshoot counts*normalization = 44.5
original average = 3.11 Phi [rad], reshoot average = 3.04 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
10^3
10^2
0
1
2
3
4
5
6



original_key=Ekin_100_0___reshoot_key=EkinU_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 100528491.0, reshoot_counts = 129820894.5
normalization = 0.775, reshoot_counts*normalization = 100573699.5
original average = 219.30 Ek [MeV/u], reshoot average = 219.76 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
10^5
10^6
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_1___reshoot_key=EkinU_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 43658802.0, reshoot_counts = 56354573.5
normalization = 0.775, reshoot_counts*normalization = 43658518.6
original average = 180.62 Ek [MeV/u], reshoot average = 180.64 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
10^5
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_2___reshoot_key=EkinU_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8981420.0, reshoot_counts = 11592631.0
normalization = 0.775, reshoot_counts*normalization = 8980940.9
original average = 132.56 Ek [MeV/u], reshoot average = 132.55 Ek [
counts [u/MeV]
Ek [MeV/u]
10^5
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_3___reshoot_key=EkinU_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 134195.5, reshoot_counts = 172998.0
normalization = 0.775, reshoot_counts*normalization = 134023.5
original average = 101.68 Ek [MeV/u], reshoot average = 102.01 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_4___reshoot_key=EkinU_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7127.0, reshoot_counts = 9190.5
normalization = 0.775, reshoot_counts*normalization = 7120.0
original average = 81.79 Ek [MeV/u], reshoot average = 82.34 Ek [Me
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_5___reshoot_key=EkinU_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1402.5, reshoot_counts = 1800.0
normalization = 0.775, reshoot_counts*normalization = 1394.5
original average = 53.92 Ek [MeV/u], reshoot average = 57.77 Ek [Me
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_6___reshoot_key=EkinU_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 595.0, reshoot_counts = 598.5
normalization = 0.775, reshoot_counts*normalization = 463.7
original average = 10.41 Ek [MeV/u], reshoot average = 14.99 Ek [Me
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_7___reshoot_key=EkinU_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 395.5, reshoot_counts = 296.5
normalization = 0.775, reshoot_counts*normalization = 229.7
original average = 3.66 Ek [MeV/u], reshoot average = 4.61 Ek [MeV/u
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_8___reshoot_key=EkinU_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 78.0, reshoot_counts = 54.5
normalization = 0.775, reshoot_counts*normalization = 42.2
original average = 10.55 Ek [MeV/u], reshoot average = 6.93 Ek [MeV
counts [u/MeV]
Ek [MeV/u]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_9___reshoot_key=EkinU_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_10___reshoot_key=EkinU_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = 2.50 Ek [MeV/u], reshoot average = nan Ek [MeV/u
counts [u/MeV]
Ek [MeV/u]
0.0
0.2
0.4
0.6
0.8
1.0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_11___reshoot_key=EkinU_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = 0.50 Ek [MeV/u], reshoot average = nan Ek [MeV/u
counts [u/MeV]
Ek [MeV/u]
0.00
0.25
0.50
0.75
1.00
1.25
1.50
1.75
2.00
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_12___reshoot_key=EkinU_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = 0.50 Ek [MeV/u], reshoot average = nan Ek [MeV/u
counts [u/MeV]
Ek [MeV/u]
0.0
0.2
0.4
0.6
0.8
1.0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_13___reshoot_key=EkinU_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = 113.00 Ek [MeV/u], reshoot average = nan Ek [MeV
counts [u/MeV]
Ek [MeV/u]
0.0
0.2
0.4
0.6
0.8
1.0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_14___reshoot_key=EkinU_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = 0.50 Ek [MeV/u], reshoot average = nan Ek [MeV/u
counts [u/MeV]
Ek [MeV/u]
0.0
0.2
0.4
0.6
0.8
1.0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_15___reshoot_key=EkinU_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = 137.50 Ek [MeV/u], reshoot average = nan Ek [MeV
counts [u/MeV]
Ek [MeV/u]
0.0
0.2
0.4
0.6
0.8
1.0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_16___reshoot_key=EkinU_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.0, reshoot_counts = 2.0
normalization = 0.775, reshoot_counts*normalization = 1.5
original average = 1.50 Ek [MeV/u], reshoot average = 1.50 Ek [MeV/u
counts [u/MeV]
Ek [MeV/u]
4×10^0
3×10^0
2×10^0
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_17___reshoot_key=EkinU_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = 0.50 Ek [MeV/u], reshoot average = nan Ek [MeV/u
counts [u/MeV]
Ek [MeV/u]
0.00
0.25
0.50
0.75
1.00
1.25
1.50
1.75
2.00
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_18___reshoot_key=EkinU_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = 0.50 Ek [MeV/u], reshoot average = nan Ek [MeV/u
counts [u/MeV]
Ek [MeV/u]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
3.5
4.0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_19___reshoot_key=EkinU_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_20___reshoot_key=EkinU_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_21___reshoot_key=EkinU_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_22___reshoot_key=EkinU_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_23___reshoot_key=EkinU_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_24___reshoot_key=EkinU_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_25___reshoot_key=EkinU_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_26___reshoot_key=EkinU_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_e-___reshoot_key=EkinU_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1699510.5, reshoot_counts = 24630481.0
normalization = 0.775, reshoot_counts*normalization = 19081509.2
original average = 0.40 Ek [MeV/u], reshoot average = 0.54 Ek [MeV/u
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_e+___reshoot_key=EkinU_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 642.9, reshoot_counts = 8496.0
normalization = 0.775, reshoot_counts*normalization = 6581.9
original average = 12.26 Ek [MeV/u], reshoot average = 12.94 Ek [Me
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_gamma___reshoot_key=EkinU_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 906658.9, reshoot_counts = 11032457.0
normalization = 0.775, reshoot_counts*normalization = 8546967.9
original average = 2.53 Ek [MeV/u], reshoot average = 3.15 Ek [MeV/u
counts [u/MeV]
Ek [MeV/u]
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_mu-___reshoot_key=EkinU_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9.3, reshoot_counts = 248.0
normalization = 0.775, reshoot_counts*normalization = 192.1
original average = 50.00 Ek [MeV/u], reshoot average = 46.74 Ek [Me
10^1
10^0
counts [u/MeV]
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_mu+___reshoot_key=EkinU_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5.5, reshoot_counts = 194.0
normalization = 0.775, reshoot_counts*normalization = 150.3
original average = 46.33 Ek [MeV/u], reshoot average = 41.74 Ek [Me
counts [u/MeV]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_pi-___reshoot_key=EkinU_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6856.5, reshoot_counts = 4519.0
normalization = 0.775, reshoot_counts*normalization = 3500.9
original average = 133.22 Ek [MeV/u], reshoot average = 133.47 Ek [
counts [u/MeV]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_pi+___reshoot_key=EkinU_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4330.1, reshoot_counts = 2902.0
normalization = 0.775, reshoot_counts*normalization = 2248.2
original average = 146.91 Ek [MeV/u], reshoot average = 145.84 Ek [
counts [u/MeV]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=X_100_0___reshoot_key=X_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 25578153.1, reshoot_counts = 32474376.8
normalization = 0.775, reshoot_counts*normalization = 25158263.0
original average = -0.02 x pos [mm], reshoot average = -0.15 x pos [
counts [1/mm]
10^6
10^5
10^4
10^3
10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_100_1___reshoot_key=X_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11100755.4, reshoot_counts = 14089273.2
normalization = 0.775, reshoot_counts*normalization = 10915117.6
original average = -0.01 x pos [mm], reshoot average = -0.14 x pos [
counts [1/mm]
x pos [mm]
10^6
10^5
10^4
10^3
10^2
−400
−200
0
200
400



original_key=X_100_2___reshoot_key=X_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2281167.6, reshoot_counts = 2898752.5
normalization = 0.775, reshoot_counts*normalization = 2245696.0
original average = -0.02 x pos [mm], reshoot average = -0.14 x pos [
counts [1/mm]
x pos [mm]
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400



original_key=X_100_3___reshoot_key=X_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34074.5, reshoot_counts = 43266.5
normalization = 0.775, reshoot_counts*normalization = 33519.0
original average = -0.01 x pos [mm], reshoot average = -0.16 x pos [
counts [1/mm]
x pos [mm]
2.8 × 10^3
2.6 × 10^3
2.4 × 10^3
2.2 × 10^3
2 × 10^3
1.8 × 10^3
1.6 × 10^3
1.4 × 10^3
−400
−200
0
200
400



original_key=X_100_4___reshoot_key=X_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1814.4, reshoot_counts = 2303.0
normalization = 0.775, reshoot_counts*normalization = 1784.2
original average = -0.32 x pos [mm], reshoot average = -0.14 x pos [
counts [1/mm]
x pos [mm]
2×10^2
10^2
6×10^1
4×10^1
3×10^1
−400
−200
0
200
400



original_key=X_100_5___reshoot_key=X_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 366.6, reshoot_counts = 470.2
normalization = 0.775, reshoot_counts*normalization = 364.3
original average = -0.83 x pos [mm], reshoot average = -0.80 x pos [
counts [1/mm]
x pos [mm]
6 × 10^1
4 × 10^1
3 × 10^1
2 × 10^1
10^1
6 × 10^0
4 × 10^0
3 × 10^0
−400
−200
0
200
400



original_key=X_100_6___reshoot_key=X_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 161.5, reshoot_counts = 209.5
normalization = 0.775, reshoot_counts*normalization = 162.3
original average = 1.10 x pos [mm], reshoot average = 1.04 x pos [m
counts [1/mm]
x pos [mm]
4 × 10^1
3 × 10^1
2 × 10^1
10^1
6 × 10^0
4 × 10^0
3 × 10^0
−400
−200
0
200
400



original_key=X_100_7___reshoot_key=X_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 107.1, reshoot_counts = 126.5
normalization = 0.775, reshoot_counts*normalization = 98.0
original average = 0.22 x pos [mm], reshoot average = 2.09 x pos [m
counts [1/mm]
x pos [mm]
3 × 10^1
2 × 10^1
10^1
6 × 10^0
4 × 10^0
3 × 10^0
−400
−200
0
200
400



original_key=X_100_8___reshoot_key=X_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 20.5, reshoot_counts = 23.8
normalization = 0.775, reshoot_counts*normalization = 18.4
original average = 1.28 x pos [mm], reshoot average = -2.23 x pos [m
counts [1/mm]
10^1
6×10^0
4×10^0
3×10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_100_9___reshoot_key=X_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
x pos [mm]



original_key=X_100_10___reshoot_key=X_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.2, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = 4.62 x pos [mm], reshoot average = nan x pos [mm
counts [1/mm]
x pos [mm]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
3.5
4.0
−400
−200
0
200
400



original_key=X_100_11___reshoot_key=X_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.5, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = -3.62 x pos [mm], reshoot average = nan x pos [m
counts [1/mm]
x pos [mm]
4.0
3.5
3.0
2.5
2.0
1.5
1.0
0.5
0.0
−400
−200
0
200
400



original_key=X_100_12___reshoot_key=X_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.2, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = 31.62 x pos [mm], reshoot average = nan x pos [m
counts [1/mm]
x pos [mm]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
3.5
4.0
−400
−200
0
200
400



original_key=X_100_13___reshoot_key=X_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.5, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = 34.62 x pos [mm], reshoot average = nan x pos [m
counts [1/mm]
x pos [mm]
4.0
3.5
3.0
2.5
2.0
1.5
1.0
0.5
0.0
−400
−200
0
200
400



original_key=X_100_14___reshoot_key=X_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.2, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = 3.62 x pos [mm], reshoot average = nan x pos [mm
counts [1/mm]
x pos [mm]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
3.5
4.0
−400
−200
0
200
400



original_key=X_100_15___reshoot_key=X_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.2, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = -0.12 x pos [mm], reshoot average = nan x pos [m
counts [1/mm]
x pos [mm]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
3.5
4.0
−400
−200
0
200
400



original_key=X_100_16___reshoot_key=X_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.8, reshoot_counts = 1.0
normalization = 0.775, reshoot_counts*normalization = 0.8
original average = 23.04 x pos [mm], reshoot average = 23.25 x pos
counts [1/mm]
x pos [mm]
4 × 10^0
3.8 × 10^0
3.6 × 10^0
3.4 × 10^0
3.2 × 10^0
−400
−200
0
200
400



original_key=X_100_17___reshoot_key=X_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.5, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = -15.88 x pos [mm], reshoot average = nan x pos [r
counts [1/mm]
x pos [mm]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
3.5
4.0
−400
−200
0
200
400



original_key=X_100_18___reshoot_key=X_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = -8.50 x pos [mm], reshoot average = nan x pos [m
counts [1/mm]
x pos [mm]
0
1
2
3
4
5
6
7
8
−400
−200
0
200
400



original_key=X_100_19___reshoot_key=X_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
x pos [mm]



original_key=X_100_20___reshoot_key=X_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
x pos [mm]



original_key=X_100_21___reshoot_key=X_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
x pos [mm]



original_key=X_100_22___reshoot_key=X_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
x pos [mm]



original_key=X_100_23___reshoot_key=X_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
0.04
0.02
0.00
−0.02
−0.04
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_100_24___reshoot_key=X_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
x pos [mm]



original_key=X_100_25___reshoot_key=X_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
0.04
0.02
0.00
−0.02
−0.04
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_100_26___reshoot_key=X_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
x pos [mm]



original_key=X_100_e-___reshoot_key=X_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4926471.6, reshoot_counts = 6162240.0
normalization = 0.775, reshoot_counts*normalization = 4773956.3
original average = -0.01 x pos [mm], reshoot average = -0.13 x pos [
counts [1/mm]
10^5
10^4
10^3
10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_100_e+___reshoot_key=X_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1745.9, reshoot_counts = 2291.2
normalization = 0.775, reshoot_counts*normalization = 1775.1
original average = 0.03 x pos [mm], reshoot average = 0.04 x pos [m
2×10^2
10^2
6×10^1
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_100_gamma___reshoot_key=X_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2426309.2, reshoot_counts = 3074700.0
normalization = 0.775, reshoot_counts*normalization = 2382004.5
original average = -0.02 x pos [mm], reshoot average = -0.15 x pos [
counts [1/mm]
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_100_mu-___reshoot_key=X_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34.1, reshoot_counts = 62.0
normalization = 0.775, reshoot_counts*normalization = 48.0
original average = 2.54 x pos [mm], reshoot average = 5.32 x pos [m
counts [1/mm]
x pos [mm]
3 × 10^1
2 × 10^1
10^1
6 × 10^0
4 × 10^0
3 × 10^0
−400
−200
0
200
400



original_key=X_100_mu+___reshoot_key=X_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26.2, reshoot_counts = 48.5
normalization = 0.775, reshoot_counts*normalization = 37.6
original average = -3.71 x pos [mm], reshoot average = -3.97 x pos [
counts [1/mm]
x pos [mm]
2×10^1
10^1
6×10^0
4×10^0
3×10^0
−400
−200
0
200
400



original_key=X_100_pi-___reshoot_key=X_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 896.9, reshoot_counts = 1129.8
normalization = 0.775, reshoot_counts*normalization = 875.2
original average = -0.69 x pos [mm], reshoot average = -0.33 x pos [
10^2
6×10^1
4×10^1
3×10^1
2×10^1
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_100_pi+___reshoot_key=X_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 571.0, reshoot_counts = 725.5
normalization = 0.775, reshoot_counts*normalization = 562.1
original average = -0.51 x pos [mm], reshoot average = -0.70 x pos [
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=Y_100_0___reshoot_key=Y_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 25578433.9, reshoot_counts = 32474376.8
normalization = 0.775, reshoot_counts*normalization = 25158263.0
original average = -0.02 y pos [mm], reshoot average = -0.14 y pos [
counts [1/mm]
10^6
10^5
10^4
10^3
10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_1___reshoot_key=Y_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11101695.1, reshoot_counts = 14089273.2
normalization = 0.775, reshoot_counts*normalization = 10915117.6
original average = -0.01 y pos [mm], reshoot average = -0.14 y pos [
counts [1/mm]
y pos [mm]
10^6
10^5
10^4
10^3
10^2
−400
−200
0
200
400



original_key=Y_100_2___reshoot_key=Y_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2281011.8, reshoot_counts = 2898752.5
normalization = 0.775, reshoot_counts*normalization = 2245696.0
original average = -0.02 y pos [mm], reshoot average = -0.14 y pos [
counts [1/mm]
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_3___reshoot_key=Y_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34086.0, reshoot_counts = 43266.5
normalization = 0.775, reshoot_counts*normalization = 33519.0
original average = -0.00 y pos [mm], reshoot average = -0.12 y pos [
counts [1/mm]
y pos [mm]
2.8 × 10^3
2.6 × 10^3
2.4 × 10^3
2.2 × 10^3
2 × 10^3
1.8 × 10^3
1.6 × 10^3
1.4 × 10^3
−400
−200
0
200
400



original_key=Y_100_4___reshoot_key=Y_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1803.1, reshoot_counts = 2303.0
normalization = 0.775, reshoot_counts*normalization = 1784.2
original average = 0.17 y pos [mm], reshoot average = -0.19 y pos [m
counts [1/mm]
2×10^2
10^2
6×10^1
4×10^1
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_5___reshoot_key=Y_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 368.0, reshoot_counts = 470.2
normalization = 0.775, reshoot_counts*normalization = 364.3
original average = 0.28 y pos [mm], reshoot average = 0.17 y pos [m
counts [1/mm]
y pos [mm]
6×10^1
4×10^1
3×10^1
2×10^1
10^1
6×10^0
4×10^0
3×10^0
−400
−200
0
200
400



original_key=Y_100_6___reshoot_key=Y_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 166.0, reshoot_counts = 209.5
normalization = 0.775, reshoot_counts*normalization = 162.3
original average = -0.09 y pos [mm], reshoot average = 0.84 y pos [m
counts [1/mm]
y pos [mm]
4 × 10^1
3 × 10^1
2 × 10^1
10^1
6 × 10^0
4 × 10^0
3 × 10^0
−400
−200
0
200
400



original_key=Y_100_7___reshoot_key=Y_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 104.8, reshoot_counts = 126.5
normalization = 0.775, reshoot_counts*normalization = 98.0
original average = 1.23 y pos [mm], reshoot average = -0.03 y pos [m
counts [1/mm]
y pos [mm]
3 × 10^1
2 × 10^1
10^1
6 × 10^0
4 × 10^0
3 × 10^0
−400
−200
0
200
400



original_key=Y_100_8___reshoot_key=Y_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 20.4, reshoot_counts = 23.8
normalization = 0.775, reshoot_counts*normalization = 18.4
original average = -4.79 y pos [mm], reshoot average = -1.73 y pos [
2×10^1
10^1
6×10^0
4×10^0
3×10^0
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_9___reshoot_key=Y_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_10___reshoot_key=Y_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.2, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = -31.62 y pos [mm], reshoot average = nan y pos [r
counts [1/mm]
y pos [mm]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
3.5
4.0
−400
−200
0
200
400



original_key=Y_100_11___reshoot_key=Y_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.5, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = -24.50 y pos [mm], reshoot average = nan y pos [r
counts [1/mm]
y pos [mm]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
3.5
4.0
−400
−200
0
200
400



original_key=Y_100_12___reshoot_key=Y_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.2, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = 15.12 y pos [mm], reshoot average = nan y pos [m
counts [1/mm]
y pos [mm]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
3.5
4.0
−400
−200
0
200
400



original_key=Y_100_13___reshoot_key=Y_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.5, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = 1.12 y pos [mm], reshoot average = nan y pos [mm
counts [1/mm]
y pos [mm]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
3.5
4.0
−400
−200
0
200
400



original_key=Y_100_14___reshoot_key=Y_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.2, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = -6.12 y pos [mm], reshoot average = nan y pos [m
counts [1/mm]
y pos [mm]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
3.5
4.0
−400
−200
0
200
400



original_key=Y_100_15___reshoot_key=Y_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.2, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = 35.12 y pos [mm], reshoot average = nan y pos [m
counts [1/mm]
y pos [mm]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
3.5
4.0
−400
−200
0
200
400



original_key=Y_100_16___reshoot_key=Y_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.5, reshoot_counts = 1.0
normalization = 0.775, reshoot_counts*normalization = 0.8
original average = 2.12 y pos [mm], reshoot average = 4.88 y pos [m
counts [1/mm]
y pos [mm]
10^1
6×10^0
4×10^0
3×10^0
−400
−200
0
200
400



original_key=Y_100_17___reshoot_key=Y_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.5, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = 7.75 y pos [mm], reshoot average = nan y pos [mm
counts [1/mm]
y pos [mm]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
3.5
4.0
−400
−200
0
200
400



original_key=Y_100_18___reshoot_key=Y_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.5, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = -2.21 y pos [mm], reshoot average = nan y pos [m
counts [1/mm]
y pos [mm]
0
1
2
3
4
5
6
7
8
−400
−200
0
200
400



original_key=Y_100_19___reshoot_key=Y_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_20___reshoot_key=Y_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_21___reshoot_key=Y_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_22___reshoot_key=Y_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_23___reshoot_key=Y_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_24___reshoot_key=Y_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_25___reshoot_key=Y_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_26___reshoot_key=Y_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.775, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_e-___reshoot_key=Y_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4925732.0, reshoot_counts = 6162240.0
normalization = 0.775, reshoot_counts*normalization = 4773956.3
original average = -0.01 y pos [mm], reshoot average = -0.13 y pos [
counts [1/mm]
10^5
10^4
10^3
10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_e+___reshoot_key=Y_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1740.4, reshoot_counts = 2291.2
normalization = 0.775, reshoot_counts*normalization = 1775.1
original average = 0.27 y pos [mm], reshoot average = 0.30 y pos [m
counts [1/mm]
2×10^2
10^2
6×10^1
4×10^1
−400
−200
0
200
400
y pos [mm]


original_key=Y_100_gamma___reshoot_key=Y_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2426016.9, reshoot_counts = 3074700.0
normalization = 0.775, reshoot_counts*normalization = 2382004.5
original average = -0.01 y pos [mm], reshoot average = -0.13 y pos [
counts [1/mm]
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400
y pos [mm]


original_key=Y_100_mu-___reshoot_key=Y_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34.1, reshoot_counts = 62.0
normalization = 0.775, reshoot_counts*normalization = 48.0
original average = 0.20 y pos [mm], reshoot average = -1.93 y pos [m
counts [1/mm]
y pos [mm]
3 × 10^1
2 × 10^1
10^1
6 × 10^0
4 × 10^0
3 × 10^0
−400
−200
0
200
400


original_key=Y_100_mu+___reshoot_key=Y_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 25.8, reshoot_counts = 48.5
normalization = 0.775, reshoot_counts*normalization = 37.6
original average = 2.05 y pos [mm], reshoot average = 0.46 y pos [m
counts [1/mm]
y pos [mm]
3 × 10^1
2 × 10^1
10^1
6 × 10^0
4 × 10^0
3 × 10^0
−400
−200
0
200
400


original_key=Y_100_pi-___reshoot_key=Y_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 896.1, reshoot_counts = 1129.8
normalization = 0.775, reshoot_counts*normalization = 875.2
original average = 0.35 y pos [mm], reshoot average = -0.33 y pos [m
counts [1/mm]
y pos [mm]
10^2
6×10^1
4×10^1
3×10^1
2×10^1
−400
−200
0
200
400


original_key=Y_100_pi+___reshoot_key=Y_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 564.2, reshoot_counts = 725.5
normalization = 0.775, reshoot_counts*normalization = 562.1
original average = 0.67 y pos [mm], reshoot average = 0.09 y pos [m
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
y pos [mm]