






original_key=Theta_2000_0___reshoot_key=Theta_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2736708.4, reshoot_counts = 1290047.3
normalization = 0.034, reshoot_counts*normalization = 44148.2
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^{10}
10^{8}
10^{6}
10^{4}
10^{2}
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_1___reshoot_key=Theta_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1025848.5, reshoot_counts = 516008.2
normalization = 0.034, reshoot_counts*normalization = 17658.9
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^9
10^8
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_2___reshoot_key=Theta_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 277864.7, reshoot_counts = 133708.5
normalization = 0.034, reshoot_counts*normalization = 4575.8
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^9
10^8
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_3___reshoot_key=Theta_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4708.5, reshoot_counts = 2164.6
normalization = 0.034, reshoot_counts*normalization = 74.1
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_4___reshoot_key=Theta_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 264.1, reshoot_counts = 129.3
normalization = 0.034, reshoot_counts*normalization = 4.4
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_5___reshoot_key=Theta_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 40.2, reshoot_counts = 45.2
normalization = 0.034, reshoot_counts*normalization = 1.5
original average = 0.13 Theta [rad], reshoot average = 0.13 Theta [ra
counts [1/rad]
Theta [rad]
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_6___reshoot_key=Theta_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.6, reshoot_counts = 44.6
normalization = 0.034, reshoot_counts*normalization = 1.5
original average = 0.32 Theta [rad], reshoot average = 0.31 Theta [ra
counts [1/rad]
Theta [rad]
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_7___reshoot_key=Theta_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.0, reshoot_counts = 27.3
normalization = 0.034, reshoot_counts*normalization = 0.9
original average = 0.29 Theta [rad], reshoot average = 0.29 Theta [ra
counts [1/rad]
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_8___reshoot_key=Theta_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.4, reshoot_counts = 12.5
normalization = 0.034, reshoot_counts*normalization = 0.4
original average = 0.20 Theta [rad], reshoot average = 0.19 Theta [ra
counts [1/rad]
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_9___reshoot_key=Theta_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.1, reshoot_counts = 2.8
normalization = 0.034, reshoot_counts*normalization = 0.1
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_10___reshoot_key=Theta_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.2, reshoot_counts = 6.2
normalization = 0.034, reshoot_counts*normalization = 0.2
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_11___reshoot_key=Theta_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.2, reshoot_counts = 4.2
normalization = 0.034, reshoot_counts*normalization = 0.1
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_12___reshoot_key=Theta_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.2, reshoot_counts = 4.2
normalization = 0.034, reshoot_counts*normalization = 0.1
original average = 0.04 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_13___reshoot_key=Theta_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.2, reshoot_counts = 4.8
normalization = 0.034, reshoot_counts*normalization = 0.2
original average = 0.04 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_14___reshoot_key=Theta_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4.3, reshoot_counts = 8.8
normalization = 0.034, reshoot_counts*normalization = 0.3
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_15___reshoot_key=Theta_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.1, reshoot_counts = 3.7
normalization = 0.034, reshoot_counts*normalization = 0.1
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_16___reshoot_key=Theta_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.1, reshoot_counts = 2.8
normalization = 0.034, reshoot_counts*normalization = 0.1
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_17___reshoot_key=Theta_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.1, reshoot_counts = 3.4
normalization = 0.034, reshoot_counts*normalization = 0.1
original average = 0.24 Theta [rad], reshoot average = 0.18 Theta [ra
counts [1/rad]
Theta [rad]
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_18___reshoot_key=Theta_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.1, reshoot_counts = 3.6
normalization = 0.034, reshoot_counts*normalization = 0.1
original average = 0.08 Theta [rad], reshoot average = 0.06 Theta [ra
counts [1/rad]
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_19___reshoot_key=Theta_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.0, reshoot_counts = 167.4
normalization = 0.034, reshoot_counts*normalization = 5.7
original average = 0.02 Theta [rad], reshoot average = 0.01 Theta [ra
counts [1/rad]
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_20___reshoot_key=Theta_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.034, reshoot_counts*normalization = 0.0
original average = 0.03 Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
Theta [rad]
0
10
20
30
40
50
60
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_21___reshoot_key=Theta_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.034, reshoot_counts*normalization = 0.0
original average = 0.03 Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
Theta [rad]
0
20
40
60
80
100
120
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_22___reshoot_key=Theta_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.0, reshoot_counts = 1.3
normalization = 0.034, reshoot_counts*normalization = 0.0
original average = 0.04 Theta [rad], reshoot average = 0.03 Theta [ra
10^3
10^2
counts [1/rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_23___reshoot_key=Theta_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.0, reshoot_counts = 1.0
normalization = 0.034, reshoot_counts*normalization = 0.0
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^3
10^2
counts [1/rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_24___reshoot_key=Theta_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.0, reshoot_counts = 0.9
normalization = 0.034, reshoot_counts*normalization = 0.0
original average = 0.04 Theta [rad], reshoot average = 0.03 Theta [ra
10^3
10^2
counts [1/rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_25___reshoot_key=Theta_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.034, reshoot_counts*normalization = 0.0
original average = 0.03 Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
Theta [rad]
0
10
20
30
40
50
60
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_26___reshoot_key=Theta_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.034, reshoot_counts*normalization = 0.0
original average = 0.03 Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
Theta [rad]
0
20
40
60
80
100
120
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_e-___reshoot_key=Theta_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4819.6, reshoot_counts = 135867.9
normalization = 0.034, reshoot_counts*normalization = 4649.7
original average = 0.64 Theta [rad], reshoot average = 0.63 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_e+___reshoot_key=Theta_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 25.5, reshoot_counts = 82.9
normalization = 0.034, reshoot_counts*normalization = 2.8
original average = 0.13 Theta [rad], reshoot average = 0.13 Theta [ra
counts [1/rad]
Theta [rad]
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_gamma___reshoot_key=Theta_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 138657.6, reshoot_counts = 75405.7
normalization = 0.034, reshoot_counts*normalization = 2580.5
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^9
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_mu-___reshoot_key=Theta_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.4, reshoot_counts = 14.4
normalization = 0.034, reshoot_counts*normalization = 0.5
original average = 0.10 Theta [rad], reshoot average = 0.08 Theta [ra
counts [1/rad]
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_mu+___reshoot_key=Theta_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.2, reshoot_counts = 14.2
normalization = 0.034, reshoot_counts*normalization = 0.5
original average = 0.07 Theta [rad], reshoot average = 0.07 Theta [ra
counts [1/rad]
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_2000_pi-___reshoot_key=Theta_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 39.6, reshoot_counts = 25.5
normalization = 0.034, reshoot_counts*normalization = 0.9
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_2000_pi+___reshoot_key=Theta_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 25.3, reshoot_counts = 14.7
normalization = 0.034, reshoot_counts*normalization = 0.5
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Phi_2000_0___reshoot_key=Phi_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 114595.9, reshoot_counts = 3348203.7
normalization = 0.034, reshoot_counts*normalization = 114582.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
10^7
10^6
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_1___reshoot_key=Phi_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original_counts = 45106.1, reshoot_counts = 1316651.4
normalization = 0.034, reshoot_counts*normalization = 45058.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^7
10^6
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_2___reshoot_key=Phi_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11812.3, reshoot counts = 345131.8
normalization = 0.034, reshoot_counts*normalization = 11811.2
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
10^6
10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_3___reshoot_key=Phi_1_3
original counts = 176.3, reshoot_counts = 5509.7
normalization = 0.034, reshoot_counts*normalization = 188.6
original average = 3.16 Phi [rad], reshoot average = 3.14 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
10^4
10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_4___reshoot_key=Phi_1_4
original counts = 9.3, reshoot_counts = 333.3
normalization = 0.034, reshoot_counts*normalization = 11.4
original average = 3.19 Phi [rad], reshoot average = 3.07 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
10^4
10^3
10^2
0
1
2
3
4
5
6



original_key=Phi_2000_5___reshoot_key=Phi_1_5
original counts = 4.4, reshoot_counts = 70.9
normalization = 0.034, reshoot_counts*normalization = 2.4
original average = 2.96 Phi [rad], reshoot average = 2.87 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
10^3
10^2
0
1
2
3
4
5
6



original_key=Phi_2000_6___reshoot_key=Phi_1_6
original counts = 1.9, reshoot_counts = 126.9
normalization = 0.034, reshoot_counts*normalization = 4.3
original average = 3.48 Phi [rad], reshoot average = 3.26 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
10^3
10^2
10^1
0
1
2
3
4
5
6



original_key=Phi_2000_7___reshoot_key=Phi_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.2, reshoot_counts = 46.5
normalization = 0.034, reshoot_counts*normalization = 1.6
original average = 3.24 Phi [rad], reshoot average = 3.52 Phi [rad]
counts [1/rad]
10^3
10^2
10^1
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_8___reshoot_key=Phi_1_8
original counts = 0.4, reshoot_counts = 12.5
normalization = 0.034, reshoot_counts*normalization = 0.4
original average = 3.50 Phi [rad], reshoot average = 3.00 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
10^3
10^2
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_9___reshoot_key=Phi_1_9
original counts = 0.2, reshoot_counts = 4.7
normalization = 0.034, reshoot_counts*normalization = 0.2
original average = 3.32 Phi [rad], reshoot average = 3.03 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
10^3
10^2
0
1
2
3
4
5
6



original_key=Phi_2000_10___reshoot_key=Phi_1_10
original counts = 0.4, reshoot_counts = 10.8
normalization = 0.034, reshoot_counts*normalization = 0.4
original average = 2.70 Phi [rad], reshoot average = 2.50 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
10^3
10^2
0
1
2
3
4
5
6



original_key=Phi_2000_11___reshoot_key=Phi_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.3, reshoot_counts = 6.9
normalization = 0.034, reshoot_counts*normalization = 0.2
original average = 2.50 Phi [rad], reshoot average = 3.21 Phi [rad]
counts [1/rad]
10^3
10^2
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_12___reshoot_key=Phi_1_12
original counts = 0.3, reshoot_counts = 7.1
normalization = 0.034, reshoot_counts*normalization = 0.2
original average = 2.75 Phi [rad], reshoot average = 2.85 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
10^3
10^2
0
1
2
3
4
5
6



original_key=Phi_2000_13___reshoot_key=Phi_1_13
original counts = 0.3, reshoot_counts = 7.7
normalization = 0.034, reshoot_counts*normalization = 0.3
original average = 3.27 Phi [rad], reshoot average = 3.35 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
10^3
10^2
10^1
0
1
2
3
4
5
6



original_key=Phi_2000_14___reshoot_key=Phi_1_14
original counts = 1.4, reshoot_counts = 12.4
normalization = 0.034, reshoot_counts*normalization = 0.4
original average = 3.18 Phi [rad], reshoot average = 2.96 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
10^3
10^2
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_15___reshoot_key=Phi_1_15
original counts = 0.2, reshoot_counts = 6.3
normalization = 0.034, reshoot_counts*normalization = 0.2
original average = 2.71 Phi [rad], reshoot average = 2.95 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
10^3
10^2
0
1
2
3
4
5
6



original_key=Phi_2000_16___reshoot_key=Phi_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.2, reshoot_counts = 4.6
normalization = 0.034, reshoot_counts*normalization = 0.2
original average = 3.87 Phi [rad], reshoot average = 3.77 Phi [rad]
counts [1/rad]
10^3
10^2
10^1
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_17___reshoot_key=Phi_1_17
original counts = 0.1, reshoot_counts = 3.4
normalization = 0.034, reshoot_counts*normalization = 0.1
original average = 3.73 Phi [rad], reshoot average = 3.79 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
10^3
10^2
0
1
2
3
4
5
6



original_key=Phi_2000_18___reshoot_key=Phi_1_18
original counts = 0.2, reshoot_counts = 6.3
normalization = 0.034, reshoot_counts*normalization = 0.2
original average = 4.07 Phi [rad], reshoot average = 3.87 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
10^3
10^2
0
1
2
3
4
5
6



original_key=Phi_2000_19___reshoot_key=Phi_1_19
original counts = 0.1, reshoot_counts = 3.6
normalization = 0.034, reshoot_counts*normalization = 0.1
original average = 2.64 Phi [rad], reshoot average = 2.43 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
10^3
10^2
0
1
2
3
4
5
6



original_key=Phi_2000_20___reshoot_key=Phi_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.034, reshoot_counts*normalization = 0.0
original average = 0.41 Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
Phi [rad]
0
10
20
30
40
50
60
0
1
2
3
4
5
6



original_key=Phi_2000_21___reshoot_key=Phi_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.034, reshoot_counts*normalization = 0.0
original average = 1.00 Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
Phi [rad]
0
10
20
30
40
50
60
0
1
2
3
4
5
6



original_key=Phi_2000_22___reshoot_key=Phi_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.1, reshoot_counts = 2.4
normalization = 0.034, reshoot_counts*normalization = 0.1
original average = 3.69 Phi [rad], reshoot average = 3.67 Phi [rad]
counts [1/rad]
10^3
10^2
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_23___reshoot_key=Phi_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.1, reshoot_counts = 2.1
normalization = 0.034, reshoot_counts*normalization = 0.1
original average = 1.83 Phi [rad], reshoot average = 1.34 Phi [rad]
counts [1/rad]
10^3
10^2
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_24___reshoot_key=Phi_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.1, reshoot_counts = 1.8
normalization = 0.034, reshoot_counts*normalization = 0.1
original average = 2.17 Phi [rad], reshoot average = 2.61 Phi [rad]
10^3
10^2
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_25___reshoot_key=Phi_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.034, reshoot_counts*normalization = 0.0
original average = 1.01 Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
Phi [rad]
0
10
20
30
40
50
60
0
1
2
3
4
5
6



original_key=Phi_2000_26___reshoot_key=Phi_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.034, reshoot_counts*normalization = 0.0
original average = 2.67 Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
Phi [rad]
0
10
20
30
40
50
60
0
1
2
3
4
5
6



original_key=Phi_2000_e-___reshoot_key=Phi_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 61270, reshoot counts = 179216.2
normalization = 0.034, reshoot_counts*normalization = 6133.2
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^6
10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_e+___reshoot_key=Phi_1_e+
original counts = 4.0, reshoot_counts = 109.8
normalization = 0.034, reshoot_counts*normalization = 3.8
original average = 3.16 Phi [rad], reshoot average = 3.06 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
10^3
10^2
0
1
2
3
4
5
6



original_key=Phi_2000_gamma___reshoot_key=Phi_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6471.5, reshoot_counts = 189539.2
normalization = 0.034, reshoot_counts*normalization = 6486.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^6
10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_mu-___reshoot_key=Phi_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.5, reshoot_counts = 47.3
normalization = 0.034, reshoot_counts*normalization = 1.6
original average = 2.89 Phi [rad], reshoot average = 3.24 Phi [rad]
counts [1/rad]
10^3
10^2
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_2000_mu+___reshoot_key=Phi_1_mu+
original counts = 0.3, reshoot_counts = 14.2
normalization = 0.034, reshoot_counts*normalization = 0.5
original average = 2.82 Phi [rad], reshoot average = 3.27 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
10^3
10^2
0
1
2
3
4
5
6



original_key=Phi_2000_pi-___reshoot_key=Phi_1_pi-
original counts = 1.6, reshoot_counts = 46.9
normalization = 0.034, reshoot_counts*normalization = 1.6
original average = 3.44 Phi [rad], reshoot average = 3.38 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
10^3
10^2
10^1
0
1
2
3
4
5
6



original_key=Phi_2000_pi+___reshoot_key=Phi_1_pi+
original counts = 1.0, reshoot_counts = 39.1
normalization = 0.034, reshoot_counts*normalization = 1.3
original average = 3.64 Phi [rad], reshoot average = 4.10 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
10^3
10^2
0
1
2
3
4
5
6
Phi [rad]



original_key=Ekin_2000_0___reshoot_key=EkinU_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4988930.0, reshoot_counts = 145818321.5
normalization = 0.034, reshoot_counts*normalization = 4990219.6
original average = 244.90 Ek [MeV/u], reshoot average = 245.05 Ek [
counts [u/MeV]
Ek [MeV/u]
10^{6}
10^{5}
10^{4}
10^{3}
10^{2}
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_1___reshoot_key=EkinU_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1973681.0, reshoot_counts = 57671972.5
normalization = 0.034, reshoot_counts*normalization = 1973660.1
original average = 196.47 Ek [MeV/u], reshoot average = 196.48 Ek [
counts [u/MeV]
Ek [MeV/u]
10^{5}
10^{4}
10^{3}
10^{2}
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_2___reshoot_key=EkinU_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 514629.0, reshoot_counts = 15037939.0
normalization = 0.034, reshoot_counts*normalization = 514630.9
original average = 143.68 Ek [MeV/u], reshoot average = 143.68 Ek [
counts [u/MeV]
Ek [MeV/u]
10^5
10^4
10^3
10^2
10^1
10^0
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_3___reshoot_key=EkinU_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8320.5, reshoot_counts = 243755.5
normalization = 0.034, reshoot_counts*normalization = 8341.8
original average = 108.30 Ek [MeV/u], reshoot average = 108.14 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_4___reshoot_key=EkinU_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 477.5, reshoot_counts = 13958.0
normalization = 0.034, reshoot_counts*normalization = 477.7
original average = 89.31 Ek [MeV/u], reshoot average = 88.97 Ek [Me
counts [u/MeV]
Ek [MeV/u]
10^{2}
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_5___reshoot_key=EkinU_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 135.5, reshoot_counts = 3980.5
normalization = 0.034, reshoot_counts*normalization = 136.2
original average = 114.79 Ek [MeV/u], reshoot average = 114.30 Ek [
counts [u/MeV]
Ek [MeV/u]
10^2
10^1
10^0
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_6___reshoot_key=EkinU_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 103.0, reshoot_counts = 2992.5
normalization = 0.034, reshoot_counts*normalization = 102.4
original average = 204.05 Ek [MeV/u], reshoot average = 215.36 Ek [
counts [u/MeV]
Ek [MeV/u]
10^{2}
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_7___reshoot_key=EkinU_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 71.5, reshoot_counts = 2003.0
normalization = 0.034, reshoot_counts*normalization = 68.5
original average = 234.41 Ek [MeV/u], reshoot average = 248.31 Ek [
counts [u/MeV]
Ek [MeV/u]
10^{2}
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_8___reshoot_key=EkinU_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24.0, reshoot_counts = 703.5
normalization = 0.034, reshoot_counts*normalization = 24.1
original average = 252.01 Ek [MeV/u], reshoot average = 259.94 Ek [
counts [u/MeV]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_9___reshoot_key=EkinU_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9.0, reshoot_counts = 268.0
normalization = 0.034, reshoot_counts*normalization = 9.2
original average = 244.83 Ek [MeV/u], reshoot average = 248.71 Ek [
10^1
10^0
counts [u/MeV]
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_10___reshoot_key=EkinU_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 21.0, reshoot_counts = 627.0
normalization = 0.034, reshoot_counts*normalization = 21.5
original average = 269.55 Ek [MeV/u], reshoot average = 273.09 Ek [
10^1
10^0
counts [u/MeV]
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_11___reshoot_key=EkinU_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 15.0, reshoot_counts = 393.0
normalization = 0.034, reshoot_counts*normalization = 13.4
original average = 278.43 Ek [MeV/u], reshoot average = 278.00 Ek [
counts [u/MeV]
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_12___reshoot_key=EkinU_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 15.0, reshoot_counts = 404.0
normalization = 0.034, reshoot_counts*normalization = 13.8
original average = 254.77 Ek [MeV/u], reshoot average = 263.71 Ek [
counts [u/MeV]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_13___reshoot_key=EkinU_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 15.0, reshoot_counts = 439.0
normalization = 0.034, reshoot_counts*normalization = 15.0
original average = 263.57 Ek [MeV/u], reshoot average = 267.01 Ek [
10^1
10^0
counts [u/MeV]
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_14___reshoot_key=EkinU_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 24.0, reshoot_counts = 711.0
normalization = 0.034, reshoot_counts*normalization = 24.3
original average = 266.42 Ek [MeV/u], reshoot average = 268.93 Ek [
counts [u/MeV]
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_15___reshoot_key=EkinU_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13.0, reshoot_counts = 361.0
normalization = 0.034, reshoot_counts*normalization = 12.4
original average = 285.81 Ek [MeV/u], reshoot average = 285.49 Ek [
counts [u/MeV]
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_16___reshoot_key=EkinU_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9.0, reshoot_counts = 263.0
normalization = 0.034, reshoot_counts*normalization = 9.0
original average = 246.72 Ek [MeV/u], reshoot average = 255.54 Ek [
10^1
10^0
counts [u/MeV]
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_17___reshoot_key=EkinU_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6.0, reshoot_counts = 187.5
normalization = 0.034, reshoot_counts*normalization = 6.4
original average = 261.95 Ek [MeV/u], reshoot average = 270.17 Ek [
counts [u/MeV]
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_18___reshoot_key=EkinU_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12.0, reshoot_counts = 353.5
normalization = 0.034, reshoot_counts*normalization = 12.1
original average = 256.07 Ek [MeV/u], reshoot average = 256.35 Ek [
counts [u/MeV]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_19___reshoot_key=EkinU_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6.0, reshoot_counts = 208.0
normalization = 0.034, reshoot_counts*normalization = 7.1
original average = 222.33 Ek [MeV/u], reshoot average = 238.70 Ek [
counts [u/MeV]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_20___reshoot_key=EkinU_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.0, reshoot_counts = 0.0
normalization = 0.034, reshoot_counts*normalization = 0.0
original average = 287.50 Ek [MeV/u], reshoot average = nan Ek [MeV
counts [u/MeV]
Ek [MeV/u]
0.0
0.2
0.4
0.6
0.8
1.0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_21___reshoot_key=EkinU_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.0, reshoot_counts = 0.0
normalization = 0.034, reshoot_counts*normalization = 0.0
original average = 298.00 Ek [MeV/u], reshoot average = nan Ek [MeV
counts [u/MeV]
Ek [MeV/u]
0.0
0.2
0.4
0.6
0.8
1.0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_22___reshoot_key=EkinU_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5.0, reshoot_counts = 137.0
normalization = 0.034, reshoot_counts*normalization = 4.7
original average = 238.90 Ek [MeV/u], reshoot average = 269.56 Ek [
counts [u/MeV]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_23___reshoot_key=EkinU_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4.0, reshoot_counts = 119.0
normalization = 0.034, reshoot_counts*normalization = 4.1
original average = 278.75 Ek [MeV/u], reshoot average = 289.10 Ek [
10^1
10^0
counts [u/MeV]
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_24___reshoot_key=EkinU_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.0, reshoot_counts = 101.0
normalization = 0.034, reshoot_counts*normalization = 3.5
original average = 298.17 Ek [MeV/u], reshoot average = 298.02 Ek [
10^1
10^0
counts [u/MeV]
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_25___reshoot_key=EkinU_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.0, reshoot_counts = 0.0
normalization = 0.034, reshoot_counts*normalization = 0.0
original average = 302.00 Ek [MeV/u], reshoot average = nan Ek [MeV
counts [u/MeV]
Ek [MeV/u]
0.0
0.2
0.4
0.6
0.8
1.0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_26___reshoot_key=EkinU_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.0, reshoot_counts = 0.0
normalization = 0.034, reshoot_counts*normalization = 0.0
original average = 299.50 Ek [MeV/u], reshoot average = nan Ek [MeV
counts [u/MeV]
Ek [MeV/u]
0.0
0.2
0.4
0.6
0.8
1.0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_e-___reshoot_key=EkinU_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 21235.1, reshoot_counts = 7793585.5
normalization = 0.034, reshoot_counts*normalization = 266713.4
original average = 0.32 Ek [MeV/u], reshoot average = 0.59 Ek [MeV/u
counts [u/MeV]
Ek [MeV/u]
10^{7}
10^{6}
10^{5}
10^{4}
10^{3}
10^{2}
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_e+___reshoot_key=EkinU_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16.2, reshoot_counts = 5194.5
normalization = 0.034, reshoot_counts*normalization = 177.8
original average = 17.98 Ek [MeV/u], reshoot average = 18.52 Ek [Me
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_gamma___reshoot_key=EkinU_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 27254.1, reshoot_counts = 7500400.0
normalization = 0.034, reshoot_counts*normalization = 256680.0
original average = 2.73 Ek [MeV/u], reshoot average = 3.34 Ek [MeV/u
counts [u/MeV]
Ek [MeV/u]
10^{6}
10^{5}
10^{4}
10^{3}
10^{2}
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_mu-___reshoot_key=EkinU_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.7, reshoot_counts = 985.0
normalization = 0.034, reshoot_counts*normalization = 33.7
original average = 54.04 Ek [MeV/u], reshoot average = 54.90 Ek [Me
counts [u/MeV]
Ek [MeV/u]
10^{2}
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_2000_mu+___reshoot_key=EkinU_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.5, reshoot_counts = 814.0
normalization = 0.034, reshoot_counts*normalization = 27.9
original average = 63.35 Ek [MeV/u], reshoot average = 64.62 Ek [Me
10^2
10^1
counts [u/MeV]
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_pi-___reshoot_key=EkinU_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 181.6, reshoot_counts = 2690.0
normalization = 0.034, reshoot_counts*normalization = 92.1
original average = 123.62 Ek [MeV/u], reshoot average = 121.07 Ek [
counts [u/MeV]
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_2000_pi+___reshoot_key=EkinU_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 115.2, reshoot_counts = 1686.0
normalization = 0.034, reshoot_counts*normalization = 57.7
original average = 185.20 Ek [MeV/u], reshoot average = 187.40 Ek [
counts [u/MeV]
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=X_2000_0___reshoot_key=X_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1268839.1, reshoot_counts = 36462714.0
normalization = 0.034, reshoot_counts*normalization = 1247833.3
original average = -0.01 x pos [mm], reshoot average = -0.13 x pos [
counts [1/mm]
x pos [mm]
10^6
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400



original_key=X_2000_1___reshoot_key=X_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 501861.6, reshoot_counts = 14418540.0
normalization = 0.034, reshoot_counts*normalization = 493433.8
original average = -0.00 x pos [mm], reshoot average = -0.13 x pos [
counts [1/mm]
x pos [mm]
10^6
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400



original_key=X_2000_2___reshoot_key=X_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 130857.4, reshoot_counts = 3760097.2
normalization = 0.034, reshoot_counts*normalization = 128678.7
original average = 0.03 x pos [mm], reshoot average = -0.09 x pos [m
counts [1/mm]
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_3___reshoot_key=X_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2122.5, reshoot_counts = 60951.5
normalization = 0.034, reshoot_counts*normalization = 2085.9
original average = -0.48 x pos [mm], reshoot average = -0.53 x pos [
10^3
10^2
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_4___reshoot_key=X_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 120.9, reshoot_counts = 3499.0
normalization = 0.034, reshoot_counts*normalization = 119.7
original average = -0.09 x pos [mm], reshoot average = -0.48 x pos [
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_5___reshoot_key=X_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 35.5, reshoot_counts = 1017.5
normalization = 0.034, reshoot_counts*normalization = 34.8
original average = -2.62 x pos [mm], reshoot average = -3.00 x pos [
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_6___reshoot_key=X_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 27.1, reshoot_counts = 793.5
normalization = 0.034, reshoot_counts*normalization = 27.2
original average = -2.47 x pos [mm], reshoot average = -2.71 x pos [
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_7___reshoot_key=X_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 17.8, reshoot_counts = 516.0
normalization = 0.034, reshoot_counts*normalization = 17.7
original average = -2.05 x pos [mm], reshoot average = -2.05 x pos [
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_8___reshoot_key=X_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6.0, reshoot_counts = 178.5
normalization = 0.034, reshoot_counts*normalization = 6.1
original average = 2.43 x pos [mm], reshoot average = 3.74 x pos [m
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_9___reshoot_key=X_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.2, reshoot_counts = 67.0
normalization = 0.034, reshoot_counts*normalization = 2.3
original average = 5.68 x pos [mm], reshoot average = 6.32 x pos [m
counts [1/mm]
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_10___reshoot_key=X_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5.1, reshoot_counts = 156.8
normalization = 0.034, reshoot_counts*normalization = 5.4
original average = 7.58 x pos [mm], reshoot average = 8.42 x pos [m
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_11___reshoot_key=X_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.8, reshoot_counts = 98.2
normalization = 0.034, reshoot_counts*normalization = 3.4
original average = -10.36 x pos [mm], reshoot average = -9.85 x pos
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_12___reshoot_key=X_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.8, reshoot_counts = 101.0
normalization = 0.034, reshoot_counts*normalization = 3.5
original average = -5.31 x pos [mm], reshoot average = -5.95 x pos [
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_13___reshoot_key=X_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.8, reshoot_counts = 109.8
normalization = 0.034, reshoot_counts*normalization = 3.8
original average = -8.26 x pos [mm], reshoot average = -7.56 x pos [
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_14___reshoot_key=X_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6.0, reshoot_counts = 177.8
normalization = 0.034, reshoot_counts*normalization = 6.1
original average = 4.03 x pos [mm], reshoot average = 3.67 x pos [m
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_15___reshoot_key=X_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.2, reshoot_counts = 90.2
normalization = 0.034, reshoot_counts*normalization = 3.1
original average = 5.01 x pos [mm], reshoot average = 3.66 x pos [m
counts [1/mm]
x pos [mm]
10^2
10^1
10^0
−400
−200
0
200
400



original_key=X_2000_16___reshoot_key=X_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.2, reshoot_counts = 65.8
normalization = 0.034, reshoot_counts*normalization = 2.3
original average = -0.99 x pos [mm], reshoot average = 0.22 x pos [m
counts [1/mm]
x pos [mm]
10^2
10^1
10^0
−400
−200
0
200
400



original_key=X_2000_17___reshoot_key=X_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.5, reshoot_counts = 48.2
normalization = 0.034, reshoot_counts*normalization = 1.7
original average = -2.92 x pos [mm], reshoot average = -2.31 x pos [
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_18___reshoot_key=X_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.0, reshoot_counts = 90.2
normalization = 0.034, reshoot_counts*normalization = 3.1
original average = 1.52 x pos [mm], reshoot average = 0.36 x pos [m
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_19___reshoot_key=X_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.5, reshoot_counts = 52.0
normalization = 0.034, reshoot_counts*normalization = 1.8
original average = 14.08 x pos [mm], reshoot average = 14.12 x pos
counts [1/mm]
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_20___reshoot_key=X_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.5, reshoot_counts = 0.0
normalization = 0.034, reshoot_counts*normalization = 0.0
original average = -28.12 x pos [mm], reshoot average = nan x pos [r
counts [1/mm]
x pos [mm]
4.0
3.5
3.0
2.5
2.0
1.5
1.0
0.5
0.0
−400
−200
0
200
400



original_key=X_2000_21___reshoot_key=X_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.5, reshoot_counts = 0.0
normalization = 0.034, reshoot_counts*normalization = 0.0
original average = -6.50 x pos [mm], reshoot average = nan x pos [m
counts [1/mm]
x pos [mm]
4.0
3.5
3.0
2.5
2.0
1.5
1.0
0.5
0.0
−400
−200
0
200
400



original_key=X_2000_22___reshoot_key=X_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.2, reshoot_counts = 34.2
normalization = 0.034, reshoot_counts*normalization = 1.2
original average = -1.18 x pos [mm], reshoot average = -0.83 x pos [
counts [1/mm]
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_23___reshoot_key=X_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.0, reshoot_counts = 29.8
normalization = 0.034, reshoot_counts*normalization = 1.0
original average = 6.19 x pos [mm], reshoot average = 10.09 x pos [r
counts [1/mm]
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_24___reshoot_key=X_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.8, reshoot_counts = 25.2
normalization = 0.034, reshoot_counts*normalization = 0.9
original average = -2.12 x pos [mm], reshoot average = -1.77 x pos [
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_25___reshoot_key=X_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.5, reshoot_counts = 0.0
normalization = 0.034, reshoot_counts*normalization = 0.0
original average = -3.00 x pos [mm], reshoot average = nan x pos [m
counts [1/mm]
x pos [mm]
4.0
3.5
3.0
2.5
2.0
1.5
1.0
0.5
0.0
−400
−200
0
200
400



original_key=X_2000_26___reshoot_key=X_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.5, reshoot_counts = 0.0
normalization = 0.034, reshoot_counts*normalization = 0.0
original average = -30.38 x pos [mm], reshoot average = nan x pos [r
counts [1/mm]
x pos [mm]
4.0
3.5
3.0
2.5
2.0
1.5
1.0
0.5
0.0
−400
−200
0
200
400



original_key=X_2000_e-___reshoot_key=X_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 69280.6, reshoot_counts = 1949985.5
normalization = 0.034, reshoot_counts*normalization = 66732.7
original average = -0.00 x pos [mm], reshoot average = -0.13 x pos [
counts [1/mm]
x pos [mm]
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400



original_key=X_2000_e+___reshoot_key=X_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 44.5, reshoot_counts = 1370.2
normalization = 0.034, reshoot_counts*normalization = 46.9
original average = -0.84 x pos [mm], reshoot average = -0.94 x pos [
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_gamma___reshoot_key=X_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 72665.4, reshoot_counts = 2087647.0
normalization = 0.034, reshoot_counts*normalization = 71443.8
original average = -0.02 x pos [mm], reshoot average = -0.14 x pos [
counts [1/mm]
x pos [mm]
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400



original_key=X_2000_mu-___reshoot_key=X_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6.5, reshoot_counts = 246.2
normalization = 0.034, reshoot_counts*normalization = 8.4
original average = 0.47 x pos [mm], reshoot average = -0.88 x pos [m
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_mu+___reshoot_key=X_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4.2, reshoot_counts = 203.5
normalization = 0.034, reshoot_counts*normalization = 7.0
original average = -5.80 x pos [mm], reshoot average = -5.46 x pos [
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_pi-___reshoot_key=X_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 23.2, reshoot_counts = 672.5
normalization = 0.034, reshoot_counts*normalization = 23.0
original average = -0.34 x pos [mm], reshoot average = -0.32 x pos [
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_2000_pi+___reshoot_key=X_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 14.8, reshoot_counts = 421.5
normalization = 0.034, reshoot_counts*normalization = 14.4
original average = -7.21 x pos [mm], reshoot average = -7.70 x pos [
counts [1/mm]
10^2
10^1
10^0
10^{-1}
−400
−200
0
200
400
x pos [mm]



original_key=Y_2000_0___reshoot_key=Y_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1268763.2, reshoot_counts = 36462714.0
normalization = 0.034, reshoot_counts*normalization = 1247833.3
original average = -0.00 y pos [mm], reshoot average = -0.13 y pos [
counts [1/mm]
y pos [mm]
10^6
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400



original_key=Y_2000_1___reshoot_key=Y_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 501860.1, reshoot_counts = 14418540.0
normalization = 0.034, reshoot_counts*normalization = 493433.8
original average = 0.01 y pos [mm], reshoot average = -0.11 y pos [m
counts [1/mm]
y pos [mm]
10^6
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400



original_key=Y_2000_2___reshoot_key=Y_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 130829.9, reshoot_counts = 3760097.2
normalization = 0.034, reshoot_counts*normalization = 128678.7
original average = 0.05 y pos [mm], reshoot average = -0.07 y pos [m
counts [1/mm]
y pos [mm]
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400



original_key=Y_2000_3___reshoot_key=Y_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2120.1, reshoot_counts = 60951.5
normalization = 0.034, reshoot_counts*normalization = 2085.9
original average = -0.23 y pos [mm], reshoot average = -0.39 y pos [
10^3
10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_4___reshoot_key=Y_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 122.2, reshoot_counts = 3499.0
normalization = 0.034, reshoot_counts*normalization = 119.7
original average = 0.28 y pos [mm], reshoot average = -0.04 y pos [m
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_5___reshoot_key=Y_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 34.6, reshoot_counts = 1017.5
normalization = 0.034, reshoot_counts*normalization = 34.8
original average = 1.04 y pos [mm], reshoot average = 0.72 y pos [m
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_6___reshoot_key=Y_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26.8, reshoot_counts = 793.5
normalization = 0.034, reshoot_counts*normalization = 27.2
original average = -3.27 y pos [mm], reshoot average = -2.84 y pos [
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_7___reshoot_key=Y_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 17.9, reshoot_counts = 516.0
normalization = 0.034, reshoot_counts*normalization = 17.7
original average = -0.93 y pos [mm], reshoot average = -0.83 y pos [
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_8___reshoot_key=Y_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6.0, reshoot_counts = 178.5
normalization = 0.034, reshoot_counts*normalization = 6.1
original average = -7.04 y pos [mm], reshoot average = -7.26 y pos [
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_9___reshoot_key=Y_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.2, reshoot_counts = 67.0
normalization = 0.034, reshoot_counts*normalization = 2.3
original average = 2.96 y pos [mm], reshoot average = 4.83 y pos [m
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_10___reshoot_key=Y_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5.2, reshoot_counts = 156.8
normalization = 0.034, reshoot_counts*normalization = 5.4
original average = -3.82 y pos [mm], reshoot average = -3.40 y pos [
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_11___reshoot_key=Y_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.8, reshoot_counts = 98.2
normalization = 0.034, reshoot_counts*normalization = 3.4
original average = -5.12 y pos [mm], reshoot average = -5.44 y pos [
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_12___reshoot_key=Y_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.8, reshoot_counts = 101.0
normalization = 0.034, reshoot_counts*normalization = 3.5
original average = -1.09 y pos [mm], reshoot average = -0.60 y pos [
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_13___reshoot_key=Y_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.8, reshoot_counts = 109.8
normalization = 0.034, reshoot_counts*normalization = 3.8
original average = -5.81 y pos [mm], reshoot average = -6.46 y pos [
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_14___reshoot_key=Y_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6.8, reshoot_counts = 177.8
normalization = 0.034, reshoot_counts*normalization = 6.1
original average = 0.75 y pos [mm], reshoot average = -0.33 y pos [m
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_15___reshoot_key=Y_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4.0, reshoot_counts = 90.2
normalization = 0.034, reshoot_counts*normalization = 3.1
original average = -10.70 y pos [mm], reshoot average = -12.78 y pos
counts [1/mm]
y pos [mm]
10^2
10^1
10^0
−400
−200
0
200
400



original_key=Y_2000_16___reshoot_key=Y_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.2, reshoot_counts = 65.8
normalization = 0.034, reshoot_counts*normalization = 2.3
original average = -5.79 y pos [mm], reshoot average = -5.79 y pos [
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_17___reshoot_key=Y_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.5, reshoot_counts = 48.2
normalization = 0.034, reshoot_counts*normalization = 1.7
original average = -4.08 y pos [mm], reshoot average = -4.89 y pos [
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_18___reshoot_key=Y_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.0, reshoot_counts = 90.2
normalization = 0.034, reshoot_counts*normalization = 3.1
original average = 1.50 y pos [mm], reshoot average = 1.33 y pos [m
counts [1/mm]
10^2
10^1
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_19___reshoot_key=Y_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.5, reshoot_counts = 52.0
normalization = 0.034, reshoot_counts*normalization = 1.8
original average = -16.62 y pos [mm], reshoot average = -16.46 y pos
counts [1/mm]
10^2
10^1
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_20___reshoot_key=Y_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.5, reshoot_counts = 0.0
normalization = 0.034, reshoot_counts*normalization = 0.0
original average = 22.88 y pos [mm], reshoot average = nan y pos [m
counts [1/mm]
y pos [mm]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
3.5
4.0
−400
−200
0
200
400



original_key=Y_2000_21___reshoot_key=Y_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.5, reshoot_counts = 0.0
normalization = 0.034, reshoot_counts*normalization = 0.0
original average = -18.62 y pos [mm], reshoot average = nan y pos [r
counts [1/mm]
y pos [mm]
4.0
3.5
3.0
2.5
2.0
1.5
1.0
0.5
0.0
−400
−200
0
200
400



original_key=Y_2000_22___reshoot_key=Y_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.2, reshoot_counts = 34.2
normalization = 0.034, reshoot_counts*normalization = 1.2
original average = 7.12 y pos [mm], reshoot average = 5.55 y pos [m
counts [1/mm]
10^2
10^1
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_23___reshoot_key=Y_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.0, reshoot_counts = 29.8
normalization = 0.034, reshoot_counts*normalization = 1.0
original average = -19.19 y pos [mm], reshoot average = -18.51 y pos
counts [1/mm]
10^2
10^1
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_24___reshoot_key=Y_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.8, reshoot_counts = 25.2
normalization = 0.034, reshoot_counts*normalization = 0.9
original average = -4.54 y pos [mm], reshoot average = -3.08 y pos [
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_2000_25___reshoot_key=Y_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.5, reshoot_counts = 0.0
normalization = 0.034, reshoot_counts*normalization = 0.0
original average = -0.62 y pos [mm], reshoot average = nan y pos [m
counts [1/mm]
y pos [mm]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
3.5
4.0
−400
−200
0
200
400



original_key=Y_2000_26___reshoot_key=Y_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.5, reshoot_counts = 0.0
normalization = 0.034, reshoot_counts*normalization = 0.0
original average = 9.00 y pos [mm], reshoot average = nan y pos [mm
counts [1/mm]
y pos [mm]
4.0
3.5
3.0
2.5
2.0
1.5
1.0
0.5
0.0
−400
−200
0
200
400



original_key=Y_2000_e-___reshoot_key=Y_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 69306.1, reshoot_counts = 1949985.5
normalization = 0.034, reshoot_counts*normalization = 66732.7
original average = -0.01 y pos [mm], reshoot average = -0.14 y pos [
counts [1/mm]
y pos [mm]
10^5
10^4
10^3
10^2
10^1
10^0
−400
−200
0
200
400



original_key=Y_2000_e+___reshoot_key=Y_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 44.0, reshoot_counts = 1370.2
normalization = 0.034, reshoot_counts*normalization = 46.9
original average = -1.56 y pos [mm], reshoot average = -1.65 y pos [
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_2000_gamma___reshoot_key=Y_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 72649.8, reshoot_counts = 2087647.0
normalization = 0.034, reshoot_counts*normalization = 71443.8
original average = 0.02 y pos [mm], reshoot average = -0.11 y pos [m
10^5
10^4
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_2000_mu-___reshoot_key=Y_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6.5, reshoot_counts = 246.2
normalization = 0.034, reshoot_counts*normalization = 8.4
original average = 2.32 y pos [mm], reshoot average = 1.15 y pos [m
counts [1/mm]
10^2
10^1
−400
−200
0
200
400
y pos [mm]


original_key=Y_2000_mu+___reshoot_key=Y_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4.2, reshoot_counts = 203.5
normalization = 0.034, reshoot_counts*normalization = 7.0
original average = 2.17 y pos [mm], reshoot average = 1.97 y pos [m
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_2000_pi-___reshoot_key=Y_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 23.2, reshoot_counts = 672.5
normalization = 0.034, reshoot_counts*normalization = 23.0
original average = -2.90 y pos [mm], reshoot average = -2.67 y pos [
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_2000_pi+___reshoot_key=Y_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 14.8, reshoot_counts = 421.5
normalization = 0.034, reshoot_counts*normalization = 14.4
original average = -3.28 y pos [mm], reshoot average = -2.95 y pos [
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]