






original_key=Theta_wide_1500_0___reshoot_key=Theta_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4336914.5, reshoot_counts = 1427945.6
normalization = 0.097, reshoot_counts*normalization = 137820.4
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^{10}
10^{9}
10^{8}
10^{7}
10^{6}
10^{5}
10^{4}
10^{3}
10^{2}
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_1___reshoot_key=Theta_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1642462.3, reshoot_counts = 579457.9
normalization = 0.097, reshoot_counts*normalization = 55927.3
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^9
10^8
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_2___reshoot_key=Theta_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 446731.1, reshoot_counts = 146618.4
normalization = 0.097, reshoot_counts*normalization = 14151.1
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^9
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_3___reshoot_key=Theta_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7641.0, reshoot_counts = 2328.7
normalization = 0.097, reshoot_counts*normalization = 224.8
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_4___reshoot_key=Theta_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 438.6, reshoot_counts = 132.9
normalization = 0.097, reshoot_counts*normalization = 12.8
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_5___reshoot_key=Theta_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 76.4, reshoot_counts = 42.0
normalization = 0.097, reshoot_counts*normalization = 4.1
original average = 0.14 Theta [rad], reshoot average = 0.14 Theta [ra
counts [1/rad]
Theta [rad]
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_6___reshoot_key=Theta_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12.2, reshoot_counts = 33.5
normalization = 0.097, reshoot_counts*normalization = 3.2
original average = 0.39 Theta [rad], reshoot average = 0.37 Theta [ra
counts [1/rad]
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_7___reshoot_key=Theta_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4.9, reshoot_counts = 19.4
normalization = 0.097, reshoot_counts*normalization = 1.9
original average = 0.40 Theta [rad], reshoot average = 0.37 Theta [ra
counts [1/rad]
Theta [rad]
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_8___reshoot_key=Theta_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.8, reshoot_counts = 7.5
normalization = 0.097, reshoot_counts*normalization = 0.7
original average = 0.38 Theta [rad], reshoot average = 0.30 Theta [ra
counts [1/rad]
Theta [rad]
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_9___reshoot_key=Theta_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.1, reshoot_counts = 1.3
normalization = 0.097, reshoot_counts*normalization = 0.1
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^3
10^2
counts [1/rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_10___reshoot_key=Theta_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4.5, reshoot_counts = 4.7
normalization = 0.097, reshoot_counts*normalization = 0.4
original average = 0.04 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_11___reshoot_key=Theta_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4.4, reshoot_counts = 3.9
normalization = 0.097, reshoot_counts*normalization = 0.4
original average = 0.04 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_12___reshoot_key=Theta_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.4, reshoot_counts = 3.6
normalization = 0.097, reshoot_counts*normalization = 0.3
original average = 0.04 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_13___reshoot_key=Theta_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7.3, reshoot_counts = 3.9
normalization = 0.097, reshoot_counts*normalization = 0.4
original average = 0.05 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_14___reshoot_key=Theta_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7.6, reshoot_counts = 5.7
normalization = 0.097, reshoot_counts*normalization = 0.6
original average = 0.04 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_15___reshoot_key=Theta_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.3, reshoot_counts = 2.9
normalization = 0.097, reshoot_counts*normalization = 0.3
original average = 0.04 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_16___reshoot_key=Theta_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10.1, reshoot_counts = 1.9
normalization = 0.097, reshoot_counts*normalization = 0.2
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_17___reshoot_key=Theta_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.2, reshoot_counts = 1.5
normalization = 0.097, reshoot_counts*normalization = 0.1
original average = 0.14 Theta [rad], reshoot average = 0.07 Theta [ra
10^3
10^2
counts [1/rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_18___reshoot_key=Theta_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4.2, reshoot_counts = 2.2
normalization = 0.097, reshoot_counts*normalization = 0.2
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_19___reshoot_key=Theta_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7.1, reshoot_counts = 1.3
normalization = 0.097, reshoot_counts*normalization = 0.1
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_20___reshoot_key=Theta_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.0, reshoot_counts = 0.6
normalization = 0.097, reshoot_counts*normalization = 0.1
original average = 0.02 Theta [rad], reshoot average = 0.03 Theta [ra
10^3
10^2
counts [1/rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_21___reshoot_key=Theta_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.0, reshoot_counts = 0.4
normalization = 0.097, reshoot_counts*normalization = 0.0
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^3
10^2
counts [1/rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_22___reshoot_key=Theta_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.1, reshoot_counts = 1.0
normalization = 0.097, reshoot_counts*normalization = 0.1
original average = 0.04 Theta [rad], reshoot average = 0.03 Theta [ra
10^3
10^2
counts [1/rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_23___reshoot_key=Theta_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5.1, reshoot_counts = 1.0
normalization = 0.097, reshoot_counts*normalization = 0.1
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
counts [1/rad]
Theta [rad]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_24___reshoot_key=Theta_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.0, reshoot_counts = 0.5
normalization = 0.097, reshoot_counts*normalization = 0.0
original average = 0.03 Theta [rad], reshoot average = 0.03 Theta [ra
10^3
10^2
counts [1/rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_25___reshoot_key=Theta_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.1, reshoot_counts = 0.7
normalization = 0.097, reshoot_counts*normalization = 0.1
original average = 0.04 Theta [rad], reshoot average = 0.03 Theta [ra
10^3
10^2
counts [1/rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_26___reshoot_key=Theta_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.097, reshoot_counts*normalization = 0.0
original average = 0.03 Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
Theta [rad]
0
20
40
60
80
100
120
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_e-___reshoot_key=Theta_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 17466.7, reshoot_counts = 174468.8
normalization = 0.097, reshoot_counts*normalization = 16839.1
original average = 0.70 Theta [rad], reshoot average = 0.69 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_e+___reshoot_key=Theta_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 50.9, reshoot_counts = 87.8
normalization = 0.097, reshoot_counts*normalization = 8.5
original average = 0.15 Theta [rad], reshoot average = 0.14 Theta [ra
counts [1/rad]
Theta [rad]
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_gamma___reshoot_key=Theta_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 220776.7, reshoot_counts = 89198.8
normalization = 0.097, reshoot_counts*normalization = 8609.2
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_mu-___reshoot_key=Theta_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.7, reshoot_counts = 9.2
normalization = 0.097, reshoot_counts*normalization = 0.9
original average = 0.09 Theta [rad], reshoot average = 0.08 Theta [ra
counts [1/rad]
Theta [rad]
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_mu+___reshoot_key=Theta_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.5, reshoot_counts = 7.5
normalization = 0.097, reshoot_counts*normalization = 0.7
original average = 0.09 Theta [rad], reshoot average = 0.08 Theta [ra
10^4
10^3
10^2
counts [1/rad]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_wide_1500_pi-___reshoot_key=Theta_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 67.5, reshoot_counts = 30.6
normalization = 0.097, reshoot_counts*normalization = 3.0
original average = 0.06 Theta [rad], reshoot average = 0.07 Theta [ra
counts [1/rad]
Theta [rad]
10^5
10^4
10^3
10^2
10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_wide_1500_pi+___reshoot_key=Theta_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 41.8, reshoot_counts = 20.2
normalization = 0.097, reshoot_counts*normalization = 2.0
original average = 0.07 Theta [rad], reshoot average = 0.05 Theta [ra
counts [1/rad]
Theta [rad]
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Phi_wide_1500_0___reshoot_key=Phi_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 314506.8, reshoot_counts = 3261189.7
normalization = 0.097, reshoot_counts*normalization = 314758.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
4 × 10^7
3 × 10^7
2 × 10^7
10^7
6 × 10^6
4 × 10^6
3 × 10^6
2 × 10^6
0
1
2
3
4
5
6



original_key=Phi_wide_1500_1___reshoot_key=Phi_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 126008.7, reshoot_counts = 1304946.9
normalization = 0.097, reshoot_counts*normalization = 125949.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^7
10^6
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_2___reshoot_key=Phi_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 32504.5, reshoot_counts = 334263.5
normalization = 0.097, reshoot_counts*normalization = 32262.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
4 × 10^6
3 × 10^6
2 × 10^6
10^6
6 × 10^5
4 × 10^5
3 × 10^5
2 × 10^5
0
1
2
3
4
5
6



original_key=Phi_wide_1500_3___reshoot_key=Phi_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 513.5, reshoot_counts = 5488.6
normalization = 0.097, reshoot_counts*normalization = 529.7
original average = 3.14 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
Phi [rad]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
0
1
2
3
4
5
6



original_key=Phi_wide_1500_4___reshoot_key=Phi_1_4
original counts = 26.3, reshoot_counts = 319.2
normalization = 0.097, reshoot_counts*normalization = 30.8
original average = 3.16 Phi [rad], reshoot average = 3.07 Phi [rad]
counts [1/rad]
10^3
10^2
0
1
2
3
4
5
6
Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average



original_key=Phi_wide_1500_5___reshoot_key=Phi_1_5
original counts = 7.9, reshoot_counts = 82.5
normalization = 0.097, reshoot_counts*normalization = 8.0
original average = 3.04 Phi [rad], reshoot average = 3.05 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
10^3
10^2
10^1
0
1
2
3
4
5
6



original_key=Phi_wide_1500_6___reshoot_key=Phi_1_6
original counts = 3.8, reshoot_counts = 65.8
normalization = 0.097, reshoot_counts*normalization = 6.3
original average = 3.46 Phi [rad], reshoot average = 3.37 Phi [rad]
counts [1/rad]
Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average



original_key=Phi_wide_1500_7___reshoot_key=Phi_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.2, reshoot_counts = 58.5
normalization = 0.097, reshoot_counts*normalization = 5.6
original average = 3.41 Phi [rad], reshoot average = 3.38 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_wide_1500_8___reshoot_key=Phi_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.9, reshoot_counts = 17.6
normalization = 0.097, reshoot_counts*normalization = 1.7
original average = 3.03 Phi [rad], reshoot average = 3.05 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_wide_1500_9___reshoot_key=Phi_1_9
original counts = 0.2, reshoot_counts = 2.0
normalization = 0.097, reshoot_counts*normalization = 0.2
original average = 2.87 Phi [rad], reshoot average = 3.35 Phi [rad]
counts [1/rad]
10^2
10^1
0
1
2
3
4
5
6
Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average



original_key=Phi_wide_1500_10___reshoot_key=Phi_1_10
original counts = 0.7, reshoot_counts = 12.9
normalization = 0.097, reshoot_counts*normalization = 1.2
original average = 2.78 Phi [rad], reshoot average = 2.71 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
10^3
10^2
10^1
0
1
2
3
4
5
6



original_key=Phi_wide_1500_11___reshoot_key=Phi_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.6, reshoot_counts = 5.9
normalization = 0.097, reshoot_counts*normalization = 0.6
original average = 2.83 Phi [rad], reshoot average = 3.04 Phi [rad]
counts [1/rad]
Phi [rad]
10^3
10^2
10^1
0
1
2
3
4
5
6



original_key=Phi_wide_1500_12___reshoot_key=Phi_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.6, reshoot_counts = 5.5
normalization = 0.097, reshoot_counts*normalization = 0.5
original average = 2.62 Phi [rad], reshoot average = 3.12 Phi [rad]
counts [1/rad]
Phi [rad]
10^3
10^2
10^1
0
1
2
3
4
5
6



original_key=Phi_wide_1500_13___reshoot_key=Phi_1_13
original counts = 0.5, reshoot_counts = 5.4
normalization = 0.097, reshoot_counts*normalization = 0.5
original average = 3.58 Phi [rad], reshoot average = 2.94 Phi [rad]
counts [1/rad]
10^2
10^1
Phi [rad]
0
1
2
3
4
5
6
output PS * normalization
output PS
input PS
original average
reshoot average



original_key=Phi_wide_1500_14___reshoot_key=Phi_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.8, reshoot_counts = 8.5
normalization = 0.097, reshoot_counts*normalization = 0.8
original average = 3.09 Phi [rad], reshoot average = 2.94 Phi [rad]
counts [1/rad]
Phi [rad]
10^3
10^2
10^1
0
1
2
3
4
5
6



original_key=Phi_wide_1500_15___reshoot_key=Phi_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.5, reshoot_counts = 4.6
normalization = 0.097, reshoot_counts*normalization = 0.4
original average = 3.30 Phi [rad], reshoot average = 3.07 Phi [rad]
counts [1/rad]
Phi [rad]
10^3
10^2
10^1
0
1
2
3
4
5
6



original_key=Phi_wide_1500_16___reshoot_key=Phi_1_16
original counts = 0.3, reshoot_counts = 3.8
normalization = 0.097, reshoot_counts*normalization = 0.4
original average = 3.18 Phi [rad], reshoot average = 3.22 Phi [rad]
counts [1/rad]
10^2
10^1
output PS * normalization
output PS
input PS
original average
reshoot average
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_17___reshoot_key=Phi_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.2, reshoot_counts = 2.1
normalization = 0.097, reshoot_counts*normalization = 0.2
original average = 2.59 Phi [rad], reshoot average = 2.51 Phi [rad]
counts [1/rad]
10^2
10^1
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_18___reshoot_key=Phi_1_18
original counts = 0.3, reshoot_counts = 3.8
normalization = 0.097, reshoot_counts*normalization = 0.4
original average = 3.62 Phi [rad], reshoot average = 3.79 Phi [rad]
counts [1/rad]
10^2
10^1
output PS * normalization
output PS
input PS
original average
reshoot average
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_19___reshoot_key=Phi_1_19
original counts = 0.2, reshoot_counts = 2.5
normalization = 0.097, reshoot_counts*normalization = 0.2
original average = 3.10 Phi [rad], reshoot average = 3.42 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
6×10^2
4×10^2
3×10^2
2×10^2
10^2
6×10^1
4×10^1
3×10^1
2×10^1
0
1
2
3
4
5
6



original_key=Phi_wide_1500_20___reshoot_key=Phi_1_20
original counts = 1.1, reshoot_counts = 1.3
normalization = 0.097, reshoot_counts*normalization = 0.1
original average = 3.05 Phi [rad], reshoot average = 3.85 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
6×10^2
4×10^2
3×10^2
2×10^2
10^2
6×10^1
4×10^1
3×10^1
2×10^1
0
1
2
3
4
5
6



original_key=Phi_wide_1500_21___reshoot_key=Phi_1_21
original counts = 0.1, reshoot_counts = 0.8
normalization = 0.097, reshoot_counts*normalization = 0.1
original average = 2.08 Phi [rad], reshoot average = 3.29 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
6×10^2
4×10^2
3×10^2
2×10^2
10^2
6×10^1
4×10^1
3×10^1
2×10^1
0
1
2
3
4
5
6



original_key=Phi_wide_1500_22___reshoot_key=Phi_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.2, reshoot_counts = 1.7
normalization = 0.097, reshoot_counts*normalization = 0.2
original average = 3.46 Phi [rad], reshoot average = 3.19 Phi [rad]
counts [1/rad]
Phi [rad]
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
10^2
6 × 10^1
4 × 10^1
3 × 10^1
2 × 10^1
0
1
2
3
4
5
6



original_key=Phi_wide_1500_23___reshoot_key=Phi_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.2, reshoot_counts = 2.1
normalization = 0.097, reshoot_counts*normalization = 0.2
original average = 2.94 Phi [rad], reshoot average = 2.00 Phi [rad]
counts [1/rad]
10^2
10^1
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_24___reshoot_key=Phi_1_24
original counts = 0.1, reshoot_counts = 1.0
normalization = 0.097, reshoot_counts*normalization = 0.1
original average = 1.56 Phi [rad], reshoot average = 2.31 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
6×10^2
4×10^2
3×10^2
2×10^2
10^2
6×10^1
4×10^1
3×10^1
2×10^1
0
1
2
3
4
5
6



original_key=Phi_wide_1500_25___reshoot_key=Phi_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.1, reshoot_counts = 1.0
normalization = 0.097, reshoot_counts*normalization = 0.1
original average = 2.70 Phi [rad], reshoot average = 2.83 Phi [rad]
counts [1/rad]
10^2
10^1
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_wide_1500_26___reshoot_key=Phi_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 0.097, reshoot_counts*normalization = 0.0
original average = 2.67 Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
Phi [rad]
0
10
20
30
40
50
60
0
1
2
3
4
5
6



original_key=Phi_wide_1500_e-___reshoot_key=Phi_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 22100.7, reshoot_counts = 228704.9
normalization = 0.097, reshoot_counts*normalization = 22073.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
3 × 10^6
2 × 10^6
10^6
6 × 10^5
4 × 10^5
3 × 10^5
2 × 10^5
0
1
2
3
4
5
6



original_key=Phi_wide_1500_e+___reshoot_key=Phi_1_e+
original counts = 11.2, reshoot_counts = 114.7
normalization = 0.097, reshoot_counts*normalization = 11.1
original average = 3.20 Phi [rad], reshoot average = 3.05 Phi [rad]
counts [1/rad]
Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average



original_key=Phi_wide_1500_gamma___reshoot_key=Phi_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 18944.9, reshoot_counts = 195752.4
normalization = 0.097, reshoot_counts*normalization = 18893.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]



original_key=Phi_wide_1500_mu-___reshoot_key=Phi_1_mu-
original counts = 0.8, reshoot_counts = 10.7
normalization = 0.097, reshoot_counts*normalization = 1.0
original average = 3.06 Phi [rad], reshoot average = 3.34 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
10^3
10^2
10^1
0
1
2
3
4
5
6



original_key=Phi_wide_1500_mu+___reshoot_key=Phi_1_mu+
original counts = 0.5, reshoot_counts = 8.9
normalization = 0.097, reshoot_counts*normalization = 0.9
original average = 3.30 Phi [rad], reshoot average = 3.08 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
10^3
10^2
0
1
2
3
4
5
6



original_key=Phi_wide_1500_pi-___reshoot_key=Phi_1_pi-
original counts = 5.6, reshoot_counts = 75.6
normalization = 0.097, reshoot_counts*normalization = 7.3
original average = 3.24 Phi [rad], reshoot average = 3.19 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]



original_key=Phi_wide_1500_pi+___reshoot_key=Phi_1_pi+
original counts = 3.2, reshoot counts = 47.7
normalization = 0.097, reshoot_counts*normalization = 4.6
original average = 3.11 Phi [rad], reshoot average = 3.30 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
10^3
10^2
10^1
0
1
2
3
4
5
6



original_key=Ekin_wide_1500_0___reshoot_key=EkinU_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13875327.0, reshoot_counts = 143739408.0
normalization = 0.097, reshoot_counts*normalization = 13873233.9
original average = 242.87 Ek [MeV/u], reshoot average = 243.05 Ek [
counts [u/MeV]
Ek [MeV/u]
10^{6}
10^{5}
10^{4}
10^{3}
10^{2}
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_1500_1___reshoot_key=EkinU_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5554229.5, reshoot_counts = 57546110.5
normalization = 0.097, reshoot_counts*normalization = 5554152.9
original average = 194.97 Ek [MeV/u], reshoot average = 194.97 Ek [
counts [u/MeV]
Ek [MeV/u]
10^{5}
10^{4}
10^{3}
10^{2}
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_1500_2___reshoot_key=EkinU_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1427434.0, reshoot_counts = 14783653.0
normalization = 0.097, reshoot_counts*normalization = 1426867.4
original average = 142.62 Ek [MeV/u], reshoot average = 142.69 Ek [
counts [u/MeV]
Ek [MeV/u]
10^5
10^4
10^3
10^2
10^1
10^0
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_1500_3___reshoot_key=EkinU_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 22941.0, reshoot_counts = 237756.5
normalization = 0.097, reshoot_counts*normalization = 22947.4
original average = 107.72 Ek [MeV/u], reshoot average = 107.70 Ek [
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_1500_4___reshoot_key=EkinU_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1283.0, reshoot_counts = 13351.5
normalization = 0.097, reshoot_counts*normalization = 1288.6
original average = 89.28 Ek [MeV/u], reshoot average = 90.02 Ek [Me
counts [u/MeV]
Ek [MeV/u]
10^{2}
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_1500_5___reshoot_key=EkinU_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 337.0, reshoot_counts = 3596.5
normalization = 0.097, reshoot_counts*normalization = 347.1
original average = 99.14 Ek [MeV/u], reshoot average = 102.35 Ek [M
counts [u/MeV]
Ek [MeV/u]
10^2
10^1
10^0
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_1500_6___reshoot_key=EkinU_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 212.0, reshoot_counts = 2174.5
normalization = 0.097, reshoot_counts*normalization = 209.9
original average = 190.88 Ek [MeV/u], reshoot average = 206.91 Ek [
counts [u/MeV]
Ek [MeV/u]
10^{2}
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_1500_7___reshoot_key=EkinU_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 128.0, reshoot_counts = 1304.5
normalization = 0.097, reshoot_counts*normalization = 125.9
original average = 212.98 Ek [MeV/u], reshoot average = 228.23 Ek [
counts [u/MeV]
Ek [MeV/u]
10^{2}
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_1500_8___reshoot_key=EkinU_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 51.0, reshoot_counts = 482.5
normalization = 0.097, reshoot_counts*normalization = 46.6
original average = 214.13 Ek [MeV/u], reshoot average = 233.22 Ek [
counts [u/MeV]
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_9___reshoot_key=EkinU_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13.0, reshoot_counts = 116.0
normalization = 0.097, reshoot_counts*normalization = 11.2
original average = 240.35 Ek [MeV/u], reshoot average = 241.57 Ek [
counts [u/MeV]
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_10___reshoot_key=EkinU_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 41.0, reshoot_counts = 407.0
normalization = 0.097, reshoot_counts*normalization = 39.3
original average = 267.30 Ek [MeV/u], reshoot average = 270.77 Ek [
counts [u/MeV]
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_11___reshoot_key=EkinU_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 32.0, reshoot_counts = 336.0
normalization = 0.097, reshoot_counts*normalization = 32.4
original average = 274.28 Ek [MeV/u], reshoot average = 274.32 Ek [
counts [u/MeV]
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_12___reshoot_key=EkinU_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 32.0, reshoot_counts = 317.0
normalization = 0.097, reshoot_counts*normalization = 30.6
original average = 271.31 Ek [MeV/u], reshoot average = 280.11 Ek [
counts [u/MeV]
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_13___reshoot_key=EkinU_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 30.0, reshoot_counts = 311.0
normalization = 0.097, reshoot_counts*normalization = 30.0
original average = 268.33 Ek [MeV/u], reshoot average = 269.05 Ek [
counts [u/MeV]
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_14___reshoot_key=EkinU_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 48.0, reshoot_counts = 486.0
normalization = 0.097, reshoot_counts*normalization = 46.9
original average = 276.02 Ek [MeV/u], reshoot average = 278.89 Ek [
counts [u/MeV]
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_15___reshoot_key=EkinU_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26.0, reshoot_counts = 262.0
normalization = 0.097, reshoot_counts*normalization = 25.3
original average = 285.19 Ek [MeV/u], reshoot average = 288.85 Ek [
counts [u/MeV]
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_16___reshoot_key=EkinU_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 20.0, reshoot_counts = 215.0
normalization = 0.097, reshoot_counts*normalization = 20.8
original average = 287.05 Ek [MeV/u], reshoot average = 290.06 Ek [
counts [u/MeV]
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_17___reshoot_key=EkinU_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13.0, reshoot_counts = 120.5
normalization = 0.097, reshoot_counts*normalization = 11.6
original average = 268.26 Ek [MeV/u], reshoot average = 277.24 Ek [
counts [u/MeV]
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_18___reshoot_key=EkinU_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 20.0, reshoot_counts = 218.0
normalization = 0.097, reshoot_counts*normalization = 21.0
original average = 266.50 Ek [MeV/u], reshoot average = 275.67 Ek [
counts [u/MeV]
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_19___reshoot_key=EkinU_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13.0, reshoot_counts = 145.0
normalization = 0.097, reshoot_counts*normalization = 14.0
original average = 262.65 Ek [MeV/u], reshoot average = 272.77 Ek [
counts [u/MeV]
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_20___reshoot_key=EkinU_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7.0, reshoot_counts = 72.0
normalization = 0.097, reshoot_counts*normalization = 6.9
original average = 268.93 Ek [MeV/u], reshoot average = 275.61 Ek [
counts [u/MeV]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_21___reshoot_key=EkinU_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5.0, reshoot_counts = 45.0
normalization = 0.097, reshoot_counts*normalization = 4.3
original average = 299.30 Ek [MeV/u], reshoot average = 298.86 Ek [
counts [u/MeV]
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_22___reshoot_key=EkinU_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9.0, reshoot_counts = 97.0
normalization = 0.097, reshoot_counts*normalization = 9.4
original average = 268.83 Ek [MeV/u], reshoot average = 288.57 Ek [
counts [u/MeV]
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_23___reshoot_key=EkinU_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 14.0, reshoot_counts = 119.0
normalization = 0.097, reshoot_counts*normalization = 11.5
original average = 265.14 Ek [MeV/u], reshoot average = 270.90 Ek [
counts [u/MeV]
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_24___reshoot_key=EkinU_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6.0, reshoot_counts = 58.0
normalization = 0.097, reshoot_counts*normalization = 5.6
original average = 290.33 Ek [MeV/u], reshoot average = 291.26 Ek [
counts [u/MeV]
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_25___reshoot_key=EkinU_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5.0, reshoot_counts = 60.0
normalization = 0.097, reshoot_counts*normalization = 5.8
original average = 259.70 Ek [MeV/u], reshoot average = 292.53 Ek [
counts [u/MeV]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_26___reshoot_key=EkinU_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.0, reshoot_counts = 0.0
normalization = 0.097, reshoot_counts*normalization = 0.0
original average = 302.00 Ek [MeV/u], reshoot average = nan Ek [MeV
counts [u/MeV]
Ek [MeV/u]
0.0
0.2
0.4
0.6
0.8
1.0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_1500_e-___reshoot_key=EkinU_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 76411.6, reshoot_counts = 10006286.0
normalization = 0.097, reshoot_counts*normalization = 965772.3
original average = 0.32 Ek [MeV/u], reshoot average = 0.57 Ek [MeV/u
counts [u/MeV]
Ek [MeV/u]
10^{7}
10^{6}
10^{5}
10^{4}
10^{3}
10^{2}
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_1500_e+___reshoot_key=EkinU_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 49.1, reshoot_counts = 5421.5
normalization = 0.097, reshoot_counts*normalization = 523.3
original average = 14.14 Ek [MeV/u], reshoot average = 14.14 Ek [Me
counts [u/MeV]
10^3
10^2
10^1
10^0
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_gamma___reshoot_key=EkinU_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 79166.7, reshoot_counts = 7729156.0
normalization = 0.097, reshoot_counts*normalization = 745991.6
original average = 2.72 Ek [MeV/u], reshoot average = 3.34 Ek [MeV/u
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_wide_1500_mu-___reshoot_key=EkinU_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.2, reshoot_counts = 615.0
normalization = 0.097, reshoot_counts*normalization = 59.4
original average = 54.51 Ek [MeV/u], reshoot average = 56.13 Ek [Me
10^1
10^0
counts [u/MeV]
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_mu+___reshoot_key=EkinU_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.5, reshoot_counts = 509.0
normalization = 0.097, reshoot_counts*normalization = 49.1
original average = 53.15 Ek [MeV/u], reshoot average = 51.02 Ek [Me
counts [u/MeV]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_pi-___reshoot_key=EkinU_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 521.5, reshoot_counts = 2820.0
normalization = 0.097, reshoot_counts*normalization = 272.2
original average = 129.85 Ek [MeV/u], reshoot average = 129.24 Ek [
counts [u/MeV]
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_wide_1500_pi+___reshoot_key=EkinU_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 365.2, reshoot_counts = 1956.0
normalization = 0.097, reshoot_counts*normalization = 188.8
original average = 174.18 Ek [MeV/u], reshoot average = 174.23 Ek [
counts [u/MeV]
10^{1}
10^{0}
10^{-1}
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=X_wide_1500_0___reshoot_key=X_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3514381.9, reshoot_counts = 35942828.2
normalization = 0.097, reshoot_counts*normalization = 3469078.3
original average = -0.00 x pos [mm], reshoot average = -0.13 x pos [
counts [1/mm]
x pos [mm]
3 × 10^6
2 × 10^6
10^6
6 × 10^5
4 × 10^5
3 × 10^5
2 × 10^5
−400
−200
0
200
400



original_key=X_wide_1500_1___reshoot_key=X_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1406617.5, reshoot_counts = 14387083.5
normalization = 0.097, reshoot_counts*normalization = 1388591.9
original average = -0.01 x pos [mm], reshoot average = -0.13 x pos [
10^6
10^5
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_2___reshoot_key=X_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 361496.6, reshoot_counts = 3696604.8
normalization = 0.097, reshoot_counts*normalization = 356783.6
original average = 0.03 x pos [mm], reshoot average = -0.10 x pos [m
counts [1/mm]
x pos [mm]
3 × 10^5
2 × 10^5
10^5
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
−400
−200
0
200
400



original_key=X_wide_1500_3___reshoot_key=X_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5802.0, reshoot_counts = 59460.5
normalization = 0.097, reshoot_counts*normalization = 5738.9
original average = -0.18 x pos [mm], reshoot average = -0.21 x pos [
counts [1/mm]
x pos [mm]
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
−400
−200
0
200
400



original_key=X_wide_1500_4___reshoot_key=X_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 325.6, reshoot_counts = 3343.0
normalization = 0.097, reshoot_counts*normalization = 322.7
original average = -0.07 x pos [mm], reshoot average = -0.20 x pos [
counts [1/mm]
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_5___reshoot_key=X_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 86.2, reshoot_counts = 915.5
normalization = 0.097, reshoot_counts*normalization = 88.4
original average = -1.15 x pos [mm], reshoot average = -0.98 x pos [
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_6___reshoot_key=X_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 57.1, reshoot_counts = 580.2
normalization = 0.097, reshoot_counts*normalization = 56.0
original average = -2.53 x pos [mm], reshoot average = -2.02 x pos [
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_7___reshoot_key=X_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 32.9, reshoot_counts = 346.2
normalization = 0.097, reshoot_counts*normalization = 33.4
original average = 3.22 x pos [mm], reshoot average = 4.62 x pos [m
10^1
10^0
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_8___reshoot_key=X_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12.8, reshoot_counts = 127.0
normalization = 0.097, reshoot_counts*normalization = 12.3
original average = 1.47 x pos [mm], reshoot average = 0.88 x pos [m
10^1
10^0
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_9___reshoot_key=X_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.2, reshoot_counts = 29.0
normalization = 0.097, reshoot_counts*normalization = 2.8
original average = -3.20 x pos [mm], reshoot average = -2.32 x pos [
counts [1/mm]
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_10___reshoot_key=X_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10.2, reshoot_counts = 101.8
normalization = 0.097, reshoot_counts*normalization = 9.8
original average = -0.56 x pos [mm], reshoot average = -2.54 x pos [
counts [1/mm]
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_11___reshoot_key=X_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8.0, reshoot_counts = 84.0
normalization = 0.097, reshoot_counts*normalization = 8.1
original average = -3.23 x pos [mm], reshoot average = -2.88 x pos [
counts [1/mm]
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_12___reshoot_key=X_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8.0, reshoot_counts = 79.2
normalization = 0.097, reshoot_counts*normalization = 7.6
original average = -4.93 x pos [mm], reshoot average = -6.18 x pos [
counts [1/mm]
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_13___reshoot_key=X_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7.4, reshoot_counts = 77.8
normalization = 0.097, reshoot_counts*normalization = 7.5
original average = 1.18 x pos [mm], reshoot average = 0.32 x pos [m
counts [1/mm]
x pos [mm]
10^2
10^1
10^0
−400
−200
0
200
400



original_key=X_wide_1500_14___reshoot_key=X_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11.9, reshoot_counts = 121.5
normalization = 0.097, reshoot_counts*normalization = 11.7
original average = 4.58 x pos [mm], reshoot average = 5.32 x pos [m
10^1
10^0
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_15___reshoot_key=X_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6.5, reshoot_counts = 65.5
normalization = 0.097, reshoot_counts*normalization = 6.3
original average = 10.67 x pos [mm], reshoot average = 13.56 x pos
counts [1/mm]
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_16___reshoot_key=X_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5.6, reshoot_counts = 53.8
normalization = 0.097, reshoot_counts*normalization = 5.2
original average = 7.31 x pos [mm], reshoot average = 9.87 x pos [m
counts [1/mm]
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_17___reshoot_key=X_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.2, reshoot_counts = 30.2
normalization = 0.097, reshoot_counts*normalization = 2.9
original average = 8.59 x pos [mm], reshoot average = 13.11 x pos [r
counts [1/mm]
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_18___reshoot_key=X_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6.5, reshoot_counts = 54.5
normalization = 0.097, reshoot_counts*normalization = 5.3
original average = 14.65 x pos [mm], reshoot average = 14.81 x pos
10^1
10^0
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_19___reshoot_key=X_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4.0, reshoot_counts = 36.2
normalization = 0.097, reshoot_counts*normalization = 3.5
original average = 3.92 x pos [mm], reshoot average = 5.68 x pos [m
10^1
10^0
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_20___reshoot_key=X_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.8, reshoot_counts = 18.0
normalization = 0.097, reshoot_counts*normalization = 1.7
original average = 5.91 x pos [mm], reshoot average = 2.74 x pos [m
counts [1/mm]
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_21___reshoot_key=X_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.2, reshoot_counts = 11.2
normalization = 0.097, reshoot_counts*normalization = 1.1
original average = -7.92 x pos [mm], reshoot average = -5.83 x pos [
counts [1/mm]
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_22___reshoot_key=X_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.2, reshoot_counts = 24.2
normalization = 0.097, reshoot_counts*normalization = 2.3
original average = -7.90 x pos [mm], reshoot average = -4.54 x pos [
counts [1/mm]
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_23___reshoot_key=X_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4.2, reshoot_counts = 29.8
normalization = 0.097, reshoot_counts*normalization = 2.9
original average = 5.48 x pos [mm], reshoot average = 5.81 x pos [m
10^1
10^0
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_24___reshoot_key=X_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.5, reshoot_counts = 14.5
normalization = 0.097, reshoot_counts*normalization = 1.4
original average = -27.79 x pos [mm], reshoot average = -27.02 x pos
10^1
10^0
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_25___reshoot_key=X_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.2, reshoot_counts = 15.0
normalization = 0.097, reshoot_counts*normalization = 1.4
original average = -29.12 x pos [mm], reshoot average = -37.46 x pos
counts [1/mm]
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_26___reshoot_key=X_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.5, reshoot_counts = 0.0
normalization = 0.097, reshoot_counts*normalization = 0.0
original average = -23.00 x pos [mm], reshoot average = nan x pos [r
counts [1/mm]
x pos [mm]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
3.5
4.0
−400
−200
0
200
400



original_key=X_wide_1500_e-___reshoot_key=X_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 181472.2, reshoot_counts = 2503814.0
normalization = 0.097, reshoot_counts*normalization = 241659.5
original average = -0.01 x pos [mm], reshoot average = -0.12 x pos [
10^5
10^4
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_e+___reshoot_key=X_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 102.0, reshoot_counts = 1435.8
normalization = 0.097, reshoot_counts*normalization = 138.6
original average = -0.45 x pos [mm], reshoot average = -0.62 x pos [
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_gamma___reshoot_key=X_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 157946.0, reshoot_counts = 2151140.0
normalization = 0.097, reshoot_counts*normalization = 207620.6
original average = 0.01 x pos [mm], reshoot average = -0.12 x pos [m
10^5
10^4
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_mu-___reshoot_key=X_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9.2, reshoot_counts = 153.8
normalization = 0.097, reshoot_counts*normalization = 14.8
original average = 1.65 x pos [mm], reshoot average = 0.58 x pos [m
counts [1/mm]
10^2
10^1
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_mu+___reshoot_key=X_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6.0, reshoot_counts = 127.2
normalization = 0.097, reshoot_counts*normalization = 12.3
original average = -2.61 x pos [mm], reshoot average = -2.66 x pos [
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_pi-___reshoot_key=X_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 50.4, reshoot_counts = 705.0
normalization = 0.097, reshoot_counts*normalization = 68.0
original average = 0.98 x pos [mm], reshoot average = 1.20 x pos [m
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=X_wide_1500_pi+___reshoot_key=X_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 35.2, reshoot_counts = 489.0
normalization = 0.097, reshoot_counts*normalization = 47.2
original average = -4.46 x pos [mm], reshoot average = -4.81 x pos [
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
x pos [mm]



original_key=Y_wide_1500_0___reshoot_key=Y_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3514504.5, reshoot_counts = 35942828.2
normalization = 0.097, reshoot_counts*normalization = 3469078.3
original average = -0.00 y pos [mm], reshoot average = -0.13 y pos [
counts [1/mm]
y pos [mm]
3 × 10^6
2 × 10^6
10^6
6 × 10^5
4 × 10^5
3 × 10^5
2 × 10^5
−400
−200
0
200
400



original_key=Y_wide_1500_1___reshoot_key=Y_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1406667.6, reshoot_counts = 14387083.5
normalization = 0.097, reshoot_counts*normalization = 1388591.9
original average = 0.01 y pos [mm], reshoot average = -0.11 y pos [m
10^6
10^5
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_2___reshoot_key=Y_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 361393.4, reshoot_counts = 3696604.8
normalization = 0.097, reshoot_counts*normalization = 356783.6
original average = 0.01 y pos [mm], reshoot average = -0.11 y pos [m
counts [1/mm]
y pos [mm]
3 × 10^5
2 × 10^5
10^5
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
−400
−200
0
200
400



original_key=Y_wide_1500_3___reshoot_key=Y_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5803.4, reshoot_counts = 59460.5
normalization = 0.097, reshoot_counts*normalization = 5738.9
original average = 0.06 y pos [mm], reshoot average = -0.14 y pos [m
counts [1/mm]
y pos [mm]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
−400
−200
0
200
400



original_key=Y_wide_1500_4___reshoot_key=Y_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 322.5, reshoot_counts = 3343.0
normalization = 0.097, reshoot_counts*normalization = 322.7
original average = 0.30 y pos [mm], reshoot average = 0.14 y pos [m
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_5___reshoot_key=Y_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 89.0, reshoot_counts = 915.5
normalization = 0.097, reshoot_counts*normalization = 88.4
original average = -0.41 y pos [mm], reshoot average = 0.24 y pos [m
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_6___reshoot_key=Y_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 56.4, reshoot_counts = 580.2
normalization = 0.097, reshoot_counts*normalization = 56.0
original average = -1.95 y pos [mm], reshoot average = -1.71 y pos [
10^2
10^1
10^0
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_7___reshoot_key=Y_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 33.0, reshoot_counts = 346.2
normalization = 0.097, reshoot_counts*normalization = 33.4
original average = 6.00 y pos [mm], reshoot average = 4.77 y pos [m
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_8___reshoot_key=Y_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12.8, reshoot_counts = 127.0
normalization = 0.097, reshoot_counts*normalization = 12.3
original average = -0.94 y pos [mm], reshoot average = -1.50 y pos [
10^1
10^0
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_9___reshoot_key=Y_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.2, reshoot_counts = 29.0
normalization = 0.097, reshoot_counts*normalization = 2.8
original average = 7.24 y pos [mm], reshoot average = 11.55 y pos [r
10^1
10^0
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_10___reshoot_key=Y_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10.2, reshoot_counts = 101.8
normalization = 0.097, reshoot_counts*normalization = 9.8
original average = 0.44 y pos [mm], reshoot average = 1.33 y pos [m
counts [1/mm]
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_11___reshoot_key=Y_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8.0, reshoot_counts = 84.0
normalization = 0.097, reshoot_counts*normalization = 8.1
original average = -2.65 y pos [mm], reshoot average = 0.24 y pos [m
counts [1/mm]
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_12___reshoot_key=Y_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9.5, reshoot_counts = 79.2
normalization = 0.097, reshoot_counts*normalization = 7.6
original average = -5.52 y pos [mm], reshoot average = -4.11 y pos [
10^1
10^0
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_13___reshoot_key=Y_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7.4, reshoot_counts = 77.8
normalization = 0.097, reshoot_counts*normalization = 7.5
original average = 4.37 y pos [mm], reshoot average = 5.13 y pos [m
10^1
10^0
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_14___reshoot_key=Y_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 12.8, reshoot_counts = 121.5
normalization = 0.097, reshoot_counts*normalization = 11.7
original average = -1.21 y pos [mm], reshoot average = -2.81 y pos [
counts [1/mm]
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_15___reshoot_key=Y_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6.4, reshoot_counts = 65.5
normalization = 0.097, reshoot_counts*normalization = 6.3
original average = -6.35 y pos [mm], reshoot average = -8.12 y pos [
10^1
10^0
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_16___reshoot_key=Y_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5.0, reshoot_counts = 53.8
normalization = 0.097, reshoot_counts*normalization = 5.2
original average = 5.46 y pos [mm], reshoot average = 9.54 y pos [m
10^1
10^0
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_17___reshoot_key=Y_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4.0, reshoot_counts = 30.2
normalization = 0.097, reshoot_counts*normalization = 2.9
original average = 0.59 y pos [mm], reshoot average = 0.44 y pos [m
counts [1/mm]
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_18___reshoot_key=Y_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4.9, reshoot_counts = 54.5
normalization = 0.097, reshoot_counts*normalization = 5.3
original average = 6.14 y pos [mm], reshoot average = 3.73 y pos [m
counts [1/mm]
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_19___reshoot_key=Y_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.2, reshoot_counts = 36.2
normalization = 0.097, reshoot_counts*normalization = 3.5
original average = 4.93 y pos [mm], reshoot average = 7.81 y pos [m
counts [1/mm]
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_20___reshoot_key=Y_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.8, reshoot_counts = 18.0
normalization = 0.097, reshoot_counts*normalization = 1.7
original average = -12.91 y pos [mm], reshoot average = -13.25 y pos
counts [1/mm]
y pos [mm]
4×10^1
3×10^1
2×10^1
10^1
6×10^0
4×10^0
3×10^0
2×10^0
−400
−200
0
200
400



original_key=Y_wide_1500_21___reshoot_key=Y_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.2, reshoot_counts = 11.2
normalization = 0.097, reshoot_counts*normalization = 1.1
original average = 13.28 y pos [mm], reshoot average = 16.77 y pos
10^1
10^0
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_22___reshoot_key=Y_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2.1, reshoot_counts = 24.2
normalization = 0.097, reshoot_counts*normalization = 2.3
original average = -6.10 y pos [mm], reshoot average = -8.29 y pos [
counts [1/mm]
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_23___reshoot_key=Y_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3.5, reshoot_counts = 29.8
normalization = 0.097, reshoot_counts*normalization = 2.9
original average = -20.43 y pos [mm], reshoot average = -25.86 y pos
counts [1/mm]
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_24___reshoot_key=Y_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.5, reshoot_counts = 14.5
normalization = 0.097, reshoot_counts*normalization = 1.4
original average = -12.71 y pos [mm], reshoot average = -12.70 y pos
10^1
10^0
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_25___reshoot_key=Y_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.2, reshoot_counts = 15.0
normalization = 0.097, reshoot_counts*normalization = 1.4
original average = -3.42 y pos [mm], reshoot average = -10.04 y pos
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_26___reshoot_key=Y_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.5, reshoot_counts = 0.0
normalization = 0.097, reshoot_counts*normalization = 0.0
original average = 7.38 y pos [mm], reshoot average = nan y pos [mm
counts [1/mm]
y pos [mm]
0.0
0.5
1.0
1.5
2.0
2.5
3.0
3.5
4.0
−400
−200
0
200
400



original_key=Y_wide_1500_e-___reshoot_key=Y_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 249040.5, reshoot_counts = 2503814.0
normalization = 0.097, reshoot_counts*normalization = 241659.5
original average = -0.10 y pos [mm], reshoot average = -0.23 y pos [
10^5
10^4
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_wide_1500_e+___reshoot_key=Y_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 133.6, reshoot_counts = 1435.8
normalization = 0.097, reshoot_counts*normalization = 138.6
original average = 0.28 y pos [mm], reshoot average = 0.31 y pos [m
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_1500_gamma___reshoot_key=Y_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 210088.8, reshoot_counts = 2151140.0
normalization = 0.097, reshoot_counts*normalization = 207620.6
original average = -0.03 y pos [mm], reshoot average = -0.15 y pos [
10^5
10^4
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_1500_mu-___reshoot_key=Y_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 11.8, reshoot_counts = 153.8
normalization = 0.097, reshoot_counts*normalization = 14.8
original average = 6.72 y pos [mm], reshoot average = 8.81 y pos [m
counts [1/mm]
y pos [mm]
10^2
10^1
10^0
−400
−200
0
200
400


original_key=Y_wide_1500_mu+___reshoot_key=Y_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7.5, reshoot_counts = 127.2
normalization = 0.097, reshoot_counts*normalization = 12.3
original average = -9.78 y pos [mm], reshoot average = -6.07 y pos [
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_1500_pi-___reshoot_key=Y_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 67.1, reshoot_counts = 705.0
normalization = 0.097, reshoot_counts*normalization = 68.0
original average = -0.82 y pos [mm], reshoot average = -1.18 y pos [
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]


original_key=Y_wide_1500_pi+___reshoot_key=Y_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 47.2, reshoot_counts = 489.0
normalization = 0.097, reshoot_counts*normalization = 47.2
original average = 3.22 y pos [mm], reshoot average = 2.83 y pos [m
counts [1/mm]
10^2
10^1
10^0
−400
−200
0
200
400
y pos [mm]