






original_key=Theta_100_0___reshoot_key=Theta_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 66538531.3, reshoot_counts = 1512529.0
normalization = 10.003, reshoot_counts*normalization = 15129258.6
original average = 0.09 Theta [rad], reshoot average = 0.08 Theta [ra
counts [1/rad]
Theta [rad]
10^{10}
10^{9}
10^{8}
10^{7}
10^{6}
10^{5}
10^{4}
10^{3}
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_1___reshoot_key=Theta_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 45713789.1, reshoot_counts = 1220615.7
normalization = 10.003, reshoot_counts*normalization = 12209360.2
original average = 0.09 Theta [rad], reshoot average = 0.08 Theta [ra
counts [1/rad]
Theta [rad]
10^{10}
10^{9}
10^{8}
10^{7}
10^{6}
10^{5}
10^{4}
10^{3}
10^{2}
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_2___reshoot_key=Theta_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 17429085.2, reshoot_counts = 320592.3
normalization = 10.003, reshoot_counts*normalization = 3206763.8
original average = 0.07 Theta [rad], reshoot average = 0.06 Theta [ra
counts [1/rad]
Theta [rad]
10^9
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_3___reshoot_key=Theta_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 756596.1, reshoot_counts = 14185.7
normalization = 10.003, reshoot_counts*normalization = 141894.1
original average = 0.07 Theta [rad], reshoot average = 0.06 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_4___reshoot_key=Theta_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 311467.6, reshoot_counts = 6145.2
normalization = 10.003, reshoot_counts*normalization = 61467.9
original average = 0.07 Theta [rad], reshoot average = 0.06 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_5___reshoot_key=Theta_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 517875.2, reshoot_counts = 11293.1
normalization = 10.003, reshoot_counts*normalization = 112960.2
original average = 0.07 Theta [rad], reshoot average = 0.06 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_6___reshoot_key=Theta_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 950498.3, reshoot_counts = 21385.2
normalization = 10.003, reshoot_counts*normalization = 213908.6
original average = 0.07 Theta [rad], reshoot average = 0.06 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_7___reshoot_key=Theta_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 511869.0, reshoot_counts = 11081.5
normalization = 10.003, reshoot_counts*normalization = 110844.1
original average = 0.06 Theta [rad], reshoot average = 0.06 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_8___reshoot_key=Theta_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 240233.9, reshoot_counts = 4808.4
normalization = 10.003, reshoot_counts*normalization = 48096.4
original average = 0.06 Theta [rad], reshoot average = 0.05 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_9___reshoot_key=Theta_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 127635.1, reshoot_counts = 2424.9
normalization = 10.003, reshoot_counts*normalization = 24255.0
original average = 0.06 Theta [rad], reshoot average = 0.05 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_10___reshoot_key=Theta_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 216858.8, reshoot_counts = 3509.5
normalization = 10.003, reshoot_counts*normalization = 35103.8
original average = 0.05 Theta [rad], reshoot average = 0.05 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_11___reshoot_key=Theta_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 178633.6, reshoot_counts = 2499.5
normalization = 10.003, reshoot_counts*normalization = 25001.5
original average = 0.05 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_12___reshoot_key=Theta_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 144331.6, reshoot_counts = 1677.5
normalization = 10.003, reshoot_counts*normalization = 16779.1
original average = 0.05 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_13___reshoot_key=Theta_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 62119.9, reshoot_counts = 597.6
normalization = 10.003, reshoot_counts*normalization = 5977.2
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_14___reshoot_key=Theta_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 17569.8, reshoot_counts = 137.3
normalization = 10.003, reshoot_counts*normalization = 1373.6
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_15___reshoot_key=Theta_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1911.3, reshoot_counts = 12.3
normalization = 10.003, reshoot_counts*normalization = 123.3
original average = 0.04 Theta [rad], reshoot average = 0.04 Theta [ra
counts [1/rad]
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_16___reshoot_key=Theta_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 64.9, reshoot_counts = 0.5
normalization = 10.003, reshoot_counts*normalization = 4.9
original average = 0.09 Theta [rad], reshoot average = 0.06 Theta [ra
counts [1/rad]
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_17___reshoot_key=Theta_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1.4, reshoot_counts = 0.1
normalization = 10.003, reshoot_counts*normalization = 0.5
original average = 0.39 Theta [rad], reshoot average = 0.56 Theta [ra
counts [1/rad]
Theta [rad]
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
10^2
6 × 10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_18___reshoot_key=Theta_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.5, reshoot_counts = 0.0
normalization = 10.003, reshoot_counts*normalization = 0.2
original average = 1.34 Theta [rad], reshoot average = 0.88 Theta [ra
counts [1/rad]
Theta [rad]
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
10^2
6 × 10^1
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_19___reshoot_key=Theta_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 10.003, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_20___reshoot_key=Theta_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 10.003, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_21___reshoot_key=Theta_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 10.003, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_22___reshoot_key=Theta_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 10.003, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_23___reshoot_key=Theta_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 10.003, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_24___reshoot_key=Theta_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 10.003, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_25___reshoot_key=Theta_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 10.003, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_26___reshoot_key=Theta_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 10.003, reshoot_counts*normalization = 0.0
original average = nan Theta [rad], reshoot average = nan Theta [rad
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Theta [rad]



original_key=Theta_100_e-___reshoot_key=Theta_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1285092.0, reshoot_counts = 116401.0
normalization = 10.003, reshoot_counts*normalization = 1164315.9
original average = 0.52 Theta [rad], reshoot average = 0.52 Theta [ra
counts [1/rad]
Theta [rad]
10^8
10^7
10^6
10^5
10^4
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_e+___reshoot_key=Theta_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 132230.7, reshoot_counts = 8508.1
normalization = 10.003, reshoot_counts*normalization = 85103.6
original average = 0.16 Theta [rad], reshoot average = 0.16 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_gamma___reshoot_key=Theta_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 8034923.5, reshoot_counts = 380969.1
normalization = 10.003, reshoot_counts*normalization = 3810690.6
original average = 0.12 Theta [rad], reshoot average = 0.12 Theta [ra
counts [1/rad]
Theta [rad]
10^9
10^8
10^7
10^6
10^5
10^4
10^3
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_mu-___reshoot_key=Theta_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4959.1, reshoot_counts = 416.4
normalization = 10.003, reshoot_counts*normalization = 4165.3
original average = 0.14 Theta [rad], reshoot average = 0.14 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_mu+___reshoot_key=Theta_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3690.9, reshoot_counts = 316.5
normalization = 10.003, reshoot_counts*normalization = 3165.5
original average = 0.15 Theta [rad], reshoot average = 0.14 Theta [ra
counts [1/rad]
Theta [rad]
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_pi-___reshoot_key=Theta_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 251919.8, reshoot_counts = 11107.0
normalization = 10.003, reshoot_counts*normalization = 111099.2
original average = 0.13 Theta [rad], reshoot average = 0.12 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Theta_100_pi+___reshoot_key=Theta_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 202026.2, reshoot_counts = 9017.3
normalization = 10.003, reshoot_counts*normalization = 90196.5
original average = 0.14 Theta [rad], reshoot average = 0.13 Theta [ra
counts [1/rad]
Theta [rad]
10^7
10^6
10^5
10^4
10^3
10^2
0.0
0.5
1.0
1.5
2.0
2.5
3.0



original_key=Phi_100_0___reshoot_key=Phi_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 22627155.1, reshoot_counts = 2263694.8
normalization = 10.003, reshoot_counts*normalization = 22642887.4
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
3 × 10^8
2 × 10^8
10^8
6 × 10^7
4 × 10^7
3 × 10^7
2 × 10^7
0
1
2
3
4
5
6



original_key=Phi_100_1___reshoot_key=Phi_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 18023776.0, reshoot_counts = 1802243.0
normalization = 10.003, reshoot_counts*normalization = 18027159.5
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
3 × 10^8
2 × 10^8
10^8
6 × 10^7
4 × 10^7
3 × 10^7
2 × 10^7
0
1
2
3
4
5
6



original_key=Phi_100_2___reshoot_key=Phi_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5008250.2, reshoot_counts = 501478.1
normalization = 10.003, reshoot_counts*normalization = 5016096.9
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
6 × 10^7
4 × 10^7
3 × 10^7
2 × 10^7
10^7
6 × 10^6
4 × 10^6
3 × 10^6
0
1
2
3
4
5
6



original_key=Phi_100_3___reshoot_key=Phi_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 221252.4, reshoot_counts = 22192.0
normalization = 10.003, reshoot_counts*normalization = 221978.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
3 × 10^6
2 × 10^6
10^6
6 × 10^5
4 × 10^5
3 × 10^5
2 × 10^5
0
1
2
3
4
5
6



original_key=Phi_100_4___reshoot_key=Phi_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 95444.4, reshoot_counts = 9593.5
normalization = 10.003, reshoot_counts*normalization = 95960.5
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^6
10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_5___reshoot_key=Phi_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 174141.9, reshoot_counts = 17305.9
normalization = 10.003, reshoot_counts*normalization = 173104.6
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^6
10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_6___reshoot_key=Phi_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 330069.1, reshoot_counts = 33135.8
normalization = 10.003, reshoot_counts*normalization = 331444.9
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
4 × 10^6
3 × 10^6
2 × 10^6
10^6
6 × 10^5
4 × 10^5
3 × 10^5
2 × 10^5
0
1
2
3
4
5
6



original_key=Phi_100_7___reshoot_key=Phi_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 173570.6, reshoot_counts = 17389.3
normalization = 10.003, reshoot_counts*normalization = 173938.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
10^6
10^5
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_8___reshoot_key=Phi_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 76766.4, reshoot_counts = 7602.7
normalization = 10.003, reshoot_counts*normalization = 76047.3
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^6
10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_9___reshoot_key=Phi_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 39104.8, reshoot_counts = 3925.9
normalization = 10.003, reshoot_counts*normalization = 39269.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
6 × 10^5
4 × 10^5
3 × 10^5
2 × 10^5
10^5
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
0
1
2
3
4
5
6



original_key=Phi_100_10___reshoot_key=Phi_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 58368.8, reshoot_counts = 5885.5
normalization = 10.003, reshoot_counts*normalization = 58870.9
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
6 × 10^5
4 × 10^5
3 × 10^5
2 × 10^5
10^5
6 × 10^4
4 × 10^4
3 × 10^4
0
1
2
3
4
5
6



original_key=Phi_100_11___reshoot_key=Phi_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 42601.9, reshoot_counts = 4275.1
normalization = 10.003, reshoot_counts*normalization = 42762.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
6×10^5
4×10^5
3×10^5
2×10^5
10^5
6×10^4
4×10^4
3×10^4
0
1
2
3
4
5
6



original_key=Phi_100_12___reshoot_key=Phi_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 29372.9, reshoot_counts = 3009.7
normalization = 10.003, reshoot_counts*normalization = 30104.6
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
4 × 10^5
3 × 10^5
2 × 10^5
10^5
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
0
1
2
3
4
5
6



original_key=Phi_100_13___reshoot_key=Phi_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10839.9, reshoot_counts = 1076.0
normalization = 10.003, reshoot_counts*normalization = 10763.0
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^5
10^4
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_14___reshoot_key=Phi_1_14
original counts = 2561.2, reshoot counts = 265.3
normalization = 10.003, reshoot_counts*normalization = 2653.7
original average = 3.14 Phi [rad], reshoot average = 3.12 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
10^4
10^3
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_15___reshoot_key=Phi_1_15
original counts = 220.2, reshoot counts = 25.2
normalization = 10.003, reshoot counts*normalization = 251.8
original average = 3.15 Phi [rad], reshoot average = 3.20 Phi [rad]
counts [1/rad]
10^3
10^2
0
1
2
3
4
5
6
Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average



original_key=Phi_100_16___reshoot_key=Phi_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13.1, reshoot_counts = 0.7
normalization = 10.003, reshoot_counts*normalization = 6.8
original average = 3.07 Phi [rad], reshoot average = 3.15 Phi [rad]
counts [1/rad]
10^3
10^2
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_17___reshoot_key=Phi_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.5, reshoot_counts = 0.1
normalization = 10.003, reshoot_counts*normalization = 0.5
original average = 3.14 Phi [rad], reshoot average = 2.49 Phi [rad]
10^3
10^2
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_18___reshoot_key=Phi_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.5, reshoot_counts = 0.0
normalization = 10.003, reshoot_counts*normalization = 0.2
original average = 3.02 Phi [rad], reshoot average = 1.89 Phi [rad]
counts [1/rad]
Phi [rad]
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
10^2
6 × 10^1
0
1
2
3
4
5
6



original_key=Phi_100_19___reshoot_key=Phi_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 10.003, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_20___reshoot_key=Phi_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 10.003, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_21___reshoot_key=Phi_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 10.003, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_22___reshoot_key=Phi_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 10.003, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_23___reshoot_key=Phi_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 10.003, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_24___reshoot_key=Phi_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 10.003, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_25___reshoot_key=Phi_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 10.003, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_26___reshoot_key=Phi_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 10.003, reshoot_counts*normalization = 0.0
original average = nan Phi [rad], reshoot average = nan Phi [rad]
counts [1/rad]
0.04
0.02
0.00
−0.02
−0.04
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_e-___reshoot_key=Phi_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1516463.3, reshoot_counts = 153072.2
normalization = 10.003, reshoot_counts*normalization = 1531123.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^7
10^6
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_e+___reshoot_key=Phi_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 100739.2, reshoot_counts = 11587.6
normalization = 10.003, reshoot_counts*normalization = 115906.6
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
10^6
10^5
0
1
2
3
4
5
6



original_key=Phi_100_gamma___reshoot_key=Phi_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5146678.1, reshoot_counts = 524597.9
normalization = 10.003, reshoot_counts*normalization = 5247355.8
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
counts [1/rad]
Phi [rad]
6 × 10^7
4 × 10^7
3 × 10^7
2 × 10^7
10^7
6 × 10^6
4 × 10^6
0
1
2
3
4
5
6



original_key=Phi_100_mu-___reshoot_key=Phi_1_mu-
original counts = 3489.0, reshoot_counts = 582.8
normalization = 10.003, reshoot_counts*normalization = 5829.1
original average = 3.14 Phi [rad], reshoot average = 3.12 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
0
1
2
3
4
5
6



original_key=Phi_100_mu+___reshoot_key=Phi_1_mu+
original counts = 2593.4, reshoot_counts = 419.7
normalization = 10.003, reshoot_counts*normalization = 4197.7
original average = 3.15 Phi [rad], reshoot average = 3.16 Phi [rad]
output PS * normalization
output PS
input PS
original average
reshoot average
counts [1/rad]
Phi [rad]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
0
1
2
3
4
5
6



original_key=Phi_100_pi-___reshoot_key=Phi_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 154640.1, reshoot_counts = 15430.7
normalization = 10.003, reshoot_counts*normalization = 154347.7
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^6
10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Phi_100_pi+___reshoot_key=Phi_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 124885.4, reshoot_counts = 12557.5
normalization = 10.003, reshoot_counts*normalization = 125607.6
original average = 3.14 Phi [rad], reshoot average = 3.14 Phi [rad]
10^6
10^5
counts [1/rad]
0
1
2
3
4
5
6
Phi [rad]



original_key=Ekin_100_0___reshoot_key=EkinU_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 978388584.5, reshoot_counts = 98065444.5
normalization = 10.003, reshoot_counts*normalization = 980911765.8
original average = 557.40 Ek [MeV/u], reshoot average = 561.47 Ek [
counts [u/MeV]
Ek [MeV/u]
10^7
10^6
10^5
10^4
10^3
10^2
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_1___reshoot_key=EkinU_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 781604365.0, reshoot_counts = 78144750.0
normalization = 10.003, reshoot_counts*normalization = 781652549.5
original average = 557.75 Ek [MeV/u], reshoot average = 557.75 Ek [
counts [u/MeV]
Ek [MeV/u]
10^6
10^5
10^4
10^3
10^2
10^1
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_2___reshoot_key=EkinU_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 216711153.0, reshoot_counts = 21667882.0
normalization = 10.003, reshoot_counts*normalization = 216735675.9
original average = 540.82 Ek [MeV/u], reshoot average = 540.85 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
10^5
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_3___reshoot_key=EkinU_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 9572206.5, reshoot_counts = 958618.5
normalization = 10.003, reshoot_counts*normalization = 9588700.4
original average = 498.93 Ek [MeV/u], reshoot average = 498.66 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_4___reshoot_key=EkinU_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4118822.5, reshoot_counts = 412913.0
normalization = 10.003, reshoot_counts*normalization = 4130213.5
original average = 450.71 Ek [MeV/u], reshoot average = 450.83 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_5___reshoot_key=EkinU_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7539498.5, reshoot_counts = 751990.0
normalization = 10.003, reshoot_counts*normalization = 7521873.2
original average = 414.22 Ek [MeV/u], reshoot average = 414.33 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_6___reshoot_key=EkinU_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 14274738.0, reshoot_counts = 1426650.0
normalization = 10.003, reshoot_counts*normalization = 14270243.5
original average = 362.17 Ek [MeV/u], reshoot average = 362.09 Ek [
counts [u/MeV]
Ek [MeV/u]
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_7___reshoot_key=EkinU_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7503224.5, reshoot_counts = 748608.0
normalization = 10.003, reshoot_counts*normalization = 7488044.3
original average = 325.32 Ek [MeV/u], reshoot average = 325.39 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_8___reshoot_key=EkinU_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3310070.5, reshoot_counts = 331900.0
normalization = 10.003, reshoot_counts*normalization = 3319870.9
original average = 291.90 Ek [MeV/u], reshoot average = 292.00 Ek [
counts [u/MeV]
Ek [MeV/u]
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_9___reshoot_key=EkinU_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1695585.5, reshoot_counts = 169779.0
normalization = 10.003, reshoot_counts*normalization = 1698235.5
original average = 271.81 Ek [MeV/u], reshoot average = 271.87 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_10___reshoot_key=EkinU_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2522926.0, reshoot_counts = 252578.0
normalization = 10.003, reshoot_counts*normalization = 2526442.8
original average = 229.51 Ek [MeV/u], reshoot average = 229.70 Ek [
counts [u/MeV]
Ek [MeV/u]
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_11___reshoot_key=EkinU_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1851560.5, reshoot_counts = 185061.5
normalization = 10.003, reshoot_counts*normalization = 1851100.6
original average = 195.16 Ek [MeV/u], reshoot average = 194.97 Ek [
counts [u/MeV]
Ek [MeV/u]
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_12___reshoot_key=EkinU_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1284285.5, reshoot_counts = 128583.5
normalization = 10.003, reshoot_counts*normalization = 1286172.4
original average = 154.90 Ek [MeV/u], reshoot average = 154.94 Ek [
counts [u/MeV]
Ek [MeV/u]
10^4
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_13___reshoot_key=EkinU_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 472757.0, reshoot_counts = 47513.5
normalization = 10.003, reshoot_counts*normalization = 475259.7
original average = 122.89 Ek [MeV/u], reshoot average = 122.86 Ek [
counts [u/MeV]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_14___reshoot_key=EkinU_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 111814.0, reshoot_counts = 11394.5
normalization = 10.003, reshoot_counts*normalization = 113974.9
original average = 92.22 Ek [MeV/u], reshoot average = 92.06 Ek [Me
counts [u/MeV]
Ek [MeV/u]
10^3
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_15___reshoot_key=EkinU_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10102.5, reshoot_counts = 1053.0
normalization = 10.003, reshoot_counts*normalization = 10532.8
original average = 79.11 Ek [MeV/u], reshoot average = 81.99 Ek [Me
counts [u/MeV]
10^2
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_16___reshoot_key=EkinU_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 414.0, reshoot_counts = 39.0
normalization = 10.003, reshoot_counts*normalization = 390.1
original average = 66.45 Ek [MeV/u], reshoot average = 58.68 Ek [Me
counts [u/MeV]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_17___reshoot_key=EkinU_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 26.5, reshoot_counts = 3.0
normalization = 10.003, reshoot_counts*normalization = 30.0
original average = 48.78 Ek [MeV/u], reshoot average = 122.83 Ek [M
counts [u/MeV]
10^1
10^0
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_18___reshoot_key=EkinU_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 25.5, reshoot_counts = 0.5
normalization = 10.003, reshoot_counts*normalization = 5.0
original average = 1.36 Ek [MeV/u], reshoot average = 1.50 Ek [MeV/u
10^1
10^0
counts [u/MeV]
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_19___reshoot_key=EkinU_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 10.003, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_20___reshoot_key=EkinU_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 10.003, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_21___reshoot_key=EkinU_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 10.003, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_22___reshoot_key=EkinU_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 10.003, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_23___reshoot_key=EkinU_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 10.003, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_24___reshoot_key=EkinU_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 10.003, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_25___reshoot_key=EkinU_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 10.003, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_26___reshoot_key=EkinU_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 10.003, reshoot_counts*normalization = 0.0
original average = nan Ek [MeV/u], reshoot average = nan Ek [MeV/u]
counts [u/MeV]
0.04
0.02
0.00
−0.02
−0.04
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_e-___reshoot_key=EkinU_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5594901.8, reshoot_counts = 6334024.5
normalization = 10.003, reshoot_counts*normalization = 63356865.3
original average = 2.52 Ek [MeV/u], reshoot average = 5.02 Ek [MeV/u
counts [u/MeV]
Ek [MeV/u]
10^8
10^7
10^6
10^5
10^4
10^3
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_e+___reshoot_key=EkinU_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 370939.1, reshoot_counts = 501700.5
normalization = 10.003, reshoot_counts*normalization = 5018321.4
original average = 29.98 Ek [MeV/u], reshoot average = 30.10 Ek [Me
counts [u/MeV]
10^5
10^4
10^3
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_gamma___reshoot_key=EkinU_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 20953160.7, reshoot_counts = 21064987.5
normalization = 10.003, reshoot_counts*normalization = 210705148.9
original average = 5.06 Ek [MeV/u], reshoot average = 6.54 Ek [MeV/u
counts [u/MeV]
Ek [MeV/u]
10^8
10^7
10^6
10^5
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_mu-___reshoot_key=EkinU_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 5541.6, reshoot_counts = 24924.0
normalization = 10.003, reshoot_counts*normalization = 249305.4
original average = 49.91 Ek [MeV/u], reshoot average = 50.15 Ek [Me
10^3
10^2
counts [u/MeV]
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_mu+___reshoot_key=EkinU_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 4070.0, reshoot_counts = 18913.0
normalization = 10.003, reshoot_counts*normalization = 189179.6
original average = 48.07 Ek [MeV/u], reshoot average = 48.16 Ek [Me
10^3
10^2
counts [u/MeV]
0
250
500
750
1000
1250
1500
1750
2000
Ek [MeV/u]



original_key=Ekin_100_pi-___reshoot_key=EkinU_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 13214998.3, reshoot_counts = 674102.0
normalization = 10.003, reshoot_counts*normalization = 6742788.8
original average = 276.20 Ek [MeV/u], reshoot average = 276.35 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=Ekin_100_pi+___reshoot_key=EkinU_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 10650197.6, reshoot_counts = 546647.5
normalization = 10.003, reshoot_counts*normalization = 5467909.4
original average = 295.58 Ek [MeV/u], reshoot average = 295.54 Ek [
counts [u/MeV]
Ek [MeV/u]
10^0
10^1
10^2
10^3
10^4
0
250
500
750
1000
1250
1500
1750
2000



original_key=X_100_0___reshoot_key=X_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 249430528.4, reshoot_counts = 24561937.0
normalization = 10.003, reshoot_counts*normalization = 245683819.8
original average = -0.02 x pos [mm], reshoot average = -0.14 x pos [r
counts [1/mm]
10^7
10^6
10^5
10^4
10^3
10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_100_1___reshoot_key=X_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 198375643.2, reshoot_counts = 19536426.0
normalization = 10.003, reshoot_counts*normalization = 195415523.0
original average = -0.01 x pos [mm], reshoot average = -0.13 x pos [m
counts [1/mm]
x pos [mm]
10^7
10^6
10^5
10^4
10^3
10^2
−400
−200
0
200
400



original_key=X_100_2___reshoot_key=X_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 54890120.0, reshoot_counts = 5417132.8
normalization = 10.003, reshoot_counts*normalization = 54185541.9
original average = -0.01 x pos [mm], reshoot average = -0.13 x pos [
counts [1/mm]
10^6
10^5
10^4
10^3
10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_100_3___reshoot_key=X_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2423658.2, reshoot_counts = 239665.8
normalization = 10.003, reshoot_counts*normalization = 2397286.4
original average = -0.01 x pos [mm], reshoot average = -0.13 x pos [
10^5
10^4
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_100_4___reshoot_key=X_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1043022.0, reshoot_counts = 103233.5
normalization = 10.003, reshoot_counts*normalization = 1032605.9
original average = -0.01 x pos [mm], reshoot average = -0.13 x pos [
counts [1/mm]
x pos [mm]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
−400
−200
0
200
400



original_key=X_100_5___reshoot_key=X_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1909206.5, reshoot_counts = 188015.5
normalization = 10.003, reshoot_counts*normalization = 1880648.3
original average = -0.00 x pos [mm], reshoot average = -0.15 x pos [
10^5
10^4
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_100_6___reshoot_key=X_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3613468.8, reshoot_counts = 356697.0
normalization = 10.003, reshoot_counts*normalization = 3567906.0
original average = -0.01 x pos [mm], reshoot average = -0.14 x pos [
counts [1/mm]
x pos [mm]
2 × 10^5
10^5
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
−400
−200
0
200
400



original_key=X_100_7___reshoot_key=X_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1898852.4, reshoot_counts = 187168.8
normalization = 10.003, reshoot_counts*normalization = 1872178.6
original average = -0.01 x pos [mm], reshoot average = -0.17 x pos [
10^5
10^4
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_100_8___reshoot_key=X_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 837144.4, reshoot_counts = 82980.0
normalization = 10.003, reshoot_counts*normalization = 830017.7
original average = -0.01 x pos [mm], reshoot average = -0.11 x pos [
counts [1/mm]
x pos [mm]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
−400
−200
0
200
400



original_key=X_100_9___reshoot_key=X_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 428757.2, reshoot_counts = 42446.8
normalization = 10.003, reshoot_counts*normalization = 424578.9
original average = -0.02 x pos [mm], reshoot average = -0.13 x pos [
counts [1/mm]
x pos [mm]
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400



original_key=X_100_10___reshoot_key=X_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 637900.1, reshoot_counts = 63149.5
normalization = 10.003, reshoot_counts*normalization = 631660.7
original average = 0.00 x pos [mm], reshoot average = -0.09 x pos [m
counts [1/mm]
x pos [mm]
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400



original_key=X_100_11___reshoot_key=X_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 468017.1, reshoot_counts = 46270.5
normalization = 10.003, reshoot_counts*normalization = 462826.4
original average = -0.02 x pos [mm], reshoot average = -0.18 x pos [
counts [1/mm]
x pos [mm]
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400



original_key=X_100_12___reshoot_key=X_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 324709.9, reshoot_counts = 32152.0
normalization = 10.003, reshoot_counts*normalization = 321604.4
original average = 0.00 x pos [mm], reshoot average = -0.20 x pos [m
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_100_13___reshoot_key=X_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 119550.2, reshoot_counts = 11882.5
normalization = 10.003, reshoot_counts*normalization = 118856.2
original average = 0.04 x pos [mm], reshoot average = -0.09 x pos [m
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_100_14___reshoot_key=X_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 28280.1, reshoot_counts = 2850.2
normalization = 10.003, reshoot_counts*normalization = 28510.0
original average = -0.02 x pos [mm], reshoot average = -0.24 x pos [
10^3
10^2
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_100_15___reshoot_key=X_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2554.2, reshoot_counts = 263.2
normalization = 10.003, reshoot_counts*normalization = 2633.2
original average = 0.47 x pos [mm], reshoot average = -1.06 x pos [m
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_100_16___reshoot_key=X_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 107.0, reshoot_counts = 9.8
normalization = 10.003, reshoot_counts*normalization = 97.5
original average = -0.45 x pos [mm], reshoot average = -0.65 x pos [
counts [1/mm]
x pos [mm]
6 × 10^1
4 × 10^1
3 × 10^1
2 × 10^1
10^1
6 × 10^0
4 × 10^0
−400
−200
0
200
400



original_key=X_100_17___reshoot_key=X_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6.6, reshoot_counts = 0.8
normalization = 10.003, reshoot_counts*normalization = 7.5
original average = -2.51 x pos [mm], reshoot average = 5.12 x pos [m
counts [1/mm]
x pos [mm]
4 × 10^1
3 × 10^1
2 × 10^1
10^1
6 × 10^0
4 × 10^0
−400
−200
0
200
400



original_key=X_100_18___reshoot_key=X_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6.5, reshoot_counts = 0.2
normalization = 10.003, reshoot_counts*normalization = 2.5
original average = -8.36 x pos [mm], reshoot average = -4.62 x pos [
counts [1/mm]
x pos [mm]
4 × 10^1
3 × 10^1
2 × 10^1
10^1
6 × 10^0
4 × 10^0
−400
−200
0
200
400



original_key=X_100_19___reshoot_key=X_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 10.003, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
x pos [mm]



original_key=X_100_20___reshoot_key=X_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 10.003, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
x pos [mm]



original_key=X_100_21___reshoot_key=X_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 10.003, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
x pos [mm]



original_key=X_100_22___reshoot_key=X_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 10.003, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
x pos [mm]



original_key=X_100_23___reshoot_key=X_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 10.003, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
0.04
0.02
0.00
−0.02
−0.04
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_100_24___reshoot_key=X_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 10.003, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
x pos [mm]



original_key=X_100_25___reshoot_key=X_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 10.003, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
x pos [mm]



original_key=X_100_26___reshoot_key=X_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 10.003, reshoot_counts*normalization = 0.0
original average = nan x pos [mm], reshoot average = nan x pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
x pos [mm]



original_key=X_100_e-___reshoot_key=X_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16972039.2, reshoot_counts = 1676918.0
normalization = 10.003, reshoot_counts*normalization = 16773580.2
original average = -0.01 x pos [mm], reshoot average = -0.13 x pos [
counts [1/mm]
x pos [mm]
10^6
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400



original_key=X_100_e+___reshoot_key=X_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1125322.5, reshoot_counts = 126535.0
normalization = 10.003, reshoot_counts*normalization = 1265682.0
original average = -0.00 x pos [mm], reshoot average = -0.11 x pos [
counts [1/mm]
x pos [mm]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
−400
−200
0
200
400



original_key=X_100_gamma___reshoot_key=X_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 57556937.2, reshoot_counts = 5758090.5
normalization = 10.003, reshoot_counts*normalization = 57596014.1
original average = -0.02 x pos [mm], reshoot average = -0.15 x pos [
counts [1/mm]
10^6
10^5
10^4
10^3
10^2
−400
−200
0
200
400
x pos [mm]



original_key=X_100_mu-___reshoot_key=X_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 38942.9, reshoot_counts = 6241.5
normalization = 10.003, reshoot_counts*normalization = 62431.4
original average = -0.03 x pos [mm], reshoot average = -0.20 x pos [
counts [1/mm]
x pos [mm]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
−400
−200
0
200
400



original_key=X_100_mu+___reshoot_key=X_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 29553.4, reshoot_counts = 4745.0
normalization = 10.003, reshoot_counts*normalization = 47462.5
original average = -0.04 x pos [mm], reshoot average = -0.27 x pos [
counts [1/mm]
x pos [mm]
3 × 10^3
2 × 10^3
10^3
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
−400
−200
0
200
400



original_key=X_100_pi-___reshoot_key=X_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1724088.9, reshoot_counts = 168526.0
normalization = 10.003, reshoot_counts*normalization = 1685702.2
original average = -0.03 x pos [mm], reshoot average = -0.16 x pos [
10^5
10^4
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=X_100_pi+___reshoot_key=X_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1389477.9, reshoot_counts = 136662.2
normalization = 10.003, reshoot_counts*normalization = 1366981.1
original average = -0.03 x pos [mm], reshoot average = -0.16 x pos [
10^5
10^4
counts [1/mm]
−400
−200
0
200
400
x pos [mm]



original_key=Y_100_0___reshoot_key=Y_1_0
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 249431204.4, reshoot_counts = 24561937.0
normalization = 10.003, reshoot_counts*normalization = 245683819.8
original average = -0.02 y pos [mm], reshoot average = -0.14 y pos [r
counts [1/mm]
y pos [mm]
10^7
10^6
10^5
10^4
10^3
10^2
−400
−200
0
200
400



original_key=Y_100_1___reshoot_key=Y_1_1
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 198374365.0, reshoot_counts = 19536426.0
normalization = 10.003, reshoot_counts*normalization = 195415523.0
original average = -0.01 y pos [mm], reshoot average = -0.14 y pos [m
counts [1/mm]
10^7
10^6
10^5
10^4
10^3
10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_2___reshoot_key=Y_1_2
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 54889752.1, reshoot_counts = 5417132.8
normalization = 10.003, reshoot_counts*normalization = 54185541.9
original average = -0.01 y pos [mm], reshoot average = -0.13 y pos [
counts [1/mm]
10^6
10^5
10^4
10^3
10^2
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_3___reshoot_key=Y_1_3
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2424129.1, reshoot_counts = 239665.8
normalization = 10.003, reshoot_counts*normalization = 2397286.4
original average = -0.01 y pos [mm], reshoot average = -0.07 y pos [
10^5
10^4
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_4___reshoot_key=Y_1_4
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1043125.6, reshoot_counts = 103233.5
normalization = 10.003, reshoot_counts*normalization = 1032605.9
original average = -0.01 y pos [mm], reshoot average = -0.11 y pos [
counts [1/mm]
y pos [mm]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
−400
−200
0
200
400



original_key=Y_100_5___reshoot_key=Y_1_5
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1908962.1, reshoot_counts = 188015.5
normalization = 10.003, reshoot_counts*normalization = 1880648.3
original average = -0.01 y pos [mm], reshoot average = -0.17 y pos [
10^5
10^4
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_6___reshoot_key=Y_1_6
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 3613460.8, reshoot_counts = 356697.0
normalization = 10.003, reshoot_counts*normalization = 3567906.0
original average = -0.00 y pos [mm], reshoot average = -0.13 y pos [
counts [1/mm]
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_7___reshoot_key=Y_1_7
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1898653.8, reshoot_counts = 187168.8
normalization = 10.003, reshoot_counts*normalization = 1872178.6
original average = -0.00 y pos [mm], reshoot average = -0.09 y pos [
10^5
10^4
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_8___reshoot_key=Y_1_8
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 837221.9, reshoot_counts = 82980.0
normalization = 10.003, reshoot_counts*normalization = 830017.7
original average = 0.00 y pos [mm], reshoot average = -0.14 y pos [m
counts [1/mm]
y pos [mm]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
−400
−200
0
200
400



original_key=Y_100_9___reshoot_key=Y_1_9
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 428677.6, reshoot_counts = 42446.8
normalization = 10.003, reshoot_counts*normalization = 424578.9
original average = -0.01 y pos [mm], reshoot average = -0.14 y pos [
counts [1/mm]
y pos [mm]
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400



original_key=Y_100_10___reshoot_key=Y_1_10
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 637882.0, reshoot_counts = 63149.5
normalization = 10.003, reshoot_counts*normalization = 631660.7
original average = 0.01 y pos [mm], reshoot average = -0.07 y pos [m
counts [1/mm]
y pos [mm]
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400



original_key=Y_100_11___reshoot_key=Y_1_11
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 468027.5, reshoot_counts = 46270.5
normalization = 10.003, reshoot_counts*normalization = 462826.4
original average = 0.03 y pos [mm], reshoot average = -0.15 y pos [m
counts [1/mm]
y pos [mm]
3 × 10^4
2 × 10^4
10^4
6 × 10^3
4 × 10^3
3 × 10^3
2 × 10^3
−400
−200
0
200
400



original_key=Y_100_12___reshoot_key=Y_1_12
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 324740.9, reshoot_counts = 32152.0
normalization = 10.003, reshoot_counts*normalization = 321604.4
original average = -0.05 y pos [mm], reshoot average = -0.24 y pos [
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_13___reshoot_key=Y_1_13
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 119502.8, reshoot_counts = 11882.5
normalization = 10.003, reshoot_counts*normalization = 118856.2
original average = 0.02 y pos [mm], reshoot average = -0.05 y pos [m
10^4
10^3
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_14___reshoot_key=Y_1_14
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 28285.4, reshoot_counts = 2850.2
normalization = 10.003, reshoot_counts*normalization = 28510.0
original average = 0.02 y pos [mm], reshoot average = 0.13 y pos [m
10^3
10^2
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_15___reshoot_key=Y_1_15
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 2565.8, reshoot_counts = 263.2
normalization = 10.003, reshoot_counts*normalization = 2633.2
original average = -0.12 y pos [mm], reshoot average = -0.33 y pos [
10^2
10^1
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_16___reshoot_key=Y_1_16
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 104.0, reshoot_counts = 9.8
normalization = 10.003, reshoot_counts*normalization = 97.5
original average = 1.33 y pos [mm], reshoot average = 1.53 y pos [m
counts [1/mm]
y pos [mm]
6×10^1
4×10^1
3×10^1
2×10^1
10^1
6×10^0
4×10^0
−400
−200
0
200
400



original_key=Y_100_17___reshoot_key=Y_1_17
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 6.8, reshoot_counts = 0.8
normalization = 10.003, reshoot_counts*normalization = 7.5
original average = -2.78 y pos [mm], reshoot average = -15.12 y pos
counts [1/mm]
y pos [mm]
4 × 10^1
3 × 10^1
2 × 10^1
10^1
6 × 10^0
4 × 10^0
−400
−200
0
200
400



original_key=Y_100_18___reshoot_key=Y_1_18
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 7.2, reshoot_counts = 0.2
normalization = 10.003, reshoot_counts*normalization = 2.5
original average = 0.79 y pos [mm], reshoot average = 24.12 y pos [r
counts [1/mm]
y pos [mm]
4 × 10^1
3 × 10^1
2 × 10^1
10^1
6 × 10^0
4 × 10^0
−400
−200
0
200
400



original_key=Y_100_19___reshoot_key=Y_1_19
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 10.003, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_20___reshoot_key=Y_1_20
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 10.003, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_21___reshoot_key=Y_1_21
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 10.003, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_22___reshoot_key=Y_1_22
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 10.003, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_23___reshoot_key=Y_1_23
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 10.003, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_24___reshoot_key=Y_1_24
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 10.003, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_25___reshoot_key=Y_1_25
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 10.003, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_26___reshoot_key=Y_1_26
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 0.0, reshoot_counts = 0.0
normalization = 10.003, reshoot_counts*normalization = 0.0
original average = nan y pos [mm], reshoot average = nan y pos [mm
counts [1/mm]
0.04
0.02
0.00
−0.02
−0.04
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_e-___reshoot_key=Y_1_e-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 16973385.5, reshoot_counts = 1676918.0
normalization = 10.003, reshoot_counts*normalization = 16773580.2
original average = -0.01 y pos [mm], reshoot average = -0.14 y pos [
10^6
10^5
counts [1/mm]
−400
−200
0
200
400
y pos [mm]



original_key=Y_100_e+___reshoot_key=Y_1_e+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1125498.0, reshoot_counts = 126535.0
normalization = 10.003, reshoot_counts*normalization = 1265682.0
original average = 0.00 y pos [mm], reshoot average = -0.15 y pos [m
counts [1/mm]
y pos [mm]
6 × 10^4
4 × 10^4
3 × 10^4
2 × 10^4
10^4
6 × 10^3
−400
−200
0
200
400


original_key=Y_100_gamma___reshoot_key=Y_1_gamma
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 57556358.8, reshoot_counts = 5758090.5
normalization = 10.003, reshoot_counts*normalization = 57596014.1
original average = -0.03 y pos [mm], reshoot average = -0.16 y pos [
counts [1/mm]
10^6
10^5
10^4
10^3
10^2
−400
−200
0
200
400
y pos [mm]


original_key=Y_100_mu-___reshoot_key=Y_1_mu-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 38894.5, reshoot_counts = 6241.5
normalization = 10.003, reshoot_counts*normalization = 62431.4
original average = -0.04 y pos [mm], reshoot average = -0.04 y pos [
counts [1/mm]
y pos [mm]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
4 × 10^2
3 × 10^2
−400
−200
0
200
400


original_key=Y_100_mu+___reshoot_key=Y_1_mu+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 29502.2, reshoot_counts = 4745.0
normalization = 10.003, reshoot_counts*normalization = 47462.5
original average = -0.06 y pos [mm], reshoot average = -0.23 y pos [
counts [1/mm]
y pos [mm]
4 × 10^3
3 × 10^3
2 × 10^3
10^3
6 × 10^2
4 × 10^2
3 × 10^2
2 × 10^2
−400
−200
0
200
400


original_key=Y_100_pi-___reshoot_key=Y_1_pi-
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1724092.6, reshoot_counts = 168526.0
normalization = 10.003, reshoot_counts*normalization = 1685702.2
original average = -0.04 y pos [mm], reshoot average = -0.18 y pos [
counts [1/mm]
10^5
10^4
10^3
10^2
10^1
−400
−200
0
200
400
y pos [mm]


original_key=Y_100_pi+___reshoot_key=Y_1_pi+
output PS * normalization
output PS
input PS
original average
reshoot average
original counts = 1389677.5, reshoot_counts = 136662.2
normalization = 10.003, reshoot_counts*normalization = 1366981.1
original average = -0.02 y pos [mm], reshoot average = -0.16 y pos [
10^5
10^4
counts [1/mm]
−400
−200
0
200
400
y pos [mm]